

The Annual Traffic Report

**is published by the Nevada Department of Transportation
Traffic Information Division in cooperation
with the U.S. Department of Transportation
Federal Highway Administration.**

*Nevada Department of Transportation
1263 S. Stewart Street
Carson City, Nevada 89712*

**Kenny C. Guinn, Governor
Tom Stephens, P.E., Director**

If you have any comments, questions, or need additional information
regarding the contents of this report, please contact
Traffic Information Division at (775) 888-7445
or E-mail at
pio@ndot.state.nv.us
www.nevadadot.com

TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>PAGE NUMBER</u>
Title Page - - - - -	i
Table of Contents - - - - -	ii
Introduction - - - - -	iii
Statistics - - - - -	1
Traffic Count Station Numbering System - - - - -	2
Automatic Traffic Recorder (ATR) System - - - - -	3
Vehicle Classification & 18 Kip Equivalent Axle Load Templates	4
Automatic Traffic Recorder (ATR) Summaries - - - - -	10
Table Three (Ten year history and maps) - - - - -	70

INTRODUCTION

The administration of approximately 5,400 miles of roads in the State of Nevada Highway System involves the expenditure of hundreds of millions of dollars annually for construction, reconstruction and maintenance. Also, it imposes the responsibility of selecting and designing new roads, and the planning of future construction and development.

It is necessary to keep current data on motor vehicle trends for numerous reasons including: Design of new construction to service the volume and type of traffic a roadway will carry. Selection of new routes to serve the greatest area and maximum number of motorists while maintaining cost efficiency. Design of future projects to coincide with expected development. And to schedule maintenance when and where it is most needed.

Perhaps the single most reliable statistics available to guide the highway engineer and the planner are the type and volume of traffic on each section of highway under consideration for future improvement. Responsibility for the collection, tabulation and analysis of these trends is vested in the Traffic Information Division of the Nevada Department of Transportation.

During 2000, hourly traffic volumes were monitored continuously at 59 locations statewide. These sites, commonly referred to as Automatic Traffic Recorders (ATR's) are presented in summary form beginning on page 10 of this report. In addition, traffic volumes were collected in short periods (7days) and factored to Annual Average Daily Traffic (AADT's). These summary statistics including a ten-year history (if available) are presented by county in the Table Three portion of this report, which begins on page 70.

STATISTICS

The methods used to derive the “Annual Average Daily Traffic” (AADT) for the Automatic Traffic Recorder (ATR) sites in this book are:

1. Each day of the week is averaged for the month.
2. The seven average days (Sunday through Saturday) are averaged which provides “Monthly Average Daily Traffic” (MADT).
3. The twelve MADT’s (January through December) are averaged, which then yields the AADT.

The methods used to derive the “Annual Average Daily Traffic” for Table Three in this report are:

1. The total raw count from a five to seven day short period count is divided by the number of hours sampled and the quotient is then multiplied by 24 (24 hours in a day).
2. The above product is then factored using summary statistics from ATR’s to derive a Monthly Average Daily Traffic (MADT).
3. The MADT is once again factored for seasonality using summary statistics from ATR’s which produces Annual Average Daily Traffic (AADT). The AADT summary statistics in this report represent a composite of both directions.
4. Those locations sampled with an axle sensor are then factored once more using factors developed from vehicle classification statistics. This procedure factors out inflated counts due to extra axle vehicles.

Data is collected in an hourly increment at various count locations statewide. The year the last hourly count was taken at a particular location is noted in the left margin of the Table Three report directly under the station identification number. This data is available upon request from the Traffic Information Division staff by calling at (775) 888-7445.

TABLE 3 SHORT TERM COUNT STATION NUMBERING SYSTEM

The 2000 Table 3 section of this report contains a ten-year history of Annual Average Daily Traffic at short-term count locations. This data is divided into counties including maps depicting individual count locations. All short-term count locations are listed with a four-digit station identifier. Short-term count locations are represented on the maps in red and consist of the four- digit identification number with all leading zeros removed.

Example of table three:	Clark county station number	1 is 0001
	Mineral county station number	33 is 0033
	Washoe county station number	114 is 0114

Below is a listing of the counties and their prefix numbers. County code numbers are in bold print and located in the upper right hand corner on all county maps.

<u>County</u>	<u>Prefix Number</u>
Carson City	25
Churchill	01
Clark	03
Douglas	05
Elko	07
Esmeralda	09
Eureka	11
Humboldt	13
Lander	15
Lincoln	17
Lyon	19
Mineral	21
Nye	23
Pershing	27
Storey	29
Washoe	31
White Pine	33

AUTOMATIC TRAFFIC RECORDERS (ATR)

In addition to the short-term locations, Automatic Traffic Recorder (ATR) locations are shown on the maps with seven-digit identification number.

Summary data for ATR sites can be found in the Automatic Traffic Recorder section of this report. The ATR section provides the user with Monthly Average Daily Traffic (MADT) and a 10-year history of the AADT with the percent of change from the previous year. This section also provides Average Daily Traffic (ADT), Average Weekday Traffic and Average Weekend Traffic. (Please note Friday ADT is not used to calculate Average Weekday or Weekend Traffic).

The 30th highest hour as provided in the ATR summaries is a tool used in the design process. It is the hour used to design a highway as it represents the highest volume the highway will have to accommodate. To a greater extent, the 30th highest hour determines pavement widths and other geometric features.


VEHICLE CLASSIFICATION & 18 KIP EQUIVALENT AXLE LOAD TEMPLATES

The maps on page 5 & 6 show the Roadway Functional Classification for the majority of Las Vegas and Reno areas. The Template on page 7 provides the percentage of travel and corresponding average 18 KIP Equivalent Single Axle Loadings (ESAL) by vehicle type for Urban Roadway Functional Classifications. Page 8 is the Statewide Roadway Functional Classification map with page 9 depicting the Rural percentage of travel and corresponding average 18 KIP ESAL by vehicle type.

These statistics represent the previous three years of data collection at 420 locations statewide. The statistical sampling procedures found in the Federal Highway Administration's "Traffic Monitoring Guide" were the basis of location selection and monitoring duration.

This data is used in capacity analysis, environmental assessment, pavement management programs and economic development planning. This information is also requested by local entities and engineering consulting firms for determining structural numbers used in pavement design.


The procedure for calculating a current year daily ESAL value is available upon request by telephoning (775) 888-7444.



Las Vegas Urbanized Area


FEDERAL AID HIGHWAY SYSTEM OF
NEVADA
 1993
 PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION

LEGEND		
EXISTING	PROPOSED	
		URBAN BOUNDARIES
		INTERSTATE HIGHWAYS
		PRINCIPAL ARTERIAL & OTHER FREEWAYS AND EXPRESSWAYS
		OTHER PRINCIPAL ARTERIALS
		MINOR ARTERIALS
		RURAL MAJOR COLLECTOR
		NON FUNCTIONALLY CLASSIFIED MAJOR ROADS
		URBAN OR RURAL MINOR COLLECTOR
		COUNTY LINE
		STATE LINE
DATE APPROVED _____		



Downtown Las Vegas

ROADWAY FUNCTIONAL CLASSIFICATION LAS VEGAS URBANIZED AREA



ROADWAY FUNCTIONAL CLASSIFICATION RENO URBAN AREA

URBAN

VEHICLE DISTRIBUTION and AVERAGE ESAL's

by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA

STATE FIPS CODE: 32

DATA YEAR: 2000

DATE: 05/31/2001

FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL												
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL
					2 AXLE, 6 TIRE	3 AXLE OR MORE	4 AXLE OR LESS	5AXLE	6 AXLE OR MORE	5 AXLE OR LESS	6 AXLE	7 AXLE OR MORE	
URBAN													
INTERSTATE	8.96%	91.04%		0.52%	1.94%	0.69%	0.35%	4.52%	0.15%	0.37%	0.07%	0.42%	
FLEXIBLE ESAL by VEHICLE GROUP				0.898	0.268	0.704	0.722	1.361	1.582	2.040	1.220	2.387	1.111
RIGID ESAL by VEHICLE GROUP				1.017	0.246	1.039	0.753	2.082	2.041	1.956	1.166	2.817	1.528
OTHER FREEWAY & EXPRESSWAY	6.97%	93.03%		0.49%	2.09%	0.34%	0.31%	2.88%	0.11%	0.21%	0.04%	0.49%	
FLEXIBLE ESAL by VEHICLE GROUP				0.508	0.174	0.466	0.554	1.205	1.488	1.609	1.117	1.186	0.797
RIGID ESAL by VEHICLE GROUP				0.509	0.153	0.605	0.515	1.741	1.880	1.502	1.052	3.864	1.209
OTHER PRINCIPAL ARTERIALS	4.00%	96.00%		0.57%	1.39%	0.35%	0.24%	1.16%	0.04%	0.13%	0.04%	0.09%	
FLEXIBLE ESAL by VEHICLE GROUP				0.5767	0.2603	0.7999	0.5755	1.2681	1.7317	2.0392	1.1113	1.5841	0.771
MINOR ARTERIALS	4.29%	95.71%		0.39%	2.13%	0.39%	0.22%	0.83%	0.05%	0.07%	0.01%	0.20%	
FLEXIBLE ESAL by VEHICLE GROUP				0.8023	0.2276	0.6445	0.6441	1.2653	1.4252	1.8860	1.1264	1.7689	0.654
MINOR COLLECTORS	2.04%	97.96%		0.51%	1.17%	0.12%	0.11%	0.07%	0.00%	0.05%	0.01%	0.01%	
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	
LOCAL ROADS	4.51%	95.49%		0.38%	2.93%	0.55%	0.04%	0.46%	0.03%	0.01%	0.01%	0.10%	
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	

* Data not available for these Roadway Functional Classifications

RURAL

VEHICLE DISTRIBUTION and AVERAGE ESAL's

by ROADWAY FUNCTIONAL CLASSIFICATION

STATE: NEVADA

STATE FIPS CODE: 32

DATA YEAR: 2000

DATE: 05/31/2001


FUNCTIONAL CLASSIFICATION	PERCENT OF TRAVEL												
	TRUCK PERCENT (T%)	PASS- ENGER CARS [2 AXLE, 4 TIRE]		BUSSES	SINGLE-UNIT TRUCKS		SINGLE-TRAILER UNITS			MULTI-TRAILER TRUCKS			AVERAGE ESAL
					2 AXLE, 6 TIRE	3 AXLE OR MORE	4 AXLE OR LESS	5AXLE	6 AXLE OR MORE	5 AXLE OR LESS	6 AXLE	7 AXLE OR MORE	
RURAL													
INTERSTATE	28.77%	71.23%		0.58%	3.29%	0.36%	1.04%	20.06%	0.33%	0.92%	0.34%	1.85%	
FLEXIBLE ESAL by VEHICLE GROUP				0.624	0.151	0.415	0.593	1.253	1.456	1.763	0.978	1.807	1.131
RIGID ESAL by VEHICLE GROUP				0.665	0.128	0.540	0.585	1.844	1.734	1.614	0.878	2.109	1.559
OTHER PRINCIPAL ARTERIAL	19.92%	80.08%		0.49%	4.13%	0.48%	1.07%	11.07%	0.40%	0.57%	0.19%	1.53%	
FLEXIBLE ESAL by VEHICLE GROUP				0.686	0.181	0.555	0.664	1.356	1.724	1.720	1.129	1.819	1.091
MINOR ARTERIAL	13.67%	86.33%		0.38%	3.36%	0.89%	0.77%	6.26%	0.28%	0.44%	0.12%	1.18%	
FLEXIBLE ESAL by VEHICLE GROUP				0.621	0.175	0.624	0.560	0.933	1.342	1.599	1.630	1.538	0.786
MAJOR COLECTOR	12.65%	87.35%		0.35%	2.97%	0.58%	0.53%	5.94%	0.26%	0.64%	0.18%	1.20%	
FLEXIBLE ESAL by VEHICLE GROUP				0.399	0.243	0.551	0.222	0.801	0.668	0.982	1.170	1.125	0.666
MINOR COLLECTOR	5.29%	94.71%		0.08%	0.99%	0.21%	0.15%	1.07%	0.01%	0.12%	0.25%	2.40%	
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	
LOCAL ROADS	6.47%	93.53%		0.77%	3.45%	0.16%	0.11%	1.42%	0.00%	0.08%	0.03%	0.45%	6.47%
FLEXIBLE ESAL by VEHICLE GROUP				*	*	*	*	*	*	*	*	*	

* Data not available for these Roadway Functional Classifications


ATR 0121109

US-50, 21 KM (13 MI.) EAST OF SR-361 EAST OF FALLON


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	389	60.8%
FEBRUARY	365	57.0%
MARCH	433	67.7%
APRIL	572	89.4%
MAY	710	110.9%
JUNE	880	137.5%
JULY	935	146.1%
AUGUST	933	145.8%
SEPTEMBER	811	126.7%
OCTOBER	703	109.8%
NOVEMBER	526	82.2%
DECEMBER	443	69.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	640	94.1%
1999	680	107.9%
1998	630	99.2%
1997	635	105.0%
1996	605	94.5%
1995	640	103.2%
1994	620	100.8%
1993	615	98.4%
1992	625	100.0%
1991	625	93.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	640	100.0%
MON	619	96.7%
TUE	590	92.2%
WED	611	95.5%
THU	647	101.1%
FRI	737	115.2%
SAT	648	101.3%
AVG WEEKDAY	617	96.4%
AVG WEEKEND	644	100.6%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	15.6%
PERCENT HIGH DIRECTION IS OF DHV	53.0%


ATR 0121209

US-50, .64 KM (.4 MI.) WEST OF US-50A


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,935	83.2%
FEBRUARY	2,044	87.9%
MARCH	2,151	92.5%
APRIL	2,325	100.0%
MAY	2,570	110.5%
JUNE	2,730	117.4%
JULY	2,669	114.8%
AUGUST	2,549	109.6%
SEPTEMBER	2,417	104.0%
OCTOBER	2,275	97.8%
NOVEMBER	1,989	85.5%
DECEMBER	1,984	85.3%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	2,305	103.6%
1999	2,325	105.4%
1998	2,245	
1997	2,130	
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,962	84.4%
MON	2,182	93.8%
TUE	2,340	100.6%
WED	2,353	101.2%
THU	2,331	100.3%
FRI	2,559	110.1%
SAT	2,396	103.1%
AVG WEEKDAY	2,302	99.0%
AVG WEEKEND	2,179	93.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.9%
PERCENT HIGH DIRECTION IS OF DHV	57.2%


ATR 0121309

US-50, Williams St. E. of Russell St.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	19,491	93.0%
FEBRUARY	20,219	96.5%
MARCH	20,869	99.6%
APRIL	21,799	104.0%
MAY	21,776	103.9%
JUNE	22,238	106.1%
JULY	21,488	102.5%
AUGUST	21,330	101.8%
SEPTEMBER	21,207	101.2%
OCTOBER	20,756	99.0%
NOVEMBER	19,794	94.4%
DECEMBER	20,567	98.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	20,960	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	15,672	74.8%
MON	21,353	101.9%
TUE	21,616	103.1%
WED	21,957	104.8%
THU	22,071	105.3%
FRI	24,406	116.4%
SAT	19,654	93.8%
AVG WEEKDAY	21,749	103.8%
AVG WEEKEND	17,663	84.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.3%
PERCENT HIGH DIRECTION IS OF DHV	55.6%


ATR 0311109

I-15, AT NV/CA STATELINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	30,002	88.1%
FEBRUARY	31,449	92.4%
MARCH	31,725	93.2%
APRIL	36,144	106.2%
MAY	35,404	104.0%
JUNE	36,152	106.2%
JULY	40,879	120.1%
AUGUST	40,921	120.2%
SEPTEMBER	34,280	100.7%
OCTOBER	31,554	92.7%
NOVEMBER	34,714	102.0%
DECEMBER	35,059	103.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	34,855	102.4%
1999	34,040	105.9%
1998	32,150	103.6%
1997	31,025	105.1%
1996	29,530	101.5%
1995	29,090	102.3%
1994	28,425	107.6%
1993	26,420	106.4%
1992	24,820	101.9%
1991	24,365	116.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	50,015	146.9%
MON	31,485	92.5%
TUE	26,432	77.6%
WED	26,066	76.6%
THU	28,293	83.1%
FRI	42,355	124.4%
SAT	39,351	115.6%
AVG WEEKDAY	28,069	82.5%
AVG WEEKEND	44,683	131.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.5%
PERCENT HIGH DIRECTION IS OF DHV	62.5%


ATR 0311209

I-15, 2.4 KM (1.5 MI) N. OF APEX INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	15,902	82.1%
FEBRUARY	16,826	86.8%
MARCH	19,217	99.2%
APRIL	20,687	106.7%
MAY	20,360	105.1%
JUNE	22,059	113.8%
JULY	22,880	118.1%
AUGUST	22,118	114.1%
SEPTEMBER	19,881	102.6%
OCTOBER	19,540	100.8%
NOVEMBER	17,991	92.8%
DECEMBER	17,470	90.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	19,580	101.0%
1999	19,380	103.6%
1998	18,710	107.0%
1997	17,490	105.6%
1996	16,570	103.6%
1995	15,990	107.4%
1994	14,890	105.8%
1993	14,080	107.2%
1992	13,130	103.2%
1991	12,720	113.2%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	19,749	101.9%
MON	18,149	93.6%
TUE	18,116	93.5%
WED	18,728	96.6%
THU	19,686	101.6%
FRI	22,314	115.1%
SAT	20,302	104.8%
AVG WEEKDAY	18,670	96.3%
AVG WEEKEND	20,026	103.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.2%
PERCENT HIGH DIRECTION IS OF DHV	65.0%

ATR 0311309


I-15, 61 METERS (200') N. OF THE E. MESQUITE INTERCHANGE

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	16,064	85.7%
FEBRUARY	17,222	91.9%
MARCH	18,463	98.5%
APRIL		0.0%
MAY		0.0%
JUNE		0.0%
JULY	20,985	112.0%
AUGUST	21,490	114.7%
SEPTEMBER	19,050	101.7%
OCTOBER	18,973	101.2%
NOVEMBER	17,674	94.3%
DECEMBER		0.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	18,740	100.1%
1999	18,715	105.1%
1998	17,805	106.0%
1997	16,795	104.1%
1996	16,140	101.7%
1995	15,870	109.0%
1994	14,565	100.8%
1993	14,445	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	20,416	108.9%
MON	17,204	91.8%
TUE	16,391	87.5%
WED	16,971	90.6%
THU	18,208	97.2%
FRI	21,428	114.3%
SAT	20,562	109.7%
AVG WEEKDAY	17,194	91.7%
AVG WEEKEND	20,489	109.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.3%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 0312509

I-215, 0.2 MI E. OF EASTERN AVE.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	54,845	77.3%
FEBRUARY	57,104	80.5%
MARCH	58,986	83.2%
APRIL	60,130	84.8%
MAY	68,736	96.9%
JUNE	73,131	103.1%
JULY	74,319	104.8%
AUGUST	78,571	110.8%
SEPTEMBER	79,346	111.9%
OCTOBER	82,035	115.7%
NOVEMBER	81,129	114.4%
DECEMBER	82,847	116.8%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	70,930	180.0%
1999	39,405	
1998	23,160	
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	51,712	72.9%
MON	72,793	102.6%
TUE	75,516	106.5%
WED	77,102	108.7%
THU	77,332	109.0%
FRI	79,285	111.8%
SAT	62,781	88.5%
AVG WEEKDAY	75,686	106.7%
AVG WEEKEND	57,247	80.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.1%
PERCENT HIGH DIRECTION IS OF DHV	61.1%


ATR 0321209

US-95, 61 METERS (200') S. OF OF SR-157 N. OF LAS VEGAS


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	8,624	89.6%
FEBRUARY	10,420	108.2%
MARCH	9,964	103.5%
APRIL	9,176	95.3%
MAY	9,763	101.4%
JUNE	10,047	104.3%
JULY	10,198	105.9%
AUGUST	10,093	104.8%
SEPTEMBER	9,973	103.6%
OCTOBER	9,504	98.7%
NOVEMBER	9,113	94.6%
DECEMBER	8,710	90.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	9,630	104.8%
1999	9,185	99.5%
1998	9,235	105.2%
1997	8,780	110.0%
1996	7,980	95.6%
1995	8,350	103.3%
1994	8,080	102.5%
1993	7,880	98.7%
1992	7,985	109.1%
1991	7,320	99.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,509	109.1%
MON	9,323	96.8%
TUE	9,200	95.5%
WED	9,401	97.6%
THU	9,652	100.2%
FRI	9,605	99.7%
SAT	9,736	101.1%
AVG WEEKDAY	9,394	97.5%
AVG WEEKEND	10,123	105.1%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	70.1%


ATR 0322209

US-95, 0.3 KM (0.2 MI) S. OF THE JONES BLVD. INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	181,095	95.7%
FEBRUARY	184,306	97.4%
MARCH	186,597	98.6%
APRIL	190,918	100.9%
MAY	191,879	101.4%
JUNE	192,957	102.0%
JULY	187,151	98.9%
AUGUST	192,285	101.6%
SEPTEMBER	192,703	101.8%
OCTOBER	193,663	102.3%
NOVEMBER	189,732	100.3%
DECEMBER	187,795	99.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	189,255	104.3%
1999	181,465	108.2%
1998	167,745	106.2%
1997	157,895	105.8%
1996	149,215	106.8%
1995	139,680	106.6%
1994	130,980	112.3%
1993	116,675	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	148,446	78.4%
MON	190,003	100.4%
TUE	197,013	104.1%
WED	199,486	105.4%
THU	201,147	106.3%
FRI	207,177	109.5%
SAT	181,526	95.9%
AVG WEEKDAY	196,912	104.0%
AVG WEEKEND	164,986	87.2%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	7.3%
PERCENT HIGH DIRECTION IS OF DHV	52.1%


ATR 0322409

NELLIS BLVD. (SR-612), 23 METERS (75') N. OF ST. LOUIS AVE.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	40,284	97.3%
FEBRUARY	42,472	102.6%
MARCH	43,616	105.4%
APRIL	44,129	106.6%
MAY	42,769	103.3%
JUNE	42,243	102.0%
JULY	40,362	97.5%
AUGUST	38,140	92.1%
SEPTEMBER	40,627	98.1%
OCTOBER	40,229	97.2%
NOVEMBER	40,484	97.8%
DECEMBER	41,460	100.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	41,400	96.0%
1999	43,125	99.7%
1998	43,250	102.9%
1997	42,050	104.0%
1996	40,420	93.0%
1995	43,460	100.2%
1994	43,365	101.3%
1993	42,800	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	34,748	83.9%
MON	41,012	99.1%
TUE	41,738	100.8%
WED	41,882	101.2%
THU	42,400	102.4%
FRI	45,686	110.4%
SAT	42,341	102.3%
AVG WEEKDAY	41,758	100.9%
AVG WEEKEND	38,545	93.1%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

8.7%


PERCENT HIGH DIRECTION IS OF DHV

53.9%


ATR 0322609

LAS VEGAS BLVD. (SR-604), 161 METERS (0.1 MI) S. OF SAHARA AVE.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	43,588	93.2%
FEBRUARY	45,673	97.7%
MARCH	48,528	103.8%
APRIL	49,041	104.9%
MAY	47,832	102.3%
JUNE	50,682	108.4%
JULY	49,807	106.5%
AUGUST	47,340	101.3%
SEPTEMBER	44,977	96.2%
OCTOBER	46,052	98.5%
NOVEMBER	44,678	95.6%
DECEMBER	42,872	91.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	46,755	97.2%
1999	48,110	98.0%
1998	49,070	102.8%
1997	47,750	96.2%
1996	49,620	
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	49,247	105.3%
MON	44,300	94.7%
TUE	43,754	93.6%
WED	43,929	94.0%
THU	44,577	95.3%
FRI	47,884	102.4%
SAT	53,601	114.6%
AVG WEEKDAY	44,140	94.4%
AVG WEEKEND	51,424	110.0%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

6.7%


PERCENT HIGH DIRECTION IS OF DHV

54.1%


ATR 0331209

SR-562 (SUNSET RD.) 161 METERS (0.1mi) E. OF SR-605 (PARADISE RD.)


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	37,594	98.6%
FEBRUARY	38,918	102.1%
MARCH	39,486	103.5%
APRIL	39,968	104.8%
MAY	38,225	100.2%
JUNE	38,663	101.4%
JULY	36,955	96.9%
AUGUST	37,851	99.3%
SEPTEMBER	37,653	98.7%
OCTOBER	38,589	101.2%
NOVEMBER	36,752	96.4%
DECEMBER	36,984	97.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	38,135	98.8%
1999	38,585	105.8%
1998	36,455	102.0%
1997	35,730	105.8%
1996	33,765	94.8%
1995	35,615	106.4%
1994	33,460	115.7%
1993	28,930	105.2%
1992	27,490	105.5%
1991	26,060	131.6%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	20,712	54.3%
MON	41,800	109.6%
TUE	43,076	113.0%
WED	43,844	115.0%
THU	43,848	115.0%
FRI	45,227	118.6%
SAT	28,448	74.6%
AVG WEEKDAY	43,142	113.1%
AVG WEEKEND	24,580	64.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.6%
PERCENT HIGH DIRECTION IS OF DHV	55.3%


ATR 0331309

US-95, 0.8 KM (0.5 MI) N. OF NIPTON RD.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	6,237	100.2%
FEBRUARY	6,932	111.4%
MARCH	7,539	121.1%
APRIL	7,178	115.3%
MAY	6,082	97.7%
JUNE	5,747	92.3%
JULY	5,653	90.8%
AUGUST	5,351	86.0%
SEPTEMBER	5,567	89.4%
OCTOBER	6,157	98.9%
NOVEMBER	6,144	98.7%
DECEMBER	6,134	98.5%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	6,225	98.7%
1999	6,305	105.7%
1998	5,965	100.0%
1997	5,965	103.2%
1996	5,780	104.6%
1995	5,525	100.0%
1994	5,525	
1993	5,135	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,501	104.4%
MON	5,864	94.2%
TUE	5,943	95.5%
WED	6,045	97.1%
THU	6,131	98.5%
FRI	6,994	112.4%
SAT	6,110	98.2%
AVG WEEKDAY	5,996	96.3%
AVG WEEKEND	6,306	101.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.1%
PERCENT HIGH DIRECTION IS OF DHV	52.3%

ATR 0331409


LAKE MEAD DR. (SR-146), 2.3 KM (1.4 MI) W. OF CALVILLE BAY JCT.

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	3,464	78.9%
FEBRUARY	3,657	83.3%
MARCH	4,364	99.4%
APRIL	5,293	120.6%
MAY	5,534	126.1%
JUNE		0.0%
JULY		0.0%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




REMOVED FROM SERVICE (SEE ATR 0332009)

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	4,460	101.6%
1999	4,390	113.3%
1998	3,875	123.8%
1997	3,130	95.1%
1996	3,290	107.7%
1995	3,055	94.4%
1994	3,235	97.4%
1993	3,320	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	4,972	113.3%
MON	4,149	94.5%
TUE	4,198	95.6%
WED	4,174	95.1%
THU	4,230	96.4%
FRI	4,666	106.3%
SAT	4,848	110.4%
AVG WEEKDAY	4,188	95.4%
AVG WEEKEND	4,910	111.8%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	62.0%


ATR 0331509

US-93, 0.97 KM (0.6 MI) E. OF THE WB OFF-RAMP OF THE RR PASS INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	29,597	91.8%
FEBRUARY	31,484	97.6%
MARCH	33,754	104.7%
APRIL	33,886	105.1%
MAY	33,021	102.4%
JUNE	33,480	103.8%
JULY	33,281	103.2%
AUGUST	32,187	99.8%
SEPTEMBER	31,995	99.2%
OCTOBER	31,966	99.1%
NOVEMBER	31,307	97.1%
DECEMBER	31,017	96.2%



HISTORICAL RECORD		
YEAR	AADT	PREVIOUS YEAR
2000	32,250	100.9%
1999	31,965	103.5%
1998	30,895	102.9%
1997	30,015	77.3%
1996	38,825	103.9%
1995	37,355	147.4%
1994	25,335	103.0%
1993	24,605	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	28,656	88.9%
MON	31,920	99.0%
TUE	32,357	100.3%
WED	32,784	101.7%
THU	33,356	103.4%
FRI	35,895	111.3%
SAT	30,768	95.4%
AVG WEEKDAY	32,604	101.1%
AVG WEEKEND	29,712	92.1%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	8.9%
PERCENT HIGH DIRECTION IS OF DHV	54.9%


ATR 0331609

DAVIS DAM RD. (SR-163), 0.8 KM (0.5 MI) E. OF US-95


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	4,812	99.8%
FEBRUARY	5,332	110.6%
MARCH	5,542	115.0%
APRIL	5,642	117.1%
MAY	4,747	98.5%
JUNE	4,634	96.1%
JULY	4,508	93.5%
AUGUST	4,407	91.4%
SEPTEMBER	4,430	91.9%
OCTOBER	4,775	99.1%
NOVEMBER	4,603	95.5%
DECEMBER	4,390	91.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	4,820	97.1%
1999	4,965	98.8%
1998	5,025	102.9%
1997	4,885	101.0%
1996	4,835	104.9%
1995	4,610	97.5%
1994	4,730	108.4%
1993	4,365	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,238	108.7%
MON	4,533	94.0%
TUE	4,567	94.8%
WED	4,660	96.7%
THU	4,655	96.6%
FRI	5,463	113.3%
SAT	4,614	95.7%
AVG WEEKDAY	4,604	95.5%
AVG WEEKEND	4,926	102.2%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.5%
PERCENT HIGH DIRECTION IS OF DHV	60.9%


ATR 0331809

SR-160, 16 MI W. OF SR-159


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	6,946	96.0%
FEBRUARY	7,082	97.9%
MARCH	7,458	103.1%
APRIL	7,795	107.7%
MAY	7,289	100.7%
JUNE	7,238	100.0%
JULY	6,987	96.6%
AUGUST	7,114	98.3%
SEPTEMBER	7,303	100.9%
OCTOBER	7,253	100.2%
NOVEMBER	7,161	99.0%
DECEMBER	7,174	99.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	7,235	102.9%
1999	7,030	110.5%
1998	6,360	
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,644	78.0%
MON	7,269	100.5%
TUE	7,575	104.7%
WED	7,607	105.1%
THU	7,739	107.0%
FRI	8,129	112.4%
SAT	6,671	92.2%
AVG WEEKDAY	7,548	104.3%
AVG WEEKEND	6,158	85.1%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.2%
PERCENT HIGH DIRECTION IS OF DHV	65.9%


ATR 0331909

SR-599 0.1 MI. N. OF CHEYENNE RD


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	27,519	99.1%
FEBRUARY	27,877	100.4%
MARCH	28,521	102.7%
APRIL	28,531	102.7%
MAY	27,578	99.3%
JUNE	27,839	100.2%
JULY	27,138	97.7%
AUGUST	27,700	99.7%
SEPTEMBER	27,735	99.9%
OCTOBER	28,217	101.6%
NOVEMBER	27,582	99.3%
DECEMBER	27,049	97.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	27,775	
1999	28,610	
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	21,117	76.0%
MON	27,979	100.7%
TUE	29,058	104.6%
WED	29,322	105.6%
THU	29,645	106.7%
FRI	31,345	112.9%
SAT	25,951	93.4%
AVG WEEKDAY	29,001	104.4%
AVG WEEKEND	23,534	84.7%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	8.5%
PERCENT HIGH DIRECTION IS OF DHV	65.4%



ATR 0332009

LAKE MEAD DR. (SR-146) .016 KM (0.1 MI) W. OF LORIN L PKWY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY *	2,827	75.3%
FEBRUARY	3,198	85.2%
MARCH	3,810	101.5%
APRIL	4,769	127.0%
MAY	4,870	129.7%
JUNE	4,835	128.8%
JULY	4,488	119.5%
AUGUST	3,902	103.9%
SEPTEMBER	3,760	100.1%
OCTOBER	3,026	80.6%
NOVEMBER	2,404	64.0%
DECEMBER	2,269	60.4%

* ESTIMATED MADT

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	3,755	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	4,640	123.6%
MON	3,277	87.3%
TUE	3,315	88.3%
WED	3,309	88.1%
THU	3,372	89.8%
FRI	3,762	100.2%
SAT	4,625	123.2%
AVG WEEKDAY	3,318	88.4%
AVG WEEKEND	4,633	123.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	16.8%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 0352109

CHARLESTON BLVD. (SR-159), 0.3 KM (0.2 MI) W. OF CAMPBELL DR.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	39,204	99.6%
FEBRUARY	40,494	102.9%
MARCH	41,273	104.9%
APRIL	41,129	104.5%
MAY	38,985	99.1%
JUNE	38,719	98.4%
JULY	37,174	94.5%
AUGUST	39,796	101.1%
SEPTEMBER	39,671	100.8%
OCTOBER	39,606	100.7%
NOVEMBER	38,615	98.1%
DECEMBER	37,463	95.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	39,345	97.6%
1999	40,315	97.6%
1998	41,310	100.1%
1997	41,256	102.1%
1996	40,420	100.8%
1995	40,095	98.4%
1994	40,765	106.8%
1993	38,170	104.1%
1992	36,660	106.7%
1991	34,345	118.4%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	22,005	55.9%
MON	43,513	110.6%
TUE	44,885	114.1%
WED	45,377	115.3%
THU	45,427	115.5%
FRI	45,141	114.7%
SAT	29,060	73.9%
AVG WEEKDAY	44,801	113.9%
AVG WEEKEND	25,533	64.9%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.6%
PERCENT HIGH DIRECTION IS OF DHV	52.0%


ATR 0521109

US-50, 0.9 KM (0.57 MI) N.E. OF THE NV/CA STATELINE

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	27,294	84.4%
FEBRUARY	30,083	93.0%
MARCH	31,780	98.3%
APRIL	30,164	93.3%
MAY	30,695	94.9%
JUNE	35,411	109.5%
JULY	39,650	122.6%
AUGUST	39,280	121.5%
SEPTEMBER	34,491	106.7%
OCTOBER	31,352	97.0%
NOVEMBER	27,632	85.5%
DECEMBER	30,135	93.2%




HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	32,330	104.0%
1999	31,100	100.6%
1998	30,905	96.4%
1997	32,065	99.7%
1996	32,170	97.1%
1995	33,115	99.0%
1994	33,450	99.0%
1993	33,800	98.4%
1992	34,350	100.9%
1991	34,045	97.8%



(1999 AADT ADJUSTED VALUE DUE TO CONSTRUCTION)

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	30,591	94.6%
MON	30,814	95.3%
TUE	30,840	95.4%
WED	30,898	95.6%
THU	31,780	98.3%
FRI	35,647	110.3%
SAT	35,744	110.6%
AVG WEEKDAY	31,083	96.1%
AVG WEEKEND	33,168	102.6%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	52.6%


ATR 0531109

US-395, 6.7 KM (4.2 MI) N. OF THE NV/CA STATELINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	4,703	75.3%
FEBRUARY	4,812	77.1%
MARCH	5,520	88.4%
APRIL	6,166	98.7%
MAY	6,505	104.2%
JUNE	7,339	117.5%
JULY	7,798	124.9%
AUGUST	7,840	125.5%
SEPTEMBER	7,052	112.9%
OCTOBER	6,076	97.3%
NOVEMBER	5,535	88.6%
DECEMBER	5,607	89.8%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	6,245	102.7%
1999	6,080	104.9%
1998	5,795	101.6%
1997	5,705	98.9%
1996	5,770	98.0%
1995	5,885	102.5%
1994	5,740	
1993	5,460	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,017	96.3%
MON	6,067	97.1%
TUE	5,903	94.5%
WED	6,085	97.4%
THU	6,212	99.5%
FRI	7,154	114.6%
SAT	6,284	100.6%
AVG WEEKDAY	6,067	97.1%
AVG WEEKEND	6,151	98.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.5%
PERCENT HIGH DIRECTION IS OF DHV	53.1%


ATR 0531209

WOODFORDS RD. (SR-88), 0.8 KM (0.5 MI) N. OF THE NV/CA STATELINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	2,451	73.3%
FEBRUARY	2,598	77.7%
MARCH	3,043	91.0%
APRIL	3,183	95.2%
MAY	3,452	103.2%
JUNE	3,914	117.0%
JULY	4,263	127.4%
AUGUST	4,048	121.0%
SEPTEMBER	3,778	112.9%
OCTOBER	3,372	100.8%
NOVEMBER	2,978	89.0%
DECEMBER	3,064	91.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	3,345	101.1%
1999	3,310	108.5%
1998	3,050	94.7%
1997	3,220	107.3%
1996	3,000	99.8%
1995	3,005	103.8%
1994	2,895	105.9%
1993	2,735	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	3,697	110.5%
MON	3,119	93.2%
TUE	2,954	88.3%
WED	3,079	92.0%
THU	3,069	91.7%
FRI	3,847	115.0%
SAT	3,651	109.1%
AVG WEEKDAY	3,055	91.3%
AVG WEEKEND	3,674	109.8%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.2%
PERCENT HIGH DIRECTION IS OF DHV	53.7%


ATR 0711209

I-80, 2.7 KM. (1.7 MI.) E. OF THE US-93 INTERCHANGE E. OF WELLS


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	3,590	67.7%
FEBRUARY	3,574	67.4%
MARCH	4,216	79.5%
APRIL	5,012	94.5%
MAY	5,576	105.1%
JUNE	6,910	130.3%
JULY	7,331	138.2%
AUGUST	7,533	142.0%
SEPTEMBER	6,291	118.6%
OCTOBER	5,400	101.8%
NOVEMBER	4,377	82.5%
DECEMBER	3,853	72.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	5,305	103.1%
1999	5,145	105.1%
1998	4,895	101.7%
1997	4,815	103.5%
1996	4,650	100.5%
1995	4,625	101.5%
1994	4,555	103.4%
1993	4,405	97.2%
1992	4,530	101.1%
1991	4,480	99.7%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,464	103.0%
MON	4,822	90.9%
TUE	5,176	97.6%
WED	5,456	102.8%
THU	5,564	104.9%
FRI	5,357	101.0%
SAT	5,298	99.9%
AVG WEEKDAY	5,255	99.0%
AVG WEEKEND	5,381	101.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.7%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 0721109

US-93, 15 METERS (50') N. OF THE CONTACT MAINT. STATION


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,523	75.0%
FEBRUARY	1,574	77.5%
MARCH	1,982	97.6%
APRIL	2,075	102.2%
MAY	2,022	99.6%
JUNE	2,403	118.4%
JULY	2,627	129.4%
AUGUST	2,496	123.0%
SEPTEMBER	2,089	102.9%
OCTOBER	2,130	104.9%
NOVEMBER	1,828	90.0%
DECEMBER	1,630	80.3%



HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2000	2,030	99.8%
1999	2,035	102.3%
1998	1,990	103.9%
1997	1,915	104.6%
1996	1,830	98.9%
1995	1,850	98.9%
1994	1,870	104.5%
1993	1,790	100.6%
1992	1,780	104.7%
1991	1,700	103.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,071	102.0%
MON	1,802	88.8%
TUE	1,915	94.3%
WED	2,047	100.8%
THU	2,021	99.6%
FRI	2,132	105.0%
SAT	2,233	110.0%
AVG WEEKDAY	1,946	95.9%
AVG WEEKEND	2,152	106.0%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.3%
PERCENT HIGH DIRECTION IS OF DHV	63.8%


ATR 0731109

LAMOILLE HWY. (SR-227), 3.9 KM (2.4 MI) E. OF PINION RD.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	12,259	94.3%
FEBRUARY	12,572	96.7%
MARCH	12,700	97.7%
APRIL	13,380	102.9%
MAY	13,597	104.6%
JUNE	14,138	108.8%
JULY	13,344	102.6%
AUGUST	13,422	103.2%
SEPTEMBER	13,272	102.1%
OCTOBER	13,039	100.3%
NOVEMBER	12,168	93.6%
DECEMBER	12,087	93.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	13,000	98.5%
1999	13,200	99.3%
1998	13,290	97.5%
1997	13,635	107.2%
1996	12,715	107.4%
1995	11,835	107.8%
1994	10,980	108.8%
1993	10,095	106.9%
1992	9,440	108.8%
1991	8,680	119.4%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	9,258	71.2%
MON	13,373	102.9%
TUE	13,801	106.2%
WED	13,953	107.3%
THU	13,978	107.5%
FRI	14,545	111.9%
SAT	12,080	92.9%
AVG WEEKDAY	13,776	106.0%
AVG WEEKEND	10,669	82.1%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.6%
PERCENT HIGH DIRECTION IS OF DHV	78.5%


ATR 0752109

IDAHO ST. (SR-535), 182 METERS (600') E. OF CONVENTION CENTER DR.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	18,184	93.2%
FEBRUARY	18,438	94.5%
MARCH	19,058	97.7%
APRIL	19,798	101.5%
MAY	19,923	102.1%
JUNE	21,923	112.4%
JULY	20,953	107.4%
AUGUST	20,915	107.2%
SEPTEMBER	19,949	102.3%
OCTOBER	19,176	98.3%
NOVEMBER	17,918	91.9%
DECEMBER	17,837	91.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	19,505	97.4%
1999	20,025	98.4%
1998	20,355	87.0%
1997	23,395	95.4%
1996	24,520	98.8%
1995	24,810	101.0%
1994	24,565	99.4%
1993	24,715	104.4%
1992	23,675	102.8%
1991	23,040	97.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	12,714	65.2%
MON	19,700	101.0%
TUE	20,448	104.8%
WED	20,645	105.8%
THU	20,925	107.3%
FRI	23,463	120.3%
SAT	18,646	95.6%
AVG WEEKDAY	20,430	104.7%
AVG WEEKEND	15,680	80.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.4%
PERCENT HIGH DIRECTION IS OF DHV	51.2%


ATR 0752209

I-80, 1.6 KM (1.0 MI) W. OF THE EAST ELKO INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	8,253	81.4%
FEBRUARY	8,387	82.8%
MARCH	9,097	89.8%
APRIL	9,944	98.1%
MAY	10,399	102.6%
JUNE	11,932	117.7%
JULY	12,175	120.1%
AUGUST	12,331	121.7%
SEPTEMBER	10,867	107.2%
OCTOBER	10,231	100.9%
NOVEMBER	9,193	90.7%
DECEMBER	8,782	86.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	10,135	100.4%
1999	10,095	101.8%
1998	9,915	99.1%
1997	10,005	105.0%
1996	9,530	105.6%
1995	9,025	
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,793	86.8%
MON	9,676	95.5%
TUE	10,314	101.8%
WED	10,617	104.8%
THU	10,732	105.9%
FRI	10,950	108.0%
SAT	9,845	97.1%
AVG WEEKDAY	10,335	102.0%
AVG WEEKEND	9,319	91.9%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.3%
PERCENT HIGH DIRECTION IS OF DHV	57.1%


ATR 0752309

I-80, 1.3 KM (0.8 MI) W. OF THE WEST CARLIN INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	5,188	73.2%
FEBRUARY	5,212	73.6%
MARCH	5,999	84.7%
APRIL	7,036	99.3%
MAY	7,505	105.9%
JUNE	8,650	122.1%
JULY	9,120	128.7%
AUGUST	9,295	131.2%
SEPTEMBER	7,966	112.4%
OCTOBER	7,281	102.8%
NOVEMBER	6,142	86.7%
DECEMBER	5,625	79.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	7,085	99.0%
1999	7,155	111.8%
1998	6,400	99.8%
1997	6,415	103.6%
1996	6,190	106.2%
1995	5,830	
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,879	97.1%
MON	6,500	91.7%
TUE	7,055	99.6%
WED	7,364	103.9%
THU	7,477	105.5%
FRI	7,345	103.7%
SAT	6,976	98.5%
AVG WEEKDAY	7,099	100.2%
AVG WEEKEND	6,928	97.8%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.1%
PERCENT HIGH DIRECTION IS OF DHV	59.9%


ATR 0921109

US-95, 20.3 KM (12.6 MI.) NW OF THE NYE/ESMERALDA COUNTY LINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,469	75.3%
FEBRUARY	1,541	79.0%
MARCH	1,946	99.8%
APRIL	2,107	108.1%
MAY	2,108	108.1%
JUNE	2,233	114.5%
JULY	2,199	112.8%
AUGUST	2,202	112.9%
SEPTEMBER	2,115	108.5%
OCTOBER	2,028	104.0%
NOVEMBER	1,782	91.4%
DECEMBER	1,678	86.1%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	1,950	100.5%
1999	1,940	105.1%
1998	1,845	100.3%
1997	1,840	106.4%
1996	1,730	102.1%
1995	1,695	104.0%
1994	1,630	102.8%
1993	1,585	95.8%
1992	1,655	101.8%
1991	1,625	92.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,010	103.1%
MON	1,877	96.3%
TUE	1,823	93.5%
WED	1,919	98.4%
THU	1,997	102.4%
FRI	2,154	110.5%
SAT	1,875	96.2%
AVG WEEKDAY	1,904	97.6%
AVG WEEKEND	1,943	99.6%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.6%
PERCENT HIGH DIRECTION IS OF DHV	51.5%

ATR 0921209


US-95, 121 METERS (400 FT.) S. OF LIDA RD. (SR-266)

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,533	77.2%
FEBRUARY	1,624	81.8%
MARCH	2,061	103.8%
APRIL	2,187	110.2%
MAY	2,125	107.1%
JUNE	2,263	114.0%
JULY	2,271	114.4%
AUGUST *	2,015	101.5%
SEPTEMBER	2,120	106.8%
OCTOBER	2,089	105.2%
NOVEMBER	1,836	92.5%
DECEMBER	1,737	87.5%


* AUGUST MADT ESTIMATED



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	1,985	98.5%
1999	2,015	105.5%
1998	1,910	100.3%
1997	1,905	106.4%
1996	1,790	100.6%
1995	1,780	102.0%
1994	1,745	134.2%
1993	1,300	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	2,131	107.4%
MON	1,888	95.1%
TUE	1,833	92.3%
WED	1,915	96.5%
THU	2,016	101.6%
FRI	2,234	112.5%
SAT	1,886	95.0%
AVG WEEKDAY	1,913	96.4%
AVG WEEKEND	2,009	101.2%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.1%
PERCENT HIGH DIRECTION IS OF DHV	55.4%


ATR 1311109

I-80, 244 METERS (800 FT.) E. OF THE E. WINNEMUCCA INTERCHANGE

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	5,445	75.3%
FEBRUARY	5,497	76.0%
MARCH	6,211	85.9%
APRIL	7,043	97.4%
MAY	7,539	104.3%
JUNE	8,893	123.0%
JULY	9,312	128.8%
AUGUST	9,466	130.9%
SEPTEMBER	8,073	111.7%
OCTOBER	7,474	103.4%
NOVEMBER	6,278	86.8%
DECEMBER	5,546	76.7%




HISTORICAL RECORD		% OF PREVIOUS
YEAR	AADT	YEAR
2000	7,230	97.4%
1999	7,420	98.7%
1998	7,515	99.5%
1997	7,555	103.6%
1996	7,290	105.0%
1995	6,945	104.4%
1994	6,650	102.4%
1993	6,495	100.6%
1992	6,455	98.7%
1991	6,540	104.6%



(1999 AADT ESTIMATED VALUE DUE TO CONSTRUCTION)

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	6,813	94.2%
MON	6,863	94.9%
TUE	7,288	100.8%
WED	7,498	103.7%
THU	7,677	106.2%
FRI	7,644	105.7%
SAT	6,838	94.6%
AVG WEEKDAY	7,332	101.4%
AVG WEEKEND	6,826	94.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.9%
PERCENT HIGH DIRECTION IS OF DHV	60.8%


ATR 1321209

US-95, 0.3 KM (0.2 MI.) N. OF SR-293 N. OF OROVADA


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	982	73.6%
FEBRUARY	1,042	78.1%
MARCH	1,242	93.0%
APRIL	1,322	99.0%
MAY	1,373	102.8%
JUNE	1,621	121.4%
JULY	1,688	126.4%
AUGUST	1,601	119.9%
SEPTEMBER	1,449	108.5%
OCTOBER	1,372	102.8%
NOVEMBER	1,229	92.1%
DECEMBER	1,084	81.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	1,335	95.7%
1999	1,395	106.9%
1998	1,305	102.8%
1997	1,270	102.4%
1996	1,240	95.8%
1995	1,295	99.6%
1994	1,300	100.8%
1993	1,290	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,330	99.6%
MON	1,222	91.5%
TUE	1,274	95.4%
WED	1,348	101.0%
THU	1,386	103.8%
FRI	1,463	109.6%
SAT	1,312	98.3%
AVG WEEKDAY	1,308	97.9%
AVG WEEKEND	1,321	99.0%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.9%
PERCENT HIGH DIRECTION IS OF DHV	55.3%


ATR 1721109

US-93, 1.6 KM (1.0 MI) S. OF SR-319 TO PANACA


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,026	80.8%
FEBRUARY	1,014	79.8%
MARCH	1,150	90.6%
APRIL	1,236	97.3%
MAY	1,410	111.0%
JUNE	1,387	109.2%
JULY	1,398	110.1%
AUGUST	1,577	124.2%
SEPTEMBER	1,513	119.1%
OCTOBER	1,373	108.1%
NOVEMBER	1,109	87.3%
DECEMBER	1,053	82.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	1,270	101.6%
1999	1,250	104.6%
1998	1,195	103.0%
1997	1,160	102.2%
1996	1,135	102.7%
1995	1,105	102.8%
1994	1,075	110.3%
1993	975	103.7%
1992	940	102.7%
1991	915	104.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,045	82.3%
MON	1,256	98.9%
TUE	1,266	99.7%
WED	1,288	101.4%
THU	1,353	106.5%
FRI	1,449	114.1%
SAT	1,237	97.4%
AVG WEEKDAY	1,291	101.6%
AVG WEEKEND	1,141	89.8%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.6%
PERCENT HIGH DIRECTION IS OF DHV	51.3%


ATR 1731109

SR-318, 7.3 KM (4.5 MI.) N. OF SR-375 N. OF HIKO


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	773	86.9%
FEBRUARY	802	90.1%
MARCH	1,029	115.6%
APRIL	1,009	113.4%
MAY	874	98.2%
JUNE	875	98.3%
JULY	829	93.1%
AUGUST	823	92.5%
SEPTEMBER	802	90.1%
OCTOBER	1,104	124.0%
NOVEMBER	913	102.6%
DECEMBER	824	92.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	890	101.7%
1999	875	97.8%
1998	895	109.8%
1997	815	105.8%
1996	770	101.3%
1995	760	104.8%
1994	725	105.1%
1993	690	95.2%
1992	725	105.1%
1991	690	101.5%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	989	111.1%
MON	774	87.0%
TUE	817	91.8%
WED	852	95.7%
THU	882	99.1%
FRI	976	109.7%
SAT	926	104.0%
AVG WEEKDAY	831	93.4%
AVG WEEKEND	958	107.6%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	14.2%
PERCENT HIGH DIRECTION IS OF DHV	53.2%


ATR 1931109

SR-208, 61 METERS (200 FT.) W. OF NORDYKE RD. (SR-339)


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,104	83.3%
FEBRUARY	1,208	91.2%
MARCH	1,297	97.9%
APRIL	1,386	104.6%
MAY	1,434	108.2%
JUNE	1,475	111.3%
JULY	1,465	110.6%
AUGUST	1,487	112.2%
SEPTEMBER	1,383	104.4%
OCTOBER	1,320	99.6%
NOVEMBER	1,167	88.1%
DECEMBER	1,156	87.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	1,325	100.4%
1999	1,320	98.9%
1998	1,335	98.5%
1997	1,355	101.9%
1996	1,330	100.8%
1995	1,320	107.3%
1994	1,230	108.8%
1993	1,130	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,176	88.8%
MON	1,285	97.0%
TUE	1,332	100.5%
WED	1,357	102.4%
THU	1,359	102.6%
FRI	1,452	109.6%
SAT	1,302	98.3%
AVG WEEKDAY	1,333	100.6%
AVG WEEKEND	1,239	93.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.4%
PERCENT HIGH DIRECTION IS OF DHV	56.2%


ATR 1931209

NORDYKE RD. (SR-339), 61 METERS (200 FT.) W. OF SR-208


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	942	87.2%
FEBRUARY	1,010	93.5%
MARCH	1,063	98.4%
APRIL	1,119	103.6%
MAY	1,147	106.2%
JUNE	1,188	110.0%
JULY	1,156	107.0%
AUGUST	1,193	110.5%
SEPTEMBER	1,125	104.2%
OCTOBER	1,085	100.5%
NOVEMBER	966	89.4%
DECEMBER	954	88.3%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	1,080	99.5%
1999	1,085	98.6%
1998	1,100	106.3%
1997	1,035	92.8%
1996	1,115	99.1%
1995	1,125	108.2%
1994	1,040	114.9%
1993	905	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	939	86.9%
MON	1,050	97.2%
TUE	1,101	101.9%
WED	1,114	103.1%
THU	1,122	103.9%
FRI	1,190	110.2%
SAT	1,038	96.1%
AVG WEEKDAY	1,097	101.6%
AVG WEEKEND	989	91.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.3%
PERCENT HIGH DIRECTION IS OF DHV	55.0%


ATR 1931309

SR-208, 61 METERS (200 FT.) E. OF NORDYKE RD. (SR-339)


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	283	76.5%
FEBRUARY	321	86.8%
MARCH	364	98.4%
APRIL	394	106.5%
MAY	411	111.1%
JUNE	426	115.1%
JULY	442	119.5%
AUGUST	428	115.7%
SEPTEMBER	398	107.6%
OCTOBER	360	97.3%
NOVEMBER	310	83.8%
DECEMBER	296	80.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	370	102.8%
1999	360	98.6%
1998	365	101.4%
1997	360	109.1%
1996	330	113.8%
1995	290	98.3%
1994	295	92.2%
1993	320	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	351	94.9%
MON	354	95.7%
TUE	358	96.8%
WED	370	100.0%
THU	365	98.6%
FRI	392	105.9%
SAT	396	107.0%
AVG WEEKDAY	362	97.8%
AVG WEEKEND	374	100.9%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.0%
PERCENT HIGH DIRECTION IS OF DHV	58.3%


ATR 2521109

US-395, 1.05 KM (0.65 MI.) S. OF CARSON/WASHOE CO. LINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	28,357	87.6%
FEBRUARY	29,932	92.5%
MARCH	31,457	97.2%
APRIL	32,041	99.0%
MAY	32,407	100.2%
JUNE	35,294	109.1%
JULY	35,311	109.1%
AUGUST	36,330	112.3%
SEPTEMBER	34,505	106.6%
OCTOBER	32,369	100.0%
NOVEMBER	29,370	90.8%
DECEMBER	30,889	95.5%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	32,355	100.3%
1999	32,250	103.4%
1998	31,195	101.8%
1997	30,655	103.8%
1996	29,530	101.6%
1995	29,075	105.5%
1994	27,560	105.2%
1993	26,200	101.9%
1992	25,700	104.5%
1991	24,590	106.6%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	25,111	77.6%
MON	31,939	98.7%
TUE	33,315	103.0%
WED	34,023	105.2%
THU	34,744	107.4%
FRI	36,890	114.0%
SAT	30,463	94.2%
AVG WEEKDAY	33,505	103.6%
AVG WEEKEND	27,787	85.9%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.2%
PERCENT HIGH DIRECTION IS OF DHV	52.6%


ATR 2521209

US-50, 5.5 KM (3.4 MI.) W. OF US-395 S. OF CARSON CITY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	8,104	69.9%
FEBRUARY	9,170	79.1%
MARCH	10,290	88.7%
APRIL	10,610	91.5%
MAY	11,576	99.8%
JUNE	13,623	117.5%
JULY	15,047	129.8%
AUGUST	15,123	130.4%
SEPTEMBER	13,450	116.0%
OCTOBER	11,593	100.0%
NOVEMBER	9,886	85.3%
DECEMBER	10,653	91.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	11,595	104.5%
1999	11,095	103.6%
1998	10,710	100.4%
1997	10,670	101.0%
1996	10,560	100.6%
1995	10,500	98.6%
1994	10,645	102.4%
1993	10,395	98.9%
1992	10,510	104.4%
1991	10,065	102.5%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,866	93.7%
MON	11,087	95.6%
TUE	11,151	96.2%
WED	11,417	98.5%
THU	11,644	100.4%
FRI	12,715	109.7%
SAT	12,277	105.9%
AVG WEEKDAY	11,325	97.7%
AVG WEEKEND	11,572	99.8%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

11.2%


PERCENT HIGH DIRECTION IS OF DHV

58.3%


ATR 2522109

US-50, 160 METERS (0.1 MI.) E. OF ROOP ST. CARSON CITY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	22,782	89.5%
FEBRUARY	23,495	92.3%
MARCH	26,030	102.2%
APRIL	26,189	102.9%
MAY	27,204	106.8%
JUNE	27,907	109.6%
JULY	26,925	105.8%
AUGUST	26,439	103.8%
SEPTEMBER	26,684	104.8%
OCTOBER	25,179	98.9%
NOVEMBER	23,332	91.6%
DECEMBER	23,349	91.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	25,460	98.7%
1999	25,805	99.8%
1998	25,865	100.0%
1997	25,865	103.2%
1996	25,055	97.3%
1995	25,750	105.1%
1994	24,495	109.8%
1993	22,310	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	18,222	71.6%
MON	25,963	102.0%
TUE	26,720	104.9%
WED	26,605	104.5%
THU	27,199	106.8%
FRI	29,620	116.3%
SAT	23,888	93.8%
AVG WEEKDAY	26,622	104.6%
AVG WEEKEND	21,055	82.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.6%
PERCENT HIGH DIRECTION IS OF DHV	51.3%


ATR 2522209

SR-513 140 FT. W. OF SALIMAN RD.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	8,147	93.2%
FEBRUARY	8,498	97.2%
MARCH	8,966	102.6%
APRIL	9,029	103.3%
MAY	9,281	106.2%
JUNE	9,098	104.1%
JULY	8,862	101.4%
AUGUST	9,079	103.9%
SEPTEMBER	8,980	102.7%
OCTOBER	8,787	100.5%
NOVEMBER	7,882	90.2%
DECEMBER	8,276	94.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	8,740	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	5,975	68.4%
MON	9,088	104.0%
TUE	9,661	110.5%
WED	9,674	110.7%
THU	9,499	108.7%
FRI	10,056	115.1%
SAT	7,231	82.7%
AVG WEEKDAY	9,481	108.5%
AVG WEEKEND	6,603	75.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.7%
PERCENT HIGH DIRECTION IS OF DHV	50.7%


ATR 2711309

I-80, 1.5 KM (0.8 MI.) W. OF THE WEST LOVELOCK INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	5,287	69.7%
FEBRUARY	5,540	73.0%
MARCH	6,354	83.7%
APRIL	7,220	95.1%
MAY	7,817	103.0%
JUNE	9,533	125.6%
JULY	9,978	131.5%
AUGUST	10,149	133.7%
SEPTEMBER	8,560	112.8%
OCTOBER	7,926	104.4%
NOVEMBER	6,745	88.9%
DECEMBER	5,972	78.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	7,590	99.0%
1999	7,665	104.3%
1998	7,350	102.3%
1997	7,185	103.4%
1996	6,950	102.0%
1995	6,815	101.2%
1994	6,735	100.4%
1993	6,710	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	7,673	101.1%
MON	7,141	94.1%
TUE	7,381	97.2%
WED	7,480	98.6%
THU	7,834	103.2%
FRI	8,197	108.0%
SAT	7,430	97.9%
AVG WEEKDAY	7,459	98.3%
AVG WEEKEND	7,552	99.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.1%
PERCENT HIGH DIRECTION IS OF DHV	50.3%


ATR 3111109

I-80, 0.9 MI. E. OF THE VISTA INTCH.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	20,508	81.1%
FEBRUARY	21,477	84.9%
MARCH	24,942	98.6%
APRIL	24,942	98.6%
MAY	25,673	101.5%
JUNE	28,160	111.4%
JULY	29,156	115.3%
AUGUST	29,103	115.1%
SEPTEMBER	27,733	109.7%
OCTOBER	26,397	104.4%
NOVEMBER	23,807	94.2%
DECEMBER	23,347	92.3%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	25,285	107.5%
1999	23,510	
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	19,717	78.0%
MON	25,761	101.9%
TUE	26,379	104.3%
WED	26,709	105.6%
THU	27,305	108.0%
FRI	28,615	113.2%
SAT	22,495	89.0%
AVG WEEKDAY	26,539	105.0%
AVG WEEKEND	21,106	83.5%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	8.9%
PERCENT HIGH DIRECTION IS OF DHV	55.2%


ATR 3111209

I-80, 1.6 KM (1.0 MI.) E. OF THE NV/CA STATELINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	21,090	74.3%
FEBRUARY	22,108	77.9%
MARCH	25,556	90.0%
APRIL	27,859	98.1%
MAY	28,974	102.1%
JUNE	32,350	114.0%
JULY	35,204	124.0%
AUGUST	35,505	125.1%
SEPTEMBER	32,301	113.8%
OCTOBER	27,806	98.0%
NOVEMBER	25,847	91.1%
DECEMBER	26,036	91.7%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	28,385	104.0%
1999	27,305	107.4%
1998	25,435	99.1%
1997	25,675	104.4%
1996	24,585	101.0%
1995	24,345	103.4%
1994	23,540	103.1%
1993	22,825	100.1%
1992	22,800	103.2%
1991	22,085	104.1%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	33,759	118.9%
MON	25,689	90.5%
TUE	24,002	84.6%
WED	24,217	85.3%
THU	25,286	89.1%
FRI	32,234	113.6%
SAT	33,516	118.1%
AVG WEEKDAY	24,799	87.4%
AVG WEEKEND	33,638	118.5%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

12.2%


PERCENT HIGH DIRECTION IS OF DHV

56.1%


ATR 3112109

I-80, 0.8 KM (0.5 MI.) W. OF THE US-395 INTERCHANGE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	105,639	90.7%
FEBRUARY	111,240	95.5%
MARCH	115,395	99.0%
APRIL	117,693	101.0%
MAY	117,642	101.0%
JUNE	122,782	105.4%
JULY	121,272	104.1%
AUGUST	123,914	106.3%
SEPTEMBER	122,917	105.5%
OCTOBER	117,116	100.5%
NOVEMBER	110,827	95.1%
DECEMBER	111,899	96.0%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	116,530	101.8%
1999	114,465	102.2%
1998	111,960	101.1%
1997	110,765	101.9%
1996	108,655	103.4%
1995	105,070	105.9%
1994	99,205	103.4%
1993	95,955	105.3%
1992	91,100	106.9%
1991	85,220	103.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	90,312	77.5%
MON	117,559	100.9%
TUE	120,759	103.6%
WED	123,313	105.8%
THU	125,262	107.5%
FRI	132,193	113.4%
SAT	106,298	91.2%
AVG WEEKDAY	121,723	104.5%
AVG WEEKEND	98,305	84.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	8.4%
PERCENT HIGH DIRECTION IS OF DHV	52.8%

ATR 3112209


I-80 0.80 KM (0.50 MI.) EAST OF PYRAMID INTCH.

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	63,967	88.4%
FEBRUARY	67,405	93.2%
MARCH	70,885	98.0%
APRIL	73,037	100.9%
MAY	74,262	102.6%
JUNE	78,184	108.1%
JULY	76,582	105.8%
AUGUST	78,968	109.1%
SEPTEMBER	75,099	103.8%
OCTOBER	72,561	100.3%
NOVEMBER	68,160	94.2%
DECEMBER	69,113	95.5%




ESTIMATED MADT FOR JANUARY

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	72,350	
1999		
1998		
1997		
1996		
1995		
1994		
1993		
1992		
1991		



ESTIMATED MADT FOR 2000

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	50,350	69.6%
MON	75,656	104.6%
TUE	78,651	108.7%
WED	79,855	110.4%
THU	80,628	111.4%
FRI	84,462	116.7%
SAT	62,197	86.0%
AVG WEEKDAY	78,698	108.8%
AVG WEEKEND	56,274	77.8%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

8.7%


PERCENT HIGH DIRECTION IS OF DHV

52.0%

ATR 3112309


US-395, 0.5 KM (0.3 MI.) N. OF SOUTH VIRGINIA ST.

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	67,351	93.5%
FEBRUARY	70,319	97.6%
MARCH	73,992	102.7%
APRIL	74,910	104.0%
MAY	75,983	105.5%
JUNE	79,692	110.7%
JULY	75,893	105.4%
AUGUST		0.0%
SEPTEMBER		0.0%
OCTOBER		0.0%
NOVEMBER		0.0%
DECEMBER		0.0%




DATA MISSING DUE TO CONSTRUCTION

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	72,020	103.5%
1999	69,605	109.8%
1998	63,395	107.2%
1997	59,155	112.1%
1996	52,765	126.5%
1995	41,705	105.4%
1994	39,560	104.4%
1993	37,895	
1992		
1991		



2000 AADT ESTIMATED

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	52,184	72.5%
MON	76,206	105.8%
TUE	77,545	107.7%
WED	80,877	112.3%
THU	82,150	114.1%
FRI	85,789	119.1%
SAT	63,389	88.0%
AVG WEEKDAY	79,195	110.0%
AVG WEEKEND	57,787	80.2%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.8%
PERCENT HIGH DIRECTION IS OF DHV	52.0%


ATR 3121109

US-395, 0.5 KM (0.3 MI.) S. OF THE NV/CA STATELINE


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	6,170	72.5%
FEBRUARY	6,667	78.3%
MARCH	7,607	89.3%
APRIL	8,335	97.9%
MAY	9,060	106.4%
JUNE	10,226	120.1%
JULY	10,581	124.3%
AUGUST	10,455	122.8%
SEPTEMBER	9,498	111.5%
OCTOBER	8,667	101.8%
NOVEMBER	7,559	88.8%
DECEMBER	7,371	86.6%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	8,515	98.8%
1999	8,620	99.5%
1998	8,660	100.5%
1997	8,620	101.9%
1996	8,460	94.7%
1995	8,935	104.9%
1994	8,515	105.1%
1993	8,105	91.0%
1992	8,910	118.6%
1991	7,510	105.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,991	105.6%
MON	7,835	92.0%
TUE	7,692	90.3%
WED	7,900	92.8%
THU	8,071	94.8%
FRI	9,709	114.0%
SAT	9,416	110.6%
AVG WEEKDAY	7,875	92.5%
AVG WEEKEND	9,204	108.1%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.1%
PERCENT HIGH DIRECTION IS OF DHV	60.3%

ATR 3121209


US-395, 0.97 KM (0.6 MI.) N. OF THE PANTHER INTERCHANGE

MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	48,546	88.8%
FEBRUARY	50,544	92.5%
MARCH	52,573	96.2%
APRIL	53,851	98.5%
MAY	55,284	101.1%
JUNE	57,898	105.9%
JULY	56,533	103.4%
AUGUST	57,612	105.4%
SEPTEMBER		
OCTOBER		
NOVEMBER		
DECEMBER		




2000 AADT ESTIMATED

HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	54,660	103.9%
1999	52,610	101.6%
1998	51,770	101.8%
1997	50,835	107.2%
1996	47,430	100.9%
1995	47,005	103.1%
1994	45,580	104.9%
1993	43,450	102.6%
1992	42,335	105.0%
1991	40,320	111.9%



DATA MISSING DUE TO CONSTRUCTION

DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	40,513	74.1%
MON	55,727	102.0%
TUE	56,541	103.4%
WED	57,791	105.7%
THU	58,524	107.1%
FRI	62,433	114.2%
SAT	47,207	86.4%
AVG WEEKDAY	57,146	104.5%
AVG WEEKEND	43,860	80.2%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.5%
PERCENT HIGH DIRECTION IS OF DHV	60.7%


ATR 3122109

KIETZKE LANE (SR-667), 240 METERS (0.15 MI.) W. OF GALETTI WAY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	13,797	94.9%
FEBRUARY	14,782	101.7%
MARCH	14,888	102.4%
APRIL	14,679	101.0%
MAY	14,327	98.5%
JUNE	14,765	101.5%
JULY	14,507	99.8%
AUGUST	15,196	104.5%
SEPTEMBER	14,582	100.3%
OCTOBER	14,748	101.4%
NOVEMBER	14,111	97.0%
DECEMBER	14,071	96.8%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	14,540	96.6%
1999	15,045	104.2%
1998	14,435	99.9%
1997	14,450	104.2%
1996	13,870	99.9%
1995	13,890	100.8%
1994	13,775	103.0%
1993	13,380	101.1%
1992	13,240	97.9%
1991	13,525	90.3%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,188	70.1%
MON	15,085	103.7%
TUE	15,279	105.1%
WED	15,342	105.5%
THU	15,660	107.7%
FRI	16,752	115.2%
SAT	13,458	92.6%
AVG WEEKDAY	15,342	105.5%
AVG WEEKEND	11,823	81.3%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.4%
PERCENT HIGH DIRECTION IS OF DHV	60.6%


ATR 3122209

N. MCCARRAN BLVD. (SR-651), 240 METERS (0.15 MI.) N. OF MAE ANNE DR.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	20,586	90.1%
FEBRUARY	21,830	95.5%
MARCH	22,726	99.5%
APRIL	23,768	104.0%
MAY	23,797	104.1%
JUNE	23,440	102.6%
JULY	22,669	99.2%
AUGUST	23,163	101.4%
SEPTEMBER	23,967	104.9%
OCTOBER	23,471	102.7%
NOVEMBER	22,154	97.0%
DECEMBER	22,660	99.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	22,850	103.3%
1999	22,115	107.3%
1998	20,615	100.3%
1997	20,560	102.8%
1996	20,005	104.5%
1995	19,150	103.0%
1994	18,585	109.1%
1993	17,030	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	19,539	85.5%
MON	22,601	98.9%
TUE	23,357	102.2%
WED	23,619	103.4%
THU	23,603	103.3%
FRI	24,755	108.3%
SAT	22,494	98.4%
AVG WEEKDAY	23,295	101.9%
AVG WEEKEND	21,017	92.0%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	9.7%
PERCENT HIGH DIRECTION IS OF DHV	55.7%


ATR 3122309

ODDIE BLVD. (SR-663), 160 METERS (0.1 MI) W. OF ROCK BLVD.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	12,050	94.6%
FEBRUARY	12,623	99.1%
MARCH	12,822	100.7%
APRIL	12,981	101.9%
MAY	12,857	101.0%
JUNE	12,869	101.1%
JULY	12,329	96.8%
AUGUST	12,963	101.8%
SEPTEMBER	12,984	102.0%
OCTOBER	12,820	100.7%
NOVEMBER	12,483	98.0%
DECEMBER	13,010	102.2%



HISTORICAL		RECORD
YEAR	AADT	% OF PREVIOUS YEAR
2000	12,735	97.7%
1999	13,035	104.6%
1998	12,460	104.3%
1997	11,950	106.8%
1996	11,190	103.3%
1995	10,830	96.8%
1994	11,190	97.7%
1993	11,455	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	10,100	79.3%
MON	12,859	101.0%
TUE	13,076	102.7%
WED	13,096	102.8%
THU	13,240	104.0%
FRI	14,263	112.0%
SAT	12,496	98.1%
AVG WEEKDAY	13,068	102.6%
AVG WEEKEND	11,298	88.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	10.1%
PERCENT HIGH DIRECTION IS OF DHV	51.0%


ATR 3122409

NORTH SHORE RD. (SR-28), 320 METERS (0.2 MI) W. OF LAKE SHORE BLVD.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	11,221	79.7%
FEBRUARY	12,531	89.0%
MARCH	13,214	93.8%
APRIL	12,450	88.4%
MAY	13,791	97.9%
JUNE	15,802	112.2%
JULY	19,090	135.6%
AUGUST	18,906	134.3%
SEPTEMBER	15,206	108.0%
OCTOBER	12,670	90.0%
NOVEMBER	11,191	79.5%
DECEMBER	12,878	91.5%



HISTORICAL		RECORD
YEAR	AADT	% OF PREVIOUS YEAR
2000	14,080	103.1%
1999	13,655	99.3%
1998	13,755	96.9%
1997	14,190	99.4%
1996	14,280	101.1%
1995	14,120	97.3%
1994	14,515	104.7%
1993	13,860	101.2%
1992	13,695	101.9%
1991	13,435	102.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	13,001	92.3%
MON	13,449	95.5%
TUE	13,468	95.7%
WED	13,551	96.2%
THU	13,858	98.4%
FRI	15,958	113.3%
SAT	15,270	108.5%
AVG WEEKDAY	13,582	96.5%
AVG WEEKEND	14,136	100.4%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE

12.2%


PERCENT HIGH DIRECTION IS OF DHV

54.2%


ATR 3122509

GLENDAL AVE. (SR-648), 160 METERS (0.1 MI) W. OF 21ST. ST.


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	16,820	94.3%
FEBRUARY	17,472	98.0%
MARCH	18,039	101.1%
APRIL	18,262	102.4%
MAY	18,184	102.0%
JUNE	19,143	107.3%
JULY	18,168	101.9%
AUGUST	19,155	107.4%
SEPTEMBER	18,164	101.8%
OCTOBER	17,812	99.9%
NOVEMBER	16,846	94.5%
DECEMBER	15,940	89.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	17,835	95.8%
1999	18,610	97.9%
1998	19,010	99.1%
1997	19,190	104.9%
1996	18,300	102.8%
1995	17,800	102.2%
1994	17,410	101.8%
1993	17,100	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,677	48.7%
MON	20,059	112.5%
TUE	20,856	116.9%
WED	21,053	118.0%
THU	21,478	120.4%
FRI	21,523	120.7%
SAT	11,189	62.7%
AVG WEEKDAY	20,862	117.0%
AVG WEEKEND	9,933	55.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	12.2%
PERCENT HIGH DIRECTION IS OF DHV	52.3%


ATR 3122609

S. VIRGINIA ST. (SR-430), 0.24 KM (0.15 MI) N. OF GENTRY WAY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	28,259	88.1%
FEBRUARY	31,504	98.2%
MARCH	31,610	98.6%
APRIL	32,265	100.6%
MAY	32,549	101.5%
JUNE	32,989	102.8%
JULY	33,381	104.1%
AUGUST	33,953	105.9%
SEPTEMBER	32,437	101.1%
OCTOBER	31,897	99.4%
NOVEMBER	31,512	98.2%
DECEMBER	32,519	101.4%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	32,075	110.4%
1999	29,060	95.0%
1998	30,600	106.8%
1997	28,650	91.2%
1996	31,410	95.4%
1995	32,915	100.1%
1994	32,870	97.3%
1993	33,780	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	27,297	85.1%
MON	30,730	95.8%
TUE	30,814	96.1%
WED	31,297	97.6%
THU	32,209	100.4%
FRI	36,591	114.1%
SAT	35,572	110.9%
AVG WEEKDAY	31,263	97.5%
AVG WEEKEND	31,435	98.0%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	8.9%
PERCENT HIGH DIRECTION IS OF DHV	50.6%


ATR 3171209

MT. ROSE HWY. (SR-431), 7.7 KM (4.8 MI) W. OF US-395 S. OF RENO


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	7,708	83.2%
FEBRUARY	8,638	93.3%
MARCH	9,372	101.2%
APRIL	8,669	93.6%
MAY	8,818	95.2%
JUNE	10,073	108.8%
JULY	10,869	117.4%
AUGUST	11,613	125.4%
SEPTEMBER	9,543	103.1%
OCTOBER	8,455	91.3%
NOVEMBER	8,175	88.3%
DECEMBER	9,192	99.3%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	9,260	106.2%
1999	8,720	104.4%
1998	8,350	105.3%
1997	7,930	108.1%
1996	7,335	106.8%
1995	6,870	106.0%
1994	6,480	113.5%
1993	5,710	97.3%
1992	5,870	109.4%
1991	5,365	106.9%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	8,141	87.9%
MON	8,781	94.8%
TUE	9,175	99.1%
WED	9,413	101.7%
THU	9,424	101.8%
FRI	10,303	111.3%
SAT	9,585	103.5%
AVG WEEKDAY	9,198	99.3%
AVG WEEKEND	8,863	95.7%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.6%
PERCENT HIGH DIRECTION IS OF DHV	55.7%


ATR 3321109

US-93, 0.81 KM (0.5 MI) NORTH OF MCGILL


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	1,225	82.5%
FEBRUARY	1,259	84.8%
MARCH	1,592	107.2%
APRIL	1,604	108.0%
MAY	1,468	98.9%
JUNE	1,610	108.4%
JULY	1,659	111.7%
AUGUST	1,572	105.9%
SEPTEMBER	1,487	100.1%
OCTOBER	1,753	118.0%
NOVEMBER	1,382	93.1%
DECEMBER	1,236	83.2%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	% OF PREVIOUS YEAR
2000	1,485	97.1%
1999	1,530	105.9%
1998	1,445	100.7%
1997	1,435	106.7%
1996	1,345	128.1%
1995	1,050	107.7%
1994	975	82.3%
1993	1,185	96.3%
1992	1,230	100.8%
1991	1,220	100.0%



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,520	102.4%
MON	1,343	90.4%
TUE	1,425	96.0%
WED	1,488	100.2%
THU	1,500	101.0%
FRI	1,584	106.7%
SAT	1,551	104.4%
AVG WEEKDAY	1,439	96.9%
AVG WEEKEND	1,536	103.4%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	11.6%
PERCENT HIGH DIRECTION IS OF DHV	50.4%


ATR 3321409

US-6, 9.7 KM (6.0 MI) E. OF AULTMAN ST. IN ELY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	711	59.3%
FEBRUARY	714	59.5%
MARCH	901	75.1%
APRIL	1,150	95.8%
MAY	1,404	117.0%
JUNE	1,644	137.0%
JULY	1,782	148.5%
AUGUST	1,612	134.3%
SEPTEMBER	1,562	130.2%
OCTOBER	1,301	108.4%
NOVEMBER	888	74.0%
DECEMBER	755	62.9%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	1,200	98.8%
1999	1,215	103.0%
1998	1,180	102.6%
1997	1,150	107.0%
1996	1,075	96.0%
1995	1,120	106.2%
1994	1,055	102.4%
1993	1,030	
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	1,282	106.8%
MON	1,099	91.6%
TUE	1,094	91.2%
WED	1,122	93.5%
THU	1,171	97.6%
FRI	1,290	107.5%
SAT	1,355	112.9%
AVG WEEKDAY	1,122	93.5%
AVG WEEKEND	1,319	109.9%




PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	13.9%
PERCENT HIGH DIRECTION IS OF DHV	55.7%


ATR 3321509

US-50, 1.3 KM (0.8 MI) W. OF THE ROAD TO RUTH W. OF ELY


MONTHLY		PERCENT
MONTH	MADT	% OF AADT
JANUARY	353	55.6%
FEBRUARY	348	54.8%
MARCH	436	68.7%
APRIL	586	92.3%
MAY	741	116.7%
JUNE	892	140.5%
JULY	933	146.9%
AUGUST	905	142.5%
SEPTEMBER	843	132.8%
OCTOBER	742	116.9%
NOVEMBER	454	71.5%
DECEMBER	386	60.8%



HISTORICAL RECORD		% OF PREVIOUS YEAR
YEAR	AADT	
2000	635	96.9%
1999	655	100.8%
1998	650	89.0%
1997	730	105.8%
1996	690	88.5%
1995	780	
1994		
1993		
1992		
1991		



DAY OF WEEK		
DAY	ADT	% OF AADT
SUN	614	96.7%
MON	602	94.8%
TUE	594	93.5%
WED	626	98.6%
THU	658	103.6%
FRI	705	111.0%
SAT	644	101.4%
AVG WEEKDAY	620	97.6%
AVG WEEKEND	629	99.1%



PERCENT 30TH HIGHEST HOUR (DHV) IS OF ANNUAL AVERAGE	14.2%
PERCENT HIGH DIRECTION IS OF DHV	52.2%

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033


 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



*25



CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	SR 529 (US-395-Carson St), .2 mi N of US-50. 30550 30900 32150 33500 35800					36400	38100	39800	38900	43500
0002 HRLY 98	SR-518 (Synder Av), 300' E of SR-529. 2255 2270 2665 2150 2330					2400	2300	2600	2300	2120
0004 HRLY 98	Fairview Ln, 200' E of California St. 8780					8440	7600	6850	6400	6350
0005 HRLY 00	SR-529 (Carson St), .1 mi S of SR-520 (Stewart St). 37100 37800 38000 38600 40940					42500	43000	42400*	43000	45000
0006 HRLY 00	SR-520 (Stewart St), 245' S of Wright Wy. 8150 7910 7630 8060 8675					8750	9100	9250	9300	9600
0007 HRLY 99	SR-529 (Carson St), 150' S of Eighth St. 31400 31700 32400 32700 33280					34200	34700	34800*	34100	35000
0008 HRLY 00	SR-513 (E Fifth St), 300' E of SR-529 (Carson St). 6450 6190 6900 6390 6760					6800	7000	6600	7300	7400
0009 HRLY 00	SR-520 (Stewart St), 320' S of SR-513 (E Fifth St). 12050 12000 10350 11100 12600					12700	12700	12800	12900	13500
0010 HRLY 00	SR-513 (E Fifth St), .1 mi W of Roop St. 6970 6700 7415 6750 7850					8100	8300	8100	8600	8700
0011 HRLY 00	SR-520 (Stewart St), 110' S of Third St. 12450 12000 11050 11200 13320					13400	13400	12200	13100	13500
0012 HRLY 00	SR-529 (Carson St), 150' N of Fourth St. 31050 31350 30550 31145 34040					34800	35100	33800	34300	36500
0013 HRLY 98	SR-513 (W Fifth St), 70' E of Nevada St. 5300 5875 6150 5715 5885					5750	5450	5450	5950	5700

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0014 HRLY 00	SR-529 (Carson St), 75' N of Proctor St.									
	31350	31100	30300	32260	34280	34900	35200	36400	34700	34500
0015 HRLY 00	SR-511 (W Washington St), 150' W of SR-529 (N Carson St).									
	4490	4405	4780	5260	5100	4800	5000	4500	4450	4250
0016 HRLY 00	SR-529 (Carson St), 150' N of Ann St.									
	33000	33900	33700	34200	36800	36900	36900	38800	37500	39000
0017 HRLY 00	SR-530 (Williams St), 500' E of SR-529 (N Carson St).									
	12800	12750	13300	14100	14790	15400	15300	15000	14400	14200
0019 HRLY 00	SR-520 (Stewart St), 310' S of SR-530 (E William St).									
	9390	9420	9115	9840	11360	11700	11400	11700	12000	12200
0020 HRLY 00	SR-530 (William St), 200' E of N Valley St.									
	18550	19150	19950	21000	22700	23600	23000	23000	21900	22100
0021 HRLY 00	SR-529 (Carson St), .1 mi S of SR-516 (Winnie Ln).									
	33050	35300	34300	35900	38620	39200	40000	41700	41400	40000
0022 HRLY 00	SR-516 (Winnie Ln), 130' W of SR-529 (Carson St).									
	8115	9210	9140	8900	8525	7700	7200	7250	7200	7300
0025 HRLY 00	SR-530 (William St), 200' W of Humboldt Ln.									
	25850	26350	27500	30300	29290	30600	30800	30300	28900	29100
0026 HRLY 00	Airport Rd, E of N Lompa Ln, 170' W of the Airport Entrance Rd.									
	7210	7380	7885	7860	8570	9400	9900	10300	9500	11400
0027 HRLY 00	US-50 (William St), .2 mi E of mp US-50/CC-13.00 E of Airport Rd.									
	18650	18200	20000	21850	23050	24200	24600	26200	25100	25100
0028 HRLY 00	US-50 (William St), 200' W of Deer Run Rd to Carson River Bridge.									
	15200	16800	17300	19200	19530	19200	21300	22300	21500	23000

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0029 HRLY 97	Deer Run Rd, .1 mi S of US-50.				1515	1590	1520	1450	1700	1930	2400			
0031 HRLY 97	Pinion Hills Dr, 150' E of County Rd to Mexican Dam.				600	520	770	650	700	700	650			
0032 HRLY 99	SR-513 (Carson River Rd or Buzzy Ranch Rd), .4 mi S of SR-513 (E Fifth St).				810	825	850	865	900	990	1000	1000	850	
0033 HRLY 97	SR-513 (E Fifth St), .1 mi E of Edmonds Dr.				2845	3470	3530	3745	3660	3800	3850	4250	4100	4300
0034 HRLY 97	N Edmonds Dr, 150' N of SR-513 (E Fifth St).				12000	11760	11300	11800	11600	11900	12800			
0035 HRLY 97	Edmonds Dr, .7 mi S of SR-513 (E Fifth St).				11600	11370	9500	10100	10100	9600	9900			
0036 HRLY 00	SR-513 (E Fifth St), .2 mi E of Saliman Rd.				4390	4785	5130	5310	5350	5300	5800	6500	6500	7050
0037 HRLY 00	SR-512 (W King St), 117' W of Carville Dr & 92' E of Pittman Place.				1330	1540	1630	1545	1565	2100	2000	1900	2050	2200
0038 HRLY 00	SR-516 (Ormsby Bl), 195' N of SR-512 (King St).				1005	1185	1250	1300	1090	1200	1200	1150	1350	1450
0040 HRLY 98	N Ormsby Bl, .3 mi N of SR-516 (Winnie Ln).				5010	3940	3100	3050	3200	3600	3500			
0042 HRLY 00	SR-516 (Ormsby Bl), .1 mi N of SR-511 (W Washington St).				1660	1830	1975	1935	1775	1900	1750	1700	1900	1950
0043 HRLY 00	SR-512 (Division St), 150' N of W Third St.				3485	4115	4115	4000	4510	4900	4500	4000	4900	5200

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0044 HRLY 99	US-50, at the Carson-Lyon County line.									
	14050	15400	16545	17900	18330	19500	21000	21000	20800	20800
0045 HRLY 00	Saliman Rd, 225' S of Sonoma St.									
										3500
0046 HRLY 00	Roop St, 130' N of Corbett St.									
					13490	13800	14100	14500	15400	14400
0047	Winnie Ln, W of Lone Mountain Dr.									
										6450
0048 HRLY 98	College Pk, 250' E of Ormsby Bl.									
							4100	4650	5600	4750
0049 HRLY 00	Timberline Rd, .3 mi W of Combs Canyon Rd.									
										950
0050 HRLY 00	Sonoma St, 300' W of Silver Sage Dr.									
										2400
0051 HRLY 00	Silver Sage Dr, 420' N of Koontz Ln.									
										7800
0052	E Nye Ln, 200' E of (SR-525) Airport Rd.									
										1500
0053 HRLY 00	Mountain St, 150' N of SR 516 (Winnie Ln).									
										2250
0054 HRLY 00	Mountain St, 80' S of Long St.									
										4450
0055 HRLY 00	Longview Wy, 260' S of Ash Canyon Rd.									
									0	700

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0056 HRLY 00	SR-516 (Winnie Ln), .1 mi W of Mountain St.									
	4220	5125	5330	5255	5700	4000	3600	3350	3800	3800
0057 HRLY 00	SR-516 (Winnie Ln), 500' E of Mountain St.									
	5740	6445	6555	6430	6175	5100	4600	4300	4400	4700
0058 HRLY 00	Little Ln, 185' E of Oregon St.									2000
0059 HRLY 00	Combs Canyon Rd, 290' E of Timberline Rd.									1800
0060 HRLY 00	Colorado St, 285' E of Silver Sage Dr.									4050
0061	Northridge Dr, W of Lompa Ln.									2350
0063 HRLY 00	Long St, 100' E of Mountain St.									1350
0064 HRLY 00	Roventini Wy, .25 mi W of Silver Sage Dr, 170' E of Oak St.									350
0065 HRLY 00	SR-511 (Washington St), 75' E of Richmond Av.									
	2355	2790	2730	2760	2510	2800	2750	2700	2750	2600
0068 HRLY 00	SR-512 (King St), 120' E of Mountain St.									
	2820	3210	3160	2870	3010	3200	3400	3450	3100	3250
0069	E Telegraph St, 345' W of Saliman Rd.									390
0070 HRLY 00	Utah St, .13 mi N of Colorado St.									210

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0072 HRLY 97	SR-513 (E Fifth St), 150' W of Saliman Rd. 7685 8115 7850 8070				8300	8800	9000	8800	9300	9300
0073 HRLY 98	Fairview Dr, 100' W of Kansas St. 6400				6215	6300	5600	5600	5550	5500
0074	Gardengate Wy, 348' W of Northgate Ln.									250
0075	Otha St, 213' N of Nye Ln.									210
0076 HRLY 98	Koontz Ln, 200' W of Silver Sage Dr.				6170	6400	6250	6500	6700	6600
0077	Rand Av, 318' N of Long St.									1400
0079 HRLY 97	Clearview Dr, 200' W of Silver Sage Dr.				5200	5700	6200	6200	6850	7100
0083 HRLY 98	SR-518 (Snyder Av), 270' E of Silver Sage Dr. 2575 2725 3425 2650				3050	3000	2750	3150	3100	2700
0105	Roop St, 100' S of Robinson St.									11300
0114	Butti Wy, 175' S of Airport Rd.									3450
0115	Butti Wy, 150' W of Edmonds Dr.									570
0116	Airport Rd, 175' N of Butti Wy.									0 3300

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0117 HRLY 00	SR-525 (Airport Rd), .2 mi N of US-50 & 325' N of North Champion St.									
	7640	7935	8075	8440	8800	9900	10500	11200	9500	5600
0118	Graves Ln, btwn Nye Ln & Airport Rd.									
										7100
0120 HRLY 00	SR-525 (Airport Rd), 150' N of Nye Ln.									
	6505	6670	6900	7350	7820	8700	9200	9550	9250	4250
0126 HRLY 98	Koontz Ln, 50' W of Raglan Cr.									
					2270	2400	2300	2300	2350	2450
0127 HRLY 98	S Edmonds Dr, 100' S of Damon Rd.									
					6060	6500	6500	6500	6950	7250
0128 HRLY 98	Fairview Dr, 300' W of Joanne Dr.									
				4070	4000	4200	4050	3850	3800	4100
0130 HRLY 98	SR-531 (College Pk), 275' W of Lompa Ln.									
	9125	9675	10500	10700	11600	13000	13800	14600	14400	15800
0132 HRLY 98	Hot Springs Rd, .3 mi N of US-395 in front of 400 Hotsprings Rd.									
	6070	6400	7080	6850	6760	6900	7100	7050	6500	6800
0133 HRLY 00	SR-512 (Kings Canyon Rd), .2 mi W of SR-516 (Ormsby Bl).									
	605	675	640	700	960	1250	1200	1200	1300	1450
0134 HRLY 98	N Ormsby Bl, .1 mi S of Combs Canyon Rd.									
				2070	3935	2350	2550	2250	2150	2500
0139 HRLY 00	SR-531 (College Pk), 250' E of Imperial Wy.									
				6380	9135	11000	12300	13100	14100	14300
0140 HRLY 00	SR-529 (Carson St), .1 mi N of Nye Ln.									
	25450	27000	27500	27800	29300	29900	34200	36200	34500	34500

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0141 HRLY 00	SR-529 (Carson St), 250' N of Broadleaf Ln.									
	25100	25800	28000	28400	29930	29600	31100	33100	32100	32500
0142 HRLY 99	SR-705 (Clear Creek Rd), .25 mi W of US-395.									
	305	415	370	340	470	470	645	540	540	540
0143 HRLY 99	SR-705 (Clear Creek Rd), .25 mi W of Industrial Rd.									
	175	265	235	215	215	215	325	260	250	220
0148 HRLY 00	SR-529 (Carson St), .1 mi N of Koontz Ln.									
	33900	34700	34300	36165	38470	40200	41500	42600	41700	43500
0149 HRLY 97	Saliman Rd, 165' S of Robinson St.									
	8920	8230	10350	11000	11450	10900	10400	10400	10200	10000
0151 HRLY 99	Lompa Ln, .2 mi S of Carmine St & 250' N of Long St.									
			6715	6800	6445	6300	6600	7450	6700	7000
0153 HRLY 99	Lompa Ln, .2 mi S of SR-531 (College Pk) & SR-525 (Airport Rd).									
			3910	3960	4115	4900	5300	5300	5300	5500
0157 HRLY 00	Mountain St, 75' S of Caroline St.									
			2755	2775	2850	2700	2500	2600	2350	2500
0158 HRLY 98	Silver Sage Dr, 50' N of Roland Av.									
			1715	1620	1800	1950	1700	1950	1900	1700
0160 HRLY 98	Airport Rd, 200' S of US-50.									
			7600	7225	7130	7500	7600	7700	7500	6750
0161 HRLY 98	Airport Rd, 400' S of Woodside Dr.									
			4345	3500	3400	4300	4950	4500*	4600	4250
0162 HRLY 98	Clearview Dr, 100' W of Edmonds Dr.									
			2375	2550	2270	2400	3400	3400	3550	3700

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		
0166 HRLY 99	Nye Ln, btwn Imperial Way & Northgate Ln.				1485	1575	1485	1400	1400	1450	1500	1600
0169 HRLY 00	Graves Ln, 110' S of Sherman Ln.											7800
0170 HRLY 99	Sherman Ln, 200' E of Dori Wy.				1455	1530	1485	1350	1680	1500	1500	1350
0171 HRLY 00	Ash Canyon Rd, 270' E of Longview Wy.										1000	1150
0172 HRLY 00	US-50, .2 mi W of Airport Rd.				25300	25790	26000	26400	26700	26400	26400	25600
0173	Graves Ln, 150' S of Gordon St.						10800	10700	10600	11000		13300
0174 HRLY 98	SR-531 (College Pk), 250' E of Emerson Dr.				6125	7800	8650	9800	9900			11200
0175 HRLY 97	Saliman Rd, 300' N of Little Ln for S/B & 320' N for N/B.				9530	9350	8850	8950	8500			9000
0176 HRLY 97	Roop St, .3 mi S of Hot Springs Rd.				8875	9450	8300	8800	9050			9500
0177 HRLY 00	Goni Rd, .1 mi N of Hot Springs Rd.				6200	6300	6500	7750	7750*			6800
0178 HRLY 98	Arrowhead Dr, .2 mi E of US-395.				1840	2700	2950	2800	2800			2700
0179 HRLY 99	Arrowhead Dr, .1 mi E of Convair Dr.				3500	4250	4400	4200	4200			4400

CARSON CITY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0182 HRLY 98	SR-531 (College Pk), 200' W of Research Wy.				9700	9650	11900	15500	15200	16300
0183 HRLY 98	Hot Springs Rd, 320' S of College Pk.							8250	7150	10700
0184 HRLY 98	Roop St, .1 mi S of College Pk & N of Hot Springs Rd.								2800	6500

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.




82


NIGHTINGALE 65





JESSUP 78



U.S. 95 83





CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0002 HRLY 99	Allen Rd, .1 mi N of Sheckler Rd.								4050	4000
0003 HRLY 99	US-50, .4 mi E of the jct of US-50 & US-50A. 5945	6650	6150	6630	7100	7650	8300	8500	8900	8700
0004 HRLY 00	US-50A, .5 mi W of the jct of US-50. 4635	4665	4420	5800	6200	6000	6100	6250	6800	6600
0005 HRLY 00	US-50, .2 mi W of SR-117 (Sheckler Cutoff Rd). 6770	7030	6750	7600	7840	8700	9400	10200	10500	10200
0006 HRLY 99	SR-117 (Sheckler Cutoff Rd), .1 mi S of US-50. 1225	1255	1250	1500	1640	1700	1800	2050	2000	1800
0007 HRLY 00	US-50, .1 mi E of SR-117 (Sheckler Cutoff Rd). 7290	7350	7200	8185	8630	9400	10000	11200	11100	10800
0008 HRLY 00	US-50, 300' W of SR-715 (McLean Ln). 8890	9120	8900	8775	10280	11700	12900	14300	13800	13900
0009 HRLY 99	SR-723 (Soda Lake Rd), .1 mi N of US-50. 1425	1265	1320	1550	1565	1700	2000	2050	2300	2150
0010 HRLY 00	US-50, 100' E of SR-715 (McLean Ln). 9050	9430	9300	10600	10675	11300	12400	13300	13000	14000
0011 HRLY 99	SR-715 (McLean Ln), 75' S of US-50. 1305	1420	1410	1600	1865	2000	2300	2500	2550	2350
0012 HRLY 00	US-50, .1 mi E of Gummow Rd. 11350	11800	11600	13800	14200	14200	15900	17300	16900	17000
0015 HRLY 00	US-50 (Williams Av), 250' E of US-95 (Taylor St). 13050	14150	13500	14300	15000	15700	16100	15100	14800	16600

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0016 HRLY 00	US-95 (S Taylor St), 150' S of US-50 (Williams Av).									
	7895	9285	9000	10100	10400	11200	11100	10700	10750	11500
0019 HRLY 00	US-50 (Williams Av), 300' E of Maine St.									
	8085	8225	9000	8650	9100	9200	10500	9650	10300	10300
0020 HRLY 00	US-95 (Maine St), 75' N of US-50 (Williams Av).									
	7125	6715	7700	7275	8780	8600	7250*	7600*	7800	7700
0021 HRLY 96	US-50 (Williams Av), 150' W of Sherman St.									
	5560	5875	6000	6000	6565	6600	7900	7900	8400	8400
0024 HRLY 96	US-50, .1 mi E of Dolf Ln.									
	4660	5000	5600	5170	5520	5400	6200	5900	6300	6300
0025 HRLY 97	US-50, .3 mi W of SR-116 (Stillwater Rd).									
	2310	2485	2330	2900	3030	3150	3150	3100	3300	3600
0026 HRLY 99	SR-116 (Stillwater Rd), 150' W of Harmon Rd.									
	995	1095	1080	1240	1360	1500	1525	1500	1450	1550
0027 HRLY 00	US-50, 2.6 mi E of Harmon Rd.									
	1100	1105	1210	1290	1075	1200	1200	1200	1300	1050
0028 HRLY 99	SR-116 (Stillwater Rd), .2 mi E of Harmon Rd.									
	1125	1200	1270	1450	1590	1800	1800	1700	1700	1700
0029 HRLY 00	US-50, 1.5 mi E of Macari Ln.									
	1080	1460	1460	1470	1275	1120	1150	1150	1400	1200
0030 HRLY 00	US-50, .2 mi W of SR-839 to Nevada Scheelite Mine.									
	995	1345	1340	1350	1310	1400	1450	1350	1100	1300
0031 HRLY 99	SR-839 (Scheelite Mine Rd), .6 mi S of US-50.									
	125	130	160	150	160	170	180	150	170	160

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0032 HRLY 00	US-50, .1 mi W of SR-121 (Dixie Valley Rd).									
	815	970	970	980	950	1050	1100	1000	850	850
0033 HRLY 00	SR-121 (Dixie Valley Rd), .2 mi N of US-50 mp at SR-121/CH-2									
	45	55	40	60	40	40	45	50	70	50
0034 HRLY 00	US-50, 4.1 mi W of SR-361 to Gabbs.									
	795	910	910	920	910	980	1030	950	800	800
0035 HRLY 99	SR-361 (Gabbs Valley Rd), .1 mi S of US-50.									
	255	235	270	165	230	220	230	240	265	220
0036 HRLY 00	US-50, .1 mi E of SR-361 to Gabbs.									
	705	720	710	720	765	750	790	730	740	680
0038 HRLY 00	Dixie Valley Rd, .2 mi N of Settlement Rd.									
					25	10	10	10	15	20
0039 HRLY 97	SR-116 (Stillwater Rd), .2 mi W of Portugese Ln.									
	260	230	200	220	235	280	290	290	350	350
0040 HRLY 97	SR-116 (Stillwater Rd), 300' E of Freeman Ln to Millen.									
	165	115	100	115	110	120	125	125	210	110
0043 HRLY 99	Wildes Rd, .1 mi E of Pasture Rd.									
	315	335	350	380	390	435	425	430	580	450
0044 HRLY 97	SR-118 (Wildes Rd), .5 mi W of SR-120 (Pasture Rd).									
	3285	3480	3670	3740	4035	4300	4150	4150	5050	4650
0045 HRLY 99	SR-118 (Wildes Rd), .1 mi E of Harrigan Rd.									
	2855	3025	3270	3360	3605	3600	3400	3200	3900	3950
0046 HRLY 96	SR-115 (Harrigan Rd), 90' S of SR-118 (Wildes Rd).									
	1300	1370	1420	1810	1760	1800	1800	1750	1700	1700

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0047 HRLY 99	Harrigan Rd, .1 mi N of SR-118 (Wildes Rd).									
	2050	2170	2210	2485	2530	2500	2400	2050	2200	2300
0049 HRLY 99	Stillwater St, 75' E of Sherman St.									
									2550	2550
0053 HRLY 99	US-95 (Taylor St), .2 mi N of SR-117 (Scheckler Ln).									
	5940	6575	6520	7500	7500	7600	8300	8250	8300	8050
0054 HRLY 00	US-95, .2 mi S of Pasture Rd.									
	1845	1930	1950	1950	1845	1600	2250	2100	2350	2350
0055 HRLY 99	Pasture Rd, .1 mi E of US-95.									
	105	80	80	100	130	130	130	130	190	120
0056 HRLY 99	Pasture Rd, .2 mi E of the rd to the Greenhead Hunting Club.									
	60	80	60	70	90	90	90	90	100	90
0058 HRLY 00	US-95, .1 mi S of SR-718 (Lone Tree Rd).									
	2015	2175	2120	2290	2105	2200	2600	2400	2500	2300
0059 HRLY 99	US-95, .1 mi N of SR-718 (Lone Tree Rd).									
	2485	2500	2630	2620	2250	2400	3700	3850	4000	4300
0060 HRLY 99	SR-718 (Lone Tree Rd), 300' W of US-95.									
	365	415	490	460	485	475	475	475	490	500
0061 HRLY 00	SR-718 (Lone Tree Rd), 300' W of Allen Rd.									
	415	415	580	560	580	555	555	555	640	650
0062 HRLY 00	SR-718 (Curry Rd), 300' N of the R.O.Wise Ranch Rd.									
	90	120	110	170	190	170	170	170	250	240
0063 HRLY 99	US-95, .3 mi N of SR-119 (Berney Rd).									
	2730	2840	3000	3170	3675	3800	4100	4250	4500	4600

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0064 HRLY 00	SR-119 (Berney Rd), .2 mi W of SR-115 (Harrigan Rd).									
	375	375	540	520	660	620	760	630	660	650
0065 HRLY 00	SR-115 (Harrigan Rd), .1 mi N of SR-119 (Berney Rd).									
	145	165	200	190	230	215	230	200	230	210
0066 HRLY 00	SR-119 (Berney Rd), .1 mi E of SR-115 (Harrigan Rd).									
	440	440	640	620	760	710	820	720	750	750
0067 HRLY 00	Pasture Rd, .1 mi S of SR-119 (Berney Rd).									
	140	185	190	225	270	280	290	290	280	270
0068 HRLY 00	Berney Rd, .5 mi E of Pasture Rd.									
	240	225	470	450	355	680	730	520	590	550
0069 HRLY 97	SR-120 (Pasture Rd), .2 mi S of SR-118 (Wildes Rd).									
	3300	3495	3650	3800	4170	4250	4100	4000	4000	4000
0070 HRLY 00	SR-720 (Union Ln), .1 mi W of SR-120 (Pasture Rd).									
	430	470	510	550	795	785	820	940	830	800
0071 HRLY 97	SR-120 (Pasture Rd), .1 mi N of SR-720 (Union Ln).									
					715	750	950	1100	900	930
0072 HRLY 00	SR-720 (Union Ln), .1 mi E of SR-115 (Harrigan Rd).									
	750	835	900	1070	1275	1200	1200	1350	1270	1250
0073 HRLY 97	SR-115 (Harrigan Rd), 200' N of SR-720 (Union Ln).									
	440	470	560	665	635	625	680	600	600	600
0074 HRLY 98	US-95, .3 mi S of SR-117 (Sheckler Ln).									
	4690	4875	5110	5550	5175	5250	5900	5600	6000	5700
0075 HRLY 98	SR-117 (Sheckler Rd), 300' E of Allen Rd.									
	2740	2895	3160	3290	3805	3750	4000	4500	4800	4800

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0076 HRLY 99	SR-117 (Sheckler Rd), 204' W of Allen Rd.									
	1705	1780	1840	2115	2370	2575	2700	3250	3250	3300
0084 HRLY 99	SR-117 (Sheckler Rd), .2 mi E of St Clair Rd.									
	845	900	980	1015	1190	1200	1200	1300	1350	1200
0085 HRLY 99	SR-117 (Sheckler Rd), .2 mi W of SR-715 (McLean Ln).									
	1135	1210	1300	1430	1560	1700	1650	1750	2100	1600
0086 HRLY 99	SR-715 (McLean Ln), 600' N of SR-117 (Sheckler Rd).									
	930	900	950	1135	1380	1450	1700	1850	2100	2000
0087 HRLY 00	US-95, .7 mi N of US-50 (Williams Av).									
	4090	4390	4400	4650	4955	5400	5500	5600	5750	5300
0088 HRLY 00	US-95, 100' S of SR-726 (Old River Rd).									
	2010	2125	2380	2250	2380	2200	2200	2300	2250	2450
0089 HRLY 99	SR-726 (Old River Rd), .2 mi E of US-95.									
	505	515	525	615	700	695	695	650	725	650
0090 HRLY 99	US-95, .7 mi N of SR-726 (Old River Rd).									
	1330	1430	1600	1560	1410	1400	1400	1450	1400	1650
0091 HRLY 00	US-95, .2 mi S of the E/B ramps of I-80.									
	675	740	600	660	685	720	670	790	830	920
0092 HRLY 00	IR-80, E/B on-ramp of the US-95 Intch, .1 mi E of US-95.									
	675	835	710	670	760	600	615	620	800	650
0093 HRLY 00	IR-80, 1.5 mi E of US-95 Intch "Exit 83".									
	6145	7100	6690	6705	6805	6880	7115	7430	7735	7600
0094 HRLY 00	IR-80, W/B off-ramp of the US-95 Intch "Exit 83", .2 mi W of the W/B lanes of I-80.									
	645	735	630	665	795	745	650	570	800	620

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0095 HRLY 00	IR-80, W/B on-ramp of the US-95 Intch "Exit 83", 100' W of the W/B off-ramp. 450 420 380 325 500 205 310 520 350									250
0096 HRLY 00	IR-80, E/B off-ramp of the US-95 Intch "Exit 83", 100' E of the E/B lanes of I-80. 480 520 460 380 550 230 320 400 250									220
0097 HRLY 00	IR-80, .5 mi W of US-95 Intch "Exit 83". 5755 6470 6190 6075 6335 5875 6480 7160 6735									6740
0098 HRLY 99	IR-80, W/B off-ramp of the Jessup Intch "Exit 78", E of "Exit 78" sign. 35 25 25 35 30 30 30 25 40									30
0099 HRLY 99	Airport Rd, .15 mi E of US-95. (Fallon)									550 450
0100 HRLY 99	IR-80, W/B on-ramp of the Jessup Intch "Exit 78", 250' W of cross traffic rd. 45 50 50 50 40 35 35 50 40									30
0101 HRLY 99	IR-80, E/B off-ramp of the Jessup Intch "Exit 78", 200' W of cross traffic rd. 45 50 50 50 45 45 45 40 80									50
0102 HRLY 99	IR-80, E/B on-ramp of the Jessup Intch "Exit 78", 100' E of cross traffic rd. 35 25 25 35 30 40 40 50 70									50
0104 HRLY 98	IR-80, W/B off-ramp of the Nightingale Intch "Exit 65", .2 mi E of the cross traffic rd. 70 100 120 50 45 75 75 55 75									60
0106 HRLY 99	IR-80, W/B on-ramp of the Nightingale Intch "Exit 65", 250' W of the cross traffic rd. 150 260 280 165 205 165 160 195 200									150
0108 HRLY 98	IR-80, E/B on-ramp of the Nightingale Intch "Exit 65", .1 mi E of the cross traffic rd. 50 70 90 45 45 45 45 75 60									60
0109 HRLY 98	IR-80, E/B off-ramp of the Nightingale Intch "Exit 65", 200' W of cross traffic rd. 130 230 250 175 200 155 155 140 140									120

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0112 HRLY 99	SR-118, .1 mi W of SR-115 (Harrigan Rd).									
				3225	3730	3500	3500	3550	4150	4150
0113 HRLY 00	SR-120 (Pasture Rd), .3 mi N of SR-119 (Berney Rd).									
				260	430	440	460	450	440	400
0116	SR-720 (Union Ln), .2 mi W of SR-115 (Harrigan Rd).									
	690	715	730	745	1065	1000	1000	1150	1130	1200
0117	SR-722 (Carroll Summit Rd), 250' S of US-50.									
	30	30	30	30	30	30	30	30	35	35
0120 HRLY 00	Portuguese Ln, .2 mi N of SR-116 (Stillwater Rd).									
	40	45	40	40	40	50	50	50	50	30
0121 HRLY 97	Harmon Rd, .1 mi N of Reservoir Rd.									
	140	135	150	140	175	205	165	160	200	250
0122 HRLY 99	Harmon Rd, .1 mi N of SR-116 (Stillwater Rd).									
	240	280	260	240	280	330	300	300	410	420
0123 HRLY 99	Harmon Rd, 100' S of SR-116 (Stillwater Rd).									
	365	405	440	455	455	540	600	530	560	510
0124 HRLY 97	SR-726 (Bafford Ln), .5 mi E of SR-726 (Old River Rd).									
	280	290	270	335	425	425	420	390	480	370
0125 HRLY 99	SR-723 (Soda Lake Rd), 250' S of Cox Rd.									
	655	655	750	850	855	855	920	890	1050	900
0126 HRLY 00	US-50 (Williams Av), .1 mi E of Allen Rd.									
	16450	17400	16300	17900	19800	20200	21700	21000	20500	21600
0127 HRLY 00	IR-80, 3 mi E of the Nightingale Intch "Exit 65".									
	5775	6520	6240	6105	6370	5885	6490	7175	6745	6800

CHURCHILL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0128 HRLY 99	Bench Rd, 400' N of US-50.	110	90	120	165	170	170	175	175	175
0129 HRLY 99	Rice Rd, .2 mi E of Gummow Dr.	1060	1200	1290	1300	1350	1350	1250	1200	1200
0132 HRLY 00	Trinity Rest Area Rd, Road into Rest Area.						280	510	335	370
0133 HRLY 97	Agency Rd, 100' N of SR-116 (Stillwater Rd).	360	435	400	335	340	340	340	340	360
0134 HRLY 99	Taylor St, 340' N of US-50 in Fallon.								4700	4500
0135 HRLY 00	Bailey St, 155' S of Center St in Fallon.								460	500
0136 HRLY 99	Whitaker Ln, 59' N of Roberta Ct in Fallon.								3450	3250

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.





SOUTHERN NEVADA AREA






FEDERAL AID HIGHWAY SYSTEM OF

NEVADA


2000


PREPARED BY THE NEVADA DEPARTMENT OF TRANSPORTATION


Las Vegas Urbanized Area




CENTRAL LAS VEGAS









BUNKERVILLE - MESQUITE



BOULDER CITY




LOGANDALE - OVERTON




LAUGHLIN

INTERSTATE INTERCHANGES AND REST AREAS

03






DOWNTOWN EXPRESSWAY 42


INTERSTATE 15 INTERCHANGES AND REST AREAS

03


**SPEEDWAY 54
HOLLYWOOD BLVD**




APEX 58



U.S. 93 64




VALLEY OF FIRE 75




UTE 80


BYRON 84




HIDDEN VALLEY 88



MOAPA 90




GLENDALE 91




**LOGANDALE
OVERTON 93**


**WEST MESA
REST AREA**




CARP-ELGIN 100




EAST MESA 109




**RIVERSIDE
BUNKERVILLE 112**



WEST MESQUITE 120




EAST MESQUITE 122




INTERSTATE (BELTWAY)

03


I-215 (Beltway) 34




LAS VEGAS BLVD




SUNSET RD./McCARRAN AIRPORT




WINDMILL




EASTERN




PECOS




GREEN VALLEY PKWY




VALLEY VERDE DR




STEPHANIE ST







RAINBOW BLVD 81




LAKE MEAD BLVD 82




CHEYENNE AVE 83




CRAIG RD 85



RANCHO/ANN



SNOW MOUNTAIN 95



CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	IR-15, S/B off-ramp of the Primm Intch "Exit 1", E of split near the cross traffic rd.									
	4000	4270	4580	5860	6740	5985	6180	5315	6140	6700
0002 HRLY 00	IR-15, S/B on-ramp of the Primm Intch "Exit 1", N of the entrance to IR-15.									
	3600	3575	3835	4180	4915	4785	5075	4665	5560	5525
0003	IR-15, S/B off-ramp of the I-215 Intch to Las Vegas Bl.									
					1550	2145	2150	2590	2725	2900
0004 HRLY 99	Lost City Museum Rd, 75' W of SR-169.									
							115	120	110	90
0005 HRLY 00	IR-15, N/B off-ramp of the Primm Intch "Exit 1", 150' S of the cross traffic rd.									
	2695	3055	3210	3860	4695	4700	4980	4580	5460	4225
0006 HRLY 00	IR-15, N/B on-ramp of the Primm Intch "Exit 1", 150' N of the cross traffic rd.									
	3095	3750	3955	5740	6520	6195	6070	6040	6035	6400
0007 HRLY 97	SR-562 (Sunset Rd), .2 mi W of Pecos Rd.									
					35870	30100	33100	34500	35300	35000
0008 HRLY 97	SR-146 (Lake Mead Dr), .5 mi W of Green Valley Pk.									
					11260	10200	16100	25000	25000	21500
0009 HRLY 00	IR-15, N/B off-ramp of the Jean Intch "Exit 12", 400' S of the cross traffic rd.									
	2315	2020	2620	2820	2760	3090	2615	2470	2480	2600
0010 HRLY 99	FRCL07 (Apex Frontage Rd), 4 mi N of US-93.									
							1050	1200	1250	1300
0011 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Jean.									
	1360	1250	1575	1500	1500	2000	1500	1500	1500	1650
0013 HRLY 00	IR-15, N/B on-ramp of the Jean Intch "Exit 12", 300' N of SR-161.									
	2630	2530	3065	3320	3815	4055	3920	3185	3530	3400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0014 HRLY 00	IR-15, S/B off-ramp of the Jean Intch "Exit 12", .1 mi N of SR-161.									
	3015	3175	3445	4210	3835	4025	3890	4000	3615	3600
0015 HRLY 00	SR-161 (Goodsprings Rd), 1 mi W of the S/B off-ramps of the Jean Intch "Exit 12".									
	1235	1320	1365	1500	1660	1750	1700	1700	1900	2050
0016 HRLY 00	IR-15, S/B on-ramp of the Jean Intch "Exit 12", .1 mi S of SR-161.									
	2700	2665	3000	3420	2900	3460	3150	3300	2695	2800
0017	SR-161 (Goodsprings Rd), .1 mi W of Jean St in Good Springs.									
	165	195	185	200	310	340	440	440	380	410
0018 HRLY 00	US-95, Ann Rd Fly-over from Ann Rd to Rancho Rd.									
								5210	5295	5650
0019 HRLY 98	Durango Dr, .25 mi N of Cheyenne Av.									
								14000	15300	17200
0020 HRLY 00	IR-15, N/B off-ramp of the Sloan Intch "Exit 25", N of "25 mph" sign E.									
	270	125	200	160	170	140	120	295	335	150
0021 HRLY 00	SR-604 (Las Vegas Bl), .4 mi N of the Sloan Intch "Exit 25".									
	1465	1400	1630	1600	2060	1950	2090	2100	1900	1900
0023 HRLY 99	SR-739 (Sloan Rd), 100' E of the S/B ramps of the Sloan Intch "Exit 25".									
	850	665	740	940	900	1000	750	1250	1210	1100
0024 HRLY 99	SR-739 (Sloan Rd), 20' W of the S/B ramp of the Sloan Intch "Exit 25".									
	450	500	555	705	830	1050	790	630	900	1150
0025 HRLY 00	IR-15, S/B off-ramp of the Sloan Intch "Exit 25".									
	510	540	795	620	635	840	675	695	385	550
0026 HRLY 00	IR-15, S/B on-ramp of the Sloan Intch "Exit 25", .2 mi S of SR-739.									
	190	100	190	115	140	85	85	190	215	150

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0027 HRLY 00	IR-15, N/B on-ramp of the Sloan Intch "Exit 25", S of IR-15.									
	590	565	805	900	625	550	705	725	535	450
0028 HRLY 00	IR-15, N/B off-ramp of the Henderson Intch "Exit 27", .1 mi N of the N/B lanes.									
	1025	1210	1335	1755	1925	2050	1855	1835	1940	1700
0029 HRLY 99	Saint Rose Pk, .2 mi E of the N/B ramps of Henderson Intch "Exit 27".									
	3780	4455	5535	6965	6935	7950	8100	9000	7700	7400
0030 HRLY 00	Saint Rose Pk, .3 mi E of SR-604.									
	5000	5895	6170	7765	7500	7800	7700	8400	7300	6800
0031 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of SR-146 to Henderson.									
	1640	1690	1975	2200	2510	2750	3050	3400	3500	3000
0032 HRLY 00	IR-15, N/B on-ramp of the Henderson Intch "Exit 27".									
	960	910	1220	1705	1510	1610	1460	1440	1265	1500
0033 HRLY 00	IR-15, S/B off-ramp of the I-215 Intch to I-215 E/B.									
					1620	16815	28840	34530	33730	43000
0034 HRLY 00	IR-215, E/B on-ramp from Windmill Ln.									
							965	1385	1550	2350
0035 HRLY 00	IR-15, S/B off-ramp of the Henderson Intch "Exit 27", 60' N of the "Exit 27" sign S.									
	1040	1185	1370	1700	1505	2080	1945	1620	1650	1900
0036 HRLY 00	IR-15, S/B on-ramp of the Henderson Intch "Exit 27".									
	1035	1210	1410	1800	1975	1765	1990	1800	1890	1500
0037 HRLY 00	IR-15, N/B off-ramp of the Blue Diamond Intch "Exit 33", .2 mi E of the N/B lanes.									
	970	1250	1440	1840	1800	2070	2230	2185	1840	1500
0038 HRLY 00	SR-160 (Pahrump Valley Rd), at the Blue Diamond Intch "Exit 33" 250' W of L.V. Bl S.									
	11600	11830	14400	21400	18400	18000	17200	20000	20850	22100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0039 HRLY 00	SR-604 (Las Vegas Bl), .4 mi S of SR-160.									
	13400	14450	19000	26270	23460	18900	20600	25000	30100	33500
0040 HRLY 99	IR-15, N/B on-ramp of the Blue Diamond Rd Intch "Exit 33".									
	5420	5300	5695	7575	7915	3600	3760	3900	5225	6500
0041 HRLY 00	IR-15, minor N/B on-ramp of the Blue Diamond Rd Intch "Exit 33", .2 mi E of IR-15.									
	2650	2440	2810	3520	4800	5150	4900	4710	4825	5100
0042 HRLY 00	IR-215, W/B off-ramp to Windmill Ln.									
							790	1220	1420	2450
0043 HRLY 99	IR-15, S/B off-ramp of the Blue Diamond Rd Intch "Exit 33".									
	8540	8520	9365	11860	12380	8590	8980	9320	10915	12500
0044 HRLY 99	SR-160 (Pahrump Valley Rd), .5 mi W of Industrial Rd.									
	7210	7390	7310	9220	9615	11900	12800	13500	14900	14900
0045 HRLY 00	IR-15, S/B on-ramp of the Blue Diamond Rd Intch "Exit 33".									
	1480	1240	1350	3320	3400	3640	3820	3740	2725	2400
0046 HRLY 00	IR-15, N/B off-ramp of the I-215 Intch to Las Vegas Bl.									
						550	570	630	525	500
0047 HRLY 00	IR-215, E/B off-ramp to Eastern Av.									
							11470	7685	8560	13700
0048 HRLY 00	IR-215, E/B off ramp to Windmill Ln.									
							8035	9675	7895	10300
0049 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Blue Diamond Rd.									
	10350	10950	13900	14860	17080	16400	17800	21000	20800	24600
0050 HRLY 98	SR-604 (Las Vegas Bl), .3 mi N of Warm Springs Rd.									
	9460	10450	14000	14800	17000	19700	18000	18500	18300	21600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0051 HRLY 99	Warm Springs Rd, Warm Springs Intch overpass of IR-15.									
	11300			8800		8500	11000	11500	11900	11900
0052 HRLY 00	IR-15, S of the Tropicana Av Intch "Exit 37".									
	35420	37400	42905	50215	67845	93235	112885	118820	130860	155500
0053 HRLY 00	IR-15, N/B off-ramp of the Tropicana Av Intch "Exit 37".									
	3960	4100	4785	6400	9295	10160	11685	10485	9900	8600
0054 HRLY 00	SR-593 (Tropicana Av), .1 mi E of the N/B ramps of the IR-15 Tropicana Av Intch "Exit 37".									
	62125	66450	96700	101500	96200	98400	100000	94000	115400	107000
0055 HRLY 00	IR-15, N/B on-ramp of the Tropicana Av Intch "Exit 37", 150' N of Tropicana Av.									
	20250	20100	23655	30225	30280	26465	27095	25470	26880	31000
0056 HRLY 00	IR-15, N/B off-ramp of IR-215 Intch to IR-215 E/B.									
				1570	1660		2340	2990	2305	2600
0057 HRLY 00	IR-15, S/B (right turn) off-ramp of the Tropicana Av Intch "Exit 37".									
	22300	21100	8400	10800	8510	8720	8980	7375	8040	9200
0058 HRLY 00	SR-593 (Tropicana Av), 150' E of Industrial Rd.									
	56200	54340	65600	66600	72900	70800	77800	78500	82170	76600
0060 HRLY 00	IR-15, S/B on-ramp of the Tropicana Av Intch "Exit 37".									
	3945	3875	4650	5400	7840	10670	12270	11005	9765	8900
0061 HRLY 00	IR-15, .4 mi S of the Flamingo Rd Intch "Exit 38".									
	70065	70625	86525	102120	111255	126990	143830	148940	167715	200700
0062 HRLY 00	IR-15, N/B off-ramp of the Flamingo Rd Intch "Exit 38".									
	5565	7255	7430	9750	10600	15440	15650	14040	15585	12500
0063 HRLY 00	SR-592 (Flamingo Rd), 200' E of the N/B ramps of IR-15 Flamingo Rd Intch "Exit 38".									
	59870	61600	60000	63300	68800	74900	81900	77000	84880	65400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0064 HRLY 00	IR-15, N/B on-ramp of the Flamingo Rd Intch "Exit 38" .									
	21300	19000	18550	17400	18960	21110	22345	19755	19105	20500
0065 HRLY 00	IR-15, S/B off-ramp of the Flamingo Rd Intch "Exit 38", to W/B Flamingo Rd.									
	11775	10845	10600	12150	11650	11790	11965	10585	10235	10000
0066 HRLY 00	IR-15, S/B on-ramp of the Flamingo Rd Intch "Exit 38" , 200' W of the N/B on-ramp.									
	5445	6400	8245	10000	10900	15510	14930	13670	13180	11500
0067 HRLY 00	IR-15, .3 mi S of the Spring Mtn Rd Intch "Exit 39".									
	103000	96815	109390	123120	131105	139810	159905	162480	182385	207200
0068	Spring Mountain Rd, 350' E of Industrial Rd.									
				46700	45930	43000	41900	35500	37100	37100
0069 HRLY 00	Spring Mountain Rd, 75' E of Highland Dr.									
	38700	52000	53000	59000	58000	54300	52900	45000	46800	74000
0070 HRLY 00	IR-15, N/B on-ramp of the Spring Mtn Rd Intch "Exit 39", 75' S of IR-15.									
	14600	13400	10000	12100	11900	9640	9880	9475	9475	10500
0071 HRLY 00	IR-215, W/B on-ramp from Windmill Ln.									
							9480	10385	7820	11500
0072 HRLY 00	IR-15, S/B off-ramp of the Spring Mtn Rd Intch "Exit 39", 75' S of IR-15.									
	14350	13800	17350	18900	18600	17420	17860	17100	19135	8300
0073 HRLY 00	SR-591 (Spring Mountain Rd), 150' W of the S/B off-ramp of the I-15 Spring Mtn Rd "Exit 39									
			54700	53000	52200	50800	43000	48900	52500	
0074 HRLY 00	IR-15, .5 mi N of the Spring Mtn Rd Intch "Exit 39".									
	131950	124015	142390	161665	169030	173720	195055	195455	217575	223300
0075 HRLY 00	IR-15, N/B off-ramp of the Sahara Av Intch "Exit 40", 300' S of Sahara Av.									
	11700	11900	12785	14650	15325	17235	16755	16070	16325	19300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0076 HRLY 00	SR-589 (Sahara Av), on overpass, 50' W of Western Av.									
	70900	80100	76900	84600	78700	70900	74800	72000	74000	73000
0077 HRLY 00	IR-15, N/B on-ramp of the Sahara Av Intch "Exit 40", 250' N of Sahara Av.									
	18560	19400	19785	18800	20380	18100	18620	17260	18975	19200
0078 HRLY 00	IR-215, btwn Windmill Ln & Eastern Av.									
							22585	34620	45835	77700
0079 HRLY 00	IR-15, S/B off-ramp of the Sahara Av Intch "Exit 40", 300' N of Sahara Av.									
	18950	17330	17235	18500	20060	9445	9600	9405	9835	9500
0080 HRLY 98	SR-589 (Sahara Av), .2 mi W of Rancho Rd.									
	57150	62400	57000	58850	61950	64700	60000	59500	59900	50500
0081 HRLY 00	IR-15, S/B on-ramp of the Sahara Av Intch "Exit 40", .1 mi S of Sahara Av.									
	9800	8770	10830	12400	13660	15550	16135	15475	16015	15200
0082 HRLY 00	IR-215, E/B on-ramp from Eastern Av.									
								1605	5260	9500
0083 HRLY 00	IR-15, N/B off-ramp of the Charleston Bl Intch "Exit 41", 200' S of Charleston Bl.									
	4580	3840	4555	5325	5280	5790	5115	4735	5015	5200
0084 HRLY 99	SR-159 (Charleston Bl), 250' E of the IR-15 Charleston Bl "Exit 41", E of Grand Central Pk.									
	45200	44000	48000	46600	45580	47000	47000	40000	45200	46000
0085 HRLY 00	IR-15, N/B off-ramp of the Charleston Bl Intch "Exit 41", 25' N of the structure.									
	4545	5925	4135	4890	5060	5500	5930	5940	6860	6800
0086 HRLY 00	IR-215, W/B off-ramp to Eastern Av.									
								1910	5195	9800
0087 HRLY 00	Martin Luther King Bl, 175' N of SR-587 (Charleston Bl).									
			24400	23200	21500	22100	18500	18500		22000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0088 HRLY 00	IR-15, S/B off-ramp of the Charleston Intch "Exit 41", at its jct with I-15. 9015 10245 9565 9250 8980 9165 7370 7420 6215									8400
0089 HRLY 00	SR-159 (Charleston Bl), 39550 42000 40100 42000 42230 45400 42400 43000 44000									44000
0090 HRLY 00	IR-215, W/B on-ramp from Eastern Av.						11115	7290	8325	12360
0091 HRLY 00	IR-15, S/B on-ramp of the Charleston Bl Intch "Exit 41", 300' S of Highland Dr. 8530 7435 7690 9450 10205 10475 12175 12370 16135									13400
0092	IR-15, btwn Charleston Bl Intch "Exit 41" & Las Vegas Expy "Exit 42". 147775 142690 157930 170600 177320 183120 194860 194415 211245									221000
0093 HRLY 00	IR-15, S/B on-ramp loop, of the Downtown Expy Intch, from M.L.K. Bl. 0									4300
0094 HRLY 00	US-95, N/B on-ramp of the Downtown Expy Intch "Exit 42", from N/B IR-15. 22125 22000 24630 28090 28330 29180 30655 29150 33225									42000
0095 HRLY 00	US-95, S/B on-ramp of the Downtown Expy Intch "Exit 42", from N/B IR-15. 24075 23000 23810 25400 26060 26840 24895 23455 23000									23000
0096 HRLY 00	US-95, btwn Spaghetti Bowl & Casino Center. 136270 136685 143525 155195 156920 161895 166535 164465 159780									169200
0097 HRLY 00	IR-15, N/B on-ramp of the Downtown Expy Intch "Exit 42" from N/B US-95. 7525 7645 8400 9155 9170 9445 10555 11500 10765									11500
0098	IR-15, .1 mi N of the Downtown Expy Intch "Exit 42". 81405 82950 91985 94485 102405 105955 114900 121330 130470									127500
0099 HRLY 98	US-95, N/B on-ramp of the Downtown Expy Intch "Exit 42" from S/B IR-15. 8755 9400 9370 9850 10580 10895 10430 11795 15235									13000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0100 HRLY 00	IR-15, N/B off-ramp of the Downtown Expy Intch to M.L.K. Bl.									2900
0102 HRLY 00	IR-15, S/B on-ramp of the Downtown Expy Intch "Exit 42", from S/B US-95. 24185	24685	25895	30430	30700	31620	33200	35620	43950	45500
0103 HRLY 00	IR-15, S/B on-ramp of the Downtown Expy Intch "Exit 76A", from N/B US-95. 26700	23000	25500	27540	26645	26415	28035	26665	27000	28000
0104 HRLY 00	IR-15, S/B off-ramp of the Downtown Expy Intch, to M.L.K. Bl.									4000
0105 HRLY 00	US-95, S/B on-ramp loop of the Downtown Expy Intch "Exit 42", from S/B I-15. 6935	7900	8125	8415	8230	8475	8110	9770	9700	12000
0106 HRLY 00	IR-15, N/B on-ramp loop of the Downtown Expy Intch, from S/B US-95. 7500	8000	7995	7925	7840	8075	7730	8740	10700	10500
0107 HRLY 00	US-95, S/B off-ramp of the Casino Center Intch "Exit 75-A", 250' E of I-515. 11330	12510	12000	12400	12095	12170	11170	9900	10360	12100
0109 HRLY 00	IR-215, W/B on-ramp from Pecos Rd.							11370	19585	4600
0110 HRLY 00	Fourth St, 300' N of Stewart St. 10700	11000	9535	11550	9845	10700	11000	11000	11000	10800
0111 HRLY 00	Casino Center Bl, 250' S of Bonanza Rd (SR-579). 3710	4015	3480	3600	3260	3500	3800	3750	4000	4000
0112 HRLY 00	US-95, N/B on-ramp of the Casino Center Intch "Exit 75-A", 250' W of Casino Center Bl. 10900	11425	11320	11490	10990	11060	11670	11085	11255	10800
0113 HRLY 98	US-95, btwn Las Vegas Bl "Exit 74-A" and Caisino Center Bl "Exit 75-B". 114040	110750	120205	126195	133855	138665	149695	144080	138165	146300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0114 HRLY 00	SR-610 (Lamb Bl), at the cattle guard S of IR-15.									
	715	665	655	630	775	980	940	1550	1550	1150
0115 HRLY 00	IR-15, N/B off-ramp of the Apex Intch "Exit 58".									
	415	385	390	360	305	335	565	495	870	390
0116 HRLY 00	SR-604 (Las Vegas Bl), .8 mi S of N/B ramps of the Apex Intch "Exit 58".									
	1755	1650	1655	1970	1925	2265	2000	1550	1650	1550
0117 HRLY 00	IR-15, N/B on-ramp of the Apex Intch "Exit 58", 400' E of the cross traffic rd.									
	700	710	720	795	725	795	835	590	655	610
0118 HRLY 00	IR-215, W/B on-ramp of I-215 Intch to N/B I-15.									
					1570	21100	28180	33065	36030	41000
0119 HRLY 00	IR-15, S/B off-ramp of the Apex Intch "Exit 58".									
	660	630	635	705	625	645	650	550	520	500
0120 HRLY 99	FRCL07, .1 mi N of the S/B ramps of Apex "Exit 58".									
					1200	1350	1510	1700	2450	2100
0121 HRLY 00	IR-215, E/B off-ramp to Pecos Rd.									
								11790	19820	4300
0122 HRLY 00	IR-15, S/B on-ramp of the Apex Intch "Exit 58".									
	420	415	445	545	460	545	590	555	770	470
0123 HRLY 00	IR-15, N/B off-ramp of the US-93 Intch "Exit 63".									
	975	710	600	1020	1345	1590	1815	2085	1740	1500
0125 HRLY 00	IR-15, N/B on-ramp of the US-93 Intch "Exit 58".									
	160	175	165	185	245	200	215	215	170	180
0126 HRLY 00	IR-215, E/B off-ramp of I-215 to the McCarran Connector.									
						11725	12765	13970	11920	16100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0127 HRLY 00	IR-15, S/B off-ramp of the US-93 Intch "Exit 58".									
	175	165	175	155	240	265	240	250	180	190
0128	Frehner Rd, .5 mi E of Statz St.									
								95	100	140
0129 HRLY 00	IR-215, btwn Las Vegas Bl & Airport Connector.									
						46315	68175	80335	82215	117500
0130 HRLY 0	IR-15, S/B on-ramp of the US-93 Intch "Exit 58".									
	995	800	595	1075	1155	1815	1840	1895	1655	1400
0131 HRLY 00	IR-215, btwn Airport Connector & Warm Springs Rd.									
						23635	47310	58515	61530	91700
0133 HRLY 99	IR-15, N/B off-ramp of the Valley of Fire Intch "Exit 64", 100' S of the cross traffic rd.									
	350	445	495	540	700	730	710	890	790	700
0134 HRLY 00	Valley of Fire State Park Rd, 4.8 mi S of IR-15 Valley of Fire Intch "Exit 75".									
	300	260	320	340	675	705	685	700	590	460
0135 HRLY 00	IR-15, N/B on-ramp the Valley of Fire Intch "Exit 75", to Valley of Fire.									
	225	300	350	280	570	605	590	765	490	450
0136 HRLY 00	IR-15, S/B off-ramp of the Valley of Fire Intch "Exit 75", 200' N of the cross traffic rd.									
	160	215	205	225	295	340	330	535	335	350
0137 HRLY 00	IR-15, S/B on-ramp of the Valley of Fire Intch "Exit 75".									
	285	360	350	385	545	565	550	675	570	440
0138 HRLY 00	IR-15, N/B off-ramp of the Ute Intch "Exit 80", 150' W of the cross traffic rd.									
	10	10	10	10	10	50	50	50	55	60
0139 HRLY 00	IR-15, N/B on-ramp of the Ute Intch "Exit 80", 150' E of the cross traffic rd.									
	10	10	10	10	10	55	55	55	55	60

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0141 HRLY 00	IR-15, S/B off-ramp of the Ute Intch "Exit 80", at its jct with I-15.									
	10	10	10	10	10	30	30	30	35	50
0142 HRLY 00	IR-15, S/B on-ramp of the Ute Intch "Exit 80", 200' W of the cross traffic rd.									
	10	10	10	10	10	30	30	30	45	50
0145 HRLY 00	IR-15, N/B off-ramp of the Byron Intch "Exit 84", 300' S of the cross traffic rd.									
	5	5	5	5	5	30	30	30	30	20
0146 HRLY 00	IR-15, N/B on-ramp of the Byron Intch "Exit 84", 300' S of the cross traffic rd.									
	5	5	5	5	5	20	20	20	30	20
0148 HRLY 00	IR-15, S/B off-ramp of the Byron Intch "Exit 84", 250' S of the cross traffic rd.									
	5	5	5	5	5	15	15	15	15	20
0149 HRLY 00	IR-15, S/B on-ramp of the Byron Intch "Exit 84", 250' S of the cross traffic rd.									
	5	5	5	5	5	15	15	25	15	20
0150 HRLY 00	IR-15, N/B off-ramp of the Hidden Valley Intch "Exit 88", 100' S of the cross traffic rd.									
	120	120	110	140	115	120	120	140	145	90
0151 HRLY 00	IR-15, N/B on-ramp of the Hidden Valley Intch "Exit 88", .1 mi E of the cross traffic rd.									
	80	95	110	125	105	110	110	110	125	90
0153 HRLY 00	IR-15, S/B off-ramp of the Hidden Valley Intch "Exit 88", 125' E of the cross traffic rd.									
	75	95	110	110	100	105	105	110	110	90
0154 HRLY 00	IR-15, S/B on-ramp of the Hidden Valley Intch "Exit 88", 150' S of cross traffic rd.									
	115	120	110	130	115	120	120	130	150	90
0155 HRLY 00	IR-215, W/B off-ramp to S/B I-15.									
									2245	2600
0156 HRLY 00	IR-15, N/B off-ramp of the Moapa Intch "Exit 90", btwn the lanes of I-15.									
	515	600	560	550	580	565	635	760	590	300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0157 HRLY 00	FRCL19 Frontage Rd, .2 mi N of SR-168.									
	2120	2120	2150	2135	2085	2400	2300	2405	2400	2650
0158 HRLY 00	SR-168 (Glendale-Moapa Rd), .2 mi N of the frontage rd at Glendale "Exit 91".									
	1640	1775	1755	1850	1860	2250	2400	2250	2660	2850
0159	N 5th St, .2 mi N of Main St.									
								4350	4450	4200
0160 HRLY 00	IR-15, S/B on-ramp of the Moapa Intch "Exit 90", 100' W of the cross traffic rd.									
	645	650	620	620	695	630	715	905	890	700
0161 HRLY 00	IR-15, N/B off-ramp of the Glendale Intch "Exit 91", 100' W of the cross traffic rd.									
	185	160	175	170	170	170	100	270	230	100
0162	IR-215, W/B from Las Vegas Bl to IR-215 W/B.									
						39575	59360	70585	72040	104300
0163 HRLY 00	IR-15, N/B on-ramp of the Glendale Intch "Exit 91", .1 mi E of the cross traffic rd.									
	1000	1040	985	970	1005	855	850	900	1005	1100
0164	N 5th St, .1 mi N of Craig Rd.									
								5300	6050	6300
0165 HRLY 00	FRCL11, 200' S of the Glendale Intch "Exit 91" cross traffic rd.									
	1460	1615	1455	1280	1380	1400	1340	1350	1350	1500
0166 HRLY 00	IR-15, S/B off-ramp of the Glendale Intch "Exit 91".									
	960	1050	1040	915	1030	975	965	985	950	1100
0167	Revere St, .1 mi N of Ann Rd.									
								2850	2850	2850
0168 HRLY 00	IR-15, N/B off-ramp of the Logandale Intch "Exit 93".									
	940	985	1025	1055	1085	1250	1325	1350	1395	1500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0169 HRLY 00	SR-169 (Logandale Rd), .3 mi S of the N/B ramps of the Logandale Intch "Exit 93".									
	2390	2505	2725	2920	2810	3350	3400	3650	3700	3800
0170 HRLY 00	IR-15, N/B on-ramp of the Logandale Intch "Exit 93", .1 mi E of the cross traffic rd.									
	305	290	320	390	405	435	460	460	505	500
0171 HRLY 00	IR-15, S/B off-ramp of the Logandale Intch "Exit 93", 400' N of cross traffic rd.									
	325	310	340	380	425	455	480	460	535	500
0172 HRLY 00	IR-15, S/B on-ramp of the Logandale Intch "Exit 93", 250' S of the cross traffic rd.									
	960	1005	1045	1140	1190	1275	1350	1605	1415	1500
0173	Clayton St, .2 mi N of Cheyenne Av.									
								2350	2550	2800
0174 HRLY 00	IR-15, S/B on-ramp of the Spring Mtn Rd Intch.									
										9200
0175 HRLY 00	IR-15, N/B off-ramp of the Carp-Elgin Intch "Exit 100".									
	10	10	10	10	10	40	40	40	40	40
0176 HRLY 00	IR-15, N/B on-ramp of the Carp-Elgin Intch "Exit 100", 125' N of the cross traffic rd.									
	10	10	10	10	10	40	40	40	40	40
0177 HRLY 00	US-95, N/B off-ramp to Rancho Dr "Exit 90A".									
								3315	3280	3000
0178 HRLY 00	IR-15, S/B off-ramp of the Carp-Elgin Intch "Exit 100".									
	10	10	10	10	10	45	45	60	55	70
0179 HRLY 00	US-95, N/B off-ramp to Ann Rd "Exit 90B".									
								11120	12060	14100
0180 HRLY 00	IR-15, S/B on-ramp of the Carp-Elgin Intch "Exit 100".									
	10	10	10	10	10	55	55	50	65	70

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0181 HRLY 00	IR-15, N/B off-ramp of the E Mesa Intch "Exit 110". 115	115	115	115	115	205	205	205	280	280
0182 HRLY 00	IR-15, N/B on-ramp of the E Mesa Intch "Exit 109". 115	115	115	115	115	225	255	255	270	280
0183 HRLY 00	US-95, S/B on-ramp from Ann Rd to US-95 "Exit 90B".							12340	14735	16900
0184 HRLY 00	US-95, N/B on-ramp from Ann Rd "Exit 90B".							3015	3425	4500
0185 HRLY 00	IR-15, S/B on-ramp of the E Mesa Intch "Exit 109". 150	150	150	150	150	275	275	275	370	400
0186 HRLY 00	IR-15, S/B off-ramp of the E Mesa Intch "Exit 109". 150	150	150	150	150	310	300	300	470	400
0187 HRLY 00	IR-15, N/B off-ramp of the Bunkerville Intch "Exit 112". 75	70	80	70	75	70	70	90	125	100
0188 HRLY 00	SR-170 (Bunkerville Rd), .9 mi S of I-15 at the Bunkerville Intch "Exit 112". 140	145	160	135	140	140	145	170	225	200
0189 HRLY 00	IR-15, N/B on-ramp of the Bunkerville Intch "Exit 112". 35	35	30	40	45	40	40	45	50	50
0190 HRLY 00	IR-215, E/B on-ramp to I-215 from Las Vegas Bl.					2710	3415	3760	3875	5400
0191 HRLY 00	IR-15, S/B off-ramp of the Bunkerville Intch "Exit 112". 35	35	30	40	45	40	40	45	50	50
0192 HRLY 00	IR-15, S/B on-ramp of the Bunkerville Intch "Exit 112". 75	70	80	70	75	70	70	90	115	100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0193 HRLY 00	SR-144 (Mesquite Bl), .4 mi W of SR-170 to Bunkerville.									
	5745	5100	5520	5625	6130	8200	7500	7500*	7400	7200
0194 HRLY 00	SR-144 (Mesquite Bl), .4 mi E of SR-170 to Bunkerville.									
	7360	7780	8625	9060	9875	12400	13000	13000*	15800	16000
0195 HRLY 00	SR-144 (Mesquite Bl), .1 mi E of Arrowhead Rd.									
	7000	8050	8635	10400	11335	14400	15600	15500	18300	18600
0196 HRLY 00	US-95, S/B off-ramp to Ann Rd "Exit 90B".									
								2365	2605	3300
0197 HRLY 00	SR-170 (Bunkerville Rd), .8 mi S of SR-144.									
	2525	2780	3080	3235	3525	3600	3700	3800	3650	3750
0198 HRLY 99	Main St, .1 mi N of SR-170.									
	180	200				800	820	840	950	950
0199 HRLY 00	IR-15, 1 mi S of Moapa Intch "Exit 90", at mp 90.									
	10755	11620	12935	12680	13570	13250	13920	14925	15730	16700
0200 HRLY 01	SR-604 (N Las Vegas Bl), .2 mi N of the main gate to Nellis Air Force Base.									
	9140	9715	9700	10800	12590	16100	17000	15700	16600	16900
0201 HRLY 98	SR-604 (Las Vegas Bl), .1 mi S of Penitentiary Rd.									
	4250	4585	4250	4400	4545	4950	5200	3500	3700	3500
0202 HRLY 00	US-93, .6 mi N of US-93 Intch "Exit 64".									
	1360	1390	1160	1120	1475	1300	1450	1450	1400	1650
0203 HRLY 98	Horizon Ridge Pk, .1 mi W of Green Valley Pk.									
								6650	6650	10100
0204	SR-168 (Glendale-Moapa Rd), 7 mi E of US-93.									
	240	240	255	245	200	230	230	230	220	220

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0205 HRLY 00	SR-168 (Glendale-Moapa Rd), 1 mi N of the county rd to Moapa.									
	875	890	950	920	920	1050	1050	1050	1050	1090
0206 HRLY 00	Lake Mead Bl, .4 mi W of Rampart Rd.				14360	16000	21800	24000	24000	22300
0207 HRLY 00	SR-169 (Logandale Rd), 200' S of the Mormon Church.									
	3545	3530	4500	4320	4090	4400	4700	4800	4850	4950
0208 HRLY 00	Stewart Av, .2 mi W of Lamb Bl.				14940	15900	15700	15200	15100	15600
0210 HRLY 00	SR-169 (Logandale Rd), 200' S of Virginia St in Overton.									
	3975	4400	4245	4290	4250	4700	5000	5050	5550	5700
0211 HRLY 00	SR-169 (Logandale Rd), 100' N of the rd to the Lost City Museum.									
	1280	1310	1770	1260	1170	1350	1350	1350	1400	1470
0213 HRLY 00	SR-169 (Logandale Rd), 100' S of the rd to the Lost City Museum.									
	985	970	1310	1010	930	1300	1290	1330	1350	1360
0214 HRLY 98	SR-169 (Logandale Rd), 1.2 mi N of the county rd to Overton Beach.									
	780	750	930	750	865	780	755	910	890	840
0215 HRLY 98	SR-169 (Valley of Fire State Park Rd), .2 mi W of the county rd to Overton Beach.									
				390	440	460	450	460	460	320
0216 HRLY 00	IR-215, W/B off-ramp to Pecos Rd.									
										6860
0217 HRLY 98	County Rd, .2 mi NE of SR-147.									
	1625	1625	1740	1700	1900	1490	1500	1800	1700	1750
0218 HRLY 98	SR-147 (Lake Mead Bl), .9 mi N of Rd to Callville Bay.									
	1710	1710	1710	1690	1780	1500	1600	1900	2000	2050

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0219 HRLY 99	Callville Bay Rd, .2 mi N of SR-147.									
	1700	1770	2050	1990	2120	1850	1850	2200	2350	2600
0220	Decatur Bl, .1 mi S of SR-160.									
								400	400	1900
0221 HRLY 00	US-93, 3.5 mi S of the NV/AZ Stateline at Hoover Dam.									
	6025	6355	7475	7900	8500	8900	9400	8800	8400	8200
0222 HRLY 00	US-93, .3 mi S of Lake Shore Rd.									
	10900	11600	11800	12100	12800	13000	13100	13200	13100	15300
0223	Lake Shore Rd, .6 mi N of US-93.									
						3850	2700	3500	3950	3000
0224	Lake Shore Rd, .1 mi N of the Lake Mead Fish Hatchery Rd.									
				2400	2270	2150	2100	2150	2700	2100
0225 HRLY 00	US-93, .25 mi N of Lake Shore Rd.									
	12000	12300	12600	12900	13600	13800	13900	14000	15100	16500
0226 HRLY 99	US-93, .4 mi N of the S Jct of Nevada Hw in Boulder City.									
	9620	11200	11600	12050	13600	13700	14300	15000	15900	15400
0227 HRLY 99	Nevada Hw, .1 mi N of Fifth St.									
					15780	15500	15500	13000	12600	14300
0228 HRLY 99	US-93, .2 mi N of Industrial Rd, S of the divided highway in Boulder City.									
	11450	12500	12100	12800	14400	14500	15000	16200*	16900	14900
0229 HRLY 00	IR-15, N/B off-ramp of the Spring Mtn Rd Intch "Exit 39".									
										14500
0230 HRLY 99	US-95, 1.7 mi N of US-95 at Railroad Pass Intch.									
	27050	27500	30800	32800	31900	35365	37345	37900	38295	38500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0231 HRLY 00	SR-165 (Nelson Rd), .2 mi E of US-95.									
	195	220	220	195	190	200	205	190	150	175
0232 HRLY 00	IR-15, N/B off-ramp of the Speedway-Hollywood Bl Intch "Exit 54".									
							345	900	1000	1660
0233 HRLY 00	IR-15, N/B on-ramp of the Speedway-Hollywood Bl Intch "Exit 54".									
							70	45	75	110
0234 HRLY 00	IR-15, S/B off-ramp of the Speedway-Hollywood Bl Intch "Exit 54".									
							70	60	100	130
0235 HRLY 99	US-95, in Searchlight, .1 mi S of SR-164.									
	5655	6485	6115	6625	6265	6250	6450	6400	7350	6850
0236 HRLY 00	Cottonwood Rd, 1 mi E of US-95 & .2 mi E of the rd to Searchlight Cemetery.									
				540	580	425	470	490	510	570
0237 HRLY 00	SR-164 (Nipton Rd), 1.1 mi W of US-95.									
	550	895	850	850	820	970	800	790	820	820
0238 HRLY 00	SR-164 (Nipton Rd), 18.6 mi W of Searchlight, at the NV-CA Stateline.									
	625	980	710	755	660	890	710	700	670	735
0239 HRLY 00	IR-15, S/B on-ramp of the Speedway-Hollywood Bl Intch "Exit 54".									
							270	555	1060	1850
0240 HRLY 00	Speedway Rd, .2 mi W of Hollywood Bl.									
							385	880	1200	3100
0241 HRLY 97	Hollywood Bl, 100' S of Speedway Bl.									
							370	730	1050	1150
0242 HRLY 00	US-95, at the NV-CA Stateline, 1.2 mi S of SR-163.									
	1550	2030	2070	2140	2105	2450	2200	2400	2450	2420

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0243 HRLY 99	SR-582 (Boulder Hw), .2 mi S of SR-146 (Lake Mead Dr.) in Henderson.									
	38400	41100	39000	47750	27980	28200	28300	26500	27500	29200
0244 HRLY 00	SR-146 (Lake Mead Dr), 600' E of SR-582 (Boulder Hw).									
	17900	17900	19000	22250	25515	28200	28800	30500	31800	33000
0245 HRLY 00	SR-146 (Lake Mead Dr), .2 mi W of SR-582 (Boulder Hw).									
	27100	28900	30700	33750	30250	25000	26100	28000	30000	32500
0246 HRLY 99	SR-146 (Lake Mead Dr), .2 mi W of the S/B off-ramp of the US-95 Expy.									
	6690	9150	11100	13735	21100	22900	27200	29000	32900	46500
0247 HRLY 98	SR-582 (Boulder Hw), .4 mi N of SR-146 (Lake Mead Dr) in Henderson.									
	29800	28100	32200	36400	28410	29300	32400	32000	32000	33000
0248 HRLY 00	SR-582 (Boulder Hw), .25 mi N of Water St.									
	38300	33300	35900	42575	32985	34600	36100	36000	34500	35500
0249 HRLY 99	SR-562 (Sunset Rd), .1 mi W of SR-582 (Boulder Hw) in Henderson.									
	13150	13450	15900	18920	16420	18400	19000	19000	19400	19400
0250 HRLY 00	SR-562 (Sunset Rd), .2 mi E of Green Valley Pk.									
	31750	30100	30300	30700	32560	34800	36800	39500	38700	37500
0251 HRLY 98	Green Valley Pk, .1 mi S of SR-562 (Sunset Rd).									
			32300	32500	30100	30700	29000	32000*	32000	32000
0252 HRLY 00	Green Valley Pk, .1 mi N of SR-146 (Lake Mead Dr.)									
				8150	11900	13900	14000	14000	14000	23800
0253 HRLY 97	SR-562 (Sunset Rd), .1 mi W of Green Valley Pk.									
	39200	38600	38900	29900	31440	32600	33600	37500	36800	37000
0254 HRLY 00	SR-562 (Sunset Rd), .2 mi W of Eastern Av.									
	27000	28700	28600	31000	34050	32000	34300	37000	38800	39000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0255 HRLY 99	SR-562 (Sunset Rd), 500' E of Las Vegas Bl.									
	17950	19500	20000	22350	24700	23000	21400	22000	23700	22300
0256 HRLY 98	SR-582 (Boulder Hw), .8 mi S of Whitney Av, at the Whitney Wash Bridge.									
	23900	23700	27400	27660	24630	24200	26700	26800	27100	27400
0257 HRLY 00	SR-582 (Boulder Hw), 200' S of SR-593 (Tropicana Av).									
	26300	26600	29300	29395	28230	26900	29400	29000	30400	31500
0258 HRLY 00	SR-582 (Boulder Hw), .25 mi N of SR-593 (Tropicana Av).									
	25000	27000	28800	28700	26485	25900	28300	28100	29400	31500
0259 HRLY 00	SR-593 (Tropicana Av), .1 mi W of SR-582 (Boulder Hw).									
	11150	10450	11600	11570	10600	11200	12600	13500	15100	17000
0260 HRLY 00	SR-593 (Tropicana Av), .1 mi E of SR-605 (Paradise Rd).									
	53900	54300	56900	61100	67700	61200	62200	63500	81000	70000
0261 HRLY 00	SR-605 (Paradise Rd), 400' S of SR-592 (Flamingo Rd).									
	30100	30500	37100	37500	40000	40000	42500	47500	41300	40500
0262 HRLY 00	SR-593 (Tropicana Av), .25 mi W of SR-605 (Paradise Rd).									
	59600	63000	73100	72500	80350	74500	75700	82500	89900	92000
0263 HRLY 00	SR-605 (Paradise Rd), .2 mi S of SR-593 (Tropicana Av).									
					25580	31300	31300	33000	34100	35000
0264 HRLY 98	SR-604 (Las Vegas Bl), S of Hacienda Av , N of Russell Rd.									
							34300	35500	35500	35000
0265 HRLY 00	Davis Dam Rd, .1 mi N/E of SR-163.									
					575	520	550	570	470	500
0266 HRLY 99	SR-593 (Tropicana Av), .1 mi W of Koval Ln.									
	52300	50400	58500	62800	69600	64100	65100	71000	95000	97000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0267 HRLY 97	SR-604 (Las Vegas Bl), 400' N of SR-593 (Tropicana Av).									
	45100	47800	54400	57100	62000	63600	64000	67000	65700	67000
0268 HRLY 98	SR-604 (Las Vegas Bl), .1 mi S of SR-593 (Tropicana Av).									
	46000	46900	59200	62200	67500	50100	52200	54000	54000	55000
0269	SR-593 (Tropicana Av), 450' E of Valley View Bl.									
	42500	44400	52700	54100	58530	60200	61600	63500	63000	58500
0270 HRLY 00	SR-604 (Las Vegas Bl), .1 mi N of SR-592 (Flamingo Rd).									
	53300	51300	54600	57300	57900	68400	69900	73000	61200	59500
0271 HRLY 98	SR-582 (Boulder Hw), 100' N of SR-612 (Nellis Bl).									
	35150	36500	26000	26320	25530	25000	26900	26600	27900	25900
0272 HRLY 98	SR-610 (Lamb Bl), .1 mi N of SR-582 (Boulder Hw).									
					32790	32800	33200	33100	37100	32000
0273 HRLY 00	SR-582 (Boulder Hw), .2 mi N of the I-515 ramps at "Exit 69".									
	32950	35145	36400	36740	40950	41500	42600	40200	40300	36500
0274 HRLY 00	SR-589 (Sahara Av), .2 mi E of Mojave Rd.									
	43000	42200	35600	38300	34900	36600	39400	42000	41700	41500
0275 HRLY 00	SR-589 (Sahara Av), .2 mi W of SR-606 (Maryland Pk).									
	49350	48100	52800	56670	56500	53700	56000	52500	54600	55000
0276 HRLY 00	SR-589 (Sahara Av), 300' E of SR-605 (Paradise Rd).									
	50500	53400	57700	61800	61200	58200	60600	60000	60100	60500
0277 HRLY 00	SR-605 (Paradise Rd), 300' S of SR-589 (Sahara Av).									
	40300	37200	37900	37200	36730	35800	33000	34000	37100	37000
0278 HRLY 00	SR-605 (Paradise Rd), 450' N of SR-589 (Sahara Av).									
					18700	21300	19400	19000	17700	18100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0279 HRLY 00	SR-589 (Sahara Av), 100' E of SR-604 (Las Vegas Bl).									
	57000	57300	61900	62750	57280	57300	62700	65000	64900	66500
0280 HRLY 00	Adams Bl, E of Utah St.									
								1150	1150	1100
0281	Jones Bl, 25' N of Oleta Av.									
								1600	1600	1900
0282	Jones Bl, .1 mi N of Ann Rd.									
								5850	5850	10000
0283 HRLY 00	SR-604 (Las Vegas Bl), 150' S of Convention Center Dr.									
	51600	49400	52000	54600	54700	49400	50000	51500	50500	49000
0285 HRLY 00	Utah St, S of Adams Bl.									
								1900	1950	2000
0286 HRLY 00	SR-589 (Sahara Av), .2 mi W of Las Vegas Bl in median.									
	63800	64700	70000	69900	65500	71100	75000	76000	76300	75000
0287 HRLY 00	SR-604 (Las Vegas Bl), .25 mi S of Main St & 200' N of Cincinnati Av.									
	42150	44500	45400	46800	41430	42900	44900	47500	45600	45500
0288 HRLY 00	SR-604 (Las Vegas Bl), .1 mi S of Charleston Bl.									
	32625	34215	36365	37780	37765	39300	37100	36000	35300	32000
0289	US-95, btwn the Rancho Dr Intch "Exit 77" & Martin L King Bl Intch "Exit 76".									
	123850	130635	136370	148630	155065	158865	165555	167840	181550	195700
0290 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Main St & 150' S of Oakley Bl.									
	33900	35000	37200	35300	36780	38300	40100	46000	45100	41000
0291 HRLY 00	SR-599 (Rancho Rd), 275' S of Pinto Ln.									
	24300	27400	25300	27000	30000	31900	30800	33500	31000	30500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0292	Jones Bl, .2 mi N of Centennial Pk.							4450	4450	6700
0293 HRLY 00	Arizona St, E of Nevada Hw.							3150	2800	2800
0294 HRLY 98	Paradise Rd, .6 mi S of Sunset Rd, btwn Sunset Rd & I-215 ramps.						9550	10500	11800	13800
0295 HRLY 00	SR-159 (Charleston Bl), 300' E of Rancho Rd.									
	34800	37400	36200	38100	37640	40500	41300	39000	43600	43500
0296 HRLY 00	SR-601 (S Main St), 200' N of Utah Av.									
	21700	25000	20300	22700	20485	22500	21700	21200*	20800	20800
0297 HRLY 00	SR-601 (S Main St), 250' N of Clark Av.									
	22600	26000	23400	24870	19560	21500	22300	22000	23100	21500
0298 HRLY 98	SR-159 (Charleston Bl), 100' W of 4th St for W/B & 150' W for E/B.									
	28900	31700	29700	37400	34760	34300	36000	36600	34100	37000
0299 HRLY 98	SR-604 (Las Vegas Bl), 150' N of Bonneville Av.									
	26600	28300	29900	30550	30890	34000	32100	31000	30400	27500
0300 HRLY 00	SR-159 (Charleston Bl), 100' W of S 6th St.									
	27850	30450	30900	33500	32030	32500	34600	31000	32200	34000
0301 HRLY 96	SR-159 (Charleston Bl), .2 mi W of SR-607 (Eastern Av).									
	25350	28700	29000	30050	34560	36200	34000	31000	33500	34000
0302	SR-582 (Fremont St), 300' W of SR-607 (Eastern Av).									
	16950	17800	17800	18190	17330	17900	17500	16500	16600	14500
0303	Tenaya Wy, .1 mi N of Desert Inn Rd.									
								1700	1700	1500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0304 HRLY 98	SR-604 (Las Vegas Bl), 200' N of Fremont St.									
	26650	27700	27500	29260	33040	36200	32800	32000	31400	31500
0305 HRLY 00	IR-215, George Crockett .3 mi E of Giles pie to the McCarran Connector.									
						2345	2550	2695	2350	2600
0306 HRLY 99	Airport Connector Rd, N/B off-ramp of the McCarran Connector to Sunset Rd.									
					5245	5910	5700	6500	7650	8700
0307 HRLY 99	SR-602 (Casino Center Bl), 100' S of E Ogden St.									
				11600	14300	11500	10200	9700	10300	10000
0308 HRLY 00	IR-215, W/B on-ramp to I-215 from McCarran Conn.									
						12355	12950	13200	15115	21300
0309 HRLY 00	IR-215, W/B off-ramp of I-215 to Las Vegas Bl.									
						4030	5400	5990	6300	7800
0310 HRLY 00	SR-601 (N Main St), 200' N of Stewart Av.									
	23700	24700	22200	23630	20715	21300	22100	22200	22700	23500
0311 HRLY 00	SR-604 (Las Vegas Bl), 150' S of SR-579 (Bonanza Rd).									
	27100	27450	27000	29100	28245	29400	30500	32000	30400	30400
0312 HRLY 00	El Camino Wy, 300' E of Buchanan Bl.									
								2450	2350	2400
0313 HRLY 97	SR-604 (Las Vegas Bl), .1 mi N of SR-579 (Bonanza Rd).									
	18300	18400	18700	19550	20100	20200	20200	21200	18700	21900
0314 HRLY 00	SR-579 (Bonanza Rd), 200' W of SR-604 (Las Vegas Bl).									
	17400	18500	17700	20145	21670	21100	22400	21700	21900	22200
0315 HRLY 00	Marita Dr, 50' N of El Camino Wy.									
								550	510	550

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0316 HRLY 00	SR-601 (N Main St), .1 mi N of SR-579 (Bonanza Rd).									
	17400	18250	16100	16890	15265	16000	16800	15600	16900	16700
0317 HRLY 96	SR-579 (Bonanza Rd), 100' W of the W end of the RxR Overpass.									
	19600	24200	24900	25300	25150	21000	21800	21900	24200	22900
0318 HRLY 99	SR-579 (Bonanza Rd), 400' E of Martin L King Bl.									
	17200	18000	18000	21620	21200	20500	21100	22400	21900	20700
0319 HRLY 99	SR-579 (Bonanza Rd), 350' W of Martin L King Bl.									
	13700	15700	15700	16370	16050	16000	16600	17600	17600	16700
0320 HRLY 98	SR-579 (Bonanza Rd), .2 mi E of SR-599 (Rancho Rd).									
	13800	15100	14100	15850	15010	15500	15400	17000	17000	16100
0321 HRLY 00	SR-599 (Rancho Rd), .1 mi N of SR-579 (Bonanza Rd).									
	33500	34900	33200	32650	39180	40600	42800	46400	46700	47000
0322 HRLY 00	US-95, 500' S of Valley Bl.									
	113200	120715	128405	141360	147350	153135	159285	162090	178315	188400
0323 HRLY 00	US-95, btwn Decatur Bl Intch "Exit 79" & Valley View Dr Intch "Exit 78".									
	106415	113220	125000	139765	147480	154080	160495	169145	183315	192600
0324	Durango Dr, .1 mi N of Grand Teton Dr.									
										3700
0325 HRLY 00	SR-604 (Las Vegas Bl), 200' S of the N City limits of Las Vegas, S of Owens Bl.									
	13500	13700	13500	15700	14350	16400	16800	13700	14000	14900
0326 HRLY 00	SR-601 (N Main St), .1 mi S of SR-604 (Las Vegas Bl), N of Owens Av.									
	13700	14700	13000	14180	12380	14000	12000*	11300*	8950	12300
0327 HRLY 00	Industrial Rd, 300' E of Yucca St.									
								1050	1150	1300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0328	SR-604 (Las Vegas Bl), 100' S of SR-147 (Lake Mead Bl).									
	23200	24000	21500	25270	22830	22800	21600	20700	20200	22800
0329	SR-147 (Lake Mead Bl), 150' E of SR-604 (Las Vegas Bl).									
HRLY 96	24600	26000	28600	32000	32245	31900	30500	34400	36800	37000
0330	SR-604 (Las Vegas Bl), .1 mi N of SR-147 (Lake Mead Bl).									
HRLY 98	24400	25200	23500	28150	26100	26200	25800	24300	20600	26300
0331	SR-147 (Lake Mead Bl), 300' W of SR-604 (Las Vegas Bl).									
HRLY 98	28500	30200	32800	36800	39100	38800	37100	37800	37700	36500
0332	SR-147 (Lake Mead Bl), 150' W of N Bangle St.									
HRLY 00					18790	19900	21500	24400	26600	25300
0333	SR-147 (Lake Mead Bl), 200' E of Pecos Bl.									
HRLY 98	18550	20300	22700	23700	24670	26500	26600	27000	29100	29300
0334	SR-604 (Las Vegas Bl), .2 mi N of Pecos Bl.									
HRLY 00	17700	18300	16700	16150	17515	18500	19000	17500	17500	19000
0335	SR-604 (Las Vegas Bl), 400' S of SR-610 (Lamb Bl).									
HRLY 99	12200	12800	11300	12770	13840	12700	13200	12300	13400	12500
0336	SR-604 (Las Vegas Bl), .3 mi S of SR-612 (Nellis Bl).									
HRLY 96	9600	9950	8800	9960	10825	11500	11500	10600	11200	10300
0337	SR-610 (Lamb Bl), .1 mi S of SR-604 (Las Vegas Bl).									
HRLY 99						10600	12100	11800	13200	12700
0338	SR-610 (Lamb Bl), 300' N of SR-147 (Lake Mead Bl).									
HRLY 00				17185	17530	18900	21000	20900	23500	20300
0339	SR-147 (Lake Mead Bl), .1 mi W of SR-610 (Lamb Bl).									
HRLY 96	16000	19550	21000	21200	22085	22600	23100	22200	26000	26000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0340 HRLY 00	SR-147 (Lake Mead Bl), .1 mi E of SR-610 (Lamb Bl).									
	15600	18500	20400	20830	22970	20500	24300	23400	26700	23100
0341 HRLY 99	SR-147 (Lake Mead Bl), .1 mi E of Mt Hood St.									
	7805	9200	11100	11700	12015	11400	13100	11650	16200	14300
0342 HRLY 98	SR-610 (Lamb Bl), 1000' N of Owens Av.									
						23400	25800	25700	26300	25200
0343 HRLY 96	SR-610 (Lamb Bl), 300' S of Owens Av.									
				23120	25160	26000	29300	29400	31400	30400
0344	E Bonanza Rd, .3 mi W of SR-610 (Lamb Bl).									
				25100	25850	26100	26400	24700	23200	23100
0345	SR-610 (Lamb Bl), .1 mi N of Sherrill Av.									
	25500	29100	32100	35000	36920	37500	40400	40500	40900	42500
0346	SR-610 (Lamb Bl), .25 mi N of Sahara Av & 50' N of Cleveland St.									
					28430	28400	28500	30000	31100	30500
0347 HRLY 98	SR-589 (Sahara Av), .25 mi W of Arville St.									
	47450	47150	49500	53000	56165	57800	58200	59000	59400	50500
0348 HRLY 98	SR-589 (Sahara Av), .2 mi E of Rainbow Bl & 200' W of Torrey Pines Dr.									
	30900	30650	30500	38200	47100	43800	47000	47500	50600	45500
0349 HRLY 00	SR-595 (Rainbow Bl), .2 mi N of SR-589 (Sahara Av).									
	40150	42900	38700	46900	47650	50400	57600	60000	63200	64000
0350	SR-595 (Rainbow Bl), 150' S of Laredo St , S of SR-589 (Sahara Av).									
	42900	46100	41500	45700	46430	49800	49400	53700	51900	52500
0351 HRLY 98	SR-595 (Rainbow Bl), 200' N of SR-593 (Tropicana Av).									
	20600	22400	23000	27000	27920	30500	31700	32600	34200	39000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0352	SR-593 (Tropicana Av), 200' E of SR-595 (Rainbow Bl).									
	21200	23450	25500	29850	34900	37300	39600	46000	47400	36500
0353	SR-595 (Rainbow Bl), .1 mi S of SR-593 (Tropicana Av).									
	7645	8050	8300	9700	19080	23400	24100	24100	25300	33500
0354	SR-595 (Rainbow Bl), .7 mi N of SR-160 (Pahrump Valley Rd).									
HRLY 98	4200	4935	5200	6500	7375	8550	9250	9250	8300	7050
0355	SR-610 (Lamb Bl), .4 mi S of SR-573 (Craig Rd).									
HRLY 99	5485	5615	6500	7700	8540	9300	9500	9800	9750	10600
0356	Charleston Bl, .2 mi W of Durango Dr.									
HRLY 98	14400	17300	15000	14870	13635	15800	18100	21000	23000	27700
0357	Alexander Rd, .2 mi E of Pecos Rd.									
								2250	2250	4000
0358	SR-159 (Blue Diamond Rd), .1 mi N of county rd to Red Rock Canyon.									
HRLY 98	2045	2175	2345	2160	2260	2300	2400	2600	2650	28500
0359	SR-159 (Blue Diamond Rd), 50' N of SR-160 (Pahrump Valley Rd).									
HRLY 00	1210	1275	1585	1470	1655	1700	1750	1950	2850	2150
0360	SR-160 (Pahrump Valley Rd), .3 mi W of SR-159 to Blue Diamond.									
HRLY 00	3065	3500	3900	4480	4850	5300	6050	6350	8300	7700
0361	SR-160 (Pahrump Valley Rd), E of SR-159 to Blue Diamond.									
HRLY 00									9000	8750
0363	SR-599 (Rancho Rd), 300' N of Vegas Dr.									
HRLY 00	26600	28100	26200	28655	36625	38600	40300	40100	39900	38500
0364	SR-147 (Lake Mead Bl), .5 mi E of SR-599 (Rancho Rd).									
HRLY 99					12375	14700	15500	16600	21800	20800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0365 HRLY 00	Fairway Dr, E of Manchia Dr.							650	650	550
0366 HRLY 00	SR-599 (Rancho Rd), 50' S of SR-573 (Craig Rd).							22100	22600	21200
	16400	20250	21000	22460	18940	19170	21400			
0367 HRLY 99	US-95, .5 mi S of the Snow Mtn Intch.							6300	6340	7200
	5850	5775	6535	5620	6870	5700	5950			
0368 HRLY 99	SR-157 (Charleston Park Rd), .3 mi W of US-95.							2450	3150	2750
	2315	2260	2530	2800	2560	2700	2900			
0369 HRLY 98	SR-157 (Charleston Park Rd), 1.6 mi W of SR-158 in the Deer Creek Camp Area.							1350	1750	1450
	1375	1225	1340	1500	1445	1550	1580			
0370 HRLY 99	SR-158 (Deer Creek Rd), .6 mi N of SR-157 (Charleston Park Rd).							530	970	700
	500	460	500	570	720	775	840			
0371 HRLY 99	SR-158 (Deer Creek Rd), 450' S of SR-156 (Lee Canyon Rd).							320	550	350
	295	275	300	370	435	465	500			
0372 HRLY 98	SR-156 (Lee Canyon Rd), 2 mi W of SR-158 to the Deer Creek Camp Area.							430	900	500
	450	375	410	595	650	695	770			
0373 HRLY 98	SR-156 (Deer Creek Rd), .6 mi W of US-95.							360	560	400
	315	280	315	520	520	560	580			
0374 HRLY 00	US-95, 5.9 mi N of SR-156 to Lee Canyon.							4400	4300	5200
	4185	4375	5175	4690	4930	4100	4200			
0375 HRLY 00	US-95, .1 mi N of mp 129.							3480	3490	3700
	3400	3465	3635	3170	3355	3250	3400			
0376	SR-607 (Civic Center Dr), 200' S of Renada Circle , .2 mi from Cheyenne Av.							11600	11100	13500
	11200	11600	11600	12280	12150	11000	11600			

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0377 HRLY 96	SR-607 (Civic Center Dr), 250' S of Ferguson Ave, .3 mi N of Carey Av.									
	12500	13000	12800	14100	14130	13200	13400	13500	12500	14700
0378 HRLY 00	IR-15, 1 mi N of the Craig Rd Intch "Exit 48".									
	11480	11925	12905	13665	14630	15030	16695	18045	20180	21500
0379 HRLY 00	IR-15, S/B off-ramp of the Craig Rd Intch "Exit 48" .									
	585	510	665	1000	1080	1150	1440	1400	1535	1650
0380 HRLY 00	SR-573 (Craig Rd), 300' W of the IR-15 Craig Rd Intch "Exit 48".									
	13300	15300	16800	20420	24045	28100	29300	33300	35400	41500
0381 HRLY 00	IR-15, S/B on-ramp of the Craig Rd Intch from E/B Craig Rd, "Exit 48".									
	2335	3225	3500	3540	3635	4385	7030	9000	9870	10000
0382 HRLY 00	IR-15, N/B off-ramp of the Craig Rd Intch "Exit 48".									
	9700	10215	10980	11445	11750	13840	17910	19970	20960	21000
0383 HRLY 00	IR-15, N/B on ramp of the Craig Rd Intch "Exit 48".									
	570	555	650	1500	1680	2035	2350	2090	2860	2850
0384 HRLY 98	Airport Connector Rd, W/B on-ramp of the McCarran Connector from Sunset Rd.									
					3070	4650	3300	3800	5700	6400
0385 HRLY 00	SR-573 (Craig Rd), 300' E of IR-15 Craig Rd Intch "Exit 48".									
	21700	23600	24800	28900	32040	39800	41300	43900	44800	46000
0386 HRLY 00	Pecos Rd, .3 mi S of SR-573 (Craig Rd).									
					4735	5250	5850	6250	6400	7750
0387 HRLY 00	IR-15, .6 mi N of the Cheyenne Av Intch "Exit 46".									
	29245	31630	33770	33650	35160	38585	47845	53670	56765	57000
0388	IR-15, S/B off-ramp of the Cheyenne Av Intch "Exit 46".									
	1485	1300	1595	1890	1840	2045	2250	2500	2590	2850

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0389 HRLY 00	SR-574 (Cheyenne Av), 350' E of Losee Rd.									
	25500	27500	28900	30500	33980	30800	34000	35800	35800	56000
0390 HRLY 98	IR-15, S/B on-ramp of the Cheyenne Av Intch "Exit 46".									
	11500	11160	12750	13590	14340	15010	13530	13500	13985	15350
0391 HRLY 00	IR-15, N/B off-ramp of the Cheyenne Av Intch "Exit 46".									
	11330	11030	12100	12100	14585	13950	13215	13420	13905	15350
0392 HRLY 00	SR-574 (Cheyenne Av), 200' W of SR-607 (Civic Center Dr).									
	31200	29375	30000	32800	31570	33200	32300	33700	33300	41500
0393 HRLY 00	IR-215, Giles pie off-ramp of the McCarran Connector.									
						1910	2160	2285	3010	3500
0394	IR-15, N/B on-ramp of the Cheyenne Av Intch "Exit 46".									
	1650	2160	2030	2050	1870	1565	2140	2475	2565	2850
0396 HRLY 00	US-95, S/B on-ramp to the US-95/Rancho Dr Intch "Exit 77".									
	10375	10600	9870	10325	10815	10560	11035	10900	11800	13600
0397 HRLY 00	US-95, N/B off-ramp of the US-95/Rancho Dr Intch "Exit 77".									
	9960	10300	9590	10360	10850	11205	11260	10670	11465	13400
0398 HRLY 98	US-95, N/B on-ramp of the US-95/Rancho Dr Intch "Exit 77".									
	4770	5115	5300	6030	6880	8300	8265	8160	10200	9900
0399 HRLY 98	US-95, S/B off-ramp of the Rancho Dr Intch "Exit 77", 400' W of Rancho Rd.									
	4915	5865	3195	6485	7200	7735	7760	7660	9650	9800
0400 HRLY 00	IR-215, E/B off-ramp to Warm Springs Rd from I-215.									
						6805	15260	14560	12060	12500
0401 HRLY 00	SR-599 (Rancho Rd), N of the Rancho Rd Intch "Exit 77".									
	36900	39000	37500	38700	45650	46800	48800	52000	50100	52000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0402 HRLY 00	SR-599 (Rancho Rd), 100' N of W Mesquite Av.									
	25600	26300	27500	28525	37980	38600	38900	41500	41100	40000
0403 HRLY 00	SR-592 (Flamingo Rd), 500' W of Spencer St.									
	53100	55600	56200	60200	57450	62700	61700	58000	58500	57000
0404 HRLY 00	SR-592 (Flamingo Rd), 400' E of Pecos Bl.									
	43450	43500	50600	53000	48570	49600	53400	55000	53900	53500
0405 HRLY 97	SR-592 (Flamingo Rd), 300' E of Mountain Vista St.									
	20750	22300	28200	27875	28095	30300	30000	30900	30500	30000
0406 HRLY 99	SR-573 (Craig Rd), .2 mi E of SR-599 (Rancho Rd).									
	10000	11750	13200	13240	19385	21000	21300	22200	22500	22700
0407 HRLY 00	SR-573 (Craig Rd), btwn Nellis Bl & Salmon Dr.									
	19150	19900	20500	21935	23085	24000	26700	26000	26900	27400
0408	US-95, N/B off-ramp to M. L. K. Blvd. of the Downtown Expy Intch.									
	5150	5000	5065	5600	5240	5540	5285	4115	4450	5500
0409 HRLY 00	US-95, from M.L.K. Bl to US-95, S/B of the Downtown Expy Intch.									
	4600	4090	4145	5050	4960	5835	6115	6425	6425	4500
0410 HRLY 98	SR-582 (Boulder Hw), btwn SR-589 (Sahara Av) & St Louis Av.									
	29500	31300	28600	32000	29610	29100	30700	29000	29100	27000
0412 HRLY 00	IR-15, N/B off-ramp of the "D" St & Washington St Intch "Exit 44".									
	5385	4750	5895	6440	6225	7780	7460	7780	8550	8600
0413 HRLY 98	Ft Apache Rd, 400' N of Cheyenne Av.									
								5400	5900	7300
0416 HRLY 99	SR-578 (Washington St), 150' E. of the N/B ramps of I-15									
	13000	12835	13175	14120	13330	13500	13600	15800	15500	17500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0417 HRLY 00	IR-15, N/B on-ramp of "D" St & Washington St Intch "Exit 44".									
	1845	2015	1825	1940	1875	2115	2115	2235	2490	2600
0418	Town Center Dr, .1 mi N of Alta Dr.									
								7900	7900	14700
0419 HRLY 00	IR-15, S/B off-ramp of the "D" St & Washington St Intch "Exit 44".									
	2035	2090	1915	1880	1850	2040	2040	2160	2405	2800
0420 HRLY 00	El Capitan Wy, 100' N of Alexander Rd.									
										900
0421 HRLY 98	Buffalo Dr, 25' N of Oleta Av (N of SR-160).									
								130	130	130
0422	Rainbow Bl, .3 mi N of Ann Rd.									
								2250	2250	2700
0423 HRLY 00	IR-15, S/B on-ramp of the "D" St & Washington Av Intch "Exit 44".									
	5220	5135	5385	4585	6005	6935	6935	7235	8830	8300
0424	IR-15, N of the "D" & Washington St Intch "Exit 44".									
	74680	77170	84445	87280	93900	95395	104660	110710	117985	116000
0425 HRLY 00	IR-15, N/B off-ramp of the Lake Mead Bl Intch "Exit 45", Wye to E/B Lake Mead Bl.									
	9945	9635	10420	11750	11000	8985	10490	11015	11920	11000
0426 HRLY 00	SR-147 (Lake Mead Bl), E of the N/B off-ramp of the I-15 Lake Mead Bl Intch "Exit 45".									
	20600	17500	17300	20500	19640	20500	22400	22500	22500	23200
0427 HRLY 00	IR-15, N/B off-ramp of the Lake Mead Bl Intch "Exit 45", Wye to W/B Lake Mead Bl.									
	3500	3675	4470	4850	4700	6725	6750	7575	8570	7900
0430 HRLY 00	IR-15, N/B on-ramp of the Lake Mead Bl Intch "Exit 45".									
	1030	1290	1290	1230	1290	1205	1490	1615	1675	1800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0431 HRLY 00	IR-15, S/B on-ramp from Lola Av, Lake Mead Bl Intch "Exit 45".									
	10720	11800	12600	13080	15425	12400	13630	12940	13560	14000
0432 HRLY 00	IR-15, S/B off-ramp of the Lake Mead Bl Intch "Exit 45".									
	1110	1165	1130	1175	940	1275	1420	1600	1660	1700
0433 HRLY 00	IR-15, S/B on-ramp Lake Mead Bl Intch "Exit 45".									
	3715	4155	4380	4675	4630	5830	6500	6780	7770	6600
0435 HRLY 00	IR-15, S of the W Mesquite Intch "Exit 120", .2 mi N of mp-119.									
	10020	10840	12095	11240	12655	12065	12555	12650	14145	15700
0436 HRLY 00	IR-15, N/B off-ramp of the W Mesquite Intch "Exit 120".									
	1810	1770	1970	1460	1585	1580	1750	1690	1985	2000
0437 HRLY 00	IR-15, N/B on-ramp of the W Mesquite Intch "Exit 120".									
	1310	1530	1500	1290	1425	1750	1675	1540	1740	1700
0438 HRLY 99	IR-215, E/B on ramp to I-215 W/B from Warm Springs Rd.									
						180	790	1110	1405	2700
0439 HRLY 00	IR-15, S/B off-ramp of the W Mesquite Intch "Exit 120".									
	1200	1255	1295	1100	1335	1845	2075	1855	1930	1830
0440 HRLY 00	IR-15, S/B on-ramp of the W Mesquite Intch "Exit 120", 400' W of the cross traffic rd.									
	1485	1190	1360	1150	1375	1480	1290	1290	1365	1330
0441 HRLY 00	IR-15, N of W Mesquite Intch "Exit 120", at mp 121.									
	9235	10665	11530	12000	12455	12600	13265	13065	14465	15900
0442 HRLY 00	IR-15, N/B off-ramp of the E Mesquite Intch "Exit 122".									
	580	665	715	1080	1030	1220	1270	1385	1830	2050
0443 HRLY 00	Sandhill Rd, 100' W of the N/B ramps of E Mesquite Intch "Exit 122".									
	4645	5340	6625	7980	9200	11700	13400	14000	16500	18800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0444 HRLY 00	IR-15, N/B on-ramp of the E Mesquite Intch "Exit 122".									
	1655	1930	2360	2655	2860	3070	3475	4350	4440	3910
0445 HRLY 00	IR-215, W/B off-ramp from I-215 to Warm Springs Rd.									
						460	955	1260	1400	2500
0446 HRLY 00	IR-15, S/B off-ramp of the E Mesquite Intch "Exit 122".									
	1630	1790	2100	2210	2885	2755	3305	3940	3905	3230
0447 HRLY 00	IR-15, S/B on-ramp of the E Mesquite Intch "Exit 122".									
	740	800	830	1240	1300	1065	1980	2165	2265	2250
0448 HRLY 00	Adams Bl, 300' W of Buchanan Bl.									
									5800	6350
0449 HRLY 99	US-95, S/B off-ramp of the Decatur Bl Intch "Exit 79", under S/B lanes of Decatur Bl.									
	4360	4735	5545	6035	6445	7565	7965	8265	8000	7700
0450 HRLY 99	US-95, S/B on-ramp of the Decatur Bl Intch "Exit 79", .2 mi from Decatur Bl.									
	11315	11550	11550	11450	11215	10400	9665	9105	9800	10800
0451 HRLY 99	US-95, N/B off-ramp of the Decatur Bl Intch "Exit 79", .2 mi from Decatur Bl.									
	9980	9735	9355	10600	10370	9430	8695	8645	9300	9640
0452 HRLY 99	US-95, N/B on-ramp of the Decatur Bl Intch "Exit 79", 350' W of Decatur Bl.									
	5240	5640	7035	7000	7470	7400	7795	8085	9250	9400
0453 HRLY 00	IR-15, S of the IR-215 Intch.									
	40435	41555	44935	51950	54690	46425	47590	48040	53020	60900
0454 HRLY 99	Nevada Hw, 200' N of Park St.									
			3470	3600	4060	3800	3850	3500	3400	3900
0455 HRLY 00	Nevada Hw, .4 mi S of US-93 (Truck Route).									
	4095	3980	3900	3315	4570	4550	4550	4200	4100	4600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0456 HRLY 99	Buchanan Bl, 300' S of US-93 (Nevada Hw). 10050 9920 11000 11200 11300 10500 8100									
0457	Valley Dr, .2 mi N of Gowan Rd. 2150 2150 2400									
0458 HRLY 00	Adams Bl, 300' E of Buchanan Bl. 7300 8350 8350 8800 8500 9100 9400									
0459 HRLY 00	Adams Bl, 300' E of Av "G". 4600 5120 5000 5000 4700 4800 5000									
0460 HRLY 00	Adams Bl, 300' W of Utah St. 3300 3500 3500 3450 3400 3750 3550									
0461 HRLY 00	Utah St, 150' S of Av "I". 4100 4125 3820 3850 3780 4050 3700 3900 3400 3700									
0462 HRLY 98	Utah St, 150' N of Av "I". 2800 2750 2700 2550 2700 1400* 1450									
0463 HRLY 00	Park St, 300' E of Nevada Hw. 550 555 580 560 650 695 815 850 850 850									
0464 HRLY 98	SR-582 (Boulder Hw), .1 mi S of Major Av. 34300 34500 37500 41400 22860 23800 27100 27100 26300 26800									
0465 HRLY 99	SR-582 (Boulder Hw), .1 mi N of Major Av. 35100 35000 36000 40950 24000 24500 27100 25500 26500 28200									
0466 HRLY 00	Lake Mountain Dr, N of Valencia Dr. 1600 1600 1600									
0467 HRLY 00	SR-582 (Boulder Hw), 200' S of SR-562 (Sunset Rd). 33850 29400 35600 37485 28730 29900 32700 34000 32600 33500									

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0468 HRLY 00	SR-146 (Lake Mead Dr), .1 mi E of Hillcrest Dr.									
	31000	32900	33900	37700	26240	29400	30700	34000	36400	37500
0469 HRLY 99	SR-146 (Lake Mead Dr), btwn Ivy St & Burkholder St.									
	15700	16900	16800	19970	21370	23300	25200	25500	25900	27100
0470 HRLY 99	SR-146 (Lake Mead Dr), 200' E of Ash St.									
	11950	11500	12700	16400	17290	19200	20800	21500	22600	23700
0471 HRLY 00	SR-146 (Lake Mead Dr), .2 mi W of Mohawk Dr.									
	5250	6425	7490	8830	10190	10900	11200	11500	12600	14500
0472 HRLY 00	Water St, 25' S of Brown St.									
	6865	6010	6710	7145	6405	6800	6850	7100	7100	6900
0473 HRLY 98	Water St, .2 mi S of Victory St.									
				13475	13260	11700	11400	12000	11900	11100
0474 HRLY 97	Water St, 200' N of Army St.									
				10150	9990	9900	9100	8300	8250	8250
0475	Water St, 200' N of Ocean Av.									
				5865	5000	4900	5000	4550	4200	4200
0476	Water St, 400' E of Ocean Av.									
				4700	4390	4200	4150	3450	3300	3300
0477	Major Av, 100' N of Federal St.									
				5850	5590	6000	6200	5700	5500	5500
0478	Pacific Av, 200' N of New Mexico Wy.									
	1295	1330	1265	1550	1675	1600	1550	1300	2150	2150
0479	Pacific Av, 100' S of Colorado St.									
	1400	1465	1715	1750	1790	1700	1650	1700	2300	2300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0480 HRLY 97	Pacific Av, 200' N of Atlantic Av. 7030 5080 4510 6400				6395	6250	6400	6550	5850	5850
0481	Allen Ln, 100' N of Alexander Rd.							2100	2400	2650
0482	Pacific Av, 200' N of Country Club Dr. 8110 8060 9215 11800				7115	7300	7400	7600	7500	7500
0483 HRLY 00	Horizon Dr, 400' W of Greenway Rd. 8075 7690 9770 11900				11480	13000	15900	17000	18100	18500
0484	Cimarron Rd, .1 mi N of SR-589 (Sahara Av.)							2650	2650	6200
0485 HRLY 00	Pecos Rd, 200' S of Mary Ann Av. 17600 17700 16500 15770				18430	19200	20200	20800	21200	22300
0486	Pueblo Pl, 50' N of Sausalito Dr.				115	100	180	230	220	220
0487	Pueblo Pl, 100' S of Warm Springs Rd. 100				170	150	170	160	160	160
0488	Pueblo Pl, 300' S of Aztec Ln. 380 435 425 430				430	450	500	470	470	470
0489 HRLY 99	Mohawk Dr, 150' S of SR-146 (Lake Mead Dr). 825 930 945 900				930	950	1050	950	780	780
0490 HRLY 00	SR-573 (Craig Rd), .1 mi W of driveway to Craig Ranch Golf Course. 10300 10700 12000 13880 20380 23700 24500							27900	31800	34500
0491 HRLY 99	SR-574 (Cheyenne Av), 200' E of SR-599 (Rancho Rd). 15500 16600 17500 20245				21150	19200	20300	22300	23300	23300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0492 HRLY 99	SR-574 (Cheyenne Av), .5 mi W of M.L.K. Bl.									
	14100	14900	16550	21200	21660	22900	23500	24800	26800	26900
0493	SR-574 (Cheyenne Av), .3 mi W of Losee Rd.									
	14700	15800	18900	23300	26345	24700	27400	28900	27800	36500
0494 HRLY 99	SR-574 (Cheyenne Av), .2 mi E of Civic Center Dr.									
	23900	24900	25200	27600	25840	27200	26700	27900	27500	31000
0495 HRLY 01	SR-574 (Cheyenne Av), .2 mi W of Pecos Bl.									
	19300	20500	20335	20725	21190	22300	23900	22400	22100	26800
0496 HRLY 01	SR-574 (Cheyenne Av), .2 mi E of Pecos Bl.									
	12300	13150	13400	13660	14265	14600	15200	16100	16500	19000
0498	Gowan Rd, 150' W of Buffalo Dr.									
								4800	4800	4300
0499	Civic Center Dr, .1 mi N of SR-574 (Cheyenne Av).									
								7100	7100	8500
0500 HRLY 00	Carey Av, .2 mi E of SR-599 (Rancho Rd).									
	6500	6800	5600	6200	7550	6650	9800	12200	12800	12100
0501 HRLY 98	Carey Av, 300' W of Martin L King Bl.									
	8680	9100	7300	8100	9865	11400	12500	12900	13000	13400
0502 HRLY 00	Carey Av, 300' E of Martin L King Bl.									
			6700	7600	8550	9400	8800	10700	11400	13400
0503 HRLY 98	Carey Av, .2 mi W of SR-607 (Civic Center Dr).									
					14220	15300	15100	15000	15400	15400
0504 HRLY 98	SR-147 (Lake Mead Bl), .1 mi E of Bruce St.									
	27200	28800	29800	34000	34610	33400	33500	34000	35200	37000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0505 HRLY 00	SR-147 (Lake Mead Bl), .2 mi E of Civic Center Dr & 50' E of Daley St.									
	25000	26500	28400	33400	33850	32700	32800	33300	35600	39000
0506 HRLY 98	SR-147 (Lake Mead Bl), .1 mi E of Nellis Bl.									
	17000	19500	23000	24260	26080	27000	29600	28700	28100	26400
0507 HRLY 00	Vegas Dr, .2 mi W of Decatur Bl.									
					12150	12500	13000	12800	12300	12600
0509	Carey Av, .3 mi E of Nellis Bl.									
								1550	1550	2150
0510 HRLY 98	Vegas Dr, .1 mi E of SR-599 (Rancho Rd).									
				9800	11380	12000	11600	12100	12900	13000
0511 HRLY 98	Vegas Dr, .1 mi W of Martin L King Bl.									
				6600	11775	14100	14100	14100	13700	14000
0512 HRLY 97	Owens Av, .1 mi E of Martin L King Bl.									
	12250	13300	11100	11870	13050	15600	16000	14300*	14300	16100
0513 HRLY 00	Owens Av, .1 mi W of SR-601 (Main St).									
	11000	11750	9740	10820	11650	14000	15300	13000	11700	14400
0514	Owens Av, 100' E of SR-601 (Main St).									
				9300	10495	11600	13200	11300	9900	11600
0515 HRLY 98	Owens Av, 400' W of SR-607 (Eastern Av).									
	10800	10500	10500	12300	12075	13300	15300	13000	14500	12800
0516 HRLY 00	Los Feliz St, .1 mi S of SR-147 (Lake Mead Bl).									
								85	85	1600
0517 HRLY 99	SR-578 (Washington Av), .1 mi W of SR-604 (Las Vegas Bl).									
	8950	9500	9800	10000	9015	9100	7500	11200	11100	13400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		
0518 HRLY 00	SR-578 (Washington Av), .1 mi E of SR-604 (Las Vegas Bl).					8800	8760	8800	6400	11700	11600	13500
0519 HRLY 98	SR-578 (Washington Av), .2 mi E of Bruce St.					10190	8100	7100	5150	10500	11700	13800
0520 HRLY 00	E Bonanza Rd, 150' W of 11th St.					20200	21200	21800	21900	22200	22000	19700
0521 HRLY 97	E Bonanza Rd, 150' E of 19th St.						20210	23200	23000	20800	20000	20600
0522 HRLY 00	E Bonanza Rd, 300' W of Mojave Rd.					27475	29370	30000	29800	27400	27600	26900
0523 HRLY 00	E Bonanza Rd, .2 mi E of Lamb Bl.	25500	26000	26200	24830	24875	25100	25400	23700	23700	23600	
0524 HRLY 00	Stewart Av, 200' E of SR-601 (Main St).					10840	10500	11000	10500	10700	11500	
0525	Mojave Rd, .2 mi N of SR-159 (Charleston Bl).								8000	8000	8800	
0526 HRLY 00	Marina Dr, 150' W of Ville Dr.								210	220	210	
0528 HRLY 97	Stewart Av, 150' W of 10th St.					9660	10200	10300	10000	8900	9200	
0529	Evans Av, .2 mi E of Civic Center Dr.								4100	4100	4350	
0532 HRLY 98	Ogden Av, 100' E of 4th St.					14820	15280	15800	14000	13400	13400	13400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0533	Ogden Av, 75' E of 8th St.			8570	8225	8500	6100	5500	5500	5500
0534 HRLY 99	Carson Av, btwn SR-601 (Main St) & First St.			2980	7480	4200	3500	3500	3450	4200
0535 HRLY 00	IR-215, W/B on-ramp to I-215 from E/B Warm Springs Rd.					2435	2455	2895	2630	3300
0537 HRLY 99	Carson Av, btwn 4th St & SR-604 (Las Vegas Bl).			7640	7755	8700	8600	8400	7700	7600
0538 HRLY 99	Carson Av, btwn 8th St & 9th St.			4000	4060	3500	4000	3900	3500	3750
0539 HRLY 98	Bridger Av, btwn SR-601(Main St) & First St.			6940	6900	7500	7050	7750	7550	7600
0541 HRLY 98	Bridger Av, btwn 3rd St & 4th St.			11250	12320	12600	8500	9350	9700	9500
0542 HRLY 98	Bridger Av, btwn 4th St & SR-604 (Las Vegas Bl).			10550	11550	9800	9100	9150	9000	8900
0543 HRLY 97	Bridger Av, btwn 6th St & 7th St.				3680	4500	3600	4600	4350	4300
0544 HRLY 99	1275	1320	1380	1800	2590	6700	6800	7800	7900	7850
0545 HRLY 99	Robindale Rd, 300' E of Pecos Rd.							5650	5850	6000
0546 HRLY 00	Colorado St, 50' W of Nevada Hw.							1200	1200	1150

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0547 HRLY 99	Bonneville Av, btwn SR-604 (Las Vegas Bl) & 6th St.					4200	4025	5400	5900	5650	5400	5550			
0549 HRLY 99	Gass Av, btwn 3rd St & 4th St.			1075	1270	1750	2100	1900	1700	1650					
0551 HRLY 99	Gass Av, btwn SR-604 (Las Vegas Bl) & 7th St.					2490	2440	2650	2800	2900	2600	2600			
0552 HRLY 00	SR-159 (W Charleston Bl), 300' E of Torrey Pines Dr.					25600	27200	29200	29800	29845	33800	34300	34000	37900	34500
0553 HRLY 00	SR-159 (W Charleston Bl), .1 mi W of Mohawk St.					31300	34450	35900	36200	36900	37300	39100	39500	38800	37000
0554 HRLY 98	SR-159 (W Charleston Bl), .1 mi E of Decatur Bl.					32000	34200	33800	34000	35190	35600	37000	36000	34000	32500
0555 HRLY 96	SR-159 (E Charleston Bl), .1 mi W of Mojave Rd.					25200	25500	27000	28000	30000	30500	31000	30000	31300	30000
0556 HRLY 00	SR-159 (E Charleston Bl), .1 mi W of Sandhill Rd.					25550	29000	26900	29400	30960	33400	34000	32000	33400	32500
0557 HRLY 00	SR-159 (E Charleston Bl), .2 mi E of SR-610 (Lamb Bl).					38500	35400	36900	41000	45090	45000	46600	44800	50100	48000
0558 HRLY 99	W Oakey Bl, 300' W of SR-599 (Rancho Rd).							17070	17200	16700	13800	14600	15100		
0559 HRLY 99	W Oakey Bl, E of SR-599 (Rancho Rd.)								16300	15800	15900	16200	19200		
0560	Wyoming Av, 250' W of Industrial Rd.					19830	20100	19700	18700	18000	17400				

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0562 HRLY 98	SR-589 (W Sahara Av), btwn Westwind Rd & Lindell Rd.									
	42000	43900	45400	48000	50530	52000	52900	53000	55200	50500
0563 HRLY 00	SR-589 (E Sahara Av), E of Palm St.									
	20900	20700	21000	22700	20700	20900	22500	23000	24900	26500
0564 HRLY 98	SR-589 (E Sahara Av), 300' E of SR-610 (Lamb Bl).									
	17350	17100	17600	17330	17500	17700	22200	23900	30600	30600
0565 HRLY 98	Desert Inn Rd, .1 mi W of Paradise Rd.									
			9700	9800	10270			40000	41300	42000
0566 HRLY 97	Desert Inn Rd, .4 mi E of Paradise Rd.									
					17300		31900	35000	36100	35500
0567 HRLY 98	Desert Inn Rd, 125' E of Arabella St.									
				32240	32850	38300	39200	38500	38900	38000
0568 HRLY 00	Desert Inn Rd, .2 mi E of SR-607 (Eastern Av).									
				28500	31430	36600	37300	36600	37000	37000
0569 HRLY 00	Desert Inn Rd, .2 mi W of Sandhill Rd & 25' E of Brentwood St.									
				30100	33220	34900	35600	35000	36900	35500
0570 HRLY 00	Spring Mountain Rd, 150' E of Arville St.									
	32800	33500	34700	38650	39460	40300	38900	33000	36800	39500
0572 HRLY 98	Sands Av, 200' E of Koval Ln.									
	33700	33600	38100	42400	41200	33400	32400	31000	32400	34000
0573 HRLY 98	Twain Av, 200' W of Cambridge St.									
	24900	24800	24900	26700	25875	24400	24600	22500	24100	22500
0575 HRLY 00	SR-592 (Flamingo Rd), 200' E of Valley View Bl.									
	58800	59500	56100	63300	68280	73000	77500	78000	75900	65000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0576 HRLY 00	SR-592 (Flamingo Rd), 800' E of Koval Ln.									
	52900	55600	53900	55000	52000	58700	70000	66000	66700	68500
0577 HRLY 00	SR-592 (Flamingo Rd), 350' E of Palos Verdes St.									
	54100	52700	56200	59800	54600	61600	65000	58500	59100	58500
0578 HRLY 00	SR-592 (Flamingo Rd), 300' W of Pecos Bl.									
	45300	46300	50200	55200	53580	56500	55300	55500	55500	60500
0579 HRLY 99	SR-593 (Tropicana Av), 300' W of Maryland Pk.									
	45300	48400	49400	52300	54075	57300	58200	57000	60400	57500
0580 HRLY 00	SR-593 (Tropicana Av), .1 mi E of Spencer St.									
	43500	44700	49400	48900	50560	53600	54000	54500	61200	57000
0581 HRLY 00	SR-593 (Tropicana Av), 200' W of McLeod Dr.									
	44100	43300	44400	43100	47100	49900	51500	55500	58000	56000
0582 HRLY 00	SR-593 (Tropicana Av), 300' W of the S/B off-ramp of US-95.									
	44450	47300	48600	51400	53375	53500	58000	58500	60300	59500
0583 HRLY 00	SR-593 (Tropicana Av), .1 mi E of N/B off-ramp of US-95.									
	39650	42500	44000	40130	39780	40500	42600	42600	43200	43000
0584 HRLY 00	SR-593 (Tropicana Av), .2 mi E of Mountain Vista St.									
	27550	26100	28200	26800	31260	29200	30700	31900	32600	32000
0585 HRLY 99	Russell Rd, .1 mi W of Maryland Pk.									
						21300	22400	23000	23800	25700
0586 HRLY 00	Russell Rd, 300' E of Spencer St.									
				29500	26350	22000	22000	23000	23500	22000
0587 HRLY 97	Russell Rd, 150' E of Topaz St.									
			17100	19420	17165	18000	18000	19000	17200	17200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0588 HRLY 99	Russell Rd, 50' W of Palm Av.				16200	17800	19300	21500	19500	19500
0589 HRLY 97	Russell Rd, 250' E of Mountain Vista St.				10700	11700	13200	14000	13390	18000
0590 HRLY 00	SR-596 (Jones Bl), 200' N of Evergreen Av.				18000	18000	19500	19200	19200	
0591 HRLY 00	SR-596 (Jones Bl), 100' S of W Elton Av.				29500	29950	27700	28580	30600	32000
0592 HRLY 00	SR-596 (Jones Bl), .1 mi N of US-95 (Las Vegas Expy).				31700	32000	29100	29570	34720	34500
0593 HRLY 00	SR-596 (Jones Bl), .1 mi S of Vegas Dr.				32800	30400	25700	24280	33525	34400
0594	SR-596 (Jones Bl), .1 mi N of Smoke Ranch Rd.				24700	25400	21700	20900	25395	26000
0595 HRLY 00	SR-596 (Jones Bl), .1 mi S of Gowan Rd.				15550	16200	13400	13840	15330	16400
0596 HRLY 98	Decatur Bl, .2 mi N of SR-593 (Tropicana Av).				9255	9600	8000	7870	9365	9400
0597	Decatur Bl, 250' N of SR-592 (Flamingo Rd).				21100	21200	23500	30500	31000	
0598	Decatur Bl, 300' N of Spring Mtn Rd.				28500	31050	34600	33600	34000	36200
0600 HRLY 00	Decatur Bl, .1 mi N of SR-589 (Sahara Av).				33390	34750	38600	39300	39000	41200
					47500	43260	43000	46400	50000	51300
										45000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0601 HRLY 99	Decatur Bl, 300' N of Doe Av.				46470	50700	47900	48000	52900	46500				
0602 HRLY 00	Decatur Bl, .1 mi N of SR-159 (Charleston Bl).				45750	48900	51800	48000	48000	53400	47500			
0604 HRLY 00	Decatur Bl, 300' S of US-95 (Las Vegas Expy).				49100	52480	52100	48300	50500	56200	51000			
0605 HRLY 96	Decatur Bl, .1 mi N of W Washington Av.				32185	34000	33600	36300	37500	35300	37000			
0606 HRLY 00	Decatur Bl, .2 mi N of Vegas Dr.				38650	30255	31500	31900	33400	35000	33000			
0607 HRLY 00	Decatur Bl, 300' S of Smoke Ranch Rd.				26860	28375	20100	20700	22700	23500	22000			
0608 HRLY 99	Decatur Bl, .2 mi W of Rancho Dr, 75' N of Bevvie Dr.				10050	11050	12000	13950	16250	16200	15800	16500	17400	17600
0610	Valley View Bl, .1 mi S of SR-589 (Sahara Av).				29800	33200	30900	30240	29360	29600	31700	31000	29900	30500
0611 HRLY 99	Valley View Bl, 150' N of La Pasada Av & .25 mi N of SR-589 (Sahara Av).				27030	29130	29400	27500	27500	29600	33000			
0612 HRLY 00	Valley View Bl, .1 mi N of W Oakey Bl.				23740	25870	26100	24400	24500	26900	24600			
0613 HRLY 98	SR-599 (Rancho Rd), .1 mi N of SR-589 (Sahara Av).				18500	19600	18600	18200	18720	18900	18300	23000	21700	23400
0614 HRLY 00	SR-599 (Rancho Rd), .4 mi S of SR-159 (Charleston Bl), btwn Laurie & Llewlllynn Dr.				19300	22000	18900	19965	21260	24300	23100	24500	22500	24300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0615 HRLY 00	SR-599 (Rancho Rd), 250' S of Vegas Dr.									
	28400	29700	27900	29750	35700	37000	41700	41600	42900	42000
0616 HRLY 00	SR-599 (Rancho Rd), .1 mi S of Carey Av.									
	22800	23350	21800	21080	32740	36400	37000	38400	40900	38900
0617 HRLY 00	SR-599 (Rancho Rd), .1 mi N of Carey Av.									
	18850	19650	18600	21800	29950	33000	34500	35800	35200	34900
0618 HRLY 00	SR-599 (Rancho Rd), .1 mi S of SR-574 (Cheyenne Av).									
	26500	28500	27000	29900	27945	28800	28800	30000	30900	28600
0619 HRLY 00	Martin L King Bl, .2 mi N of SR-159 (Charleston Bl).									
				15700	16150	15000	15500	13000	18800	14000
0621 HRLY 98	Martin L King Bl, 300' N of SR-579 (Bonanza Rd).									
				20470	21875	22200	22600	24400	26700	27200
0622 HRLY 98	Martin L King Bl, .1 mi N of Owens Av.									
				18600	21260	26500	26600	26000*	25000	28700
0623 HRLY 00	Martin L King Bl, .3 mi S of Carey, 200' S of Balzar Av.									
				15600	18800	22900	24900	26200	27200	28800
0624 HRLY 98	Martin L King Bl, .7 mi S of SR-574 (Cheyenne Av), 150' N of Cartier Av.									
	3200	3585	3600	9050	12820	18000	19700	22000	23800	25800
0625	SR-602 (Casino Center Bl), btwn Clark Av & Lewis Av.									
				7435	8290	7400	6700	7000	7400	7200
0626 HRLY 99	4th St, btwn Clark Av & Lewis Av.									
	5685	6040	5910	6270	6270	5900	5400	8000	7300	6500
0627 HRLY 97	4th St, 100' S of Ogden Av.									
	5975	6200	6065	6870	6870	6500	7000	8300	8300	7400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0628 HRLY 98	SR-605 (Paradise Rd), 200' N of Twain Av.									
	36200	37100	40700	41100	40800	42800	45000	48500	45400	45500
0629 HRLY 00	Maryland Pk, 200' N of Hacienda Av.									
				17900	16415	16100	16500	19500	18400	20400
0630 HRLY 00	Maryland Pk, 500' S of SR-592 (Flamingo Rd).									
				38500	37215	36400	38800	38000*	37000	37000
0631 HRLY 99	Maryland Pk, 900' N of SR-592 (Flamingo Rd).									
	40550	42400	40800	43000	43530	43900	44700	43500	42600	42000
0632 HRLY 00	Maryland Pk, 250' S of Sierra Vista Dr.									
				42400	41880	42200	42700	42000	42000	41400
0633 HRLY 99	Maryland Pk, .1 mi N of Desert Inn Rd.									
	37800	39100	35700	43100	42990	42900	44100	43000	42000	40000
0635 HRLY 00	Maryland Pk, .1 mi N of Sahara Av, btwn Exley Av & San Pedro Dr.									
				34700	30370	31000	31900	29000	28700	32000
0636 HRLY 00	Maryland Pk, .1 mi N of SR-159 (Charleston Bl), just N of Bonneville Av.									
	13000	14200	14500	15700	18200	18600	19400	19500	18700	18400
0637 HRLY 96	Maryland Pk, .1 mi S of E Bonanza Rd.									
				12540	12300	11900	12500	12000	12100	11900
0638 HRLY 98	Maryland Pk, 300' N of E Bonanza Rd.									
				7370	7520	7300	7500	6850	7150	7900
0640 HRLY 98	Bruce St, 125' N of Todd Av.									
				9130	10390	9600	9300	9500	10600	10700
0641 HRLY 98	Bruce St, 300' N of E Owens Av & 100' N of E Webb Av.									
	5645	6525	5795	6160	6650	6700	6750	6850	8500	7800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0643 HRLY 00	Bruce St, .1 mi N of SR-147 (Lake Mead Bl).					5350	5520	5800	5700	6700
0644 HRLY 98	SR-607 (Eastern Av), .2 mi N of Patrick Ln.					35000	37720	35800	37700	39000
0645 HRLY 00	SR-607 (Eastern Av), 125' S of Reno Av.					26600	34440	34800	34700	33500
0646 HRLY 99	SR-607 (Eastern Av), 200' N of Harmon Av.					26450	28900	29700	29300	33980
0647 HRLY 97	SR-607 (Eastern Av), 300' N of SR-592 (Flamingo Rd).					36400	35100	35000	35300	35000
0648 HRLY 99	SR-607 (Eastern Av), .1 mi N of Desert Inn Rd.					28700	29650	28700	28300	34170
0649 HRLY 99	SR-607 (Eastern Av), .1 mi S of SR-589 (Sahara Av).					35000	35300	35000	35100	35000
0651 HRLY 00	SR-607 (Eastern Av), 400' S of Stewart Av.					29320	31900	33100	35000	34100
0652 HRLY 00	SR-607 (Eastern Av), .2 mi N of Washington Av & 100' N of Theresa Av.					30770	33300	34500	34500	34000
0653 HRLY 00	SR-607 (Civic Center Dr), .1 mi N of Tonopah Av, N of Perliter Av.					30040	30200	31400	29500	29500
0654 HRLY 00	SR-607 (Civic Center Dr), 200' N of SR-147 (Lake Mead Bl).					28400	28700	30040	30200	31400
0655 HRLY 97	Pecos Rd, .2 mi S of SR-593 (Tropicana Av) & 100' S of Villa Wy.					26600	25600	26200	28540	28455

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0656 HRLY 99	Pecos Rd, .2 mi N of SR-593 (Tropicana Av).				23800	27530	28300	28500	29500	27900	27500			
0657 HRLY 99	Pecos-McLeod Rd, 300' S of Twain Av.				23400	20100	23300	23200	22500	21800	19300			
0658 HRLY 97	McLeod Dr, 100' S of Karen Av.				13800	11500	12000	11900	12000	12500	10700			
0659 HRLY 98	St Louis Av, .1 mi S of Wyoming Av.				10500	11800	13000	13600	13400	13500	14400	12800		
0660 HRLY 98	Pecos Rd, 250' S of Stewart Av.				15900	16500	15000	15500	17060	18700	19900	20000	21200	19800
0662 HRLY 96	Pecos Rd, btwn Lillis Av & Glendale Av.				14000	14100	13200	13500	14445	15100	15900	14500	14600	15600
0663 HRLY 00	Pecos Rd, .1 mi N of SR-604 (Las Vegas Bl).				10200	11850	12000	13200	12800	13900	13000			
0664	SR-610 (Lamb Bl), .3 mi S of SR-159 (Charleston Bl).					30030	28700	28900	30400	30700	31500			
0666 HRLY 00	SR-610 (Lamb Bl), 75' N of Carey Av.				13230	13495	15400	17800	18000	20200	18900			
0668 HRLY 99	Mountain Vista St, .2 mi S of SR-593 (Tropicana Av).				22460	22895	23300	24300	23500	23200	20800			
0669 HRLY 00	IR-15, from M.L.K.Bl to IR-15 N/B of the Downtown Expy Intch.													1200
0670 HRLY 00	SR-612 (Nellis Bl), 100' S of Harmon Av.				15200	14950	15700	15745	16165	16700	17200	17900	18200	18200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0671 HRLY 00	SR-612 (Nellis Bl), .2 mi N of SR-582 (Flamingo Rd).									
	32400	33700	35200	35990	33850	37000	37900	38600	38600	34500
0672 HRLY 98	SR-612 (Nellis Bl), 150' N of Linda Av.									
	29800	29700	33300	33425	33080	34800	37800	37400	38000	36000
0673 HRLY 00	SR-612 (Nellis Bl), .1 mi N of Vegas Valley Dr.									
	31400	31100	36700	37485	37880	39200	40200	42800	43500	40000
0675 HRLY 97	SR-612 (Nellis Bl), .2 mi S of SR-579 (E Bonanza Rd).									
	45350	43800	47500	46380	44620	48600	49600	49400	49400	47500
0676 HRLY 97	SR-612 (Nellis Bl), 100' N of E Monroe Av.									
	39450	37500	39600	38400	39035	40300	41900	40400	40400	37300
0677 HRLY 98	SR-612 (Nellis Bl), .1 mi N of SR-147 (Lake Mead Bl).									
	30050	29700	28200	30000	29000	29200	32100	32100	30400	27700
0678 HRLY 99	SR-612 (Nellis Bl), 300' S of Alto Dr.									
	27500	27600	26300	26640	26800	27600	29800	29800	28700	26500
0679 HRLY 98	SR-612 (Nellis Bl), 300' N of SR-574 (Cheyenne Av).									
	23500	24600	22700	22700	23540	24400	25900	25900	23300	23800
0680 HRLY 00	SR-612 (Nellis Bl), .1 mi S of SR-604 (N Las Vegas Bl).									
	13550	14500	14200	15395	15180	16000	17000	17000	16400	17200
0681	SR-592 (W Flamingo Rd), .1 mi E of SR-595 (Rainbow Bl).									
	24400	26000	27400	31400	35690	42300	42800	43000	41800	42500
0682 HRLY 00	SR-592 (W Flamingo Rd), .3 mi W of Decatur Bl & 500' W of Edmund St.									
	42800	43400	40400	43960	44800	47000	54100	53000	51500	51500
0683	SR-593 (Tropicana Av), .1 mi W of Decatur Bl.									
	36300	38300	40400	44600	50120	54900	58200	63000	61900	56500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0684 HRLY 00	SR-607 (Eastern Av), .1 mi N of SR-562 (Sunset Rd).									
				32700	34400	32000	34400	36500	36100	37000
0685 HRLY 99	Mountain Vista St, .5 mi N of SR-562 (Sunset Rd).									
	24500	24850	24600	24200	21815	23600	24300	23500	24800	23700
0686 HRLY 98	Callville Bay Rd, .1 mi E of N Shore Rd to Overton.									
				640	670	560	550	590	580	630
0687 HRLY 99	Needles Hw, .5 mi S of SR-163 (Laughlin Hw).									
	1025	1075	1165	1090	2000	2000	2000	2000	1900	1700
0688 HRLY 99	Needles Hw, .1 mi S of Desert Dr.									
	9590	10830	11500	11600	11270	11100	11100	11000	10300	9800
0689 HRLY 00	SR-163 (Laughlin Hw), .5 mi E of Needles Highway.									
	3925	4585	4435	5700	5950	6000	5900	5750	5400	5700
0690 HRLY 00	Davis Dam Rd, 200' E of Casino Dr.									
	1590	1520	1855	1680	1010	950	850	800	800	780
0691 HRLY 00	Casino Dr, .1 mi S of SR-163 (Laughlin Hw).									
	1775	1695	1360	1500	575	550	500	350	350	395
0692 HRLY 00	Bruce Woodbury Dr, .6 mi S of Big Bend Dr300' N of Desert Dr.									
	9530	10700	11100	11400	9840	10400	9900	10500	9500	8900
0693 HRLY 00	Bruce Woodbury Dr, .2 mi E of Needles Highway.									
	8885	10100	10500	10800	10490	9200	8900	9000	8500	8200
0694 HRLY 96	Pecos Rd, 150' N of E Bonanza Rd.									
	20700	19950	17900	17940	23515	23100	24800	23500	24000	24000
0695 HRLY 00	US-95, S/B off-ramp of the RxR Pass Intch "Exit 56".									
	2430	2730	2590	2955	3025	2850	3050	3495	3615	3360

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0696 HRLY 00	US-95, S/B on-ramp of the RxR Pass Intch "Exit 56".									
	340	355	370	395	470	420	540	560	510	470
0697 HRLY 98	SR-171 (Airport Connector Rd), on-ramp to the McCarran Connector from Warm Springs Rd.									
					3225	3535	4340	3630		3500
0698 HRLY 00	US-95, N/B off-ramp of the RxR Pass Intch "Exit 56".									
	370	395	365	420	500	440	560	560	520	470
0699	US-95, N/B on-ramp of the RxR Pass Intch "Exit 56".									
	2545	2850	2935	3090	3370	3255	3485	3780	3745	3480
0700 HRLY 99	US-95, N/B off-ramp of the Valley View Bl Intch "Exit 77".									
	8500	9655	7650	7350	7375	6670	6875	5380	6700	6300
0701 HRLY 99	US-95, N/B on-ramp of the Valley View Bl Intch "Exit 77".									
	3900	4415	4700	5180	5970	5355	5845	7585	7500	7420
0702 HRLY 99	US-95, S/B off-ramp of the Valley View Bl Intch "Exit 77".									
	4625	5400	5450	6090	6835	7225	6785	8810	8980	7700
0703 HRLY 99	US-95, S/B on-ramp of the Valley View Bl Intch "Exit 77".									
	6810	7655	5905	5780	5560	4965	4545	3960	4600	4320
0704 HRLY 00	IR-215, W/B on-ramp to I-215 from W/B Warm Springs Rd.									
					6900		6330	6950	5805	5800
0707 HRLY 00	US-95, N/B off-ramp of the Jones Bl Intch "Exit 79", 100' W of the Downtown Expy.									
	12300	12885	11400	12185	11485	12470	12840	11045	10805	10800
0708 HRLY 99	US-95, N/B on-ramp of the Jones Bl Intch "Exit 79", 50' E of the Downtown Expy.									
	3095	3335	4000	4615	4550	5600	5800	6605	6665	6990
0709 HRLY 99	US-95, S/B off-ramp of the Jones Bl Intch "Exit 79", 300' E of the Downtown Expy.									
	3530	4110	4760	5450	6065	6615	6815	7530	7685	8000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0710 HRLY 99	US-95, S/B on-ramp of the Jones Bl Intch "Exit 79", 10' W of the Downtown Expy.									
	11950	11870	10360	11260	10775	10310	11000	9690	10005	11000
0711 HRLY 00	SR-595 (Rainbow Bl), .2 mi N of Alta Dr.									
	37000	42200	41100	44680	42300	44800	52000	53900	55100	55200
0713 HRLY 98	US-95, 300' S of Lone Mtn Rd.									
	17300	18960	24930	25915	29300	32920	34745	44380	48820	57200
0715 HRLY 00	US-95, .5 mi S of the Alexander Rd Overpass.									
	24725	28525	36040	39810	46025	53090	56885	66080	70220	76600
0716 HRLY 99	US-95, 100' S of SR-574 (Cheyenne Av).									
	40150	45400	50450	56940	64580	74710	78680	92220	97035	102600
0717	IR-15, btwn Speedway "Exit 54" & Apex Rd " Exit 58".									
							17160	18620	19845	19330
0718 HRLY 00	US-95, .2 mi S of Vegas Dr.									
	56155	65370	68550	75585	84430	94330	95260	109910	116250	122000
0719 HRLY 00	US-95, 300' S of Summerlin Pk off-ramp.									
	77095	85000	103675	117600	128005	138640	146670	161145	175005	182450
0720 HRLY 00	US-95, .4 mi N of the Ann Rd Intch.									
	17100	19400	23850	27090	27780	28500	29600	22985	24775	31000
0721 HRLY 00	SR-599 (Rancho Dr), N of Lone Mountain Rd.									
	7975	10500	12700	11600	11950	12900	13400	16600	16400	16800
0722 HRLY 98	US-95, N/B on-ramp of the Rainbow/Summerlin Intch "Exit 81-B", .25 mi N of Rainbow Bl.									
	10350	10600	8865	9500	10945	10630	11045	12135	12230	13900
0723	Statz St, .1 mi N of Owens Av.									
								2150	2200	2300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0724 HRLY 00	Owens Av, .4 mi W of Hollywood Bl.							3850	3900	4400
0725	Washington Av, 200' E of Hollywood Bl.							1100	1100	1250
0727 HRLY 00	IR-215, E/B on-ramp to I-215 from the W/B McCarran Connector.							8300	11180	12300
0728 HRLY 00	IR-15, btwn the Henderson Intch "Exit 27" & the Arden Intch "Exit 33", at mp-30.							12155	12155	17400
	26275	27785	29855	34370	34795	34795	36000	36035	36620	40700
0729 HRLY 00	IR-15, .1 mi N of the Glendale Intch "Exit 91", .2 mi N of mp-92.							14875	15975	17800
	11370	12300	13605	13225	14160	13715	14285			
0730 HRLY 00	IR-15, 2 mi S of the Valley of Fire Intch "Exit 75".							15245	16335	17050
	11085	11960	13225	13135	13975	13630	14290			
0731 HRLY 00	IR-15, N/B on-ramp of the Charleston Bl Intch "Exit 41".							6845	7085	8500
	8455	9570	8950	9100	8400	9050	6720			
0732 HRLY 99	Grand Central Pk, btwn Charleston Bl & the N/B ramps to IR-15.							14700	14500	16700
	13540	14325	12100	14300	14400	14550	14600			
0733 HRLY 00	SR-582 (Boulder Hw), .2 mi N of Gibson Rd.							29800	30200	31000
	25150	24300	28800	30250	24140	23500	27100			
0734 HRLY 96	SR-147 (Lake Mead Bl), .4 mi E of Los Feliz St.							3100	3450	3000
	2165	2825	2525	2500	2630	2850	2500			
0735 HRLY 98	SR-573 (Craig Rd), 200' E of US-95 Expy.							28700*	29500	29000
	14100	16500	17800	18300	25265	28100	33000			
0736 HRLY 96	SR-574 (Cheyenne Av), .1 mi W of SR-610 (Lamb Bl).							13800	14000	14300
	11100	11100	12350	12460	12885	12600	13100			

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0737 HRLY 97	SR-574 (Cheyenne Av), .1 mi E of SR-610 (Lamb Bl).									
	10700	10700	11400	11475	11530	12400	12900	13200	13300	13800
0738	SR-596 (Jones Bl), 100' S of Edna Av.									
	27000	27600	23700	24700	27490	30000	28800	29500	30000	29800
0739 HRLY 00	SR-596 (Jones Bl), btwn SR-589 (Sahara Av) & O'Bannon Dr.									
	25600	26050	23800	25370	26800	29200	28000	28500	29600	26700
0740 HRLY 97	Warm Springs Rd, .2 mi E of SR-607 (Eastern Av).									
	14850	14500	13200	16000	17800	23900	32000	29000	32000	30500
0741 HRLY 00	Buchanan Bl, 300' S of Adams Bl.									
	4700	4890	4755	5200	5530	5800	6200	6000	5550	6000
0742 HRLY 00	Buchanan Bl, 300' S of Club House Dr in Boulder City.									
				2000	2420	2850	3050	2400	2400	2600
0743 HRLY 00	Georgia Av, .1 mi S of Adams Bl in Boulder City.									
		1870	2110	2200	2400	2650	2750	2850	2300	3200
0745 HRLY 00	College Dr, .1 mi N of Horizon Dr in Henderson.									
				4200	4560	5250	5400	5600	5950	6300
0746	West Cliff Dr, .1 mi E of Durango Dr.									
								8150	8150	9000
0748 HRLY 00	Warm Springs Rd, 100' E of Placid & btwn Placid & Bermuda.									
	12000	11750	12700	15400	17250	16100	16500	18000	18600	18900
0750 HRLY 00	IR-215, W/B off-ramp to Stephanie St.									
										1000
0751 HRLY 00	SR-574 (Cheyenne Av), 100' E of off-ramp to US-95.									
	26800	29900	32300	33500	35660	37600	39100	43300	47100	45000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0752 HRLY 96	SR-574 (Cheyenne Av), 100' W of Michael Wy. 15200	16800	18600	19900	20995	21100	21900	26300	28300	27700
0753 HRLY 00	SR-147 (Lake Mead Bl), 100' E of Rainbow Bl. 13970			13970	20200	23800	29500	29900	30800	32000
0754 HRLY 00	SR-147 (Lake Mead Bl), 100' W of Michael Wy. 12600			12600	20670	26200	28500	28900	28500	27500
0755 HRLY 00	SR-147 (Lake Mead Bl), 50' W of Valley View Bl. 7980			7980	16100	22000	23900	24400	24900	25200
0756	Washington Av, 100' E of Mojave Rd.					4850	7600	12400*	13700	15600
0757 HRLY 97	Washington Av, 1000' E of Sandhill Rd.					5515	9000	9700	10300	14000
0758 HRLY 00	Washington Av, .1 mi W of SR-612 (Nellis Bl). 3410				3410	3740	4850	5450	5600	7400
0759	Spring Mountain Rd, 200' W of Torrey Pines Dr. 17250	17450	20600	24680	27200	31900	30500	25000	23200	24200
0760	Spring Mountain Rd, .2 mi W of Decatur Bl. 26400	27100	28700	31820	32490	33200	31800	29000	29900	31000
0761 HRLY 00	SR-607 (Eastern Av), btwn Maule Ave & Helm Dr. 26000			26000	29620	30500	31400	32000	33600	34000
0762 HRLY 00	SR-607 (Eastern Av), btwn Robindale Rd & Buckboard Ln. 19330				19330	19000	20900	24000	27400	28900
0763 HRLY 98	Pecos Rd, 150' N of Patrick Ln. 25600	23700	30000	32700	31240	30400	30900	33000	32200	31000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0764 HRLY 98	Pecos Rd, .1 mi N of Smoke Tree Ln.				24900	22585	22900	24700	25000	25400	25400			
0766 HRLY 98	Koval Ln, 500' S of SR-592 (Flamingo Rd).				22400	25500	24110	26100	28500	27000	29500	29500		
0767	Antelope Wy, 300' N of Alta Dr.											4100		
0770 HRLY 00	Swenson St, 400' N of Demet Dr.				20700	21600	26700	29400	28150	29700	30400	29000	29000	29000
0772 HRLY 98	Swenson St, 300' N of SR-583 (Tropicana Av).				15650	15400	16700	23000	22000	23200	23800	22000	25200	23600
0773 HRLY 96	Swenson St, 600' S of SR-592 (Flamingo Rd).				14000	16500	17900	18100	17330	20300	21400	21000	20500	19000
0774 HRLY 98	Swenson St, 200' N of SR-592 (Flamingo Rd).				16300	15400	15000	17600	15330	15900	15900	16000	15900*	17100
0775 HRLY 98	Swenson St, 100' S of Sierra Vista Dr.				18300	17700	17100	18600	16200	18600	18300	20000	21500	18000
0776 HRLY 98	Joe W Brown Dr, 100' N of Desert Inn Rd.					19600	17000	16700	16500	16500	17000	17000	15200*	15700
0777 HRLY 99	Saint Rose Pk, btwn Eastern Av & Pecos Rd.												13600	11700
0778 HRLY 96	Green Valley Pk, 150' S of La Mesa Dr.					27000	27200	25500	26000	26000	27000	27000	28500	28800
0779 HRLY 99	US-95, N/B on-ramp of the Charleston Bl Intch "Exit 72".				12775	14115	14555	15650	15575	15830	16000	15865	16590	16700

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0780 HRLY 00	US-95, N/B on-ramp of the Las Vegas Bl Intch "Exit 75-B". 6235	6965	7500	7250	7690	8575	7765	7365	8085	8100
0781 HRLY 00	US-95, S/B off-ramp of the Las Vegas Bl Intch "Exit 75-B". 6715	7060	7630	7605	7445	8300	7365	6980	7695	7700
0782 HRLY 00	US-95, S/B on-ramp of the Las Vegas Bl Intch "Exit 75-B". 8385	9425	9635	9450	7680	10150	10900	9980	10680	9000
0783 HRLY 00	US-95, N/B off-ramp of the Las Vegas Bl Intch "Exit 75-B", 150' S of Las Vegas Bl. 8585	9370	9315	9555	9065	9805	10365	9780	10060	8700
0784 HRLY 98	US-95, btwn the Las Vegas Bl Intch "Exit 75-B" & the Eastern Intch Av "Exit 73". 116555	117920	124125	133355	135145	141745	149830	148895	143125	148200
0785 HRLY 00	US-95, N/B on-ramp of the Eastern Av Intch "Exit 73", 50' S of I-515. 13480	15535	14960	15260	15310	13260	17140	15065	15435	16800
0786 HRLY 00	US-95, S/B off-ramp of the Eastern Av Intch "Exit 73" , 300' S of I-515. 15060	15735	15590	16460	15760	15560	16375	14900	14160	16100
0787 HRLY 00	US-95, S/B on-ramp of the Eastern Av Intch "Exit 73" , 200' N of I-515. 3860	4275	3795	4330	4185	4695	5080	4380	4680	4900
0788 HRLY 00	US-95, N/B off-ramp of the Eastern Av Intch "Exit 73" , 300' N of I-515. 4280	4755	4400	5010	4770	5990	5345	5075	5010	5900
0789	US-95, 500' S of Mojave Rd, btwn Eastern Av Intch "Exit 73" & Charleston Bl Intch "Exit 72" 97660	95680	101770	110975	113030	123610	126740	128385	123220	126100
0790 HRLY 00	SR-607 (Eastern Av), 200' N of the Eastern Av Intch "Exit 73" of I-515. 42500	43600	40300	41000	40965	46900	47100	47100	49600	53000
0791 HRLY 00	US-95, S/B off-ramp of the Charleston Bl Intch "Exit 72". 14580	12940	13465	13575	14230	16475	16655	16505	14575	14800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0792 HRLY 00	IR-15, S/B off-ramp of the Flamingo Rd Intch "Exit 38", to E/B Flamingo Rd									
	10870	10000	9390	11200	10740	10870	12345	10910	14095	14500
0795 HRLY 00	Charleston Bl, 400' E of N/B ramps of I-515.									
	52000	52400	54700	58400	62040	66300	68200	65500	67000	68000
0796 HRLY 00	Laughlin Bridge Rd, Nevada side of the Bridge.									
	35700	38200	40450	40380	42160	41300	38800	39000	39000	38000
0797 HRLY 00	SR-582 (Boulder Hw), .2 mi S of the I-515 ramp.									
	36500	37950	38000	39730	42765	45600	47500	45100	42600	42000
0798	US-95, btwn Boulder Highway & the Flamingo Rd Intch "Exit 69".									
	83500	83945	88365	99260	103365	114935	118345	122765	120290	123100
0799	US-95, btwn Boulder Highway & the Charleston Blvd Intch "Exit 72".									
	89290	88230	93215	103675	106510	116990	120035	123485	120295	123700
0800 HRLY 96	US-95, N/B off-ramp of the Charleston Bl Intch "Exit 72".									
	9265	9665	9415	10550	11215	11850	11970	13055	13485	13900
0801 HRLY 00	US-95, S/B on-ramp of the Charleston Bl Intch "Exit 72".									
	9720	9940	10050	11375	11950	13835	13980	14415	14755	15200
0802 HRLY 00	IR-15, S/B on-ramp of the Craig Rd Intch from W/B Craig Rd. "Exit 48".									
	6885	7330	7700	7500	7700	8515	10000	10150	10150	9000
0803 HRLY 00	US-95, N/B on-ramp of the Boulder Highway Intch "Exit 70".									
	9450	9235	8890	9755	10925	11400	11155	10075	10500	11300
0804 HRLY 00	US-95, N/B off-ramp of the Boulder Highway Intch "Exit 70".									
	5665	6110	5640	6530	8510	9715	9840	9415	9500	10000
0805 HRLY 00	US-95, S/B on-ramp of the Boulder Highway Intch "Exit 70".									
	6380	7140	6490	7690	9155	10405	10570	9825	10435	10900

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0806 HRLY 00	US-95, S/B off-ramp of the Boulder Highway Intch "Exit 70".									
	8385	8300	8090	8880	10125	10775	10945	9885	9440	10200
0807 HRLY 00	US-95, N/B on-ramp of the Tropicana Av Intch "Exit 37".									
	14500	16500	16300	16335	15955	16675	16700	16450	16330	16500
0808	US-95, N/B on-ramp of the Flamingo Rd Intch "Exit 38", from W/B Flamingo Rd.									
	3265	3035	3150	3300	3175	3185	3275	3160	3110	3200
0809 HRLY 98	US-95, S/B off-ramp of the Flamingo Rd Intch "Exit 38".									
	10600	11200	12000	11200	11220	11005	10925	10080	10105	10300
0810	US-95, S/B on-ramp of the Flamingo Rd Intch "Exit 38", from W/B Flamingo Rd.									
	540	745	860	955	1210	1555	1595	1675	1775	1750
0811 HRLY 00	US-95, N/B on-ramp of the Flamingo Rd Intch "Exit 38" , from E/B Flamingo Rd.									
	7085	7725	7390	7920	7600	7670	7335	6920	6800	6900
0812 HRLY 00	US-95, S/B on-ramp from E/B Flamingo Rd Intch "Exit 38".									
	3955	4350	4650	5375	5900	6415	6900	6855	7300	7000
0813 HRLY 00	US-95, N/B off-ramp of the Flamingo Rd Intch "Exit 38".									
	4880	5370	5845	6420	6500	7135	8610	8915	9450	9000
0814	US-95, btwn the Flamingo Rd Intch "Exit 38" & the Tropicana Av Intch "Exit 37".									
	71925	72450	77180	89590	94980	108130	113915	120050	118800	120450
0815 HRLY 00	US-95, S/B off-ramp of the Tropicana Av Intch "Exit 37".									
	15500	15700	16800	16640	16515	17345	17180	16620	16165	16500
0816	SR-146 (Lake Mead Dr), .4 mi E of Mohawk, E of Henderson.									
	6410	5975	6940	5600	8880	10100	10300	10500	11900	12500
0817 HRLY 00	US-95, N/B off-ramp of the Tropicana Av Intch "Exit 68".									
	3410	3770	4385	4335	5920	6265	6790	7050	7710	7300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0818 HRLY 00	US-95, S/B on-ramp of the Tropicana Av Intch "Exit 68". 3765 4085 4640 4550 5640 6135						6685	6425	7575	7000
0819 HRLY 98	US-95, btwn the Tropicana Rd Intch "Exit 68" & Russell Rd Intch "Exit 65". 49100 48105 53105 65500 74070 86560						93510	100455	101590	101750
0820 HRLY 00	US-95, N/B on-ramp of the Russell Rd Intch "Exit 65". 5930 7565 8490 9360 9240 9315						9735	9920	9935	10000
0821 HRLY 00	US-95, N/B off-ramp of the Russell Rd Intch "Exit 65". 1540 1615 1720 2035 3210 3950						3905	4010	4045	3700
0822 HRLY 00	US-95, S/B on-ramp of the Russell Rd Intch "Exit 65". 1790 1900 2010 2295 3195 3885						3755	3895	4080	3650
0823 HRLY 00	US-95, S/B off-ramp of the Russell Rd Intch "Exit 65". 4800 5820 6575 7580 6960 7980						9045	8400	9315	9500
0824 HRLY 00	SR-594 (Russell Rd), E of the US-95 Russell Rd Intch "Exit 65". 7890 9010 11125 12320 13650 14900						15400	16500	18900	19700
0826 HRLY 00	US-95, N/B on-ramp of the Sunset Rd Intch "Exit 64". 5740 6890 7230 7785 8200 10550						12600	14500	14165	14800
0827 HRLY 00	US-95, N/B off-ramp of the Sunset Rd Intch "Exit 64". 2160 2255 2310 2790 5945 7155						8285	8625	8595	8300
0828 HRLY 00	US-95, S/B off-ramp of the Sunset Rd Intch "Exit 64". 5375 6480 7640 7665 8895 11090						13380	14160	14300	14900
0829 HRLY 00	US-95, S/B on-ramp of the Sunset Rd Intch "Exit 64". 2840 2945 3290 3805 5940 9155						9145	9380	9520	9000
0830 HRLY 97	SR-562 (Sunset Rd), W of the Sunset Rd Intch "Exit 64". 18100 19900 23700 28070 31140 38400						39300	44800	47000	44000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0831	US-95, btwn the Sunset Rd Intch "Exit 64" & the Lake Mead Dr Intch "Exit 61".									
	35585	30065	32500	44035	59065	71770	73840	79385	80115	77200
0832	US-95, N/B on-ramp of the Lake Mead Dr Intch "Exit 61".									
HRLY 99	19820	13135	15250	19760	10210	12720	13150	16430	15645	15700
0833	US-95, S/B off-ramp of the Lake Mead Dr Intch "Exit 61".									
HRLY 00	15765	16930	17250	22485	11735	15660	14385	16435	16875	17500
0834	SR-146 (Lake Mead Dr), .2 mi E of the N/B ramps of the US-95 Lake Mead Dr Intch "Exit 61".									
HRLY 99	36900	40800	49700	51580	30100	37000	38600	46000	49200	49000
0835	SR-605 (Paradise Rd), .2 mi N of SR-592 (Flamingo Rd).									
HRLY 00	32900	29000	34600	34600	34790	34600	33200	36000	35000*	37200
0837	SR-592 (Flamingo Rd), 750' W of SR-606 (Maryland Pk).									
HRLY 00	57000	59300	59300	64800	59180	65400	66400	61000	61700	64500
0838	SR-592 (Flamingo Rd), 75' W of Hazelcrest, E of Sandhill Rd.									
HRLY 00	43000	46800	52200	51200	50270	54100	56700	58800	55300	55000
0839	SR-592 (Flamingo Rd), 200' E of the I-515 Flamingo Rd Intch "Exit 69".									
HRLY 00	25500	30800	34600	33830	32410	35000	35000	36000	32100	35000
0840	IR-15, btwn the Primm Intch "Exit 1" & the Jean Intch "Exit 12".									
HRLY 00	25065	26210	27910	31985	32740	32225	33220	34260	35195	38200
0841	IR-15, btwn the Jean Intch "Exit 12" & the Sloan Intch "Exit 25".									
HRLY 00	25695	27230	28800	33275	34730	33755	35265	35675	37165*	39800
0842	IR-15, .9 mi S of the Henderson Intch "Exit 27".									
HRLY 00	26335	28110	30010	34520	35680	34920	36440	36610	37535	40500
0843	IR-15, btwn the Lamb Bl Intch "Exit 50" & Hollywood-Speedway "Exit 54".									
HRLY 00	12195	12590	13560	14295	15405	16010	17635	19595*	21730	22600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0844	IR-15, btwn the Valley of Fire Intch "Exit 75" & the Ute Intch "Exit 80".									
	10835	11670	12935	12715	13595	13280	13950	14980	15800	16700
0845	IR-15, btwn the Ute Intch "Exit 80" & Byron Intch "Exit 84".									
	10835	11670	12935	12715	13595	13285	13955	14985	15790	16700
0846	IR-15, btwn Byron Rest Area Intch "Exit 84" & the Hidden Valley Intch "Exit 88".									
	10835	11670	12935	12715	13595	13275	13945	14975	15790	16700
0847	IR-15, btwn the Moapa Intch "Exit 90" & the Glendale Intch "Exit 91".									
	9595	10370	11755	11510	12295	12055	12570	13260	14250	15700
0848	IR-15, btwn the W Mesa Rest Area & the Carp-Elgin Intch "Exit 100".									
	10100	10910	12195	12300	12655	12080	12550	12655	14205	15800
0849	IR-15, btwn the Carp-Elgin Intch "Exit 100" & the E Mesa Intch "Exit 109".									
	10100	10910	12195	12300	12655	12070	12540	12665	14195	15800
0850	IR-15, btwn the E Mesa Intch "Exit 109" & the Riverside-Bunkerville Intch "Exit 112".									
	10100	10910	12195	12300	12655	12125	12615	12740	14285	15800
0851 HRLY 99	US-95, .2 mi N of SR-163 (Laughlin-Davis Dam Hw).									
	4605	5120	5100	5625	5535	5900	6550	6750	5600	6200
0852 HRLY 98	SR-146 (Lake Mead Dr), 1.3 mi W of Gibson Rd.									
			11850	14500	17215	21700	25100	24500	24500	36500
0853 HRLY 00	US-95, N/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", to N/B Rainbow Bl.									
	4000	3985	2770	3000	3000	2865	3000	2685	2680	27800
0854 HRLY 00	US-95, N/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", to S/B Rainbow Bl.									
	13455	14250	8775	9550	9500	7335	7500	6575	6655	5800
0855 HRLY 98	US-95, S/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", to W/B Summerlin Pk.									
	130	130	1620	2170	3100	4400	4895	6055	8185	9100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0856 HRLY 98	US-95, S/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", to Rainbow Bl.									9500
	8900	9645	7230	8175	9050	8100	8635	9270	9560	
0857 HRLY 98	Summerlin Pk, lanes merge to US-95 S/B Exit 81-A.									34200
	1230	1400	13160	17000	19520	22095	26370	27325	32660	
0858 HRLY 00	Summerlin Pk, E/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A".									8500
	310	750	1455	2115	2180	3360	4650	5320	6970	
0859	Stewart St, .1 mi E of Nellis Bl.									12700
								8600	8600	
0860	Christy Ln, 350' N of Washington Av.									2700
								3050	3050	
0861 HRLY 00	IR-215, W/B on-ramp from Stephanie St.									7600
0862 HRLY 99	Rainbow Bl, S of the Rainbow Bl-Summerlin Pk Intch "Exit 81A" & N of Westcliff Dr.									62000
	55970	59275	48800	54000	53230	56400	68300	60000	61650	
0863 HRLY 98	SR-595 (Rainbow Bl), N/B right turn from Rainbow Bl to the S/B on-ramp of US-95.									8880
	15100	14000	11000	11175	11295	8910	9080	8385	8825	
0864 HRLY 00	US-95, S/B on-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", W of Free Right turn t									3600
	4900	4535	3335	3705	3745	3920	4000	3310	3320	
0865 HRLY 98	US-95, N/B off-ramp of the Rainbow Bl-Summerlin Pk Intch "Exit 81-A", to Summerlin Pk.									37700
	1640	1835	13800	17430	19610	22315	26035	30415	34590	
0866 HRLY 98	Summerlin Pk, .1 mi W of Rampart Bl W/B off-ramp.									43500
	3650					16700	22500	27800	35500	
0867 HRLY 99	SR-562 (Sunset Rd), 250' E of Gibson Rd.									24800
	18050	18200	21200	25330	22140	29500	30200	25000	24800	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0868 HRLY 97	SR-604 (Las Vegas Bl), btwn the IR-215 Intch & Sunset Rd.									
	18375	20685	25160	26430	28120	25000	22000	24000	26300	28300
0869 HRLY 00	IR-215, E/B on-ramp from Pecos Rd.									7300
0871 HRLY 00	US-95, S/B on-ramp of the Cheyenne Av Intch "Exit 83".									
	10900	11235	11450	12950	14100	16795	16870	19000	20000	20000
0872 HRLY 00	US-95, N/B off-ramp of the Cheyenne Av Intch "Exit 83".									
	8635	10900	10350	12700	13625	14980	15125	17950	19130	19100
0873 HRLY 00	US-95, N/B on-ramp of the Cheyenne Av Intch "Exit 83".									
	2410	3075	4140	4570	4830	4760	5080	5520	6180	6500
0874 HRLY 00	US-95, S/B off-ramp of the Cheyenne Av Intch "Exit 83".									
	1775	2185	3250	3950	4340	5395	5120	5290	6135	6600
0875 HRLY 00	US-95, S/B off-ramp of the Craig Rd Intch "Exit 85".									
	390	1025	1245	980	1255	1615	1760	2115	2585	3100
0876 HRLY 00	US-95, S/B on-ramp of the Craig Rd Intch "Exit 85".									
	4860	6710	7625	9120	11410	12925	14240	14400	14365	13800
0877 HRLY 00	US-95, N/B off-ramp of the Craig Rd Intch "Exit 85".									
	4260	5085	6070	7340	8390	11015	11910	12970	12560	12300
0878 HRLY 00	US-95, N/B on-ramp of the Craig Rd Intch "Exit 85".									
	495	1205	1340	1585	1695	2155	2250	2335	2940	3600
0879 HRLY 00	IR-215, W/B on-ramp to I-15 from Las Vegas Bl.									
					2365	3235	3160	4040	4100	4700
0880 HRLY 99	US-95, N/B off-ramp of the Wagon Wheel Dr Intch "Exit 56", to Wagon Wheel Dr.									
					470	510	510	570	470	520

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0881 HRLY 00	US-95, S/B on-ramp of the Wagon Wheel Dr Intch "Exit 56", from Wagon Wheel Dr.									
					280	245	275	265	335	330
0882 HRLY 99	US-95, N/B off-ramp of the Wagon Wheel Intch "Exit 56", from I-515 to Boulder Hw.									
					3110	3250	3155	2875	2900	3070
0883 HRLY 99	US-95, S/B on-ramp of the Wagon Wheel Dr Intch "Exit 56", from Boulder Hw to I-515.									
					3860	3840	4245	4160	3465	3560
0884 HRLY 99	US-95, S/B off-ramp of the Wagon Wheel Dr Intch "Exit 56", to Wagon Wheel Dr.									
					1460	1695	2105	2020	2120	2180
0885 HRLY 99	US-95, N/B on-ramp of the Wagon Wheel Dr Intch "Exit 56", to I-515.									
					1190	1525	1810	1865	1905	2200
0886 HRLY 99	Wagon Wheel Dr, E of the N/B on-ramp to I-515.									
					3270	4000	4580	4900	4900	4900
0887 HRLY 00	SR-171 (Airport Connector Rd), North of I-215									
							52145	57500	57100	86800
0888 HRLY 99	Wagon Wheel Dr, W of the S/B ramps of the Wagon Wheel Dr Intch "Exit 56".									
					1310	1500	1700	1450	1450	1450
0889 HRLY 99	Wagon Wheel Dr, 10' W of Appaloosa Rd.									
					2415	3200	3800	4150	4700	5150
0890 HRLY 99	SR-582 (Boulder Hw), S of Magic Wy.									
					9340	9700	8650	9500	7900	9350
0891 HRLY 99	SR-582 (Boulder Hw), .2 mi N of Wagon Wheel Dr.									
					2180	2600	1250	2200	2555	2760
0892 HRLY 97	SR-582 (Boulder Hw), S of Roberts St.									
					5290	5800	4405	5650	6550	6020

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0893 HRLY 99	SR-582 (Boulder Hw), N of Horizon Dr.				17000	18600	19100	19000	19400	20200
0894 HRLY 99	US-95, S/B on-ramp of the Lake Mead Dr Intch "Exit 61".				3650	4555	5115	5255	5310	8490
0895 HRLY 99	US-95, N/B off-ramp of the Lake Mead Dr Intch "Exit 61".				3700	4010	4440	4635	4705	8360
0896 HRLY 99	US-95, btwn the Lake Mead Dr Intch "Exit 61" & Horizon Dr Intch "Exit 59".				44470	51955	55860	56410	57700	60850
0897 HRLY 99	US-95, S/B off-ramp of the Horizon Dr Intch "Exit 59".				6050	8170	9070	8485	9550	10700
0898 HRLY 99	US-95, S/B on-ramp of the Horizon Dr Intch "Exit 59".				660	705	725	1115	1225	1250
0899 HRLY 99	US-95, N/B off-ramp of the Horizon Dr Intch "Exit 59"				720	775	775	1160	1315	1350
0900 HRLY 99	US-95, N/B on-ramp of the Horizon Dr Intch "Exit 59".				6390	8730	9680	9570	10005	10800
0901 HRLY 99	Horizon Dr, E of the N/B ramps of I-515.				22080	18700	20100	21000	22700	23800
0902 HRLY 99	Horizon Dr, .1 mi W of the S/B ramps of I-515.				5075	5850	6900	9600	11800	13300
0903 HRLY 99	US-95, S/B off-ramp of the College Dr Intch "Exit 57".				3265	3920	3830	3970	3530	4200
0904 HRLY 99	US-95, S/B on-ramp of the College Dr Intch "Exit 57".				645	665	740	730	700	800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0905 HRLY 98	US-95, N/B on-ramp of the College Dr Intch "Exit 57".					3190	3335	3320	3135	3435	4100				
0906 HRLY 99	US-95, N/B off-ramp of the College Dr Intch "Exit 57".					710	785	875	835	830	950				
0908 HRLY 98	College Dr, .1 mi E of the N/B ramps I-515.					7575	8400	8600	8200	8700	9650				
0909 HRLY 00	US-95, btwn the College Dr Intch "Exit 57" & Wagon Wheel Dr Intch "Exit 56".					28065	30730	33075	35090	35150	35400				
0910	SR-582 (Boulder Hw), N of the RxR Pass Intch.					25800	28030	29395	30565	32780	34070	35450	37050	38295	38150
0911 HRLY 00	SR-562 (Sunset Rd), 400' W of Valle Verde Dr.					23200	26300	26000	30460	30645	37300	39300	38500	38400	36600
0912 HRLY 99	US-95, btwn College Intch "Exit 57" & Horizon Intch "Exit 59" at the College Dr overhead si					33165	36535	38610	40630	40685	41950				
0913 HRLY 96	SR-595 (Rainbow Bl), 150' N of Endora Dr.					35000	37800	37600	41100	41750	44200	44700	46800	46800	49500
0914 HRLY 00	SR-604 (Las Vegas Bl), 200' S of Oquendo Rd.					32100	32200	32800	42400	37400	37000	35900	41000	41000	42500
0915 HRLY 00	SR-596 (Jones Bl), 150' S of Harmon Av, N of Tropicana Av.					20600	20600	18500	19690	19970	21600	22000	23000	24700	26600
0916	SR-596 (Jones Bl), N of Flamingo Rd, btwn Viking Rd & Katie Av.					26950	27300	23600	25090	27900	28400	27300	29000	28600	29200
0917 HRLY 00	US-95, N/B off-ramp of the Lake Mead Bl Intch "Exit 61", to E/B Lake Mead Bl.					2655	2835	2910	2780	2675	2680	2600	2945	2900	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0918 HRLY 00	US-95, S/B on-ramp of the Lake Mead Bl Intch "Exit 61", from E/B Lake Mead Bl.									
		10300	6475	7570	8750	10425	9670	10720	11155	11400
0919 HRLY 00	US-95, S/B loop on-ramp of the Lake Mead Bl Intch "Exit 61", from W/B Lake Mead Bl.									
		2610	4795	4960	5435	5140	4770	5655	6180	6500
0920 HRLY 00	US-95, N/B loop off-ramp of the Lake Mead Bl Intch "Exit 61", to W/B Lake Mead Bl.									
		10730	7845	7180	8680	8715	8725	9010	10085	10300
0921 HRLY 00	US-95, N/B on-ramp of the Lake Mead Bl Intch "Exit 61", from Rainbow Bl.									
		4205	1980	1915	2710	3460	4370	5350	5795	5600
0922 HRLY 00	US-95, S/B off-ramp of the Lake Mead Bl Intch "Exit 61", to Rock Springs Dr.									
		2120	1870	2060	3085	3875	4895	4945	5355	6100
0923 HRLY 00	IR-15, Tropicana Av Intch "Exit 37" Flyover ramp, .3 mi S of the S/B off ramp.									
		21000	22650	21755	19400	18825	18765	21600		22500
0924 HRLY 00	Alta Dr, 200' E of Lorenzi St.									
		7100	7400	9730	9800	9900	9700	11400		10000
0925 HRLY 00	SR-163, .6 mi W of Casino Dr.									
								0		5230
0926 HRLY 99	Arville St, 400' N of SR-589 (Sahara Av).									
		8000	8210	9060	9700	8700	8950	9450		8400
0927 HRLY 00	Bonanza Rd, 200' E of Sloan Ln.									
		7465	6580	8870	8750	9700	9250	9600		9000
0928 HRLY 00	Bonanza Rd, btwn Ute Ln & Hopi Ln , E of Nellis Bl.									
		18600	16830	19110	19300	19000	19400	19600		19400
0929 HRLY 98	Bruce St, 300' S of Stewart Av.									
		6500	6660	6330	6700	6350	6000	6300		6300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0930	Smoke Ranch Rd, btwn the US-95 Expy & Rainbow Bl.									
			8300	9875	9275	10700	11100	11100	11500	11500
0931	Center St, 300' S of Maple St.									
			6400	6790	6400	5850	6300	5800	5600	5600
0932	College Dr, .1 mi W of the US-95 S/B ramps.									
HRLY 99			2400	2950	3765	4300	5200	5950	5850	6450
0933	IR-215, btwn Pecos Rd & Green Valley Pk Intch.									
										76200
0934	Convention Center Dr, 250' W of Paradise Rd.									
HRLY 96			10000	12900	11745	12100	12500	13000	14200	10200
0935	E Desert Inn Rd, 100' E of Nellis Bl.									
HRLY 98			2325	2460	3320	3550	4050	3800	3850	3850
0936	Gibson Rd, 300' N of SR-146 (Lake Mead Dr), in Henderson.									
HRLY 00			4445	4835	4760	5100	9500	13000	13000	18500
0937	"H" St, btwn Jackson Av & Van Buren Av.									
HRLY 98			6030	6600	6445	6900	7050	6650	7600	6500
0938	IR-215, W/B on-ramp from Green Valley Pk.									
HRLY 00										9500
0939	Highland Dr, btwn Western Av & Desert Inn Rd.									
			9375	11400	11200	11000	11900	13000	13000	13000
0940	Industrial Rd, .5 mi S of SR-160 (Pahrump Valley Rd).									
HRLY 98			1400	2000	2270	2500	2700	2700	3000	3300
0941	Industrial Rd, .5 mi N of SR-160 (Pahrump Valley Rd).									
HRLY 98			2900	3250	3690	3100	3350	4150	4600	3500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0942 HRLY 98	Karen Av, 100' E of Paradise Rd.		11300	15800	13740	13200	12600	13000	13000	13600
0943 HRLY 00	Lake Mead Bl, btwn Losee Rd & I-15.		21100	24600	28430	29800	31100	35700	38900	34500
0944 HRLY 00	Losee Rd, 50' S of Miller Av.		10440	11900	13380	14100	14900	16500	18300	18800
0945 HRLY 00	Losee Rd, btwn the two Crestline loop Rds.		8450	9400	10900	11600	12200	14200	14600	14000
0946 HRLY 00	Losee Rd, 200' S of Sharp Ct.		9100	10375	12320	12200	12500	12800	13500	12200
0947	Major Av, .1 mi S of Center St.		8800	9350	9015	9200	9600	8850	8100	8100
0948 HRLY 00	IR-215, E/B off-ramp to Green Valley Pk.									9400
0949 HRLY 00	IR-215, W/B off-ramp to Green Valley Pk.									5100
0950	IR-215, E/B on-ramp from Green Valley Pk.									4800
0951 HRLY 00	Michael Wy, btwn Marieta Av & Carl Av.		2360	2235	2280	2600	2550	2550	2650	2620
0953 HRLY 00	Mojave Rd, 200' N of Vegas Valley Dr.		6770	7260	6600	6700	6400	6300	5850	5700
0954 HRLY 00	W Oakey Bl, btwn SR-595 (Rainbow Bl) & Casa Vista Dr.		4400	5000	6540	6600	8400	9500	11400	10400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0955 HRLY 98	W Oakey Bl, btwn Torrey Pines Dr & Verdinal Dr.									
			5040	5850	7600	7650	9750	11000	13000	9600
0956 HRLY 00	W Oakey Bl, 200' E of Lindell St.									
			5680	7315	9510	9600	9800	9350	11000	10500
0957 HRLY 00	W Oakey Bl, 400' W of Decatur Bl.									
			8500	9020	11720	11800	12000	10500	13600	11100
0958 HRLY 98	Sahara Av, btwn Caraville St & Winterwood Bl.									
			3370	3060	3090	3120	14300	15400	18000	20700
0959 HRLY 00	IR-215, btwn Windmill Rd & Warm Springs Rd Intch.									
						23580	38345	52075	58580	94700
0960 HRLY 99	Sandhill Rd, 300' N of Sunset Rd.									
			5600	5200	4560	5500	6550	7200	7650	7650
0961 HRLY 99	Sandhill Rd, .1 mi N of Patrick Ln.									
			6000	10800	8865	10500	10500	11500	11900	12300
0962	Sandhill Rd, btwn Hacienda Av & Casey Av.									
			11000	12700	12630	14400	14700	14000	13600	13500
0963 HRLY 97	Sandhill Rd, btwn Harmon Av & Rosecrest Ct.									
			11100	12800	12980	13800	12100	13000	11400	11400
0964 HRLY 98	Sandhill Rd, 100' N of SR-592 (Flamingo Rd).									
			13300	18100	19420	19200	18500	20500	18000	18000
0965 HRLY 00	IR-215, E/B on-ramp from Valle Verde Dr.									
									0	3600
0966 HRLY 00	Torrey Pines Dr, 200' S of Hillview Av & N of Clarice Av.									
			3200	7400	7326	8350	8300	8300	8150	8500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0968 HRLY 00	Spencer St, 300' S of Twain Av.									
		8115	9200	8165	6750	6400	6650	6650	5300	
0969 HRLY 99	Twain Av, btwn Monte Verde & El Toro.									
		3335	3760	3045	3350	3600	3650	3550	3400	
0970 HRLY 00	Twain Av, 50' W of Anthony Dr.									
		3530	3530	2865	3550	4050	4100	4000	3300	
0971	Linn Ln, .2 mi S of SR-147 (Lake Mead Bl).									
							900	900	2100	
0972 HRLY 00	Valley View Bl, 600' N of SR-159 (Charleston Bl).									
		23900	22740	24780	22600	21900	26000	28300	26500	
0973 HRLY 00	Valley View Bl, btwn Fortune Av & Pyramid Dr, S of Washington Av.									
		10600	11000	14210	12300	12800	13700	13500	12600	
0974 HRLY 00	IR-215, E/B off-ramp to Valle Verde Dr.									
									5800	
0975 HRLY 99	Vegas Valley Dr, btwn Eastern Av & Burnham Av.									
		4235	5030	5200	4500	4550	4450	4300	3800	
0977 HRLY 00	Vegas Valley Dr, 300' E of Robar St.									
		1825	1965	1790	1900	1975	2000	2100	2000	
0978 HRLY 00	Washington Av, 150' W of Shifting Sands Dr.									
		10000	10700	10635	11500	12700	12700	12800	13200	
0979 HRLY 98	Perkins Av, btwn Gentry St & Anderson St in Overton.									
		420	420	420	420	420	470	480	480	
0980 HRLY 00	Casino Dr, S of Laughlin Civic Dr.									
		30500	38100	34630	35400	33200	33000	33000	32000	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0981 HRLY 99	Casino Dr, N of Laughlin Civic Dr.									
		33500	43230	39220	38400	37600	32000	32000		31000
0982 HRLY 98	Overton Beach Rd, 300' E of N Shore Rd.									
		545	440	445	485	470	570	550		530
0983 HRLY 98	North Shore Rd, 200' N of the rd to Callville Bay.									
		695	610	725	650	600	650	770		670
0984 HRLY 00	IR-15, N/B loop on-ramp of the Spring Mtn Rd Intch "Exit 39", from E/B Spring Mtn Rd.									
		5650	7545	7425	6850	7410	6400	6400		6500
0985 HRLY 99	Red Rock Canyon Rd, 4.3 mi W of SR-159 (Charleston Bl), W of Las Vegas.									
		970	910	565	590	575	580	630		680
0986 HRLY 00	Moapa Valley Rd, 100' N of the S/B ramps of the Hidden Valley Intch "Exit 88".									
		350	430	355	415	500	430	370		340
0988 HRLY 00	"B" Av, N of Adams Bl.									
		1770	1985	1860	1750	1800	1850	1600		1850
0989 HRLY 00	"B" Av, btwn Fifth St & Sixth St.									
		1645	1830	1640	1600	1700	1750	1350		1600
0990 HRLY 00	"G" Av, btwn Seventh St & Eighth St.									
		2500	2620	2140	2300	2400	2400	1900		2750
0991 HRLY 00	Pacifica Wy, 100' N of US-93.									
		1200	1400	1545	1445	1500	1400	1400		1480
0992 HRLY 00	Ville Dr, 150' N of US-93.									
		1715	2190	2430	2350	2450	2100	2200		2300
0993 HRLY 00	Wyoming St, 200' E of Av "B".									
		5070	4600	4560	5100	4600	5650	5250		5850

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
0994 HRLY 98	Wyoming St, btwn "H" St & "I" St.			3370	3300	3335	3650	3600	4400	4100	3850
0995 HRLY 00	Ville Dr, 100' S of Vincent Ln.			990	1000	1060	955	900	880	870	900
0996 HRLY 97	Owens Av, 300' E of Mojave Rd.			13300	14630	17150	17200	16700	14200	14500	14500
0998 HRLY 00	Warm Springs Rd, btwn Schrills Rd & Arville St.			2225	2300	2700	3000	3200	2600*	2500	2450
0999 HRLY 97	Warm Springs Rd, btwn Pecos Rd & Green Valley Pk.			18000	19250	19420	24300	27600	30500	32600	31500
1000 HRLY 97	Maryland Pk, btwn Clark St & Lewis St.			6950	8100	8300	8115	8700	8100	8100	7650
1002 HRLY 00	Maryland Pk, 50' S of Bridger St.			7515	8770	9000	8800	8950	8300	8150	8000
1003 HRLY 00	Utah St, 100' E of New Mexico St.			3065	3400	3250	3300	3950	3400	3300	3150
1004 HRLY 00	IR-215, W/B off-ramp of I-215 to the McCarran Connector.					4595	7005	8645	8935		13600
1005	Horizon Dr, 200' E of Greenway Dr.			9250	10300	9940	9300	12200	13000	14200	14500
1006 HRLY 99	Owens Av, btwn SR-604 (Las Vegas Bl) & Bruce St.			9075	9970	10660	15400	14200	12000	13400	11300
1007 HRLY 96	Russell Rd, .4 mi E of Pecos Bl.				15700	15910	17400	18200	20000	18200	18200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1008 HRLY 98	Maryland Pk, N of Stewart St, S of Rue St.									
		5730	11700	12780	12600	13200	11100	14100	11600	
1009 HRLY 98	Pecos Rd, btwn Owens Av & SR-604 (Lake Mead Bl).									
		16200	15450	17210	18500	20500	19800	20000	19600	
1010	4th St, btwn Carson St & Fremont St.									
		1060	6345	6345	6000	6300	9200	9200	8200	
1011 HRLY 98	Pecos Rd, S of Patrick Ln.									
		29400	27200	24670	24500	25200	26500	27400	26700	
1012 HRLY 98	St Louis Av, btwn Paradise Rd & Santa Paula Av.									
		4355	4800	4460	4700	4850	4300	4600	4500	
1013 HRLY 98	St Louis Av, btwn 15th St & 16th St.									
		5000	5870	5840	5500	6350	5600	7000	7500	
1014 HRLY 00	US-95, .1 mi S of the RxR Pass Intch S/B ramps.									
		6600	6100	7620	8100	8400	8400	8250	7620	
1015 HRLY 00	IR-15, S/B off-ramp of the Russell Rd Intch "Exit 36".									
			10140	7000	6950	7045	7150	8865	9900	
1016 HRLY 00	IR-15, S/B on-ramp of the Russell Rd Intch "Exit 36".									
			2310	3175	3465	4455	7535	6050	5900	
1017 HRLY 00	IR-15, N/B off-ramp of the Russell Rd Intch "Exit 36".									
			1710	3515	3880	4740	7575	6875	6000	
1018 HRLY 00	IR-15, N/B on-ramp of the Russell Rd Intch "Exit 36".									
			11840	9535	7920	8025	8135	8155	11200	
1019 HRLY 98	SR-594 (Russell Rd), .3 mi W of the IR-15 Russell Rd Intch "Exit 36".									
					11700	12500	22600	25600	25600	

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1020 HRLY 00	SR-594 (Russell Rd), E of the I-15 Russell Rd Intch "Exit 36".				22900	19900	19900	26000	26000	26200
1021	IR-15, .2 mi. S of mp 36, S of the Russell Rd Intch "Exit 36".				58000	85710	107010	118645	126775	146300
1022	Lindell Rd, 300' N of Harmon Av.							2200	2200	3200
1023 HRLY 99	Decatur Bl, .1 mi S of Cheyenne Av.				16790	17800	19000	19500	20400	20700
1024 HRLY 99	Decatur Bl, .2 mi S of Craig Rd.				15950	13100	17400	18300	19100	23000
1025 HRLY 99	Decatur Bl, .1 mi S of Ann Rd.				2355	2850	4500	6000	6700	8350
1026 HRLY 98	Lindell Rd, .1 mi S of SR-159 (Charleston Bl).									2600
1027 HRLY 99	Simmons St, .2 mi S of Craig Rd.				2935	2800	2900	3300	3900	4500
1028 HRLY 00	Simmons St, S of Ann Rd.							0		2400
1029 HRLY 99	Camino Al Norte, .2 mi S of Lone Mtn Rd.						19900	24400	28100	27500
1030 HRLY 99	Camino Eldorado, .1 mi S of Ann Rd.					10500	10800	13700	16100	17000
1031 HRLY 99	Camino Eldorado, .1 mi S of Tropical Pk.					3900	4400	5550	7100	7550

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1032	Martin Luther King Bl, .2 mi S of Craig Rd.				11890	14200	17300	17400	22800	28500
1033	Losee Rd, .3 mi S of SR-574 (Cheyenne Av).				9430	9900	11400	10600	10900	10400
1034 HRLY 99	Lake Mead Bl, 250' E of Simmons St.				13200	15900	16600	18800	21200	20500
1035 HRLY 99	Cheyenne Av, .3 mi W of Simmons St.				19920	17600	24500	24000	25900	25800
1036 HRLY 99	Craig Rd, .3 mi E of Decatur Bl.				25375	26000	25100	26400	29200	28000
1037 HRLY 99	Craig Rd, .3 mi W of M.L.K. Bl.				22320	23300	24200	27500	33000	34500
1038 HRLY 99	Ann Rd, .1 mi W of Camino Eldorado.					2600	3900	5600	6400	8600
1039	Cabana Dr, 182' S of Twain Rd.							5350	5350	7050
1040 HRLY 99	Green Valley Pk, .1 mi N of Wigwam Pk.				13700	15100	19200	20000	19500	24000
1041 HRLY 97	Green Valley Pk, .3 mi S of Warm Springs Rd.				26300	27300	29300	31000	30500	32000
1042 HRLY 98	Eastern Av, .5 mi N of SR-146 (Lake Mead Dr).				4290	6000	6600	7600	11800	26300
1043	Harmon Av, .1 mi E of Jones Av.							2350	2350	3050

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1044 HRLY 00	Sunset Rd, .2 mi W of Stephanie St.				26600	31800	33500	37600	39600	37000
1045 HRLY 98	Racetrack Rd, .1 mi N of Boulder Hw.					12200	12500	15000	16700	17100
1046	Racetrack Rd, .1 mi N of Warm Springs Rd.					1350	1550	1650	1750	1750
1047 HRLY 98	Pecos Rd, .2 mi S of Warm Springs Rd.				21860	22200	23600	26500	25300	25500
1049 HRLY 99	Pecos Rd, 150' S of Desert Inn Rd.				18250	18800	18700	20500	19000	17000
1050 HRLY 98	Lamb Bl, .1 mi S of SR-589 (Sahara Av).				27000	30900	32100	32100	32700	31000
1051 HRLY 98	Green Valley Pk, 300' N of SR-562 (Sunset Rd).				18145	17800	19100	20000	20100	20300
1052	Jimmy Durante Bl, 100' N of E Harmon Av.							4550	4550	5400
1053	Hacienda Av, .1 mi E of Jones Av.							4450	4450	9800
1054	Valley View Bl, .1 mi S of Spring Mtn Rd.				24115	28200	29300	27000	27000	25000
1055	Valley View Bl, .2 mi S of SR-593 (Tropicana Av).					16600	17000	11000	14500	15700
1056 HRLY 00	Buffalo Dr, .1 mi S of SR-589 (Sahara Av).				13100	17800	19800	21000	20300	20500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1057 HRLY 00	Buffalo Dr, .3 mi S of Spring Mtn Rd.				9715	15200	16400	19000	18200	18600
1058	Rainbow Bl, .1 mi S of Russell Rd.				8500	10500	12700	12700	13300	20800
1059 HRLY 98	SR-589 (Sahara Av), .3 mi E of Maryland Pk.				41890	42700	41600	43000	43800	45000
1060 HRLY 97	Sahara Av, .2 mi W of SR-595 (Rainbow Bl).				28135	38100	39300	43500	43600	40000
1061 HRLY 98	Spring Mtn Rd, .2 mi W of SR-595 (Rainbow Bl).				17600	22300	20900	23000	21400	18700
1062	Flamingo Rd, .2 mi W of SR-595 (Rainbow Bl).					29300	30300	33000	33200	33000
1063	Flamingo Rd, .2 mi W of Buffalo Dr.					19200	19800	24000	24100	28500
1064 HRLY 98	Flamingo Rd, .1 mi W of Koval Ln.				51800	49000	52000	54000	56100	55500
1065	Tropicana Av, .2 mi W of SR-595 (Rainbow Bl).				23960	24200	27800	32000	33100	28500
1066 HRLY 96	Tropicana Av, W of Valley View Bl.				59700	70900	68100	65000	64500	60500
1067	Tropicana Av, .1 mi W of Buffalo Dr.				14200	14800	15800	20000	25300	17500
1068 HRLY 00	Desert Inn Rd, .2 mi W of the Boulder Highway.				35350	35800	36500	35800	36500	33000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1069 HRLY 98	Desert Inn Rd, 75' W of Cambridge St.				24680	24800	33000	37000	40100	39000
1070	Hacienda Av, .1 mi E of Eastern Av.							5150	5150	4250
1071	Spencer St, .1 mi S of SR-593 (Tropicana Av).							6050	6050	6300
1072 HRLY 00	Warm Springs Rd, .3 mi W of Eastern Av.				28060	34900	43000	39000	42200	41500
1073	Craig Rd, .2 mi W of Tenaya Wy.					8450	9100	9450	9700	9700
1074 HRLY 00	Needles Hw, 1.5 mi N of Casino Dr.					3900	3950	4500	4500	4200
1075 HRLY 00	Needles Hw, .3 mi S of Casino Dr.					7000	5550	6300	6700	6400
1076 HRLY 00	Casino Dr, .2 mi E of Needles Highway.					5700	4550	5300	4900	5050
1077 HRLY 00	Casino Dr, .4 mi S of Big Bend Rd.					6300	4950	5500	5350	5320
1078 HRLY 00	Casino Dr, .3 mi S of Edison Wy.					22400	19200	19500	20300	19100
1079 HRLY 99	Hualapai Wy, .2 mi N of SR-159 (Charleston Bl).							4350	8050	10400
1080 HRLY 00	Rampart Bl, .1 mi N of Summerlin Pk.					30700	27800	29200	28000	32500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1081 HRLY 98	Buffalo Dr, 150' N of the Summerlin Pk Intch "Exit 81-A".					31000	35200	41800	50200	59500
1082 HRLY 98	Buffalo Dr, S of the Summerlin Pk Intch "Exit 81-A".					33900	34800	49000	51800	51500
1083 HRLY 96	Sahara Av, .2 mi E of Fort Apache Rd.				23900	26500	30100	32500	34400	33500
1084 HRLY 97	Sahara Av, E of Grand Canyon Dr & .6 mi W of Fort Apache Rd.				1930	4850	4900	7900	8400	15100
1085 HRLY 00	Washington Av, .2 mi W of Rancho Dr.				15095	16300	16000	16000	16900	16800
1086	Rancho Dr, 100' N of Sirius Av.				8100	8800	9250	8700	8350	8350
1087 HRLY 99	US-93, .3 mi N of Buchanan Bl.							0	31200	31000
1088 HRLY 99	Nevada Hw, 200' S of 5th St.				13130	13400	13400	12300	14900	16700
1089 HRLY 99	Nevada Hw, S of Park St.				4520	4200	4250	3650	3950	4700
1090 HRLY 00	Alta Dr, .2 mi E of Decatur Bl.				8500	9300	9700	9600	10700	9100
1091 HRLY 00	Alta Dr, .1 mi E of Valley View Bl.				11630	13200	13500	12700	14100	10000
1092 HRLY 99	Alta Dr, .4 mi E of Rancho Rd.						17600	17600	18400	17800

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1093 HRLY 98	SR-160 (Pahrump Valley Rd), .7 mi W of Decatur Bl.				10500	12000	15600	15000	14700	15200
1094 HRLY 98	SR-160 (Pahrump Valley Rd), .3 mi W of SR-595 (Rainbow Bl).				6175	7700	8400	9600	9500	9800
1095 HRLY 99	Bonneville Av, .1 mi W of Main St.					10200	11800	12100	12000	11700
1096 HRLY 99	Buffalo Dr, .2 mi S of Alexander Rd.				4650	4850	4700	6350	7300	7700
1097 HRLY 98	Buffalo Dr, .1 mi S of Cheyenne Av.				8380	8750	13900	18500	23200	25200
1098 HRLY 00	Buffalo Dr, 200' N of Vegas Dr.					20700	21600	25600	38600	42000
1099 HRLY 00	Buffalo Dr, 200' N of Oakey Bl.					23200	23800	26500	28400	34500
1100 HRLY 98	SR-159 (Charleston Bl), .2 mi E of Buffalo Dr.				21620	23700	25800	28000	27700	30000
1101 HRLY 00	SR-159 (Charleston Bl), .2 mi W of Fort Apache Rd.					11400	15400	19000	22900	28300
1102 HRLY 98	Cheyenne Av, .3 mi E of Rampart Bl, E of Soaring Gulls Dr.						25400	29100	31900	32700
1103 HRLY 98	Cheyenne Av, .1 mi E of Buffalo Dr.				22750	24000	36200	39800	42900	43000
1104 HRLY 98	Decatur Bl, .8 mi N of Russell Rd.								30800	28500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1105 HRLY 98	Eastern Av, .3 mi N of Bonanza Rd.				30300	30800	32400	32400	32700	35000
1106 HRLY 00	Harmon Av, .1 mi W of Sandhill Rd.				5680	6300	7450	7000	6800	7200
1107 HRLY 99	Harmon Av, 300' E of Maryland Pk.				8700	10500	10700	11500	10500	10000
1108 HRLY 99	Harmon Av, 200' E of Eastern Av.				6870	9000	8550	8500	8000	8200
1109 HRLY 00	SR-147 (Lake Mead Bl), .2 mi W of Laguna Mist Dr.					34800	27000	29800	29500	28600
1111 HRLY 98	SR-595 (Rainbow Bl), 1.3 mi N of Wigwam Pk.				7600	8550	9600	9250	8300	7900
1112 HRLY 00	Rampart Bl, .1 mi S of Cheyenne Av.					18000	22600	24600	23600	25300
1113 HRLY 00	Rampart Bl, .1 mi S of Hillpointe Rd.					28100	28700	29900	28700	31500
1114 HRLY 98	Rampart Bl, .1 mi S of Angel Park Golf Club.					25500	29200	34500	36200	45500
1115 HRLY 00	Fort Apache Rd, .1 mi S of SR-159 (Charleston Bl).				17100	21200	23800	30000	31400	35500
1116	Fort Apache Rd, 400' S of Sahara Av.				14600	18200	19500	20900	21900	26600
1117 HRLY 98	SR-589 (Sahara Av), 200' W of Atlantic St.				37560	41300	39700	41000	40800	40500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		
1118 HRLY 00	Stewart Av, 300' E of Bruce St.				8790	10300	9400	8450	9550	8900		
1119 HRLY 98	Stewart Av, .25 mi W of Pecos Rd.				12130	13100	13000	11700	12100	12500		
1121 HRLY 00	Stewart Av, .2 mi W of SR-612 (Nellis Bl).				15120	16100	15600	15600	15600	16300		
1122 HRLY 98	Summerlin Pk, .6 mi W of Buffalo Dr Intch.					39100	42600	50500	53300	69500		
1123 HRLY 98	Summerlin Pk, .2 mi E of Buffalo Dr Intch.				40115	30035	44410	51870	62000	69115	81500	91000
1124	Valley View Bl, .1 mi S of SR-592 (Flamingo Rd).					12800	13100	11500	11700	11700		
1125 HRLY 00	Jones Bl, .2 mi S of SR-147 (Lake Mead Bl).				22070	24500	25400	24600	24900	26000		
1126 HRLY 00	Jones Bl, .5 mi N of SR-147 (Lake Mead Bl).				19350	22000	21300	20500	19000	19700		
1127 HRLY 00	SR-604 (Las Vegas Bl), .1 mi S of Pecos Rd.					24400	25100	22800	24500	27100		
1128 HRLY 99	Valley View Bl, .1 mi N of Alta Dr.					28000	27000	29000	33000	31000		
1129 HRLY 00	SR-573 (Craig Rd), 200' W of SR-610 (Lamb Bl).					27300	29200	29800	30000	30500		
1131 HRLY 98	US-95, N/B on-ramp of the Snow Mtn Intch "Exit 95".					70	75	85	105	140		

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1132 HRLY 98	US-95, N/B off-ramp of the Snow Mtn Intch "Exit 95".					300	325	440	445	510
1133 HRLY 98	US-95, S/B on-ramp of the Snow Mtn Intch "Exit 95".					260	285	440	410	520
1134 HRLY 98	US-95, S/B off-ramp of the Snow Mtn Intch "Exit 95".					60	65	85	95	110
1135 HRLY 00	US-95, .5 mi N of the Snow Mtn Intch "Exit 95".					5270	5480	5590	5685	6420
1136 HRLY 00	IR-15, SR-589 (Sahara Av Fly Over) "Exit 40".					13390	13605	12620	13265	12000
1137	Basic Rd, .1 mi S of SR-146 (Lake Mead Dr).							1400	1400	1300
1138	Atlantic Av, 70' S of SR-146 (Lake Mead Dr).							2450	2450	2300
1139	Appaloosa Rd, 250' N of Wagon Wheel Dr.							2350	2350	2700
1140	Burkholder Bl, .2 mi S of SR-146 (Lake Mead Dr).							3400	3400	4800
1141	Equestrian Dr, .1 mi E of Magic Wy.							3550	3550	3500
1142	Essex Av, E of Pueblo Bl.									290
1143	Ithaca Av, E of Pueblo Bl.									370

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1144	Mission Dr, .2 mi W of College Bl.							1150	1150	1700
1145	Newport Dr, .2 mi W of Racetrack Rd.							1650	1650	2050
1146 HRLY 98	Magic Wy, 127' S of Equestrian Dr.									2100
1147	Heather Dr, .1 mi E of Greenway Rd.									2400
1148	Olsen St, .1 mi N of SR-146 (Lake Mead Dr).							1550	1550	2000
1149	Anasazi Dr, 1.2 mi S of Summerlin Pk.							1900	1900	4300
1151	Farm Rd, 100' W of Torrey Pines.							300	300	1150
1153	Lake Las Vegas Pk, .3 mi N of SR-146 (Lake Mead Dr).							1700	1700	3800
1154	Stufflebeam Av, .1 mi W of Gibson Rd.							140	140	700
1155	High View Dr, .1 mi E of Green Valley Pk.							6900	6900	17900
1156	Seven Hills Dr, .2 mi S of SR-146 (Lake Mead Dr).							6100	6100	11500
1157 HRLY 98	Circus Circus Dr, 250' E of Industrial Rd.							6000	6000	6550

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1158	Riviera Bl, .15 mi E of SR-147 (Las Vegas Bl).							6900	6900	6000
1159	Alta Dr, .1 mi E of Town Center.							1200	1200	4700
1160	"H" St, 100' S of Carey Av.							5650	5650	5600
1162 HRLY 00	Russell Rd, .1 mi W of SR-595 (Rainbow Bl).							7650	8900	11500
1164	Patrick Ln, W of Pecos Rd.									6750
1171	Valley View Bl, .1 mi S of Sunset Rd.							95	95	2200
1174 HRLY 98	Burns Rd, 190' N of Sunset Rd.									1250
1175	Jimmy Durante Bl, N of Tropicana Av.									3300
1176 HRLY 98	Pabco Rd, 206' S of Sunset Rd.									1700
1178	Pebble Rd, 25' E of SR-595 (Rainbow Bl).							150	150	180
1179	Paradise Rd, .1 mi S of Warm Springs Rd.							8100	8100	8900
1180	Gillespie St, .2 mi N of Pebble Rd.							350	350	200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1181	Robindale Rd, .1 mi W of Eastern Av.							3500	3500	3600
1183	Serene Av, .1 mi W of Maryland Pk.									7400
1184 HRLY 98	Bermuda Rd, .1 mi N of Warm Springs Rd.							2000	2000	3500
1187	Silverado Ranch Rd, .2 mi W of Maryland Pk.							6450	6450	12200
1189	Cactus Av, .1 mi E of SR-147 (Las Vegas Bl).							100	100	1500
1190	Erie Av, 100' E of SR-604 (Las Vegas Bl).									1300
1191	Paseo Verde Pk, .1 mi E of Green Valley Pk.							7950	7950	8600
1192	Horizon Ridge Pk, .1 mi E of Gibson Rd.							6700	6700	7550
1193	Wynn Rd, 250' N of SR-593 (Tropicana Av).							8550	8550	8900
1194 HRLY 98	Arville St, 300' S of Spring Mtn Rd.									16300
1195	Palo Verde St, 250' S of Burkholder Bl.							3700	3700	4200
1196 HRLY 00	Ann Rd, .1 mi W of Rainbow Bl.							10750	10750	17000

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1197	Ann Rd, .2 mi E of Camino Eldorado.									6300
1198 HRLY 00	Elkhorn Rd, .2 mi E of Rainbow Bl.							1250	1250	4250
1199	Elkhorn Rd, .1 mi E of Jones Bl.							250	250	1000
1200	Cheyenne Av, 200' W of Rampart Bl.							20500	20500	26200
1201	Carey Av, 200' E of SR-610 (Lamb Bl).							6950	6950	4950
1202	Hualapai Wy, 200' N of Desert Inn Rd.							3000	3000	3250
1203 HRLY 00	Fort Apache Rd, 200' N of Flamingo Rd.							10000	10000	17800
1204 HRLY 98	Industrial Rd, .1 mi N of Desert Inn Rd.							29000	29000	26500
1205 HRLY 00	Rainbow Bl, .1 mi N of Vegas Dr.							19000	19000	21000
1208	Arrowhead Trail, 50' S of Horizon Dr.							4000	4000	4150
1211	Mitchell St, .1 mi N of Mc Guire St.							3850	3850	4250
1212	Walnut Rd, .3 mi E of Mitchell St.							720	720	600

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1215 HRLY 00	IR-215, W/B off-ramp to Valle Verde Dr.									3600
1216 HRLY 98	Arville St, 300' N of Russell Rd.							4900	4900	7600
1217	Harmon Av, .3 mi W of Industrail Rd , W of I-15 , E of Valley View Bl.							1100	1100	1350
1218	Rainbow Bl, S of SR-160 (Pahrump Valley Rd), N of Gomer Rd.							350	350	400
1219 HRLY 99	Cold Creek Rd, .1 mi E of US-95.								1000	1150
1221 HRLY 00	Reservation Rd, .5 mi S of SR-168 (Glendale-Moapa Rd).								380	350
1222 HRLY 99	Rainbow Canyon Dr, .1 mi S of SR-157 (Charleston Park).								630	630
1223 HRLY 00	Cotton Wood Dr, S of SR-159 (Blue Diamond).								300	250
1224 HRLY 00	Boulder Ln, W of McFarland Ave (Indian Springs).									500
1225 HRLY 99	McFarland Av, S of Boulder Lane (Indian Springs).								1250	1300
1226 HRLY 00	Yucca Dr, .1 mi N of SR-144 (Mesquite Bl).								750	770
1227 HRLY 99	Gann St, 25' W of SR-169 (Logandale).								360	350

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1228 HRLY 99	Maintenance Station Rd, NE of SR-160 (Pahrump Valley Rd) in Mtn Springs.								70	40
1229 HRLY 00	IR-215, E/B off-ramp to N/B I-15.									2000
1231 HRLY 00	IR-215, W/B on ramp from S/B I-15.									2000
1232 HRLY 00	IR-215, W/B on-ramp from N/B I-15.									2200
1234 HRLY 00	IR-215, E/B off-ramp to S/B I-15.									2200
1236	IR-215, E/B off-ramp to Stephanie St.									7300
1237 HRLY 00	IR-215, W/B on-ramp from Valle Verde Dr.									5900
1238	IR-215, btwn Green Valley Pk & Valle Verde Dr.									67200
1239	IR-215, btwn Valle Verde Dr & Stephanie Dr.									62700
1244	IR-15, S/B off/ramp of the Lamb Blvd. Intrch.									550
1245	IR-15, N/B on-ramp of the Lamb Blvd. Intrch.									550
2001	Hawthorne Wy, 200' S of Empress Dr, N of Vireo Dr. *local									
						175	125	125	130	150

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2002	Larkwood Av, 110' S of Flora Dr. *local					275	250	250	250	250
2003	Duero Wy, 180' S of Viking Rd. *local					185	160	160	210	200
2004	Mountain Spring Rd, 180' S of Fescue Place, S of Palmyra Av. *local					305	400	400	380	350
2005 HRLY 00	Lotus St, btwn Tara Av & Silver Dollar Av. *local					720	535	535	890	850
2006 HRLY 00	Cedarbrook Dr, 300' E of Oakleaf Ln, W of Piccolo Wy. *local					235	250	250	200	1200
2007 HRLY 00	Desert Ln, btwn Pinto Ln & Hastings Av.					1260	1200	1200	1120	1200
2008 HRLY 00	Goldy Ln, 100' S of Hyde Av. *local					655	680	680	680	500
2009 HRLY 00	Ducharme Av, 75' E of Cimmarron Rd. *local					810	915	915	840	700
2010 HRLY 00	Calvado St, 100' E of Tenaya Wy. *local					215	210	210	340	300
2011 HRLY 00	Eugene Av, 100' E of Michael Wy. *local					390	300	300	510	500
2012 HRLY 99	Robin St, 75' S of Fair Av, N of W Washington Av. *local					2300	1965	1965	1950	2000
2013 HRLY 00	Commerce St, 50' S of Lance Av, N of Carey Av. *local					3200	2730	2730	2800	7300

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2014 HRLY 99	Shady Hollow St, 300' W of Valley Dr. *local					135	115	115	130	130
2015 HRLY 00	Cummings Dr, btwn Paloma Dr & Del Prado Dr. *local					75	110	110	80	70
2017 HRLY 00	Gingerwood St, 300' N of Arvis St. *local					1300	1260	1260	1260	1100
2019 HRLY 00	18th St, 150' S of Constantine Av. *local					260	470	470	450	550
2020 HRLY 96	Webb Av, 300' W of Mc Daniel St. *local					530	540	540	430	550
2021 HRLY 00	Arthur Av, 300' S of Owens Av. *local					950	950	950	580	850
2022 HRLY 00	Gateway Rd, .1 mi S of SR-147 (Lake Mead Bl). *local					510	605	605	650	650
2023 HRLY 96	Herrod Dr, 100' N of Heather Av. *local					265	335	335	280	600
2024 HRLY 96	San Felipe St, btwn Cartier Av & Ponderosa Av. *local					260	230	230	200	300
2025 HRLY 96	San Carlos Av, 50' W of San Vincent St. *local					490	605	605	660	660
2026 HRLY 00	Glider St, 350' N of Lake Mead Bl, S of McGovern Av. *local					125	130	130	120	300
2027	Park North Av, 100' E of Webster St. *local					70	75	75	50	200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2029 HRLY 00	Gold Mist Av, 400' E of Pecos Rd. *local						1075	1075	1050	1100
2030 HRLY 00	Colton Av, 100' W of Tripoli Wy, W of Lamont St. *local					1200	1365	1365	1450	1450
2031 HRLY 99	Ringe Ln, 300' S of Cheyenne Av. *local					245	420	420	370	400
2032 HRLY 99	Sierra Sunrise St, .1 mi S of Carey Av. *local					215	300	300	250	300
2033 HRLY 99	Hathaway Dr, 75' E of Hollywood Bl. *local						710	710	710	400
2034 HRLY 99	Lady Bryon Ln, 50' N of Monroe Av. *local					250	330	330	320	300
2035 HRLY 99	Sherwin Ln, .1 mi S of Kell Ln. *local					350	540	540	400	400
2036	Diamond Head Dr, 300' E of Pecos Rd. *local					980	1055	1055	970	1050
2037 HRLY 00	Riata Wy, 150' N of Cedar Av. *local					345	375	375	380	200
2038 HRLY 00	Cleek St, 125' W of Abarth St. *local					100	205	205	170	170
2039	Winterwood Bl, btwn Nellis Bl & Danby Ln. *local					2200	1460	1460	2000	2000
2040 HRLY 99	Happy Valley Av, 100' E of Aloha St. *local					250	250	250	330	400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2041 HRLY 99	Montego Dr, 100' N of Montego Cr. *local					250	205	205	250	200
2042 HRLY 00	Don Quixote St, 100' N of Powell Av. *local					230	240	240	150	200
2043	Hollywood Bl, .1 mi N of Russell Rd. *local					225	1680	1680	1550	1550
2044 HRLY 00	Whitney Ranch Dr, .2 mi N of Sunset Rd. *local					11500	11100	11100	12100	13800
2045	Mulberry Dr, 150' W of Pacific Av. *local					330	265	265	265	265
2046	Beech St, 50' W of Continental Av.*local					305	435	435	320	320
2047 HRLY 99	Keena Dr, .1 mi S of Dutchman Av. *local					180	210	210	220	200
2048 HRLY 00	Coroneos Dr, 300' N/E of Sunset Rd.*local					330	235	235	270	350
2049 HRLY 99	Grimsby Av, .1 mi SW of Guilford Dr. *local					210	235	235	235	250
2050 HRLY 99	Muchacha Dr, 300' W of N Fuente Dr.*local					150	130	130	140	150
2051 HRLY 00	Navarre Dr, btwn Gana Ct & Listo Ct.*local					245	335	335	250	250
2052 HRLY 99	Valleywood Rd, btwn Aqua Vista Av & Belvedere Dr.*local					755	965	965	730	730

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2053 HRLY 99	Viewcrest Rd, btwn Locust Terrace & Belvedere Dr.*local					450	315	315	410	400
2054 HRLY 00	Almond Tree Ln, 150' W of Maryland Pk. *local					2000	1770	1770	1320	1750
2055 HRLY 00	Santa Rosa Dr, btwn San Pablo Dr & San Pedro Dr.* local					565	525	525	420	450
2056 HRLY 00	Capistrano Av, 100' E of La Canada St. *local					650	455	455	570	650
2057 HRLY 00	Holy Oak St, btwn Ridgewood Av & Autumn St. *local					465	455	455	490	400
2058	Twain Av, 50' N of Papago Ln. *local					6000	11300	11300	11300	11300
2059 HRLY 99	Jeffreys St, 50' N of Portabello Rd.*local					905	760	760	780	700
2060 HRLY 00	Rancho Hills Dr, 100' S of Surrey Ln.*local					275	265	265	265	250
2061 HRLY 00	Spencer St, 200' N of Reno Av.*local					7300	5540	5540	5500	5500
2062 HRLY 00	Valley Glen St, 50' S of Crest Av. *local					140	205	205	160	160
2063 HRLY 00	Balfour St, 50' S of Cadbury Dr.*local					275	260	260	250	250
2064	Brockington Dr, 150' W of La Palomas Ct. *local					490	470	470	370	400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2065	Alfalpa St, 25' S of Ponte Willow Ln. *local					220	250	250	250	250
2066	Palm Av, 150' N of Russell Rd. *local					845	915	915	880	800
2067	Northridge Ln, 100' W of Northridge Cr. *local						195	195	150	200
2068 HRLY 00	Bluffs Dr, 150' W of Raindance Dr. *local						1070	1070	940	900
2069 HRLY 00	Salinas Dr, 300' N of Santiago Dr.*local					200	170	170	150	150
2070 HRLY 99	Harrison Dr, 150' N of McLeod Dr.*local					1700	1575	1575	1850	1850
2071 HRLY 99	Maule Av, W of Pecos Rd. *local					420	405	405	280	300
2073 HRLY 00	Amigo St, 150' S of Warm Springs Rd. *local					2000	2250	2250	2000	2000
2075 HRLY 99	Quiet Desert Ln, 100' S of Oasis Cr (off of Wigwam Pk). *local					2400	2440	2440	1650	1650
2076 HRLY 00	Carriage Wy, 50' N of Wigwam Pk, W of Pecos Rd. *local					1700	1780	1780	1780	1800
2077	Calle De San Remo, 100' S of Via San Rafael Dr.*local					840	750	750	725	725
2078	Matterhorn Wy, 75' N of Rip Van Winkle Ln.*local					90	170	170	170	200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2079 HRLY 98	Tenaya Wy, .2 mi S of Centennial Pk.							5000	6600	6600
2080 HRLY 00	Rainbow Bl, .1 mi N of Hammer Ln.							4500	4800	5500
2081 HRLY 98	Lone Mountain Rd, 200' W of Torrey Pines Dr.							8300	9500	9500
2082 HRLY 00	Jones Bl, .1 mi N of SR-573 (Craig Rd).							10000	11100	11900
2083 HRLY 00	Jones Bl, 100' N of Washburn Rd.									10300
2084 HRLY 98	Lone Mountain Rd, .2 mi E of Decatur Bl.							7650	8400	8400
2085 HRLY 97	Alexander Rd, .1 mi E of Decatur Bl.								3500	3500
2086 HRLY 98	Gowan Rd, .4 mi E of Decatur Bl.							3250	3700	3700
2087 HRLY 98	Gowan Rd, .1 mi E of Clayton Dr.							2450	2800	2800
2088 HRLY 98	Alexander Rd, 300' W of M.L.K.Bl.							3800	4650	4650
2089 HRLY 98	Lone Mountain Rd, 100' W of Scott Robinson St.							4700	5100	5100
2090 HRLY 98	Tropical Pk, .4 mi W of Camino Eldorado.							1850	2500	2500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2091 HRLY 98	Tropical Pk, .3 mi E of Camino Eldarado .							580	850	850
2092 HRLY 98	SR-573 (Craig Rd), .3 mi E of N 5th St.							36500	36800	40000
2093 HRLY 98	Losee Rd, .3 mi S of Carey Av.								17000	17000
2094 HRLY 98	Martin L King Bl, .1 mi S of Vegas Dr.							13000	27100	27600
2095 HRLY 98	Lone Mountain Rd, .1 mi W of US-95 ramps.							7400*	7600	7600
2096 HRLY 98	Alexander Rd, .4 mi W of Buffalo Dr.							5000	4450	4700
2097 HRLY 98	Alexander Rd, .2 mi E of Tenaya Wy.							6750	6650	7000
2098 HRLY 98	Torrey Pines Dr, .4 mi N of Gowan Rd.							1850	1750	1750
2099 HRLY 98	Tenaya Wy, .2 mi S of Alexander Rd.							6900	7800	7800
2100 HRLY 00	Gowan Rd, .3 mi E of Tenaya Wy.							5650	6400	6400
2101 HRLY 00	Torrey Pines Dr, 200' N of Peak St.							5050	5400	5350
2102 HRLY 00	Lake Mead Bl, .3 mi E of Thomas Ryan.							3550	3550	3900

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2103 HRLY 00	Hills Center Dr, .2 mi S of Lake Mead Bl.							8100	8100	11600
2104 HRLY 00	Lake Mead Blvd., .2 mi W of Tenaya Wy.							42000	43100	42000
2105 HRLY 00	Smoke Ranch Rd, .1 mi E of Tenaya Wy.							13000	13800	13700
2106 HRLY 00	Torrey Pines Dr, .1 mi N of Lake Mead Bl.							8700	9600	9500
2107 HRLY 00	Lake Mead Bl, .2 mi E of Michael Wy.							28500	29300	28300
2108 HRLY 00	Vegas Dr, .2 mi W of Rancho Dr.							11000	10300	10600
2109 HRLY 00	Vegas Dr, .2 mi E of Tenaya Wy.								9050	9350
2112 HRLY 00	Torrey Pines Dr, .1 mi N of Washington Av.								8400	9200
2113 HRLY 00	Decatur Bl, .25 mi S of Washington Av.									44500
2116 HRLY 00	Durango Dr, .3 mi S of Westcliff Dr.							8100	8800	10200
2117 HRLY 00	Alta Dr, .3 mi W of Buffalo Dr.								8850	8850
2118 HRLY 00	Torrey Pines Dr, .3 mi N of Alta Dr.								0	8900

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2119 HRLY 00	Alta Dr, 150' W of Upland Dr.									11400
2121 HRLY 00	Torrey Pines Dr, 100' N of Oakey Bl.								8900	10100
2123 HRLY 00	Buffalo Dr, .3 mi N of SR-159 (Charleston Bl).									54000
2124 HRLY 00	SR-159 (Charleston Blvd), .2 mi E of Durango Rd.									41500
2125 HRLY 00	Durango Dr, .3 mi S of SR-159 (Charleston Bl).							16000	18400	28000
2127 HRLY 97	Rancho Rd, .2 mi S of SR-595 (Sahara Av).								11000	11000
2128 HRLY 97	Torrey Pines Dr, .25 mi S of Edna Dr.								4700	4700
2129 HRLY 98	Desert Inn Rd, .1 mi E of Crystal Water Wy.							8000	10500	10500
2130 HRLY 00	Durango Dr, 260' N of Spring Mtn Rd.								24700	19000
2131 HRLY 00	Durango Dr, .2 mi S of Spring Mtn Rd.								25700	19600
2132 HRLY 00	Buffalo Dr, 50' N of Homage Wy.								18900	27800
2133 HRLY 00	Desert Inn Rd, .2 mi W of Torrey Pines Dr.							11500	25800	25200

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2134 HRLY 00	Desert Inn Rd, .3 mi E of Decatur Bl.							21000	33900	34000
2135 HRLY 00	Desert Inn Rd, .2 mi E of Valley View Bl.							36000	47900	44000
2136 HRLY 00	Decatur Bl, .1 mi N of Twain Av.							36000	37500	37000
2137 HRLY 00	Torrey Pines Dr, .2 mi S of Twain Av.								4500	5150
2138 HRLY 98	Buffalo Dr, .3 mi S of Flamingo Rd.							12000	14200	14500
2139 HRLY 98	Torrey Pines Dr, .1 mi S of Harmon Av.								4900	5600
2140 HRLY 00	Decatur Bl, .1 mi N of Harmon Av.								28600	42000
2141 HRLY 00	SR-604 (Las Vegas Bl), .3 mi N of Wigwam Pk.							20000	24000	35000
2142	Wigwam Av, 50' W of Giles St.								750	750
2143 HRLY 00	SR-604 (Las Vegas Bl), .2 mi N of Pebble Rd.									26500
2144 HRLY 00	Pebble Rd, .2 mi E of Bermuda Rd.									8450
2145 HRLY 00	Windmill Ln, .3 mi W of Maryland Pk.									23500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2146 HRLY 00	Windmill Ln, .2 mi E of Spencer St.								19800	23500
2147 HRLY 00	Windmill Ln, .4 mi E of Eastern Av.							19500	19500	19500
2148 HRLY 00	Windmill Ln, .5 mi E of Pecos Rd.							13000	13000	15500
2149 HRLY 00	Eastern Av, .2 mi S of Windmill Ln.									35500
2150 HRLY 00	Wigwam Av, .1 mi W of Eastern Av.							2400	2400	3100
2151 HRLY 00	Pebble Rd, .1 mi W of Pecos Rd.									8300
2153 HRLY 00	Pecos Rd, .3 mi S of Wigwam Pk.							9150	15600	22400
2154 HRLY 98	Wigwam Av, .3 mi E of Pecos Rd.								19100	19100
2156 HRLY 00	Wigwam Av, .3 mi E of Green Valley Pk.									8050
2157 HRLY 00	Green Valley Pk, .2 mi N of Windmill Ln.								24300	26800
2158 HRLY 00	Valley Verde Dr, .2 mi N of SR-146 (Lake Mead Dr).							9450	9800	12300
2160 HRLY 00	Valley Verde Dr, .3 mi N of Wigwam Pk.								8100	9750

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2161 HRLY 00	Windmill Ln, 260' E of Valley Verde Dr.							5600	5950	5500
2162 HRLY 00	Valley Verde Dr, .2 mi N of Windmill Ln.							8300	8100	8100
2163 HRLY 00	Warm Springs Rd, .1 mi E of Valley Verde Dr.							26000	26000	23500
2164 HRLY 00	Arroyo Grande St, .4 mi S of Warmsprings Rd.								10300	9000
2165 HRLY 98	Warm Springs Rd, .2 mi E of Arroyo Grande Bl.							24000	32000	32000
2166 HRLY 00	Stephanie St, .1 mi N of Warmsprings Rd.							21000	25100	26200
2167 HRLY 00	Warm Springs Rd, .5 mi E of Stephanie St.							8550	12100	16300
2168 HRLY 00	Van Wagenen St, .5 mi S of SR-146 (Lake Mead Dr).							6350	6900	8200
2172 HRLY 00	SR-582 (Boulder Hw), .4 mi S of Equestrian Wy.								10800	11500
2173 HRLY 00	Horizon Dr, 50' E of Arrowhead Dr.								13600	16700
2174 HRLY 98	Greenway Rd, btwn Boulder Hiway & U.P.R.R.							7700	7700	7700
2175	Warm Springs Rd, in Henderson off SR-146 (Lake Mead Dr), .4 mi S of Center St.								7850	7850

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2176 HRLY 00	Athens St, S of Evelyn St.							4550	5450	7400
2177 HRLY 00	Galleria Dr, .3 mi E of Stephanie St.							2200	2700	3250
2178 HRLY 00	Stephanie St, .1 mi N of Galleria Dr.							13000	12800	15400
2179 HRLY 00	Whitney Ranch Rd, 100' N of Galleria Dr.							8850	9400	10400
2182 HRLY 00	Nellis Bl, .1 mi N of Hacienda Av.							3750	3800	5300
2183 HRLY 00	Tropicana Av, 100' W of Stephanie St.									10300
2184 HRLY 00	Harmon Av, .1 mi W of SR- 612 (Nellis Bl).							4250	3600	6500
2185 HRLY 00	Mountain Vista St, .3 mi N of Harmon Av.							12000	13400	14100
2186	Flamingo Av, .2 mi W of Cabana Dr.								9100	9100
2187 HRLY 00	Flamingo Av, 75' W of SR-612 (Nellis Bl).								25400	28000
2188 HRLY 00	Maryland Pk, .2 mi S of Vegas Valley Dr.								42100	43000
2189 HRLY 00	Karen Rd, .2 mi E of Joe W Brown Dr.								12400	12400

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
2190 HRLY 00	Maryland Pk, .2 mi S of Oakey Bl.							26000	32200	27600
2191 HRLY 00	SR-159 (Charleston Bl), .2 mi W of Christy Ln.								32800	31500
2192 HRLY 00	Hollywood Bl, 150' N of Stewart Av.							7100	7950	9250
2193 HRLY 00	Hollywood Bl, .4 mi S of SR-147 (Lake Mead Bl).							5750	5750	11700
2194 HRLY 00	Pecos Rd, .1 mi N of Gowan Rd.							6250	6250	8600
2196 HRLY 00	Ogden Av, .1 mi W of Main St.							4850	4850	5750
2197 HRLY 00	Fremont St, 50' W of Maryland Pk.								13200	12400
2198 HRLY 00	Stewart St, 50' W of Maryland Pk.								9150	9200
2199 HRLY 00	Russell Rd, .3 mi W of Spencer St.								22500	30000
2201 HRLY 00	SR-604 (Las Vegas Bl), S of Sunset Rd.								26500	24600
2203 HRLY 00	Pecos Rd, .4 mi S of Windmill Ln.									25200
2204 HRLY 00	Decatur Bl, .2 mi N of Oakey Bl.									49500

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
4001 HRLY 00	Fourth St, N of Ogden Av.									4400
4002 HRLY 00	Fourth St, N of Charleston Bl.									7700
4003	Ann Rd, .1 mi W of Torrey Pines Dr.									11200 18000
4004 HRLY 00	Arizona St, E of "B" St									2800 2700
4005 HRLY 00	Charleston Bl, btwn Treeline Dr and Hollywood Bl.									6550
4006 HRLY 00	Cheyenne Av, W of Durango.									23200 23500
4007 HRLY 00	Colorado St, W of Nevada Hw.									1120* 1150
4008 HRLY 00	Durango Dr, N of Lone Mountain Rd.									3000 6850
4009 HRLY 00	Durango Dr, btwn Flamingo Rd & Tropicana Av.									18000 18300
4011 HRLY 00	Grand Central Pk, N of Bonneville St.									5200
4012 HRLY 00	Industrial Rd, btwn Flamingo Rd & Tropicana Av.									17500 25000
4013 HRLY 00	Lake Mountain Dr, W of US-93.									2200 2100

CLARK COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
4014 HRLY 00	Michael Wy, btwn Smoke Ranch Rd & Rancho Dr.								4400	4400
4015 HRLY 00	Owens Av, W of Hollywood Bl.									37500
4017 HRLY 00	Rampart Bl (Durango), N of Cheyenne Av.								11900	20400
4018 HRLY 00	Russel Rd, W of Rainbow Bl.								8900	14800
4019 HRLY 00	Russell Rd, W of Valley View Bl.								24200	25500
4020 HRLY 00	Sahara Av, W of Treeline Dr.								0	13600
4021 HRLY 00	Silverado Rancho Bl, W of Eastern Av.									17800
4022 HRLY 00	Smoke Ranch Rd, btwn Rainbow Bl & Rancho Rd.								13000	13000
4023 HRLY 00	Sping Mountain Rd, W of Durango Dr.								8550	9000
4024 HRLY 00	Spring Mountain Rd, W of Buffalo Dr.								15600	16200
4027 HRLY 00	Yucca St, N of US-93.								2250	2900

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001


 station number 33 is 0033

 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.





DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	US-395, at the NV/CA Stateline (Topaz Lake Area).									
	3640	3495	4130	3845	3940	4050	3700	3700	3750	3900
0002 HRLY 00	US-395, .3 mi S of the S leg of Wye of SR-208.									
	3975	3865	4470	4460	4570	4600	4350	4550	4500	4700
0003 HRLY 00	SR-208 (Topaz-Yerington Rd), 1 mi E of US-395, 100' W of mp SR-208/D0-1.									
	2355	2460	3060	3000	3075	3050	3100	3150	3200	3550
0005 HRLY 00	US-395, .1 mi S of mp 16 at the driveway to the trailer park.									
	5950	6840	6960	6870	7125	7000	6900	7050	6700	6800
0006 HRLY 00	US-395, .1 mi S of Toler Av.									
	14500	14650	18800	18150	19970	20400	20200	20800	21200	22700
0007 HRLY 00	US-395, 30' S of Eddy St.									
	16000	15800	19500	19000	20600	20600	20400	21000	21600	23200
0008 HRLY 00	US-395, 29' S of High School St.									
	19300	19100	23100	22300	24250	24200	23700	24300	25300	26500
0009 HRLY 00	US-395, 93' N of Bell St.									
	20100	20100	22900	20850	23860	23800	23800	24400	25500	26500
0010 HRLY 00	US-395, 150' S of Sixth St.									
	17000	17150	21200	19300	21060	22100	22100	22800	25900	24200
0011 HRLY 00	US-395, 400' S of the E leg of wye of SR-88.									
	15600	15500	20500	19000	21050	21700	22200	22300	23000	24300
0012 HRLY 00	SR-88 (Woodfords Rd), .2 mi N of County Rd.									
	7110	8245	7140	9800	10770	10700	11600	11800	12800	12600
0013 HRLY 00	SR-207 (Mottsville Ln), .3 mi W of SR-88.									
				2880	3200	3500	3500	3500*	4300	4300

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0014 HRLY 00	SR-88 (Woodfords Rd), .1 mi S of SR-207 (Waterloo & Mottsville Ln).									
	5250	6235	5970	7050	7800*	8400	8600*	9000	8900	9250
0015 HRLY 00	Waterloo Ln, .2 mi E of SR-88.									
					2980	1300	1300	1300	1500	1700
0016 HRLY 00	SR-756 (Gilman Av), 150' W of US-395.									
	5770	5465	5510	5160	5190	5300	5300	5400	5400	5650
0017 HRLY 00	SR-756 (Centerville Ln), .1 mi N of SR-207 (Waterloo Ln).									
	5405	5425	6390	5000	5025	5300	7900	8050	8100	9250
0018 HRLY 99	SR-756 (Centerville Ln), .1 mi E of SR-88.									
	2710	2715	3070	2900	2860	3300	3650	3450	3700	3850
0019 HRLY 00	SR-88, .1 mi N of the bridge over the W Fork of the Carson River.									
	2735	2715	2870	3200	3360	3150	3550	3400	3550	3600
0021 HRLY 00	SR-206 (Fairview Rd), 380' W of SR-88.									
	260	265	360	300	390	400	400	380	460	550
0022	SR-206 (Fairview Rd), 1 mi W of SR-88 & .1 mi W of Fredricksburg Rd.									
	325	330	425	375	475	470	470	450	500	610
0023 HRLY 00	SR-206 (Foothill Rd), 200' S of SR-207 (Kingsbury Grade).									
	2530	2420	3600	3250	3530	3550	3560	2400*	2250	2250
0024 HRLY 00	SR-207 (Kingsbury Grade Rd), .3 mi W of SR-206 (Foothill Rd).									
	4275	4090	5130	4635	4865	5200	4450	4450*	5500	4850
0025 HRLY 00	SR-206 (Foothill Rd), .1 mi N of SR-207 (Kingsbury Grade).									
	1395	1395	1880	1500	1930	2100	2700	2400	2350	2200
0026 HRLY 00	SR-757 (Muller Ln), 200' W of US-395.									
	935	935	1100	1070	1200	1250	1300	1450	1400	1500

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0027 HRLY 00	SR-206 (Foothill Rd), 2.2 mi N of SR-757 (Muller Ln).									
	1230	1075	1460	1370	1570	1600	1550	1600	1950	1800
0028 HRLY 00	SR-206 (Genoa Ln), 200' W of US-395.									
	935	825	1040	1010	1190	1250	1300	1250	1450	1400
0029 HRLY 00	US-395, .1 mi S of Muller Ln.									
	16550	17300	19200	20450	22020	23300	23800	24100	25200	26600
0030 HRLY 00	US-395, 300' S of SR-206 (Genoa Ln).									
	16300	17200	18300	20545	21590	22600	24200	25100	25900	27300
0031 HRLY 00	US-395, .1 mi N of SR-206 (Genoa Ln).									
	16100	17000	18300	20300	21350	22600	22900	24500	26200	27000
0032 HRLY 97	SR-759 (Douglas County Airport Rd), .1 mi E of US-395.									
	1205	1170	1360	1400	1800	1950	1900	2300	2300	2300
0033 HRLY 00	US-395, .4 mi N of Stephanie Wy.									
	15800	16800	18300	20300	21760	23100	23500	25100	26400	27700
0034 HRLY 00	Jacks Valley Rd, .15 mi W of US-395.									
				3250	3560	3400	4450	4500	7400	9000
0035 HRLY 00	SR-28 (North Shore Rd), .2 mi N of US-50.									
	4965	4560	4800	5500	5800	5650	5500	6300	6300	6000
0036 HRLY 00	US-50, .1 mi W of SR-28 at mp D012.									
	10850	10400	11600	11400	11700	12800	11300	11300	11700	12700
0037 HRLY 00	US-50, 600' W of the road to Glenbrook.									
	13200	11100	12400	12190	11750	12900	11300	11300	11700	12700
0038 HRLY 97	US-50, .3 mi E of SR-760 to Nevada Beach & Elk Point.									
	16900	14800	17400	16260	15540	15600	18300	18300	19600	18300

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0039 HRLY 00	SR-760 (Nevada Beach Rd), 795	.5 mi W of US-50. 695		950	1085	1100	1000	1400*	1500	1200
0040 HRLY 00	US-50, .4 mi E of SR-207 (Kingsbury Grade) at mp D01. 21500	19400	21500	20665	21030	21200	20300	20300	21800	20300
0041 HRLY 00	US-50, 300' E of SR-207 (Kingsbury Grade). 24600	24400	26100	26240	25890	25200	21100	20300	25900	23000
0042 HRLY 00	SR-207 (Kingsbury Grade), 350' E of US-50. 18200	19250	18900	16650	16820	15100	15500	14900	15100	15200
0043 HRLY 00	SR-207 (Kingsbury Grade), .5 mi E of US-50. 12150	12800	12600	11400	12370	11600	11400	11400*	11300	11400
0044 HRLY 98	US-50, 300' E of the NV\CA State line. 31200	31100	29300	29070	28740	27900	27900	26700	26700	27800
0045 HRLY 00	US-395, .5 mi N of Jacks Valley Rd, 10' S of the rd to the Liberty Baptist Church. 21500	22600	24200	25600	27280	30600	29800	32200	33600	37600
0048 HRLY 97	Foothill Rd, .1 mi S of Alpine View Ct. 1120			1310		1300	1475	1400	1700	1700
0049 HRLY 00	Jack's Valley Rd, .4 mi N of SR-206 (Genoa Ln). 1815					1900	1900	2050	2250	2250
0050 HRLY 00	Pinenut Rd, .1 mi E of US-395. 1800				1925	2100	2250	2500	2400	2600
0051 HRLY 00	E Valley Rd, .1 mi NW of Pinenut Rd. 375				400	420	500	600	550	680
0052 HRLY 00	Johnson Ln, .2 mi E of US-395. 3515					3900	3900	4300	4600	4800

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0054 HRLY 00	Johnson Ln, 250' E of Clapham Ln.				2340	2400	2400	2550	2700	2950				
0055 HRLY 00	Waterloo Ln, .1 mi W of US-395.	2900	3500	4120	3350	3675	4300	4200	4250	4750	5800			
0056 HRLY 99	Waterloo Ln, .2 mi E of US-395.				3580	3900	4200	4250	4750	5050				
0057 HRLY 99	Toler Av, 100' W of Elges Rd.			1970	2215	2600	2750	2900	3150	3450				
0058 HRLY 00	Toler Av, .2 mi E of Elges Rd.			2180	2450	3100	3000	3300	3400	3800				
0059 HRLY 00	US-395, 200' S of the N Leg of Industrial Wy .				14950	15150	15400	15960	18060	17800	17000	17300*	17800	20000
0060 HRLY 98	SR-88 (Woodfords Rd), 1 mi S of US-395.				6830	7505	7370	9100	10000	10200	9900	10100	10100	10500
0062 HRLY 00	Centerville Ln, .1 mi W of Sheridan Wy & 150' E of SR-206 (Foothill Rd).				2470	2260	2360	2400	3100	2000*	2050	2200		
0063 HRLY 00	Centerville Ln, .7 mi W of SR-88.				2760	2600	2630	2700	3400	2450*	2400	2600		
0064 HRLY 00	County Rd, .1 mi E of SR-88.			1865	2545	2975	2550	3100	3150	3400	4050			
0065 HRLY 00	County Rd, 200' W of Tenth St.			2250	2265	2660	2600	3150	3200	3200	3800			
0066 HRLY 00	Kimmerling Rd, 75' E of Short Ct.			5700	6300	6700	6500	6400	6600	6500	6650			

DOUGLAS COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0067 HRLY 00	US-395, .5 mi N of Johnson Ln at mp D0-28.60.									
			18600	18400	20175	21400	21800	22400	23800	25000
0068 HRLY 00	SR-756 (Centerville Rd), N of Dresslerville Rd.									
							7700	7850	7900	9000
0069 HRLY 00	US-395, .6 mi S of Pine Nut Rd.									
							9900	10100	10100	10000

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:



Example: station number 1 is 0001


station number 33 is 0033


station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.









CARLIN



WELLS



MONTELLO




SPRING CREEK


INTERSTATE INTERCHANGES

07


WEST CARLIN 279




CENTRAL CARLIN 280




EAST CARLIN 282




HUNTER 292




ELKO WEST 298




ELKO DOWNTOWN 301




ELKO EAST 303




OSINO 310




**RYNDON-DEVIL'S
GATE 314**




**DEVILS GATE
-ELBURZ 317**




**HALLECK-RUBY
VALLEY 321**




RIVER RANCH 328




**DEETH-STARR
VALLEY 333**




**WELCOME-STARR
VALLEY 343**




CRESTED ACRES 348




WEST WELLS 351




U.S.93 EAST WELLS 352




MOOR 360



**INDEPENDENCE
VALLEY 365**




SUMMIT 373




INTERSTATE INTERCHANGES

07


PEQUOP 376




OASIS 378




SHAFTER 387



PILOT PEAK 398



WEST WENDOVER 410



ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	SR-221 (Chestnut St) in Carlin, .5 mi W of Tenth St.									
	780	1790	1110	925	775	930	1150	1150	1150	900
0002 HRLY 00	SR-766 (Newmont Mine Rd), 5 mi N of the Central Carlin Intch "Exit 280" & 75' N of Dump Rd.									
	2225	2555	2900	3830	3035	2800	2600	2500	2500	2500
0006 HRLY 00	SR-221 (Chestnut St) in Carlin, 200' E of Eight St.									
	965	1250	1360	1240	1095	1300	1350	1550	1550	1550
0007 HRLY 99	IR-80, near mp I-80 EL10 E of the E Carlin Intch "Exit 282".									
	7480	8365	8495	10270	9465	9475	9870	9790	10005	10270
0008 HRLY 00	IR-80, E/B off-ramp of the Hunter Intch "Exit 292", 400' W of the cross traffic rd.									
	40	45	45	45	30	30	30	30	40	40
0011 HRLY 00	IR-80, E/B on-ramp of the Hunter Intch "Exit 292", 250' E of the cross traffic rd.									
	85	95	90	95	100	100	135	105	70	70
0013 HRLY 00	IR-80, W/B off-ramp of the Hunter Intch "Exit 292", 400' E of the cross traffic rd.									
	85	95	90	95	75	100	100	70	80	80
0015 HRLY 00	IR-80, W/B on-ramp of the Hunter Intch "Exit 292", 150' W of the cross traffic rd.									
	40	45	45	45	30	30	35	40	50	50
0016 HRLY 00	SR-535 (Idaho St), .3 mi E of the E/B off-ramp of the Elko W Intch "Exit 298".									
	1265	1370	1400	2000	1600	1600	2550	2400	2500	2500
0017	SR-535 (Idaho St), .4 mi W of Mountain City Hw.									
	2235	3320	2600	3700	3700	3300	3800	3800	3400	3400
0020 HRLY 00	SR-227 (Fifth St), 150' S of SR-535 (Idaho St).									
	9180	9275	9620	10800	11300	10700	11000	10300	9700	10700
0024 HRLY 00	SR-225 (Mountain City Hw), .1 mi N of Adobe Heights Rd, 3.45 mi N of IR-80.									
	1000	915	970	895	870	1050	1250	1130	1000	1100

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0025 HRLY 00	SR-225 (Mountain City Hw), N of Dinner Station, .4 mi S of SR-226.									
	830	870	890	785	770	840	1050	950	880	880
0026 HRLY 00	SR-225 (Mountain City Hw), 150' N of SR-226.									
	730	745	760	660	750	700	720	650	660	650
0027 HRLY 00	SR-226 (Deep Creek Rd), .1 mi W of SR-225 to Mountain City.									
	145	145	140	170	150	150	150	140	150	120
0031 HRLY 00	SR-225 (Mountain City Hw), 1.7 mi S of Maggie Summit Rd.									
	275	325	300	275	270	305	330	320	360	330
0034 HRLY 00	SR-225 (Mountain City Hw), .6 mi N of milepost 108.									
	335	365	340	325	305	335	365	370	420	380
0037 HRLY 00	SR-225 (Mountain City Hw), 3.7 mi N of South Boundary of Duck Valley Indian Reservation.									
	430	465	460	390	430	475	485	470	470	440
0038 HRLY 00	Wilson Reservoir Rd, .3 mi W of SR-225, just S of Owyhee.									
			670	460	600	650	620	700	590	590
0041 HRLY 00	SR-225 (Mountain City Hw), 150' S of the NV/ID State line.									
	510	560	560	570	630	700	670	750*	810	950
0047 HRLY 00	SR-226 (Deep Creek Rd), 1.5 mi N of Old SR-18 to Tuscarora.									
	120	125	120	110	95	100	100	90	120	110
0052 HRLY 98	SR-228 (Jiggs Rd), 150' S of SR-227 to Lamoille.									
	850	1095	840	1140	1365	1400	1350	1350	1250	1250
0053 HRLY 00	SR-227 (Lamoille Rd), .2 mi S of SR-228 to Jiggs.									
	4970	5010	6080	6615	8325	9500	10300	10300	10200	10500
0054 HRLY 00	Lamoille Canyon Rd, .1 mi S of SR-227.									
			320	300	300	300	285	310	340	310

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0055 HRLY 00	SR-227 (Lamoille Rd), .2 mi. E of county rd to Lamoille Canyon.									
	900	905	1090	945	1030	1100	950	1050	970	1050
0057 HRLY 00	SR-228 (Jiggs Rd), .1 mi N of Woods Lane to Lee.									
	220	260	300	325	325	350	365	365	330	400
0063 HRLY 00	SR-767 (Ruby Valley Rd), 16.7 mi S of Wye of SR-229 & SR-767.									
	45	40	30	40	35	45	45	45	55	50
0064 HRLY 00	SR-767 (Ruby Valley Rd), .1 mi S of the leg of Wye of SR-229.									
	80	105	75	85	110	110	110	115	115	110
0065 HRLY 00	SR-229 (Ruby Valley Rd), .8 mi E of the N leg of Wye to SR-229.									
	85	95	90	90	110	110	110	115	105	100
0069 HRLY 00	SR-229 (Secret Pass Rd), .1 mi N of the county rd to Arthur in Ruby Valley.									
	130	150	125	150	140	190	190	190	120	200
0070 HRLY 00	Lamoille Valley Rd, 50' S of SR-229.									
				60	75	75	100	100	90	60
0071 HRLY 00	SR-229 (Secret Pass Rd), .6 mi E of the Lamoille Valley Rd.									
	125	135	130	150	140	140	200	200	140	160
0074 HRLY 00	SR-230 (Starr Valley Rd), .6 mi S of Starr Valley County Rd.									
	70	70	80	110	150	150	150	150	90	110
0076 HRLY 00	SR-230 (Starr Valley Rd), .1 mi N of the County Rd to Deeth.									
	85	65	80	115	160	160	220	220	140	120
0077 HRLY 00	IR-80, E/B off-ramp of the Osino Intch "Exit 310", .2 mi W of the cross traffic rd.									
	160	200	140	270	330	380	455	475	320	450
0079 HRLY 00	IR-80, E/B on-ramp of the Osino Intch "Exit 310", .15 mi E of the cross traffic rd.									
	170	190	110	215	245	245	225	230	200	210

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0081 HRLY 00	IR-80, W/B off-ramp of the Osino Intch "Exit 310", .2 mi E of the cross traffic rd. 170 190 110 215 245 245 225 170 200									160
0083 HRLY 00	IR-80, W/B on-ramp of the Osino Intch "Exit 310", .15 mi W of the cross traffic rd. 160 200 140 270 330 380 450 505 320									490
0084 HRLY 00	IR-80, E/B off-ramp of the Ryndon Intch "Exit 314" .2 mi W of the cross traffic rd. 365 380 495 440 470 550 690 550 430									400
0086 HRLY 00	IR-80, E/B on-ramp of the Ryndon Intch "Exit 314", .2 mi from the cross traffic rd. 60 65 65 50 60 60 40 40 50									40
0088 HRLY 00	IR-80, W/B off-ramp of the Ryndon Intch "Exit 314", .2 mi E of the cross traffic rd. 45 50 50 45 50 50 40 40 40									40
0091 HRLY 00	IR-80, W/B on-ramp of the Ryndon Intch "Exit 314", .2 W of the cross traffic rd. 350 365 480 440 460 550 570 600 400									400
0092 HRLY 00	IR-80, E/B off-ramp of the Elburz Intch "Exit 317", .1 mi E of the cross traffic rd. 125 95 90 120 170 200 200 200 180									90
0094 HRLY 00	IR-80, E/B on-ramp of the Elburz Intch "Exit 317", .2 mi W of the cross traffic rd. 20 35 30 120 40 40 15 15 20									30
0096 HRLY 00	IR-80, W/B off-ramp of the Elburz Intch "Exit 317", .2 mi E of the cross traffic rd. 35 35 30 50 40 40 20 20 20									20
0098 HRLY 00	IR-80, W/B on-ramp of the Elburz Intch "Exit 317", .2 mi W of the cross traffic rd. 140 95 90 50 165 200 185 185 180									100
0099 HRLY 00	IR-80, 1.2 mi W of Halleck Intch "Exit 321". 5290 5625 5635 5630 6120 6155 5905 6575 6360									6820
0100 HRLY 00	IR-80, E/B off-ramp of the Halleck Intch "Exit 321", 75' W of the cross traffic rd. 95 100 55 100 105 120 140 125 120									110

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0101 HRLY 00	SR-229 (Secret Pass Rd), 200' S of the E/B off-ramp of the Halleck Intch "Exit 321".									330
	195	180	200	205	195	200	270	270	250	
0102 HRLY 00	IR-80, E/B on-ramp of the Halleck Intch "Exit 321", .1 mi E of cross traffic rd.									40
	30	40	40	35	35	35	35	45	30	
0103 HRLY 00	IR-80, W/B off-ramp of the Halleck Intch "Exit 321", 100' W of the W/B lanes.									40
	80	40	35	25	35	35	35	25	30	
0104 HRLY 00	IR-80, W/B on-ramp of the Halleck Intch "Exit 321", .1 mi W of the W/B off-ramp.									120
	95	100	50	105	100	120	140	105	110	
0105 HRLY 00	IR-80, E/B off-ramp of the River Ranch Intch "Exit 328", 300' E of the E/B lanes.									80
	25	25	25	40	50	55	55	55	70	
0107 HRLY 00	IR-80, E/B on-ramp of the River Ranch Intch "Exit 328", .2 mi E of cross traffic rd.									30
	25	25	25	40	40	40	40	40	40	
0109 HRLY 00	IR-80, W/B off-ramp of the River Ranch Intch "Exit 328", .2 mi E of the cross traffic rd.									30
	30	30	30	35	40	50	50	50	50	
0111 HRLY 00	IR-80, W/B on-ramp of the River Ranch Intch "Exit 328", .2 mi W of the cross traffic rd.									80
	30	30	30	35	40	55	55	55	70	
0112 HRLY 00	IR-80, .3 mi E of the River Ranch Intch "Exit 328".									6570
	5160	5505	5605	5485	5975	5965	5675	6395	6140	
0113 HRLY 00	IR-80, E/B off-ramp of the Deeth Intch "Exit 333", 100' W of the cross traffic rd.									100
	100	100	145	85	110	110	130	130	90	
0115 HRLY 00	IR-80, E/B on-ramp of the Deeth Intch "Exit 333", 185' E of the cross traffic rd.									50
	35	35	40	45	50	50	50	50	50	
0116 HRLY 97	IR-80, W/B off-ramp of the Deeth Intch "Exit 333", 125' E of the cross traffic rd.									50
	35	35	35	40	65	65	65	65	60	

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0117 HRLY 00	IR-80, W/B on-ramp of the Deeth Intch "Exit 333", .2 mi W of the cross traffic rd.									
	100	100	140	95	100	100	100	100	70	100
0118 HRLY 99	IR-80, E/B off-ramp of the Welcome Intch "Exit 343", .1 mi E of IR-80.									
	40	85	30	35	45	45	45	45	60	100
0120 HRLY 99	IR-80, E/B on-ramp of the Welcome Intch "Exit 343", 75' E of the cross traffic rd.									
	85	130	65	110	105	190	190	190	100	100
0122 HRLY 99	IR-80, W/B off-ramp of the Welcome Intch "Exit 343", .1 mi W of IR-80.									
	75	75	80	85	105	190	190	190	100	100
0123 HRLY 99	Frontage Rd to Welcome, .1 mi E of the cross traffic rd of the Welcome Intch "Exit 343"									
				60	45	75	75	75	50	130
0125	IR-80, W/B on-ramp of the Welcome Intch "Exit 343", 50' W of the cross traffic rd.									
	30	30	45	30	45	55	55	55	60	110
0126 HRLY 00	Old US-40, 100' W of the 2nd Mountain View Dr Entrance.									
			50	50	165	175	175	150	170	230
0127 HRLY 00	Old US-40, .2 mi NW of Humboldt St.									
	325	315	320	330	400	465	465	400	430	470
0128 HRLY 00	SR-223 (6th St), 100' W of Lake Av, E of the Wagon Wheel Motel.									
	2540	2350	2060	2140	2335	2100	2450	2100	1950	2150
0129 HRLY 00	SR-231 (Angel Lake Rd), 1.8 mi W of Humboldt Av.									
	25	90	50	60	140	70	70	70	75	120
0130 HRLY 00	SR-223 (6th St), 110' W of US-93 in Wells.									
	3465	3620	2810	2900	1960	3200	3500	2950	2750	2800
0131 HRLY 00	US-93, .2 mi S of the E/B ramps at the E Wells Intch "Exit 352".									
	755	720	800	910	1170	910	1150	1000	1050	1000

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0133 HRLY 98	IR-80, E/B off-ramp of the Moor Intch "Exit 360", 100' of the cross traffic rd.									
	20	20	20	20	20	20	20	30	40	50
0134 HRLY 98	IR-80, E/B on-ramp of the Moor Intch "Exit 360" , 125' E of the cross traffic rd.									
	15	15	15	15	15	15	15	25	30	20
0136 HRLY 98	IR-80, W/B off-ramp of the Moor Intch "Exit 360", 100' E of the cross traffic rd.									
	10	10	10	10	10	10	10	15	30	20
0138 HRLY 98	IR-80, W/B on-ramp of the Moor Intch "Exit 360", 175' W of the cross traffic rd.									
	15	15	15	15	15	15	15	25	40	50
0139 HRLY 99	IR-80, E/B off-ramp of the Independence Intch "Exit 365", 100' W of the cross traffic rd.									
	55	25	30	30	30	30	35	35	40	70
0140 HRLY 99	IR-80, E/B on-ramp of the Independence Intch "Exit 365", 345' E of the cross traffic rd.									
	30	5	15	10	20	20	15	15	20	50
0142 HRLY 99	IR-80, W/B off-ramp of the Independence Intch "Exit 365", 125' E of the cross traffic rd.									
	25	5	10	10	15	15	10	10	10	20
0143 HRLY 99	IR-80, W/B on-ramp of the Independence Intch "Exit 365", 345' W of the cross traffic rd.									
	50	25	25	30	25	25	30	30	30	30
0144 HRLY 00	IR-80, .1 mi E of the Pequop Intch "Exit 376".									
	4460	4520	4405	4475	4560	4585	4760	4840	5080	4790
0145 HRLY 99	SR-233 (Montello Rd), .1 mi N of the W/B lanes of IR-80.									
	255	245	310	340	370	400	400	400	580	580
0146 HRLY 00	Wendover Bl, 200' W of US-93A (to freeway).									
	9220	9790	12800	10400	11400	12500	12200	12700	12300	12500
0147 HRLY 00	Wendover Bl, .25 mi W of the NV/UT State line.									
	9010	10300	13100	10700	10700	11600	11100	11100	11300	11300

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0148 HRLY 00	US-93A, at mp EL 52., 200' S of the Wendover City Limits.									
	805	490	540	440	455	475	475	480	500	520
0150 HRLY 00	SR-233 (Montello Rd), .3 mi S of the County Road to Crittenden Reservoir.									
	350	340	305	420	380	420	420	420	540	490
0151 HRLY 99	SR-233 (Montello Rd), .2 mi N of County Rd to Crittenden Reservoir-Wine Cup Ranch Rd.									
	190	185	150	230	275	250	250	250	360	350
0153 HRLY 00	SR-229 (Secret Pass Rd), 200' W of US-93.									
	115	100	100	115	125	125	125	130	135	100
0155 HRLY 00	US-93, .1 mi N of SR-229.									
	630	665	680	775	930	790	1000	1000	950	870
0156 HRLY 00	SR-232 (S Clover Valley Rd), .1 mi W of US-93.									
	25	25	30	30	30	25	25	25	25	30
0158 HRLY 00	SR-232 (Clover Valley Rd), N Clover Valley Rd, .1 mi W of US-93, S of Wells.									
	120	100	125	120	150	150	150	150	170	160
0162 HRLY 00	US-93, 1.1 mi N of Jackpot.									
	3220	3600	3600	3760	3430	3600	3800	3950	3850	3850
0163 HRLY 00	IR-80, btwn the Elko E Intch "Exit 303" & Osino Intch "Exit 310".									
	6090	6395	6675	6385	7365	7735	7890	8575	7660	8270
0164 HRLY 00	FR-EL54 (Old US-40), .2 mi E of Nevada Youth Training Center driveway, E of Elko.									
	1255	1520	1650	1560	1670	1800	1600	1750	1800	1800
0165 HRLY 00	IR-80, .5 mi W of Summit Intch "Exit 373".									
	4420	4480	4365	4505	4595	4620	4765	4840	5080*	5210
0166 HRLY 00	IR-80, E/B off-ramp of the Summit Intch "Exit 373", 200' E of the E/B lanes.									
	330	330	330	230	275	275	275	240	310	420

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0167 HRLY 00	IR-80, E/B on-ramp of the Summit Intch "Exit 373", 100' W of the E/B lanes of IR-80. 330	330	330	230	275	275	290	240	310	220
0168 HRLY 00	IR-80, W/B off-ramp of the Summit Intch "Exit 373", 300' E of the cross traffic rd. 270	270	270	220	290	290	290	315	380	220
0169 HRLY 00	IR-80, W/B on-ramp of the Summit Intch "Exit 373", 300' W of the cross traffic rd. 270	270	270	220	295	295	295	315	380	420
0171 HRLY 00	IR-80, 1.4 mi E of the Summit Intch "Exit 373". 4420	4480	4365	4505	4590	4615	4760	4840	5080	4790
0172 HRLY 00	IR-80, E/B off-ramp of the Pequop Intch "Exit 376", .1 mi W of the cross traffic rd. 15	15	15	25	25	25	15	15	10	10
0174 HRLY 00	IR-80, E/B on-ramp of the Pequop Intch "Exit 376", .1 mi E of the cross traffic rd. 35	35	35	10	10	10	15	15	10	10
0175 HRLY 00	IR-80, W/B off ramp of Pequop Intch "Exit 376", 325' E of cross traffic rd. 35	35	35	10	10	10	15	15	10	10
0176 HRLY 00	IR-80, W/B on-ramp of the Pequop Intch "Exit 376", 325' W from the cross traffic rd. 15	15	15	25	25	25	15	15	10	10
0177 HRLY 00	IR-80, E/B off-ramp of the Oasis Intch "Exit 378", 100' E of the mainline. 150	150	130	140	170	170	165	165	160	110
0179 HRLY 00	IR-80, E/B on-ramp of the Oasis Intch "Exit 378", 300' E of the cross traffic rd. 90	90	85	115	185	185	130	130	160	100
0181 HRLY 00	IR-80, W/B on-ramp of the Oasis Intch "Exit 378", 200' W of the cross traffic rd. 215	210	190	210	245	245	210	210	210	130
0182 HRLY 00	IR-80, W/B off-ramp of the Oasis Intch "Exit 378", 200' E of the cross traffic rd. 155	150	145	180	220	220	150	150	210	130

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0185 HRLY 00	IR-80, .8 mi E of the Oasis Intch "Exit 378".									
	4340	4400	4315	4420	4550	4575	4665	4745	5080	4780
0186 HRLY 00	Idaho St, .1 mi E of 30th St at the E Elko City Limits.									
	6300	6135	6670	7900	7770	7900	8300	8300	8200	8250
0187 HRLY 00	SR-225 (Mountain City Hw), 150' S of the Airport Rd.									
	12800	13450	14700	15100	15100	17300	16500	16500	16900	17000
0188 HRLY 98	SR-225 (Mountain City Hw), .1 mi S of E/B off-ramp at Downtown Elko Intch "Exit 301".									
	13400	14800	14700	15200	15200	17400	18200	17700	18100	18100
0189 HRLY 00	5th St, 200' N of I.T.C. St.									
	5540	6895	6230	6400	8700	9500	8400	8800	8350	7900
0191 HRLY 00	5th St, 250' N of Ash St.									
				10000	10400	11000	10000	9900	9600	8700
0192 HRLY 99	5th St, 150' N of Juniper St.									
					10100	10700	9900	9800	9350	8800
0193 HRLY 00	SR-227 (5th St), 150' S of Commercial St.									
	9080	8970	8780	8800	9200	9700	9750	8550	8800	8750
0194 HRLY 00	SR-227 (5th St), 50' S of River St.									
	11750	13060	13200	13400	14000	14400	14000*	12800	12400	11900
0195 HRLY 99	SR-227 (5th St), 200' E of Carlin Ct.									
	6840	7150	7330	7550	7900	8250	7800*	7400	7450	7450
0196 HRLY 00	SR-535 (Idaho St), 100' W of 3rd St.									
	12540	9610	10800	10350	10700	11600	10100	9100	9800	9450
0197 HRLY 00	Highland Dr, 300' N of W Cedar St.									
				760	720	770	710	670	650	630

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0198 HRLY 00	Highland Dr, 200' N of Ash St.			620	590	670	620	610	610	500
0203 HRLY 00	8th St, 100' N of Cedar St.			830	1340	1500	1500	1000	1050	820
0205 HRLY 00	Cedar St, 50' S of Fir St.			1230	1305	1450	1400	1350	1300	1350
0206 HRLY 99	Cedar St, 200' W of 5th St. 2435	2150	2170	2250	2410	2700	2400	2300	2250	2350
0207 HRLY 00	Cedar St, 200' E of 5th St. 3540	3090	3170	3400	3950	4050	4200	3500	3500	3500
0208 HRLY 00	Cedar St, 100' E of 8th St. 3435	3075	2810	3100	4030	3900	3900	3050	3150	2800
0210 HRLY 00	Cedar St, 200' E of 13th St. 3910	3700	3220	3950	4030	4050	4300	3450	3800	3800
0211 HRLY 00	Cedar St, 75' E of Golf Course Rd.			2400	2450	2550	2700	2000	2100	2100
0214	College Av, 300' E of Golf Course Rd.			3600	3965	4700	4750	2850	3050	3050
0217 HRLY 00	Golf Course Rd, 500' N of Cedar St. 4300	4150	3730	3800	4150	4600	4350	3400	3250	2850
0218 HRLY 00	13th St, 150' N of Oak St.			2300	2085	2900	3400	2950	3050	3050
0219 HRLY 00	12th St, 220' N of Idaho St & 75' S of Court St. 4280	4010	3760	3700	4100	4050	4700	4050	4000	4000

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0220 HRLY 00	Idaho St, 150' E of 9th St.									
	17000	16300	16900	18700	18900	17300	17200	15000	14900	14300
0222 HRLY 00	Silver St, 140' E of SR-227 (5th St).									
	3550	3990	4170	5700	5165	6150	7400	7600	6700	7050
0223 HRLY 99	Silver St, 150' W of SR-227 (5th St).									
	5185	4820	6450	8300	9470	11400	11600	11600	10900	10200
0226 HRLY 00	2nd St, 150' N of Main St.									
				325	400	415	430	300	300	290
0227 HRLY 09	IR-80, E/B off-ramp of the Shafter Intch "Exit 387", 200' W of the cross traffic rd.									
	25	25	25	35	35	35	35	30	50	40
0229 HRLY 99	IR-80, E/B on-ramp of the Shafter Intch "Exit 387", 100' E of the cross traffic rd.									
	35	35	35	45	45	45	45	35	50	50
0231 HRLY 99	IR-80, W/B on-ramp of the Shafter Intch "Exit 387", 100' W of the cross traffic rd.									
	35	35	35	35	35	35	35	45	90	75
0233 HRLY 99	IR-80, W/B off-ramp of the Shafter Intch "Exit 387", 150' E of the cross traffic rd.									
	45	45	45	45	45	45	45	50	80	70
0234 HRLY 00	Wilson Av, 75' W of SR-227 (5th St).									
	4740	4580	4230	3500	4650	4770	4800	4600	3900	4150
0237 HRLY 00	IR-80, E/B off-ramp of the W Wendover Intch "Exit 410", .3 mi W of the cross traffic rd.									
	1045	1100	1115	1075	1175	1075	990	970	880	1000
0238 HRLY 00	IR-80, E/B on-ramp of the W Wendover Intch "Exit 410", .1 mi E of the cross traffic rd.									
	1050	1110	1160	1170	1330	1175	1305	1245	1240	1645
0239 HRLY 00	IR-80, W/B off-ramp of the W Wendover Intch "Exit 410", .2 mi E of the cross traffic rd.									
	1090	1090	1245	1305	1480	1325	1470	1355	1350	1520

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0240 HRLY 00	IR-80, W/B on-ramp of the W Wendover Intch "Exit 410", .1 mi W of the cross traffic rd.									
	1085	1080	1200	1145	1230	1200	1245	925	950	950
0241 HRLY 00	Wendover Bl, .1 mi W of US-93A.									
	7910	8275	12200	10400	11500	11900	11500	11100	11300	11300
0243 HRLY 00	IR-80, 2 mi E of the Pilot Peak Intch "Exit 398".									
	4430	4490	4405	4530	4660	4675	4765	4840	5110	4785
0244 HRLY 00	IR-80, .2 mi E of the W Wendover Intch "Exit 410".									
	4440	4510	4495	4780	5055	4900	5305	5545	5870	6000
0245 HRLY 99	12th St, 400' S of Idaho St.									
	9585	9415	10000	10400	10500	11500	11700	11300	12300	10800
0246 HRLY 99	12th St, 150' N of SR-227 (5th St).									
	7350	8525	7950	4905	10800	12100	13800	12900	14000	12500
0248 HRLY 00	IR-80, E/B off-ramp of the W Carlin Intch "Exit 279", 300' W of the cross traffic rd.									
	125	110	110	130	155	150	350	305	180	110
0249 HRLY 00	IR-80, W/B on-ramp of the W Carlin Intch "Exit 279", 100' W of the cross traffic rd.									
	65	70	75	95	115	115	205	180	160	110
0250 HRLY 00	SR-278 (Eureka-Carlin Rd), .3 mi S of SR-221 (Chestnut St).									
	445	540	520	465	480	550	700	610	520	520
0251 HRLY 00	IR-80, .4 mi E of the W Carlin Intch "Exit 279".									
	5070	5395	5360	5585	5560	5925	5860	5915	6820	6865
0252 HRLY 00	IR-80, E/B off-ramp of the Central Carlin Intch "Exit 280", 300' W of the cross traffic rd.									
	460	540	560	715	680	675	520	545	550	600
0253 HRLY 00	SR-766 (Newmont Mine Rd), 175' N of SR-221.									
	3295	3240	3470	3400	3450	3250	3050	3500	3500	3500

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0254 HRLY 00	IR-80, E/B on-ramp of the Central Carlin Intch "Exit 280", 150' E of the cross traffic rd.									
	1510	1785	1880	2620	2365	2230	2250	2190	1760	2280
0256 HRLY 00	IR-80, W/B off-ramp of the Central Carlin Intch "Exit 280", 200' E of the cross traffic rd.									
	1405	1805	1870	2480	2235	2100	2235	2090	1790	1800
0257 HRLY 00	IR-80, W/B on-ramp of the Central Carlin Intch "Exit 280", 150' W of the cross traffic rd.									
	470	645	605	720	680	675	565	550	555	535
0258 HRLY 00	IR-80, 1 mi E of the Central Carlin Intch "Exit 280".									
	7055	7800	7945	9250	8800	8905	9260	9100	9265	9810
0259 HRLY 00	IR-80, W/B off-ramp of the E Carlin Intch "Exit 282", 200' E of the cross traffic rd.									
	240	305	285	570	355	290	330	380	410	220
0260 HRLY 00	IR-80, E/B on-ramp of the E Carlin Intch "Exit 282", 150' E of the cross traffic rd.									
	185	260	265	450	310	280	280	310	330	240
0261 HRLY 00	IR-80, btwn the Hunter Rd Intch "Exit 292" & the Elko W Intch "Exit 298".									
	7570	8465	8585	10370	9580	9615	10040	9895	10065	10330
0262 HRLY 00	IR-80, E/B off-ramp of the Elko W Intch "Exit 298", .2 mi W of the cross traffic rd.									
	780	840	730	1795	1190	1225	1220	1215	1065	1060
0263 HRLY 00	IR-80, E/B on-ramp of the Elko W Intch "Exit 298", 300' W of E/B lanes.									
	85	100	180	200	80	330	360	300	300	330
0265 HRLY 00	IR-80, W/B on ramp of the Elko W Intch "Exit 298", .2 mi W of the cross traffic rd.									
	395	380	400	1490	635	700	735	785	650	650
0266 HRLY 00	IR-80, W/B off-ramp of the Elko W Intch "Exit 298", 200' W of W/B lanes.									
	80	80	140	160	115	335	345	395	360	400
0268 HRLY 98	IR-80, btwn the Elko W Intch "Exit 298" & the Elko Downtown Intch "Exit 301".									
	6560	7425	7775	7445	7950	8355	8790	8590	9010	9350

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0269 HRLY 00	IR-80, E/B off-ramp of the Elko Downtown Intch "Exit 301", 50' E of E/B lanes.									
	1380	1330	1470	1500	1500	1670	1755	1415	1550	1790
0270 HRLY 00	IR-80, E/B on-ramp of the Elko Downtown Intch "Exit301", 20' W of beginning of concrete.									
	1655	1935	1945	2000	2275	2495	2725	2390	2350	2255
0271 HRLY 00	IR-80, W/B off-ramp of the Elko Downtown Intch "Exit 301", 150' E of Mtn City Hw.									
	1690	2000	1945	2000	2200	2400	2550	2125	2150	2090
0273 HRLY 00	IR-80, W/B on-ramp of the Elko Downtown Intch "Exit 301", 150' E of W/B lanes.									
	1615	1665	1995	2050	1920	2050	2305	1775	1870	1775
0274 HRLY 00	SR-225 (Mountain City Hw), at the Elko Downtown Intch "Exit 301" (EL 28.3)									
	13300	16350	17600	17700	16400	19200	19300	19700	19500	19000
0276 HRLY 00	IR-80, E/B off-ramp of the Elko E Intch "Exit 303", .2 E of the E/B lanes .									
	1780	1975	2165	2170	2340	2450	2580	2240	2450	2545
0277 HRLY 00	IR-80, E/B on-ramp of the Elko E Intch "Exit 303", 300' W of the E/B lanes.									
	1460	1075	1285	1300	1475	1520	1490	1525	1175	1500
0279 HRLY 00	IR-80, W/B off-ramp of the Elko E Intch "Exit 303", 100' W of the W/B lanes.									
	1555	1130	1490	1500	1580	1685	1625	1755	1575	2050
0280 HRLY 00	IR-80, W/B on-ramp of the Elko E Intch "Exit 303", .2 mi W of the cross traffic rd.									
	2055	2200	2135	2140	2355	2550	2605	2380	2730	2865
0281	Jennings Wy, 200' N of W/B off-ramp of "Exit 303"							3100	3300	3300
0282 HRLY 00	FR-EL17 East Jenning Wy, 190' S of the E/B ramps of the Elko E Intch "Exit 303".									
	6825	6560	6980	8200	9545	9430	9000	9700	10000	10200
0283 HRLY 00	IR-80, 2.3 mi E of Halleck Intch "Exit 321", 25' W of mp EL 46.00									
	5160	5505	5605	5485	5985	5985	5695	6415	6190	6670

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0284	IR-80, .5 mi W of the Beverly Hills Intch "Exit 348".									
	5120	5465	5465	5525	6000	6150	5840	6560	6170	6460
0285	IR-80, W/B on-ramp of the Beverly Hills Intch "Exit 348", .2 mi W of the cross traffic rd.									
HRLY 00	30	40	30	30	25	25	25	30	40	20
0286	IR-80, E/B off-ramp of the Beverly Hills Intch "Exit 348 ", .25 mi E of E/B lanes of IR-80.									
HRLY 00	20	25	10	25	25	25	25	35	30	20
0287	IR-80, E/B on-ramp of the Beverly Hills Intch "Exit 348", .1 mi E of the cross traffic rd.									
HRLY 99	20	25	20	25	40	40	40	35	40	20
0288	IR-80, W/B off-ramp of the Beverly Hills Intch "Exit 348", .25 mi W of W/B lanes of IR-80.									
HRLY 00	15	30	20	25	40	40	40	30	40	20
0292	IR-80, .5 mi W of the W Wells Intch "Exit 351".									
HRLY 99	5105	5455	5465	5520	6030	6180	5870	6560	6180	6460
0293	IR-80, W/B on-ramp of the W Wells Intch "Exit 351", .1 mi W of Humboldt Av.									
HRLY 00	265	325	265	320	420	380	380	380	260	240
0294	IR-80, E/B off-ramp of the W Wells Intch "Exit 351", 400' W of the cross traffic rd.									
HRLY 00	525	620	350	420	460	420	420	420	360	390
0295	IR-80, E/B on-ramp of the W Wells Intch "Exit 351", .1 mi E of Humboldt Av.									
HRLY 00	300	360	175	305	370	310	310	310	320	280
0296	IR-80, W/B off-ramp of the W Wells Intch "Exit 351", .2 mi W of W/B lanes of IR-80.									
HRLY 00	135	180	150	225	245	200	200	280	220	180
0297	SR-223 (Humboldt Av), 100' N of the W/B ramps of the W Wells Intch "Exit 351"									
HRLY 00	1225	1105	960	990	1325	1300	1300	1300	1300	1350
0299	SR-231 (Humboldt Av), 25' S of the E/B ramps of the W Wells Intch "Exit 351".									
HRLY 00	200	195	170	160	680	620	620	620	610	780

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0303 HRLY 99	IR-80, .15 mi E of the W Wells Intch "Exit 351".									
	4750	5050	5175	5100	5765	5890	5580	6350	6100	6290
0304 HRLY 00	IR-80, W/B on-ramp of the E Wells Intch "Exit 352", .1 mi W of US-93.									
	1225	1240	1485	1980	2185	1315	1560	1755	1490	1430
0305 HRLY 00	IR-80, E/B off-ramp of the E Wells Intch "Exit 352", .1 mi E of E/B lanes IR-80.									
	940	1050	1295	1715	2040	1570	1555	1845	1460	1375
0306 HRLY 00	IR-80, E/B on-ramp of the E Wells Intch "Exit 352", .1 mi E of the US-93 cross traffic rd.									
	820	820	905	1335	1570	945	1185	1090	1000	870
0307 HRLY 00	IR-80, W/B off-ramp of the E Wells Intch "Exit 352B", .2 mi W of W/B lanes of IR-80.									
	220	185	205	290	335	215	245	225	230	275
0309 HRLY 00	IR-80, W/B off slip-ramp to SR-223/US 93 of the E Wells Intch "Exit 352B", .2 mi W of W/B l.									
	855	765	900	1315	1280	485	920	830	760	670
0311	IR-80, .4 mi E of the US-93 underpass of the E Wells Intch "Exit 352".									
	3625	3765	3505	3240	3345	4225	3895	4065	4380	4630
0312 HRLY 00	IR-80, E/B off-ramp of the Pilot Peak Intch "Exit 398", 300' W of the cross traffic rd.									
	20	20	20	80	100	100	100	120	170	100
0314 HRLY 00	IR-80, E/B on-ramp of the Pilot Peak Intch "Exit 398", 300' E of the cross traffic rd.									
	55	55	55	125	140	140	140	160	200	100
0317 HRLY 00	IR-80, W/B off-ramp of the Pilot Peak Intch "Exit 398", 300' E of the cross traffic rd.									
	50	50	50	125	140	140	140	160	195	100
0318 HRLY 00	IR-80, W/B on-ramp of the Pilot Peak Intch "Exit 398", 35' W of the cross traffic rd.									
	15	15	15	80	100	100	100	115	185	100
0319 HRLY 99	SR-227 (Fifth St), 200' E of 12th St S of Elko.									
	12650	13800	14450	16000	17100	17700	20000	20700	20200	20200

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0320 HRLY 98	SR-221 (Chestnut St), .1 mi W of the cross traffic rd of the E Carlin Intch "Exit 282".									
	620	690	740	810	820	900	750	975	975	750
0321 HRLY 98	S Frontage Rd, .3 mi E of the cross traffic rd at the E Carlin Intch "Exit 282".									
	200	210	275	150	160	180	220	500	500	430
0322 HRLY 00	Argent Av, 130' E of SR-225 (Mtn City Hw).									
	5120	4440	3700	3900	4250	7500	7400	8250	7450	7400
0323 HRLY 00	Argent Av, 175' S of Antimony St.									
				2900	3160	3500	3000	2900	2600	2600
0324 HRLY 00	Copper St, 100' E of Argent Rd.									
				2350	2560	2560	2500	2550	2350	1950
0325 HRLY 00	5th St, .2 mi NW of Spruce St.									
				4980	5900	6100	5200	5350	5200	4800
0326 HRLY 00	Sage St, 75' W of Dotta Dr.									
	2965	3035	2840	2600	2925	3600	3100	3050	3200	3000
0328 HRLY 00	Elm St, 100' W of 5th St.									
				1330	1255	1650	1500	1550	1550	1300
0330 HRLY 00	Elm St, 250' W of College Pk.									
				1850	1560	1950	2250	2200	2150	2150
0331 HRLY 00	Elm St, 100' E of Burns Rd.									
				2850	2400	2700	2800	2400	2450	2450
0332 HRLY 00	College Pk, 100' S of Mittry Av.									
				3050	2880	3250	3250	3700*	3900	3200
0333 HRLY 00	College Pk, 50' N of Sage St.									
				2400	2265	2950	2950	2550	2600	2600

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000										
0335 HRLY 00	13th St, 350' N of Cedar St.			2450	2065	3150	3450	2950	3400	3400										
0336 HRLY 00	Convention Dr, .1 mi NW of Idaho St.				500	500	450	350	360	360										
0337 HRLY 00	"D" St, 100' N of Idaho St.				1290	1400	1200	1150	1100	1100										
0338 HRLY 99	Bullion Rd-Wilson Av, 100' SW of Morse Ln.			3000	3030	3200	3200	3050	2950	2950										
0339 HRLY 00	Bullion Rd, .5 mi W of Errecart Bl.			1050	1060	1050	1020	1050	950	950										
0340 HRLY 00	Wilson Av, 100' E of 5th St.			2900	2880	3150	3150	2000	3150	2700										
0341 HRLY 00	South 9th St, 100' N of Oudekirk Av.					1450	1450	1300	2050	1400										
0343 HRLY 00	Silver St, 100' W of 12th St.	1880	1935	2400	4450	4140	4950	5150	5400	4900	5500									
0345 HRLY 00	SR-225 (Mountain City Hw), .6 mi N of Argent Av.			2165	1990	2680	2400	2670	3150	3250	3300	2900	2900							
0346 HRLY 00	SR-225 (Mountain City Hw), 75' S of the N jct of Claridge loop & 1.85 mi N of IR-80 mp 30.										1210	1100	1240	1460	1625	1600	1650	1650	1600	1700
0348 HRLY 00	IR-80, btwn the Osino Intch "Exit 378" & the Ryndon Intch "Exit 314".										6110	6375	6615	6275	7195	7465	7435	7995	7420	7700
0349 HRLY 00	IR-80, 1 mi W of Elburz Intch "Exit 317".				5500	5745	5755	5490	6375	6475	5560	6925	6680	6960						

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
0350 HRLY 00	IR-80, near EL mp 62, 6.1 mi E of Deeth Intch "Exit 333" & 4 mi W of Welcome Intch "Exit 343".	5030	5375	5395	5390	5880	5870	5560	6360	6090	6470
0351 HRLY 00	IR-80, 0.6 mi E of the Moor Intch "Exit 360" .	4470	4520	4395	4545	4615	4640	4805	4880	5120	5240
0352 HRLY 00	IR-80, btwn the Shafter Intch "Exit 387" & the Pilot Peak Intch "Exit 398".	4360	4420	4335	4440	4570	4595	4685	4755	5070	4785
0354 HRLY 00	US-93A, 75' N of Airport Wy.		1160	1670	2520	1550	1600	1500	1600	1600	1700
0356 HRLY 00	Bush St, .2 mi E of SR-278, W of Carlin.		260	230	255	250	290	220	290	290	170
0357 HRLY 00	Bush St, S of Fifth St, in Carlin.		1520	1450	1530	1500	1550	1400	1550	1550	1550
0359 HRLY 00	Silver St, 300' S of SR-535 (Idaho St).						12500	12200	10000	11700	
0361 HRLY 00	Metroplis Rd, .15 mi W of Wells Av.		120	100	100	150	150	150	190	200	
0362 HRLY 00	Wine Cup Ranch Rd, 100' N of SR-233 (Montello Rd).		45	45	60	55	65	65	80	60	
0363 HRLY 00	Wine Cup Ranch Rd, .25 mi E of Wine Cup Ranch Headquarters Rd.		20	10	5	5	5	10	10	20	
0364 HRLY 99	Wine Cup Ranch Rd, .5 mi W of county rd #1306.		30	30	30	50	60	60	30	40	
0365 HRLY 00	Jarbridge Rd, .1 mi E of SR-225 (Mountain City Rd).		15	40	25	40	40	40	40	40	

ELKO COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0369 HRLY 00	River Ranch Rd, N of Deeth, 1 mi N of county rd 96									
			20	10	20	20	20	20	25	10
0370 HRLY 00	Dahl Ranch Rd, 20' N of SR-229 (Ruby Valley Rd).									
			40	60	55	55	90	90	60	70
0372 HRLY 00	Harrison Pass Rd, to Ruby Valley Wildlife Refuge, .3 mi W of end of pavement.									
			85	50	75	105	105	105	105	80
0373 HRLY 00	Dead Cedar Rd, .2 mi E of US-93A.									
				55	100	100	100	75	100	100
0374 HRLY 00	SR-227 (Lamoille Rd), 2000' S the N leg of Spring Creek Pk.									
					3795	3800	5000	5500	5000	5200
0375 HRLY 99	Errecart Blvd, .1 mi S of Silver St.									
									4250	4150
0377 HRLY 00	Ashburn Rd, E of Green Crest Rd.									
									380	410
0378 HRLY 00	Spring Field Pk, W of Licht Pk.									
									980	1150

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



ESMERALDA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0002	SR-774, .25 mi S of SR-266.									
	20	15	15	30	20	25	20	30	30	40
0003	SR-266 (Lida Rd), .2 mi W of US-95.									
HRLY 00	155	150	155	200	240	250	215	215*	230	230
0005	US-95, S of Goldfield at mp ES-8.8									
HRLY 00	1555	1665	1475	1590	1620	1555	1655	1750	1850	1850
0006	US-95, Just S of Town at mp ES18.2									
HRLY 99	2030	2245	2025	2140	2275	2245	2360	2350	2300	2300
0008	County Rd to Alkali, .1 mi W of US-95.									
				50	30	60	75	80	60	80
0009	US-95, at the NY/ES County line, S of Tonopah.									
HRLY 00	1670	2025	1700	1945	2155	2150	2000	1950	2000	2100
0013	US-6 & US-95, .1 mi W of SR-265 to Silver Peak, & 180' W of mp ES-25.									
HRLY 00	1475	1550	1600	1625	1700	1650	1810	1850	1850	1950
0014	SR-265 (Silver Peak Rd), .1 mi S of US-6 & 95.									
HRLY 00	100	125	95	95	115	110	145	145	110	90
0018	US-95, .6 mi N of the N leg of Wye of US-6.									
HRLY 00	1290	1285	1245	1475	1535	1350	1650	1500	1600	1600
0019	US-6, 14 mi W of the Wye with US-95 at Coaldale Jct.									
HRLY 00	280	275	340	360	235	410	410	420	350	390
0022	SR-264 (Fish Lake Valley Rd), .4 mi S of SR-773 at mp SR-264/ES-25.									
HRLY 00	125	110	140	145	155	155	155	190	200	170

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:



Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



INTERSTATE INTERCHANGES

11



EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 99	IR-80, E/B off-ramp of the Dunphy Intch "Exit 254", .15 mi E of E/B lanes.									
	50	85	75	80	95	95	100	100	70	50
0003 HRLY 00	IR-80, E/B on-ramp of the Dunphy Intch "Exit 254", 450' E of the cross traffic rd.									
	65	105	125	180	180	180	330	330	150	140
0004 HRLY 00	Boulder Valley Rd, .1 mi N of Frontage Rd to Dunphy FREU02									
										200
0005 HRLY 00	IR-80, W/B off-ramp of the Dunphy Intch "Exit 254", 15 mi W of the W/B lanes of IR-80.									
	65	105	125	175	130	130	345	345	130	180
0008 HRLY 99	IR-80, W/B on-ramp of the Dunphy Intch "Exit 254", .15 mi W of the cross traffic rd.									
	50	85	75	80	95	95	75	75	70	50
0009	IR-80, .2 mi E of the Dunphy Intch.									
	5220	5485	5435	5660	5745	6005	5955	6020	6790	6770
0010 HRLY 00	IR-80, E/B off-ramp of the Beowawe Intch "Exit 261", 101' W of the cross traffic rd.									
	110	105	75	85	90	170	170	175	100	70
0011 HRLY 00	SR-306 (Gold Acres Rd), .3 mi S of IR-80.									
	305	395	305	365	445	860	575	480	440	450
0012 HRLY 00	IR-80, E/B on-ramp of the Beowawe Intch "Exit 261", 178' E of the cross traffic rd.									
	120	140	120	150	180	230	310	310	270	210
0013 HRLY 00	Roberts Creek Ranch Rd, 100' N of US 50.									
										10
0014 HRLY 00	IR-80, W/B off-ramp of the Beowawe Intch "Exit 261", 130' E of the cross traffic rd.									
	120	150	125	160	155	255	305	305	260	220
0015 HRLY 00	Antelope Rd, 100' S of US 50.									
										10

EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0016 HRLY 00	IR-80, W/B on-ramp of the Beowawe Intch "Exit 261", 163' W of the cross traffic rd.									90
	110	115	80	95	85	170	145	145	110	
0018	IR-80, 2.8 mi E of the cross traffic rd of the Beowawe Intch "Exit 261".									7040
	5240	5555	5525	5790	5810	6150	6320	6315	7110	
0019 HRLY 00	IR-80, E/B off-ramp of the Emigrant Intch "Exit 268", .1 mi E of the overpass.									10
	10	10	10	10	10	10	10	35	10	
0020 HRLY 00	IR-80, E/B on-ramp of the Emigrant Intch "Exit 268", .1 mi E of overpass.									20
	20	20	20	20	20	20	40	55	20	
0023 HRLY 00	IR-80, W/B on-ramp of the Emigrant Intch "Exit 268", .2 mi E of the overpass.									10
	10	10	10	10	10	10	10	35	10	
0024 HRLY 00	IR-80, W/B off-ramp of the Emigrant Intch "Exit 268", .2 mi E of overpass.									20
	20	20	20	20	20	20	30	55	20	
0026 HRLY 00	IR-80, E/B off-ramp of the Palisade Intch "Exit 271", .1mi W of the cross traffic rd.									15
	10	10	10	10	10	20	20	20	10	
0028 HRLY 99	IR-80, E/B on-ramp of the Palisade Intch "Exit 271", .1 mi E of the cross traffic rd.									30
	10	10	10	10	10	30	40	40	30	
0030 HRLY 00	IR-80, W/B off-ramp of the Palisade Intch "Exit 271", .1 mi E of the cross traffic rd.									40
	10	10	10	10	10	25	35	35	30	
0032 HRLY 00	IR-80, W/B on-ramp of the Palisade Intch "Exit 271", .1 mi W of the cross traffic rd.									20
	10	10	10	10	10	15	10	10	20	
0035 HRLY 98	County Rd to Palisade, 550' W of SR-278, to Carlin S Jct.									40
	30	40	110	50	55	55	55	50*	50	
0036 HRLY 98	SR-278 (Eureka-Carlin Rd), .5 mi S of County Rd to Palisade, S Jct.									250
	255	320	400	300	330	340	385	380	330	

EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0038 HRLY 99	US-50, 1.2 mi W of SR-278.									
	775	825	690	700	775	750	920	790	750	720
0039 HRLY 99	US-50, .2 mi E of SR-278.									
	1005	1065	895	1000	1050	1000	1400	1200	1250	1200
0040 HRLY 99	SR-278 (Eureka-Carlin Rd), .1 mi N of US-50.									
	425	460	365	450	360	425	620	590	520	570
0042 HRLY 00	SR-278 (Eureka-Carlin Rd), 21 mi N of US-50.									
	195	210	205	215	195	225	190	250	250	310
0043 HRLY 99	Diamond Valley Rd, 1.8 mi N of US-50 & .4 mi N of the Eureka Dump Rd.									
		125	180	155	150	215	190		170	160
0047 HRLY 99	US-50, 200' E of SR-780 (Ruby Hill Av) to Ruby Hill.									
	1850	1910	1645	1890	1760	1810	2900	2150	2250	1900
0048 HRLY 99	SR-780 (Ruby Hill Av), to Ruby Hill, 70' S of US-50.									
	720	745	545	715	875	875	855	800	630	570
0049 HRLY 99	SR-780 (Ruby Hill Av), to Ruby Hill, .5 mi S of US-50.									
	65	65	65	125	120	120	100	75	60	60
0050 HRLY 99	County Rd to New York Canyon, .2 mi S of US-50.									
		15	15	10	10	25	25	15	10	
0051 HRLY 00	US-50, .9 mi W of County Rd to Duckwater (Fish Creek Rd).									
	710	675	590	715	700	700	740	600	670	650
0056 HRLY 00	IR-80, 1 mi E of Emigrant Pass Intch "Exit 268".									
	5260	5575	5545	5810	5830	6170	6370	6355	7145	7060
0057 HRLY 00	IR-80, W of the Dunphy Intch "Exit 254".									
	5190	5445	5335	5465	5625	5885	5455	5520	6650	6550

EUREKA COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0058 HRLY 00	Cortez Canyon Rd, at EU-LA County Line sign. 20					15	30	20	20	10
0060 HRLY 00	Diamond Valley Rd# 3710, .1 mi N of 11th St.									170

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:



Example: station number 1 is 0001

station number 33 is 0033


station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



WINNEMUCCA AREA




260

WINNEMUCCA


INTERSTATE INTERCHANGES

13


ROSE CREEK 168




WEST WINNEMUCCA 173




WINNEMUCCA BLVD
WEST 176




WINNEMUCCA BLVD
EAST 178




EAST WINNEMUCCA 180




BUTTON POINT 187




GOLCONDA 194




GOLCONDA SUMMIT 200




IRON POINT 203




PUMPERNICKEL
VALLEY 205




STONEHOUSE 212



VALMY 216



MOTE 222



HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 99	IR-80, .2 mi W of the E/B off-ramp of the Rose Creek Intch "Exit 168".									
	6460	6825	6505	6765	6525	6825	6910	7530	7270	6850
0002 HRLY 00	IR-80, E/B off-ramp of the Rose Creek Intch "Exit 168", 250' W of the cross traffic rd.									
	115	120	110	120	115	115	105	180	170	170
0003 HRLY 98	Bridge St, 70' E of Railroad St & 55' W of RxR Tracks.									
							6250	7250	7750	7750
0005	IR-80, E/B on-ramp of the Rose Creek Intch "Exit 168", 275' E of the cross traffic rd.									
	95	85	80	90	90	90	110	95	80	90
0007	IR-80, W/B off-ramp of the Rose Creek Intch "Exit 168", 200' E of the cross traffic rd.									
	80	85	80	90	95	95	100	40	120	100
0008 HRLY 98	Hershell Rd, .3 mi S of SR-289 (Winnemucca Bl) at RxR Crossing.									
							295	340	340	300
0009	IR-80, W/B on-ramp of the Rose Creek Intch "Exit 168", 100' W of the cross traffic rd.									
	100	120	110	110	110	110	105	200	160	140
0010 HRLY 98	IR-80, 2.1 mi W of the W Winnemucca Intch "Exit 173".									
	6420	6755	6445	6715	6485	6785	6910	7285	7140	6730
0011 HRLY 98	IR-80, E/B off-ramp of the W Winnemucca Intch "Exit 173" 150' E of IR-80.									
	350	375	335	190	145	205	135	290	130	100
0013 HRLY 98	IR-80, E/B on-ramp of the W Winnemucca Intch "Exit 173", .2 mi E of the cross traffic rd.									
	355	220	85	170	240	170	225	195	150	160
0015 HRLY 98	IR-80, W/B off-ramp of the W Winnemucca Intch "Exit 173", 100' W of IR-80.									
	330	360	180	130	240	160	220	170	150	160
0017 HRLY 00	IR-80, W/B on-ramp of the W Winnemucca Intch "Exit 173", .1 mi W of the cross traffic rd.									
	295	280	70	60	45	60	60	100	60	80

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0018 HRLY 99	IR-80, 1.2 mi W of the W Winnemucca Intch "Exit 173".									
	6460	6680	6105	6765	6775	6850	7160	7260	7250	6870
0020 HRLY 98	Airport Rd, .4 mi E of SR-289, Frontage Rd.									
			590	795	910	985	1150	1000	940	1150
0022 HRLY 00	US-95 (Winnemucca Bl), 200' E of Potato Rd.									
	9745	9200	8900	9155	11300	11000	11200	11200	9900	12400
0024 HRLY 98	SR-787 (Hanson St), 226' E of US-95 (Winnemacca Bl).									
	4270	4375	4500	4720	4790	5200	5400	5150	5100	5100
0025 HRLY 00	US-95 (Winnemucca Bl), 100' N of SR-294 (Hanson St).									
	12950	12200	11700	14200	13800	13600	14400	13700	12000	13700
0028 HRLY 00	SR-289 (Winnemucca Bl), 15' E of Bridge St.									
	8420	8000	7700	9140	8140	9200	9400	8600	8200	7900
0029	Highland Dr, .1 mi S of Old US-40.									
									2600	1750
0030 HRLY 98	SR-794 (3rd St), .25 mi E of Highland Dr.									
	2870	2725	2600	3285	3035	4050	4000	3300	3150	3150
0031	IR-80, E/B off-ramp of the Button Point Intch "Exit 187", 100' W of the cross traffic rd.									
	160	125	165	190	175	175	130	205	190	170
0032	IR-80, E/B on-ramp of the Button Point Intch "Exit 187", .1 mi E of the cross traffic rd.									
	130	105	145	170	160	165	130	335	160	170
0034	IR-80, W/B off-ramp of the Button Point Intch "Exit 187", .25 mi E of the cross traffic rd.									
	215	180	240	280	215	215	170	240	170	180
0035 HRLY 99	Frontage Rd to Rest Area, 100' E of the cross traffic rd of the Button Point Intch "Exit 18"									
						500	500	750	710	840

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0037	IR-80, W/B on-ramp of the Button Point Intch "Exit 187", .2 mi W of the cross traffic rd.									
	245	200	260	305	215	215	195	280	200	190
0038	IR-80, E/B off-ramp of the Golconda Intch "Exit 194", .1 mi W of the cross traffic rd.									
	565	545	565	560	605	670	670	570	610	520
0040	Sibbald Av, in Golconda 80' S of Stanford St & 40' N of RxR tracks.									
HRLY 99							70	70	70	80
0041	IR-80, E/B on-ramp of the Golconda Intch "Exit 194", .2 mi E of the cross traffic rd.									
	160	140	140	110	140	155	155	235	270	170
0043	IR-80, W/B off-ramp of the Golconda Intch "Exit 194", 225' S of SR-789.									
	200	190	200	150	180	205	205	230	260	200
0044	SR-789 (Getchell Mine Rd), 177' W of the W/B off-ramp of the Golconda Intch "Exit 194".									
HRLY 00	1090	960	1045	1100	1250	1500	1800	1800	1550	800
0045	SR-789 (Getchell Mine Rd), 340' E of Morrison Av.									
HRLY 00	1200	1150	1270	1280	1440	1700	2200	2150	1850	1000
0046	Morrison Av, 200' N of SR-789 (Getchell Mine Rd).									
HRLY 98	295	285	370	420	335	650	650	640	550	460
0047	IR-80, W/B on-ramp of the Golconda Intch "Exit 194", .3 mi W of the cross traffic rd.									
	605	595	625	580	645	680	680	580	680	520
0048	IR-80, E/B off-ramp of the Golconda Summit Intch "Exit 200", 300' E of E/B lanes.									
HRLY 99	350	350	350	350	330	350	350	505	110	150
0049	IR-80, E/B on-ramp of the Golconda Summit Intch "Exit 200", 395' E of cross traffic rd.									
	350	350	350	350	350	325	325	225	110	100
0051	IR-80, W/B off-ramp of the Golconda Summit Intch "Exit 200", 370' E of cross traffic rd.									
	320	320	320	320	310	345	345	215	80	100

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0052	IR-80, W/B on-ramp of the Golconda Summit Intch "Exit 200", 430' W of the cross traffic rd.									
	320	320	320	320	350	330	330	460	110	170
0053	IR-80, E/B off-ramp of the Iron Point Intch "Exit 203", 180' S of the E/B lanes.									
HRLY 99	10	10	10	10	10	10	10	10	10	10
0054	IR-80, E/B on-ramp of the Iron Point Intch "Exit 203", 180' S of the E/B off-ramp.									
HRLY 99	10	10	10	10	10	10	5	5	10	10
0058	IR-80, W/B off-ramp of the Iron Point Intch "Exit 203", 170' N of the W/B lanes.									
HRLY 97	10	10	10	10	10	10	15	15	10	10
0059	IR-80, W/B on-ramp of the Iron Point Intch "Exit 203", 185' N of the W/B lanes.									
HRLY 99	10	10	10	10	15	15	10	20	10	10
0060	IR-80, E/B off-ramp of the Pumpernickel Intch "Exit 205", 577' E of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	20	10	10
0061	IR-80, E/B on-ramp of the Pumpernickel Intch "Exit 205", 580' E of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	5	10	10
0064	IR-80, W/B off-ramp of the Pumpernickel Intch "Exit 205", 570' of the cross traffic rd.									
HRLY 98	20	20	20	20	20	20	20	10	20	10
0065	IR-80, W/B on-ramp of the Pumpernickel Intch "Exit 205", 570' E of the cross traffic rd.									
HRLY 98	20	20	20	20	30	30	30	25	20	10
0067	IR-80, E/B off-ramp of the Stonehouse Intch "Exit 212", 278' W of the cross traffic rd.									
HRLY 98	135	110	215	240	240	240	280	220	210	150
0069	IR-80, E/B on-ramp of the Stonehouse Intch "Exit 212", 111' E of the cross traffic rd.									
HRLY 98	95	90	185	190	140	140	140	150	330	320
0071	IR-80, W/B off-ramp of the Stonehouse Intch "Exit 212", 205' E of the cross traffic rd.									
HRLY 98	100	85	175	190	155	155	155	200	330	360

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0073 HRLY 98	IR-80, W/B on-ramp of the Stonehouse Intch "Exit 212", 106' W of the cross traffic rd.									160
	140	105	205	245	240	240	280	230	210	
0074 HRLY 00	IR-80, E/B off-ramp of the Valmy Intch "Exit 216", 100' W of the cross traffic rd.									680
	285	270	255	280	250	320	300	320	500	
0076 HRLY 00	IR-80, E/B on-ramp of the Valmy Intch "Exit 216", 100' E of the cross traffic rd.									670
	300	295	270	335	260	320	280	260	530	
0078 HRLY 00	IR-80, W/B off-ramp of the Valmy Intch "Exit 216", .1 mi E of the cross traffic rd.									620
	315	340	250	275	245	320	260	240	500	
0080 HRLY 00	Frontage Rd to Ranches N, Valmy Intch "Exit 216", .8 mi NW of the W/B on-ramp.									10
									10	
0081 HRLY 00	IR-80, W/B on-ramp of the Valmy Intch "Exit 216", 100' W of the frontage rd .									610
	300	315	235	230	250	330	320	320	500	
0082	IR-80, E/B off-ramp of the Mote Intch "Exit 222", .2 mi W of the cross traffic rd.									20
	20	20	20	290	290	35	35	65	30	
0084	IR-80, E/B on-ramp of the Mote Intch "Exit 222", .2 mi E of the cross traffic rd.									30
	30	30	20	320	320	35	35	35	50	
0086 HRLY 96	IR-80, W/B off-ramp of the Mote Intch "Exit 222", .2 mi E of the cross traffic rd.									40
	30	30	20	290	290	30	30	30	50	
0088 HRLY 96	IR-80, W/B on-ramp of the Mote Intch "Exit 222", .2 mi W of the cross traffic rd.									30
	20	20	20	70	120	25	25	45	40	
0089 HRLY 00	SR-789 (Getchell Mine Rd), .5 mi S of the RxR grade crossing at Preble.									600
	750	965	905	780	915	1100	1600	1600	870	
0093 HRLY 98	SR-787 (Hanson St), 200' E of 6th St.									13200
	9335	10100	10900	10860	11900	12100	13600	13900	12900	

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0094 HRLY 00	SR-294 (Grass Valley Rd), 100' S of Windy Wy.									
	5760	6680	7400	6700	7340	8200	10000	10200	9200	9100
0095 HRLY 98	SR-294 (Grass Valley Rd), .7 mi S of E Valley Wy.									
	5185	5620	6200	6150	6735	6900	8500	8700	8000	8000
0096 HRLY 99	W Commander Dr, 100' W of SR-294 (Grass Valley Rd).									
			770	975	1115	1000	1200	800	690	750
0097 HRLY 98	SR-294 (Grass Valley Rd), S Grass Valley Rd to Leach Hot Springs, .1 mi S of W Commander Dr									
			1930	1930		2400	2550	3000	2750	2750
0100 HRLY 00	US-95 (Melarkey St), 225' N of 2nd St.									
	5940	5995	6000	6480	6660	7100	7400	8000	6900	6900
0101 HRLY 98	2nd St, 80' W of Bridge St.									
	2030	1920	1700	1770	2240	1950	1750	1350	1500	1350
0102 HRLY 00	Weso Rd, .4 mi N of W/B lanes of IR-80.									
	1125	1135	1135	1375	1465	1900	1950	1200	2250	1600
0103 HRLY 99	Rd to Weso, 1.9 mi N of See Rd.									
	135	140	140	190	200	260	270	170	160	160
0105	Jungo Rd, .8 mi W of US-95 (Melarkey St).									
									870	900
0106 HRLY 00	US-95 (Melarkey St), 341' N of the County Rd to Jungo.									
	3970	3750	3500	4115	3710	3500	4400	4600	5750	5200
0107 HRLY 00	US-95, 1.1 mi N of the County Rd to Jungo.									
	2185	2595	2500	2815	2765	2650	3200	3200*	3100	3050
0109 HRLY 99	SR-290 (Paradise Valley Rd), .2 mi E of US-95.									
	250	280	280	250	290	310	330	330	360	350

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0110 HRLY 00	US-95, .2 mi S of SR-140.									
	1650	1700	1685	1700	1700	1400	1650	1650	1750	1700
0111 HRLY 98	SR-293 (Kings River Valley Rd), .1 mi W of US-95 at Orovada.									
	385	475	440	360	430	430	430	390	460	460
0114 HRLY 00	US-95, .7 mi S of Cordero Mine Rd in McDermitt.									
	1550	1705	1585	1550	1565	1450	1650	1600	1700	1550
0116	Cordero Mine Rd, to the Cordero Mine, .25 mi W of US-95 in McDermitt.									
	90	90	105	75	110	110	70	70	100	90
0117	Cordero Mine Rd, to the Cordero Mine at the bridge over McDermitt Creek.									
	30	30	40	20	25	25	15	15	20	30
0118 HRLY 98	SR-293 (Kings River Valley Rd), 4 mi W of US-95 at Orovada.									
	105	175	140	130	100	110	110	120	120	120
0121 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 40 mi W of US-95.									
	205	205	195	245	270	270	270	250	290	330
0122 HRLY 98	SR-292 (Denio Rd), 2.75 mi S of the NV/OR Stateline & .2 mi N of SR-140.									
	140	185	170	200	270	270	270	120	150	140
0123 HRLY 98	SR-140 (Denio-Adel Oregon Rd), 2.5 mi W of SR-292 (Denio Rd).									
	250	190	165	280	335	335	335	170	240	240
0124	SR-140 (Denio-Adel Oregon Rd), .7 mi E of the County Rd to Sheldon Antelope Range.									
	170	170	145	170	230	190	190	100	140	240
0128 HRLY 00	SR-795 (Reinhart Rd), 359' N of SR-289 Weso Rd & 174' N of the RxR Tracks.									
							875	540	1080	700
0129	Shelton Ln, .1 mi E of SR-290.									
									60	70

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0131 HRLY 00	SR-290 (Paradise Valley Rd), .6 mi S of SR-791 in Paradise Valley.									
	195	245	215	220	220	190	200	200	290	230
0132 HRLY 00	Paradise Valley Rd Spur, .25 mi E of SR-290.									
	85	140	130	130	160	170	180	180	170	190
0133 HRLY 00	Paradise Valley Rd Spur, .2 mi W of the E end of pavement, & 2.7 mi E of SR-290.									
	70	90	85	90	120	125	130	130	120	150
0135	Paradise Valley Rd, .2 mi N of Old SR-791 E.									
	70	85	50	50	45	45	50	50	75	80
0139	Desert Gem Rd, .2 mi S of Jungo Rd, 130' N of RxR, 2.95 mi W of Melarkey St in Winnemucca.									
							30	30	30	50
0144 HRLY 98	Old US-40, .13 mi E of Airport Rd.									
	1270	1250	1250	1230	1250	1250	1300	1350	1400	1250
0147 HRLY 00	Road to Valmy Rest Area, 232' E of County Rd to Marigold Mine.									
							165	550*	560	530
0148 HRLY 96	IR-80, E/B off-ramp of the Winnemucca Bl W Intch "Exit 176", .1 mi E of IR-80.									
	1645	1715	1850	1735	1685	1660	1745	1950	1760	1570
0149 HRLY 99	Winnemucca Bl, 350' W of Potato Rd.									
	7620	7580	6955	6300	7820	7220	7100	7800	6900	7050
0150 HRLY 96	IR-80, E/B on-ramp of the Winnemucca Bl W Intch "Exit 176", .2 mi E of SR-289 .									
	495	690	885	730	745	680	920	980	730	780
0151 HRLY 96	IR-80, W/B off-ramp of the Winnemucca Bl W Intch "Exit 176", 396' W of IR-80.									
	395	530	730	790	680	710	850	900	700	780
0152 HRLY 98	W Winnemucca Bl, .5 mi N of the W/B on-ramp of the W Winnemucca Intch "Exit 176".									
	1950	2115	1885	2500	2625	2000	2100	2000	1870	2000

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0153 HRLY 96	IR-80, W/B on-ramp of the Winnemucca Bl W Intch "Exit 176", .2 mi W of W Winnemucca Bl.									
	1825	1955	1920	1955	1770	1875	1920	2165	1760	1630
0155 HRLY 98	IR-80, .7 mi E of the Winnemucca Bl W Intch "Exit 176".									
	3880	4230	3950	4595	4745	4690	5265	5025	5160	5230
0156 HRLY 98	IR-80, E/B off-ramp of the Winnemucca E Intch "Exit 178", .2 mi E of end of cement.									
	310	290	230	315	290	285	365	265	310	380
0157 HRLY 98	SR-289 (Winnemucca Bl), 150' S of the Winnemucca E Intch "Exit 178".									
	4270	3830	3675	3960	4040	4550	4900	4000	4600	4600
0158 HRLY 98	IR-80, E/B on-ramp of the Winnemucca E Intch "Exit 178", .25 mi E of SR-289.									
	1195	1085	1165	1110	1015	1175	1160	1050	1040	1080
0159 HRLY 98	IR-80, W/B off-ramp of the Winnemucca E Intch "Exit 178", .1 mi W of the RxR overpass.									
	1145	1000	995	860	900	1090	1090	1160	1040	900
0162 HRLY 98	IR-80, W/B on-ramp of the Winnemucca E Intch "Exit 178", .2 mi W of SR-289.									
	315	320	215	240	290	300	350	250	300	260
0163 HRLY 99	IR-80, .4 mi E of the E/B on-ramp at Winnemucca Downtown Intch "Exit 178".									
	5595	5705	5665	5940	6080	6370	6800	6720	6630	6570
0164 HRLY 96	IR-80, E/B off-ramp of the E Winnemucca Intch "Exit 180", .2 mi E of IR-80.									
	160	125	115	175	145	140	250	260	180	220
0165 HRLY 99	SR-794 (3rd St), E Winnemucca Intch "Exit 180", .2 mi S of the E/B ramps.									
	1395	1300	1310	1530	1390	1600	1700	1500	1700	1700
0166 HRLY 98	IR-80, E/B on-ramp of the E Winnemucca Intch "Exit 180", .1 mi E of the cross traffic rd.									
	435	360	420	355	485	500	540	515	480	500
0167 HRLY 98	IR-80, W/B off-ramp of the E Winnemucca Intch "Exit 180", .25 E of the W/B lanes of IR-80.									
	790	670	660	675	695	720	625	710	610	580

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0170 HRLY 98	IR-80, W/B on-ramp of the E Winnemucca Intch "Exit 180", .2 mi W of the cross traffic rd.									
	210	155	135	215	170	160	205	170	120	200
0172 HRLY 00	SR-294 (Grass Valley Rd), .2 mi S of SR-787 (Hanson St).									
	7930	7745	9500	9700	10600	11100	13350	13500	12200	12100
0173 HRLY 98	SR-294 (Haskell St), .1 mi N of Hanson St.									
	4620	5020	5300	5375	5320	6300	6900	6250	6600	6300
0174 HRLY 98	SR-794 (3rd St), .1 mi W of Haskell St.									
	4220	4020	4200	5090	4615	5500	6000	5050	4850	4850
0175 HRLY 98	Hanson St, 100' W of Weso St in Winnemucca.									
	4840	4745	6990	6780	7090	7300	8000	8600	7800	7800
0176 HRLY 98	IR-80, btwn the Button Point Intch "Exit 187" & the Golconda Intch "Exit 194".									
	6390	6415	6455	6605	6930	7275	7530	7605	7360	7220
0177 HRLY 98	IR-80, .3 mi E of W/B off-ramp at Golconda Intch "Exit 194".									
	5580	5605	5605	5725	6000	6285	6540	6920	6600	6550
0178	IR-80, btwn the Golconda Summit Intch "Exit 200" & the Iron Point Intch "Exit 203".									
	5580	5605	5605	5725	6000	6275	6530	6910	6570	6430
0179	IR-80, btwn the Iron Point Intch "Exit 203" & the Pumpernickel Valley Intch "Exit 205".									
	5580	5605	5605	5725	5975	6270	6520	6395	6570	6430
0180	IR-80, btwn the Pumpernickel Intch "Exit 205" & the Stonehouse Intch "Exit 212".									
	5580	5605	5605	5725	5965	6260	6510	6355	6570	6430
0181	IR-80, btwn the Stonehouse Intch "Exit 212" & the Valmy Intch "Exit 216".									
	5500	5565	5545	5620	5780	6075	6245	6225	6810	6800
0182 HRLY 00	IR-80, 2.8 mi E of the Valmy Intch "Exit 216".									
	5530	5615	5575	5720	5785	6065	6165	6115	6840	6800

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0184 HRLY 99	Hanson St, 200' W of Mc Arther Av.									
	2770	2715	3300	3520	3500	3700	4300	4600	4500	4500
0185 HRLY 99	Haskell St, 250' S of SR-794 (Winnemucca Bl E).									
		2940	2800	3200	3170	3700	4200	3600	4300	4300
0186 HRLY 00	US-95, 3.1 mi S of the SR-290 to Paradise Valley .									
	1770	2095	2075	2100	1800	2100	2100*	2300	2150	2100
0187 HRLY 99	Water Canyon Rd, 1.3 mi SE of Highland Dr.									
			70	60	105	105	120	130	130	120
0188 HRLY 98	Minor St, 100' N of Bridge St.									
			640	690	680	750	875	780	850	850
0189 HRLY 98	Minor St, 200' S of Ballard Ln.									
			560	620	630	700	980	675	700	650
0190	Valley Rd, .4 mi N of SR-140 (Denio-Adel Oregon Rd).									
			35	35	30	40	40	40	30	30
0191 HRLY 00	SR-795 (Reinhart Rd), 625' E of US-95.									
									1050	750
0193 HRLY 00	SR-140 (Denio-Adel Oregon Rd), 245' W of US-95 (Old Denio ATR).									
			340	350	370	520	310	310	330	340
0194 HRLY 00	US-95, 1.5 mi N of SR-140 (Old Orovada ATR).									
			1385	1360	1350	1300	1350	1400	1450	1450
0195 HRLY 99	SR-294 (Grass Valley Rd), .2 mi S of Thomas Canyon Rd.									
									3350	3350
0196 HRLY 98	SR-294 (Grass Valley Rd), .15 mi N of HU-PE Co Line.									
								1800	1700	1700

HUMBOLDT COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0197	South Road (McDermitt), .1 mi E of US-95.								250	280
0198 HRLY 99	4th St, 222' N of Hanson St.								3200	2800
3073 HRLY 99	Jones Ln, .6 mi S of Jungo Rd, W of Winnemucca at the RxR tracks.								60	60
3074 HRLY 99	Desert Gem Rd, .1 mi S of Jungo Rd, W of Winnemucca at the RxR tracks.								40	40
3075 HRLY 99	Eden Valley Rd, 1.1 mi N of Morrison Ln & .2 mi S of RxR tracks, N of Golconda.								430	430

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033



 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.




BATTLE MOUNTAIN




INTERSTATE INTERCHANGES

15


**WEST BATTLE
MOUNTAIN 229**




**COPPER
CANYON 230**



**EAST BATTLE
MOUNTAIN 233**



ARGENTA 244



LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0002 HRLY 98	SR-305 (Broad St), 100' S of SR-304 (Front St).									
	4185	4400	4655	4470	5770	4550	4800	4200	3650	3700
0004 HRLY 98	SR-806 (Reese St), 50' N of SR-304 (Front St), at the RxR crossing.									
	2735	3000	3200	2585	2630	2600	3400	3000	2650	2650
0005 HRLY 00	SR-806 (Reese St), .5 mi N of N Front St & 20' N of Cattle Guard.									
	385	420	465	415	420	320	405	350	350	440
0006 HRLY 00	SR-304 (Front St), 75' E of SR-806 (Reese St).									
	5900	6080	6190	6130	6490	6000	5900	4800	4400	4300
0007 HRLY 00	IR-80, .2 mi E of the E/B on-ramp of the E Battle Mtn Intch "Exit 233".									
	5150	5405	5285	5490	5625	5885	5415	5480	6590	6520
0008 HRLY 99	IR-80, E/B off-ramp of the Argenta Intch "Exit 244", .1 mi E of the E/B lanes of IR-80.									
	50	65	45	75	50	50	50	50	50	50
0010 HRLY 00	IR-80, E/B on-ramp of the Argenta Intch "Exit 244", 50' E of the cross traffic rd.									
	70	85	70	65	45	45	75	75	90	70
0011 HRLY 00	Jenkins Rd, New Station 6.5 Miles E of SR 305 (end of Pavement)									
										50
0012 HRLY 00	IR-80, W/B off-ramp of the Argenta Intch "Exit 244", .1 mi W of the W/B lanes of IR-80.									
	50	50	55	50	40	40	55	55	70	70
0013	Old US-40 (FRLA02), 1000' E of the Argenta Intch "Exit 244" cross traffic rd.									
										240
0014	Old US-40 (FRLA02), 1000' W of the Argenta Intch "Exit 244" cross traffic rd.									
										320
0015 HRLY 00	IR-80, W/B on-ramp of the Argenta Intch "Exit 244", 50' W of the cross traffic rd.									
	30	30	30	65	35	35	40	40	50	60

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0016 HRLY 00	SR-305 (Broad St), 1.25 mi S of SR-304 (Front St) & .2 mi S of Carson Rd.									
	1790	1880	2040	2440	2855	2700	2850	2350	2300	2300
0017 HRLY 98	SR-305 (Broad St), 10.5 mi S of SR-304 (Front St).									
	1025	1000	1085	1070	1115	1100	1150	850	800	890
0019 HRLY 00	County Rd to Copper Canyon, 450' W of SR-305 (Broad St).									
										30
0023 HRLY 98	SR-305 (Austin-Battle Mountain Rd), 7.5 mi S of the County Rd to Copper Canyon									
	715	665	725	645	895	895	910	720	690	770
0025 HRLY 00	SR-306 (Gold Acres Rd), .1 mi S of the EU/LA County Line, S of Crescent Valley.									
	305	255	275	210	305	595	360	290	320	280
0027 HRLY 00	SR-722 (Carrol Summit Rd), at the bridge over the Reese River, W of Austin.									
	40	45	45	50	55	50	50	50	55	50
0028 HRLY 00	SR-722 (Carroll Summit Rd), 6.3 mi SW of US-50 & 300' E of the County Rd to Ione.									
	65	55	55	65	65	65	75	75	80	60
0029 HRLY 00	County Rd to Ione, .1 mi S of SR-722.									
										30
0031 HRLY 00	US-50, 3.1 mi W of SR-305 to Battle Mtn , .9 mi W of SR-722 to Ione-Reese River Vly.									
	760	800	880	680	700	670	780	600	600	670
0032 HRLY 99	SR-305 (Austin-Battle Mountain Rd), to Battle Mtn, .7 mi N of US-50.									
	280	310	340	240	275	275	265	350	290	290
0033 HRLY 99	US-50, 300' E of SR-305.									
	1030	1190	1215	1010	1135	1175	1050	940	990	1100
0034 HRLY 00	US-50, 350' E of Virginia St & 40' W of the Austin Fire Station.									
	1500	1465	1375	1335	1500	1350	1400	1250	1100	1200

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0037 HRLY 00	US-50, .5 mi W of SR-376 (Tonopah-Austin Rd).									
	655	690	690	680	705	680	770	730	720	790
0038 HRLY 99	US-50, .1 mi E of SR-376 (Tonopah-Austin Rd).									
	545	580	570	640	625	625	675	640	620	550
0039 HRLY 00	SR-376 (Tonopah-Austin Rd), .1 mi S of US-50.									
	305	270	280	275	300	315	325	280	330	390
0040 HRLY 00	SR-376 (Tonopah-Austin Rd), at the LA/NY County Line.									
	260	240	290	320	350	380	360	330	370	450
0041 HRLY 00	IR-80, W/B on-ramp of the W Battle Mtn Intch "Exit 229", at the beginning of the concrete.									
	960	970	1070	1165	1020	775	645	490	570	540
0042 HRLY 98	IR-80, E/B off-ramp of the W Battle Mtn Intch "Exit 229", .1 mi W of the cross traffic rd.									
	1000	1010	1115	1175	1170	690	700	510	560	500
0043 HRLY 00	IR-80, E/B on-ramp of the W Battle Mtn Intch "Exit 229", 150' E of the cross traffic rd.									
	290	290	320	305	265	285*	290	250	360	300
0044 HRLY 00	IR-80, W/B off-ramp of the W Battle Mtn Intch "Exit 229", .1 mi E of the cross traffic rd.									
	275	275	300	280	265	285	300	260	260	270
0045 HRLY 00	FRLA03 (SR-304), .1 mi E of the W Battle Mtn Intch "Exit 229".									
	2760	2700	3295	3100	3645	2500	2450	2100	1800	3250
0047 HRLY 00	Sixth St, 100' W of Galena St & W of Alyenburg Av..									
										390
0048 HRLY 00	IR-80, .1 mi E of the W/B off-ramp of the W Battle Mtn Intch "Exit 229".									
	4155	4220	4010	4215	4325	5175	5420	5580	6360	6350
0049 HRLY 00	IR-80, W/B on-ramp of the E Battle Mtn Intch "Exit 233", 200' W of the cross traffic rd.									
	110	80	90	100	100	245	435	390	410	350

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0050 HRLY 00	IR-80, E/B off-ramp of the E Battle Mtn Intch "Exit 233", 200' W of the cross traffic rd.									
	100	80	100	85	100	310	510	405	400	390
0051 HRLY 00	IR-80, E/B on-ramp of the E Battle Mtn Intch "Exit 233", 200' E of the cross traffic rd.									
	610	685	750	750	805	390	420	360	470	390
0052 HRLY 00	IR-80, W/B off-ramp of the E Battle Mtn Intch "Exit 233", 200' E of cross traffic rd.									
	595	660	715	705	720	450	440	380	470	440
0053 HRLY 00	FRLA03 (SR-304), .1 mi W of Muleshoe Rd.									
	2635	2765	2985	2950	3480	2750	2600	2100	1900	2300
0057 HRLY 00	Muleshoe Rd, 95' N of FR-02 & 145' S of RxR tracks.									
							370	370	310	250
0058 HRLY 00	IR-80, .1 mi W of the E/B off-ramp of the W Battle Mtn Intch "Exit 229".									
	5550	5635	5575	5970	5985	6070	6175	6070	6870	6820
0060 HRLY 00	Kingston Canyon Rd, btwn Kingston Ranch & Kingston Forest Camp.									
		60	60	80	50	55	35	35	50	
0061 HRLY 99	SR-305 (Austin-Battle Mountain Rd), 4.2 mi N of US-50.									
		100	200	235	180	205	260	230	250	
0062 HRLY 00	IR-80, W/B on-ramp of the Copper Canyon Intch "Exit 231", 260' S of Broyles Ranch.									
				520	550	520	555	480	480	
0063 HRLY 00	IR-80, W/B off-ramp of the Copper Canyon Intch "Exit 231", 240' S of Broyles Ranch.									
				520	725	485	510	520	460	
0064 HRLY 00	IR-80, E/B on-ramp of the Copper Canyon Intch "Exit 231", .2 mi E of SR-305.									
				520	715	560	500	530	530	
0065 HRLY 00	IR-80, E/B off-ramp of the Copper Canyon Intch "Exit 231", 270' E of E/B lanes .									
				520	465	445	500	470	430	

LANDER COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0066 HRLY 00	IR-80, .6 mi E of the Copper Canyon Intch "Exit 231".					5600	5500	5535	6460	6430
0067 HRLY 99	North 2nd St, 125' N of Front St.								620	750

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001


station number 33 is 0033

station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.





CALIENTE - PIOCHE

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	US-93, at mp LN-25 S of Alamo. 1070	1230	1020	1285	1390	1400	1600	1800	2100	2250
0004 HRLY 00	US-93, .6 mi S of SR-318 near Crystal Springs. 1165	1400	1210	1210	1270	1300	1400	1700	1850	2000
0005 HRLY 00	US-93, .1 mi N of SR-375. 460	400	440	495	585	620	590	750	560	820
0006 HRLY 00	SR-318 (Sunnyside Cutoff Rd), .1 mi W of US-93 near Crystal Springs. 1025	1010	855	1110	1150	1100	1300	1600	1550	1600
0007 HRLY 00	SR-318 (Sunnyside Cut-off Rd), .1 mi N of SR-375. 840	920	815	820	860	870	1000	1100	1000	1150
0009 HRLY 00	SR-375 (Warm Springs Rd), .7 mi W of SR-318 at Crystal Springs. 190	200	195	200	185	185	180	220	200	230
0013 HRLY 00	SR-317 (Rainbow Canyon Rd), S of Caliente, 6.3 mi S of US-93. 125	105	105	100	130	100	75	100	95	120
0014 HRLY 00	SR-317 (Rainbow Canyon Rd), S of Caliente, 300' S of US-93. 190	165	155	195	225	230	275	375	270	280
0015 HRLY 00	US-93, .5 mi S of SR-317 in Caliente. 515	430	535	510	605	655	625	700	570	700
0016 HRLY 00	Park Rd to Kershaw-Ryan Rec Area, .3 mi E of SR-317.						80	80	85	80
0018 HRLY 00	US-93, in Caliente, 100' N of Front St. 2210	2055	1985	2110	2080	2050	2200	2200*	2000	2350
0019 HRLY 00	US-93, near the N City Limits of Caliente, .1 mi N of mp US-93/LN-95. 1135	1140	1180	1450	1360	1400	1300	1400	1250	1450

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0020 HRLY 00	County Rd to Beaver Dam State Park, N of Caliente, .2 mi E of US-93.								70	100
0021 HRLY 99	SR-319 (Panaca-Modena Rd), to Panaca, .1 mi E of US-93.								1180	1300
0022 HRLY 99	SR-319 (Panaca-Modena Rd), 1.1 mi E of US-93.								1320	1450
0023 HRLY 00	SR-319 (Panaca-Modena Rd), 4.8 mi E of US-93 & .75 mi W of the County Rd to the Delmue Ranch								330	550
0025 HRLY 99	SR-319 (Panaca-Modena Rd), .4 mi E of the County Rd to Crestline.								320	480
0026 HRLY 00	US-93, .1 mi S of the County Rd to Cathedral Gorge.								865	1050
0027 HRLY 00	State Park Rd to Cathedral Gorge, .1 mi W of US-93.								100	70
0028 HRLY 99	SR-320 (Caselton Mine Loop), to Caselton, .1 mi W of US-93, S of Pioche.								40	50
0029 HRLY 00	US-93, .3 mi S of SR-321, S of Pioche.								780	1050
0030 HRLY 99	SR-321 (Pioche Rd), .1 mi N of US-93, S of Pioche.								250	300
0031 HRLY 00	US-93, 1 mi N of SR-321, S of Pioche.								520	850
0032 HRLY 00	SR-322 (Ursine Rd), 2.1 mi E of US-93 at Pioche.								250	230

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0033 HRLY 00	SR-322 (Ursine Rd), 12.9 mi E of US-93 at Pioche.									
	120	130	150	100	95	120	140	150	140	140
0035 HRLY 99	SR-322 (Main St), 300' E of SR-321 (La Cour St), in Pioche.									
	945	995	1010	1030	1015	1000	950	1080	970	1100
0036 HRLY 99	SR-321 (La Cour St), 300' W of SR-322 (Main St), in Pioche.									
	840	885	970	840	985	955	800	1100	820	980
0038 HRLY 99	SR-321 (Pioche Rd), .2 mi S of US-93, N of Pioche.									
	125	115	130	100	145	210	140	140	130	140
0039 HRLY 00	US-93, .5 mi N of SR-322 (Main St) in Pioche.									
	310	375	365	315	305	590	390	400	420	400
0042 HRLY 00	US-93, .1 mi S of SR-320 to Caselton, N of Pioche.									
	390	460	450	430	495	656	460	480	500	500
0043 HRLY 99	SR-320 (Caselton Mine Rd), to Caselton 300' W of US-93, N of Pioche.									
	65	70	60	50	80	75	75	65	65	80
0046 HRLY 00	US-93, 25' N of the County Rd to the Bristol Silver mine.									
	325	360	325	325	325	735	400	390	420	420
0052 HRLY 00	County Rd to Echo Canyon State Recreation Area, 100' S of SR-322 to Ursine.									
							90	90	65	90
0053 HRLY 00	SR-816 (Lincoln Co Airport Rd), Lincoln Co Airport, 200' W of US-93, near Panaca.									
	145	145	145	160	25	30	10	40	55	40
0054 HRLY 00	Beaver Dam State Park Rd, 2.7 mi SE of US-93.									
			100	20	25	20	15	20	30	40
0055 HRLY 00	Carp Rd, S of the Southern terminus of SR-317, 3.2 mi S of the entrance rd to Elgin.									
				50	40	40	15	20	10	30

LINCOLN COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0056 HRLY 00	Spring St, S of US-93 in Caliente.							2300	1500	1700

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.




WADSWORTH-FERNLEY 46


EAST FERNLEY 48








Wadsworth-Fernley
Enlarged Area



YERINGTON



YERINGTON AREA

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	US-50, .3 mi W of SR-341. 12395	13950	14700	16800	15700	15000	17100	17100	18500	18200
0002 HRLY 00	US-50, .2 mi E of SR-341. 9030	11300	12000	14500	14800	14100	14200	14200	15900	15600
0003 HRLY 00	SR-341 (Virginia City Rd), 200' N of US-50. 2745	2550	2615	3045	3115	2450	2750	2800	3100	2950
0004 HRLY 00	SR-342 (Silver City-Gold Hill Rd), .25 mi N of SR-341. 2430	2445	2410	2075	2075	2050	2000	2050	1800	1900
0005 HRLY 97	SR-341 (Virginia City Rd), .1 mi N of SR-342. 260	320	325	330	330	350	350	310	300	300
0006 HRLY 00	US-50, .1 mi W of River St. 9230	11500	11550	13400	14900	13300	14500	14500	15900	15600
0009 HRLY 99	Pike St, 200' N of Main St in Dayton.								590	550
0010 HRLY 00	Dayton Valley Rd, .1 mi E of US-50, in Dayton. 4300	4750	5955	5485	6220	6100	6400	6300	6300*	6500
0012 HRLY 00	US-50, .2 mi W of the entrance to the Dayton State Park. 6565	6800	8245	8790	9840	10700	11600	11600	14400	14400
0013 HRLY 00	US-50, at mp US-50/LY-10. 5965	6400	7050	7510	8350	8500	8900	8900	10200	10200
0015 HRLY 00	Six Mile Canyon Rd, 1.1 mi W of US-50.								1400	1450
0016 HRLY 00	US-50, .1 mi E of Chavez Rd. 3730	3960	4325	4610	4950	5550	5400	5400	6050	6000

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0017 HRLY 99	US-50, .1 mi E of Cheyenne Rd (in Stage Coach) & 8.2 mi W of US-95A.									
	3150	3490	3400*	3600*	3950*	3950*	4400*	4800*	5000*	5000
0018 HRLY 99	US-50, .7 mi W of US-95A at Silver Springs.									
	2425	2665	2700	3180	3170	3170	3400	3700	3850*	3850
0019 HRLY 00	US-95A, at Silver Springs, 200' S of US-50.									
	3075	3555	4090	5000	4760	5100	5300	5100	5300*	5200
0020 HRLY 99	US-50, 1.5 mi E of US-95A.									
	1365	1495	1600	1710	1790	1900	1800	2100	2000	2000
0021 HRLY 99	US-95A, 270' N of US-50.									
	2700	2975	3685	4215	4055	4200	4150	4300	4600	4500
0022 HRLY 00	US-95A, 320' S of US-95A Spur in Fernley.									
	4700	4840	4700	5040	5153	5300	5700	6100	6400	6700
0023 HRLY 00	US-95A (Main St), 275' E of US-95A Spur.									
	7600	7775	7915	8355	8375	8500	9000	9400	9750	10200
0024 HRLY 00	US-95A Spur, 100' W of US-95A.									
	6820	7115	7220	8330	8270	9100	9000	9600	10200	10200
0025 HRLY 00	US-95A Spur, 20' S of the RxR underpass, btwn Fernley & Wadsworth.									
	5690	5890	5875	7185	7690	9050	8600	9200	9550	9400
0026 HRLY 97	IR-80, E/B on-ramp of the Wadsworth-W Fernley Intch "Exit 44"									
	300	310	375	470	580	905	880	1225	1160	1100
0028 HRLY 97	IR-80, W/B off-ramp of the Wadsworth-W Fernley Intch "Exit 44".									
	320	320	445	565	600	740	780	1195	1130	1200
0029 HRLY 99	Whitacre St, N of Commercial Av.									
									85	90

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0030 HRLY 97	IR-80, W/B on-ramp of the Wadsworth-W Fernley Intch "Exit 44", 375' W of SR-427.									
	2060	1975	2270	2590	3000	2840	2875	3115	2970	3600
0031 HRLY 99	IR-80, E/B off-ramp of the Wadsworth-W Fernley Intch "Exit 44", 340' W of US-95A Spur.									
	2090	2015	2110	2420	2950	2885	3095	3170	3170	3780
0032 HRLY 00	US-95A, 200' W of US-50A to Hazen, W of the Fernley overpass.									
	7090	7430	8065	8540	8560	8500	9600	10200	10700	11000
0033 HRLY 00	SR-828 (Fernley Farm District Rd), .2 mi S of US-50A.									
	2025	2150	2310	2435	2490	2500	2500	3600	3800	4050
0034 HRLY 00	US-50A, .2 mi E of SR-828.									
	4815	5570	5600*	5750*	5650*	6350*	7050*	7400*	7450*	7200
0035 HRLY 00	SR-828 (Fernley Farm District Rd), .25 mi W of US-50A.									
	220	230	190	250	210	270	270	270	340	330
0036 HRLY 99	US-95A, to I-80 at the N end of guardrail of RxR overpass.									
	8580	9285	10800	11200	10800	12300	13000	13800	15600	15600
0037 HRLY 97	IR-80, E/B on-ramp of the E Fernley Intch "Exit 48", .2 mi from cross traffic rd.									
	975	965	1150	960	845	905	735	725	780	700
0039 HRLY 97	IR-80, W/B off-ramp of the E Fernley Intch "Exit 48", 100' NE of the cross traffic rd.									
	905	845	1100	920	835	940	770	810	890	790
0040 HRLY 00	IR-80, W/B on-ramp of the E Fernley Intch "Exit 48", .2 mi W of the cross traffic rd.									
	2780	2730	3225	3665	3800	4060	3665	4995	5250	4670
0041 HRLY 00	IR-80, E/B off-ramp of the E Fernley Intch "Exit 48", .1 mi from W end of ramp.									
	2800	2800	3365	3855	3665	3770	3890	4865	4980	4270
0042 HRLY 00	IR-80, 2.2 mi W of the Nightingale Intch "Exit 65".									
	5935	6840	6560	6350	6685	6085	6685	7380	6950	6950

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0044 HRLY 00	US-95A, 2.6 mi S of the Weeks Cutoff.									
	2025	2250	2490	2845	2790	2650	2650	2700	3000	3000
0045 HRLY 00	Fort Churchill Rd, .2 mi W of US-95A.									
							235	235	190	210
0047 HRLY 00	US-95A, 4.9 mi S of Fort Churchill Rd.									
	1905	2100	2325	2600	2415	2350	2400	2600	2850	2800
0048 HRLY 00	US-95A, .6 mi S of the RxR crossing at Wabuska.									
	1980	1890	2125	2300	2460	2400	2500	2650	3000	3000
0049 HRLY 98	US-95A, .5 mi N of the County Rd to Weed Heights.									
	3200	3065	3415	3780	3765	3800	3900	4100	4400	4400
0051 HRLY 99	US-95A, 150' N of US-95A (Goldfield Av).									
	4385	4365	4670	4965	4600	4700	4800	5100	5400	5300
0052 HRLY 98	US-95A (Goldfield Av), .1 mi E of the NS portion of US-95A.									
	3780	3710	3960	3955	4335	4350	4600	4700	5000	4800
0053 HRLY 98	US-95A (Goldfield Av), 150' W of SR-208 (Main St).									
	4020	3775	4600	4595	3775	3800	4000	4000	4250	4250
0054 HRLY 99	SR-208 (Main St), 75' S of US-95A (Goldfield Av).									
	4425	4525	4755	5150	5130	5250	5450	5700	6100	6100
0055 HRLY 00	US-95A, .2 mi E of Oregon St & .6 mi E of SR-208.									
	2880	2780	2920	3145	3330	3450	3700	3600	3600	3600
0056 HRLY 99	SR-208 (Main St), 150' N of SR-340 (Bridge St).									
	4690	4935	5055	5240	5360	5460	5500	5400	5600	5750
0058 HRLY 98	SR-340 (Bridge St), .1 mi W of SR-208 (Main St).									
	3725	3775	3790	4230	4535	4250	4150	4300	4400	4600

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0059 HRLY 99	SR-208 (Main St), S of SR-340 (Bridge St). 3360 3420 3435 3770 3820 3605 4100 4100 4250 4250									
0061 HRLY 99	SR-340 (Bridge St), .2 mi E of SR-339. 2265 2230 2240 2500 3000 3050 2950 3050 3000 3150									
0062 HRLY 98	SR-339 (Nordyke Rd), .2 mi N of SR-340, W of Yerington. 2405 2375 2665 2670 2745 2900 2900 3250 3300 3300									
0063 HRLY 99	SR-339 (Nordyke Rd), .2 mi N of SR-827 in Mason. 2160 2060 2260 2435 2735 2900 2800 3000 3000 3000									
0064 HRLY 00	SR-339 (Nordyke Rd), .9 mi S of SR-827 in Mason. 1200 1080 1200 1365 1540 1550 1400 1550 1600 1530									
0065 HRLY 99	SR-827 (Mason Rd), 400' W of SR-208. 595 685 675 870 810 855 800 800 800 830									
0066 HRLY 99	SR-208 (Topaz-Yerington Rd), 1.4 mi N of SR-827 (Mason Rd). 1625 1660 1600 2035 1880 2670 2600 2650 2600 2600									
0067 HRLY 99	SR-827 (Cremetti Ln), .25 mi E of SR-208. 215 200 190 210 235 195 195 195 300 280									
0070 HRLY 99	SR-827 (McKenzie Ln), .1 mi S of the EW portion of SR-827 (Cremetti Ln). 230 225 295 250 220 265 265 265 290 260									
0071 HRLY 97	Pursel Ln, .1 mi E of SR-827 (McKenzie Ln). 215 275 270 190 220 220 225 225 370 220									
0072 HRLY 97	Pursel Ln, 2.3 mi E of SR-827 (McKenzie Ln). 45 45 45 40 40 40 45 45 40 40									
0075 HRLY 99	SR-208 (Topaz-Yerington Rd), .6 mi N of McKenzie Ln & .1 mi S of Fridhoff Ln. 370 355 360 475 350 435 450 475 570 510									

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0076 HRLY 99	SR-208 (Topaz-Yerington Rd), .4 mi E of Walker Rd. 415 395 400 375 365 470						485	500	650	610
0079 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi N of Hamer Ln. 390 355 355 380 330 445						460	490	570	510
0080 HRLY 99	SR-208 (Topaz-Yerington Rd), 100' N of E Walker Rd. 295 265 240 315 260 400						410	420	470	450
0085 HRLY 99	SR-208 (Topaz-Yerington Rd), 133' E of Hudson Wy. 1065 930 915 1130 1310 1250						1350	1400	1300	1350
0086 HRLY 00	SR-208 (Topaz-Yerington Rd), .3 mi E of leg of Wye to SR-824 at Smith. 1275 1200 1180 1325 1530 1450						1550	1650	1600	1650
0087 HRLY 00	SR-824 (Day Lane), 155' S of E leg of Wye to SR-208 & 293' S of SR-825. 975 975 945 1060 1070 1080						1080	970	1050	980
0088 HRLY 99	SR-824 (Day Ln), .15 mi N of SR-825, N of Smith. 830 850 770 840 910 920						920	790	850	790
0089 HRLY 97	SR-825 (Gage Rd), in Smith, .1 mi W of SR-824. 195 190 185 215 175 180						220	220	175	170
0090 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi N of SR-338, S of Smith. 1165 1160 1155 1390 1570 1600						1550	1400*	1475	1400
0091 HRLY 99	SR-208 (Topaz-Yerington Rd), .2 mi W of SR-338, S of Smith. 980 975 980 1215 1320 1400						1300	1350	1200	1200
0092 HRLY 99	SR-338 (Sweetwater Rd), .1 mi S of SR-208, S of Smith. 305 325 350 395 430 445						445	410	400	390
0093 HRLY 99	SR-208 (Topaz-Yerington Rd), 440' W of SR-829 in Wellington. 1210 1175 1155 1620 1570 1750						1725	1800	1700	1700

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0094 HRLY 96	SR-208 (Topaz-Yerington Rd), .5 mi E of SR-823 to Colony District.									
	1170	1200	1180	1635	1650	1950	1800	1850	1900	1900
0095 HRLY 96	SR-823 (Colony District Rd), Lower Colony Rd, .2 mi N of SR-208.									
	470	525	500	670	675	675	665	680	700	700
0096 HRLY 97	SR-823 (Artesia Rd), .1 mi W of jct of SR-823 Hunewell Ln.									
	175	175	180	205	180	180	190	170	290	200
0097 HRLY 97	SR-824 (Day Ln), .2 mi E of SR-823.									
	280	260	230	275	290	290	265	240	380	320
0098 HRLY 99	SR-824 (Day Ln), 1.5 mi N of SR-825 in Smith.									
	710	715	640	710	755	760	760	690	820	760
0099 HRLY 99	SR-829 (Wellington Rd), 1.2 mi E of SR-208, S of Wellington.									
	260	250	210	275	285	385	385	380	360	360
0100 HRLY 99	SR-338 (Sweetwater Rd), .1 mi N of SR-829 to Wellington.									
	155	210	190	260	285	285	285	225	260	230
0101 HRLY 99	SR-338 (Sweetwater Rd), .15 mi S of SR-829.									
	365	390	395	445	515	425	425	420	420	400
0103 HRLY 99	SR-338 (Sweetwater Rd), 3.9 mi S of the County Rd to Nye Canyon, mp SR-338 LY-9.7.									
	210	270	205	270	230	285	285	280	275	260
0105 HRLY 99	SR-338 (Sweetwater Rd), .5 mi S of the County Rd to Bodie.									
	225	160	150	250	245	305	305	300	290	280
0106	Old SR-3C, 1.4 mi S of the County Rd to Pine Grove Flat & 13.2 mi S of SR-208.									
									0	1250
0108 HRLY 99	SR-208 (Topaz-Yerington Rd), 300' S of SR-827 (Mason Rd).									
	990	900	925	1095	1035	1240	1280	1350	1350	1250

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0110 HRLY 99	County Rd (Old US-95A), to Mason Valley Wildlife Mgt Area, .3 mi N of US-95A.								250	200
0111 HRLY 98	US-95A, .45 mi E of Pete Hendricks Rd. 1945	1900	1970	2150	2340	2300	2250	2500	2500	2300
0112 HRLY 98	US-95A, .1 mi E of Miley Rd, .1 mi E of mp US-95A/LY-7. 1420	1360	1210	1320	1565	1600	1650	1650	1650	1600
0113 HRLY 98	US-95A, .25 mi E of Bonanza Ln. 1170	1065	1125	1120	1230	1150	1200	1100	1250	1200
0114 HRLY 00	IR-80, at mp LY 3. 9635	10560	10900	12130	12470	12070	12735	15705	15510	14400
0115 HRLY 98	US-95A, btwn Miller Ln & Campbell Ln, N of Yerington. 2605	2520	2830	3115	3250	3350	3400	3500	3650	3500
0116 HRLY 99	Weed Heights Rd, .5 mi W of US-95A. 1105		1240	1040	1050	1100	1000	900	930	
0117 HRLY 99	Bodie Rd, .5 mi S of the County Rd to Pine Grove Flat, & .2 mi S of SR-208. 30	35	40	70	70	70	70	70	50	
0118	Gallagher Pass Rd (Campbell Lane), 7.2 mi W of US-95A. 15	40	105	105	105	105	105	105	30	
0119 HRLY 00	Hardy Ln, .25 mi N of Cottonwood Ln. 758	795	755	980	865	840	850	1300		
0121 HRLY 00	Fort Churchill Rd, .15 mi S of US-50, E of Dayton. 100	100	110	110	110	100	110	120		
0122 HRLY 99	Bridge St, .1 mi E of Charlotte Av, in Yerington. 530	525	695	710	710	720	770	700		

LYON COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0123 HRLY 99	Orchard St, E of Whitacre Av in Yerington.								40	40
0124 HRLY 99	Pearl St, 117' W of Oregon St in Yerington.								1000	1000
0125 HRLY 00	Fir St, in Silver Springs, E of US-95A.								830	800
0126 HRLY 99	Weeks-Ramsey Cutoff Rd., .1 mi S of US-50.								1800	1750
0127 HRLY 00	Truckee Ln, W of US-95A Spur in Fernley.								820	700

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033


 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



BABBITT - HAWTHORNE



MINERAL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	US-95A, 1.8 mi E of MI-LY County Line & 9 mi W of US-95.									
	990	1075	1040	1030	1060	1000	1100	1000	910	1200
0002 HRLY 00	US-95, 2.1 mi N of RxR Grade Crossing in Schurz.									
	1490	1600	1770	1860	2185	1800	1950	2000	1950	2000
0004 HRLY 98	US-95, .2 mi N of US-95A.									
	1880	1940	2045	2150	3000	2350	2200	2300	2650	2650
0005 HRLY 00	US-95, .4 mi S of US-95A S of Schurz.									
	2060	2380	2460	2720	3810	3050	3000	2800	3450	3500
0009 HRLY 00	US-95, .5 mi N of the US Army Depot Entrance Rd at Babbitt.									
	2865	2945	3155	3175	3630	3400	3000	3250	3200	3400
0010 HRLY 00	US-95, at Babbitt, .4 mi S of the US Army Depot Entrance Rd.									
	3760	4000	4065	4050	4480	4450	3600	4100	4500	4300
0011 HRLY 00	US-95, S/B 100' N of "C" St, N/B .1 mi N of "C" St.									
	5000	5310	5300	5305	6150	5500	4900	4700	5500	5900
0013 HRLY 00	US-95, 200' N of SR-359.									
	6400	6700	7065	6480	6500	6200	5600	5400	5900	6300
0014 HRLY 00	SR-359 (Pole Line Rd), .1 mi S of US-95.									
	3700	3830	4085	3640	3680	3600	2750	2600	2400	2500
0015 HRLY 00	US-95, 200' S of SR-359.									
	6100	6400	6035	5840	5885	5600	5300	5100	4900	5100
0016 HRLY 00	US-95, .25 mi S of SR-362.									
	2225	2280	2300	2225	2595	2650	2600	2600	2600*	2700
0022 HRLY 00	SR-359 (Pole Line Rd), .8 mi S of US-95 in Hawthorne.									
	800	805	820	775	695	675	500	480	630	500

MINERAL COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0023 HRLY 00	SR-359 (Pole Line Rd), .1 mi S of the County Rd to Bodie via Lucky Boy Grade.									
	220	270	245	230	195	230	175	170	225	210
0027 HRLY 00	US-95, .25 mi N of SR-361 to Gabbs.									
	2220	2040	1975	2035	2370	2000	2200	2400	2300	2250
0028 HRLY 00	SR-361 (GabbsValley Rd), .2 mi N of US-95 in Luning.									
	355	325	250	135	160	160	120	100	150	130
0030 HRLY 00	US-95, 4.1 mi N of Mina.									
	1895	1955	1990	2230	2410	2100	2100	2100	2050	2200
0032 HRLY 00	US-95, 1.2 mi N of Sodaville & .6 mi N of mp US-95/MI-13.									
	1665	1710	1645	1910	2280	2000	2000	2000	2100	2150
0033 HRLY 00	SR-360 (Mina-Basalt Cutoff Rd), .25 mi W of US-95 S of Sodaville.									
	440	335	355	430	540	475	475	370	360	380
0035 HRLY 00	US-6, 3 mi E of the NV/CA Stateline.									
	730	720	760	720	750	770	770	790	770	1000
0036 HRLY 00	US-6, .2 mi E of SR-360.									
	355	355	440	415	430	440	440	450	440	500
0037 HRLY 00	SR-362 (Hawthorne Truck By-Pass Rd), N of US-95.									
	710	710	635	940	975	930	830	800	1300	1050
0038 HRLY 00	US-95, 800' N of SR-362 (Truck Bypass).									
	1930	2025	1810	1900	1990	1900	1800	1700	1450	1500
0040 HRLY 00	"A" St, 125' N of W Seventh St.									
			620	850	880	880	940	900	900	900

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001


 station number 33 is 0033

 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.





TONOPAH



BEATTY



NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	SR-160 (Pahrump Valley Rd), in Pahrump Valley, .2 mi N of the CL/NY County Line.									
	2430	2405	2970	3420	4070	4700	5000	5400	6050	6400
0002	Ash Meadows-Bell Vista Rd, 2.3 mi W of SR 160.									
										2400
0003 HRLY 00	Belmont Rd, 1000' E of SR-376.									
										30
0004 HRLY 00	Devils Hole Rd, .2 mi W of SR-160.									
										200
0005 HRLY 00	SR-160 (Pahrump Valley Rd), in Pahrump Valley, 200' S of SR-372 to Ash Meadows.									
	8810	9595	10600	11700	13900	14500	15600	16100	16100*	16400
0006 HRLY 00	SR-372 (Charles Brown Hw), .8 mi W of SR-160 & .2 mi W of mp SR-372-NY7.									
	4380	4455	5190	5450	6945	8200	8900	8350	9450	9800
0007 HRLY 00	SR-372 (Charles Brown Hw), to Shoshone California, at the NV/CA Stateline.									
	695	760	670	670	700	670	640	600	830	780
0008 HRLY 00	SR-160 (Pahrump Valley Rd), in Pahrump Valley, .1 mi N of SR-372 to Ash Meadows.									
	5800	5900	6670	7870	10300	10800	11900	13800	14400	15000
0009 HRLY 00	SR-160 (Pahrump Valley Rd), in Pahrump Valley, 7.7 mi N of SR-372 to Ash Meadows.									
	800	715	715	885	1140	1100	1050	1200	1350	1300
0010 HRLY 00	Haffen Ranch Rd (Caas St), .7 mi S of SR-160.									
										2150
0011 HRLY 00	SR-160 (Pahrump Valley Rd), .1 mi S of US-95.									
	690	695	655	670	825	750	720	730	820	800
0012 HRLY 00	US-95, 4 mi N of the Mercury Intch.									
	2535	2870	2715	2525	2550	2780	2855	2940	2960	2980

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0013 HRLY 98	US-95, S/B off-ramp of the Mercury Intch, 200' E of US-95.									
	165	155	140	105	110	100	80	85	110	100
0014 HRLY 98	US-95, S/B on-ramp of the Mercury Intch, .25 mi S of the cross traffic rd.									
	610	615	560	430	530	350	350	410	375	460
0016 HRLY 98	US-95, N/B off-ramp of the Mercury Intch.									
	605	620	565	430	500	310	350	315	375	460
0017 HRLY 98	D.O.E Rd to Mercury Test Site, .2 mi N of the Mercury Intch.									
	1530	1510	1375	1075	1220	860	830	850	855	1000
0018 HRLY 98	US-95, N/B on-ramp of the Mercury Intch.									
	160	160	145	100	105	90	75	100	110	100
0019 HRLY 00	US-95, 1.5 mi S of SR-373 in Armagosa Valley.									
	2330	2650	3150	2600	2880	2800	2900	2700	2850	2700
0020 HRLY 99	SR-373 (Death Valley Junction Rd), .5 mi S of US-95.									
	700	485	615	590	835	720	610	700	660	650
0021 HRLY 00	US-95, .2 mi N of SR-373.									
	2000	2325	1910	2270	2735	2350	2500	2400	2580	2450
0022 HRLY 00	US-95, .1 mi S of SR-374.									
	3950	3625	3535	3275	4055	4800	4800	4800	4900	4650
0023 HRLY 00	SR-374 (Death Valley Rd), 300' W of US-95.									
	1865	1970	1980	1685	1810	1750	1700	1610	1450	1200
0024 HRLY 00	SR-374 (Death Valley Rd), .6 mi W of US-95.									
	1020	1070	1160	1230	1265	1350	1200	850	650	530
0026 HRLY 99	SR-374 (Death Valley Rd), 5.1 mi W of US-95 in Beatty , .2 mi W of the county rd to Rhyolite									
	325	315	395	280	360	310	310	360	400	280

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0027 HRLY 00	US-95, .3 mi N of SR-374.									
	4265	3780	3625	3545	3790	3600	3650	3550	3600	3650
0028 HRLY 00	US-95, 1 mi N of SR-374.									
	2250	2575	2365	2150	2495	2600	2600	2600*	2700	2700
0029 HRLY 00	US-95, 7 mi N of Springdale Rest Stop, at mp US-95/NY-77 N of Beatty.									
	1630	1795	1720	1730	2130	2000	2000	2000	2300	2150
0030 HRLY 00	SR-267 (Scotty's Castle Rd), .3 mi W of US-95.									
	80	100	95	60	95	70	70	60	60	60
0031 HRLY 00	US-95, .2 mi S of US-6 in Tonopah, across from the Museum-Logan Field sign.									
	6425	6125	6440	6590	6410	6200	5900	5800	6600	6150
0032 HRLY 00	US-6/US-95, in Tonopah, .2 mi N of US-6.									
	8070	7540	7635	7525	7270	7100	7700	7600	8000	8200
0033 HRLY 09	US-6/US-95, in Tonopah, 100' S of Bryan Av.									
	8730	8450	7840	7720	7795	7900	8200	9000	9500	9500
0034 HRLY 00	US-6/US-95, 500' N of Cemetery Rd, N of Tonopah at mp US-6/NY-0.0.									
	4470	4020	3975	4020	4310	4150	4550	4400	4700	4500
0038 HRLY 00	SR-361 (Gabbs Valley Rd), 200' N of 3rd St.									
	485	475	385	355	445	350	310	270	320	230
0040 HRLY 00	SR-361 (Gabbs Valley Rd), .2 mi N of SR-844.									
	220	245	200	145	170	160	190	180	220	160
0041 HRLY 00	SR-844 (Ione Rd), .2 mi E of SR-361.									
	70	95	65	55	65	55	95	70	110	50
0043 HRLY 00	SR-844 (Ione Rd), at mile post SR-844/NY-12.32.									
	60	70	45	50	55	45	80	50	90	40

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0049 HRLY 00	US-6, .25 mi E of US-95 in Tonopah.									
	2565	2290	2125	2045	1850	2000	2150	2050	2200	2300
0050 HRLY 00	US-6, .2 mi W of SR-376.									
	1235	1285	1095	1110	1005	1150	1250	1250	1300	1500
0052 HRLY 00	SR-376 (Tonopah-Austin Rd), .7 mi N of mp NY 36 E.									
	430	425	340	380	375	400	450	390	410	520
0054 HRLY 00	SR-377 (Manhattan Rd), in Manhattan, 300' W of the E end of SR-377 & 6.6 mi E of SR-376.									
	120	80	105	80	105	90	110	140	80	80
0055 HRLY 00	SR-377 (Manhattan Rd), to Manhattan, 400' E of SR-376.									
	135	85	75	75	100	95	100	120	65	90
0056 HRLY 00	SR-376 (Tonopah-Austin Rd), .1 mi N of mp NY 37.									
	505	425	360	410	405	430	475	420	440	540
0059 HRLY 00	SR-376 (Tonopah-Austin Rd), 2.4 mi S of Carvers Rest Area.									
	1280	1070	755	950	995	970	1100	1140	1200	1200
0060 HRLY 00	US-6, .2 mi E of SR-376 (Tonopah-Austin Rd).									
	890	790	640	630	590	635	650	650	670	670
0061 HRLY 00	US-6, 4 mi E of SR-376.									
	640	640	445	410	395	460	500	475	490	450
0063 HRLY 00	US-6, .1 mi E of Sandia Rd. (Tonopah Test Site Rd)									
	260	235	245	240	315	360	300	310	320	420
0064 HRLY 00	US-6, 200' W of SR-375 (Warm Springs Rd).									
						280	300	280	290	340
0065 HRLY 00	SR-375 (Warm Springs Rd), 200' S of US-6.									
						120	130	120	150	200

NYE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0066 HRLY 00	US-6, .3 mi E of SR-375.					195	200	200	150	210
0069 HRLY 00	US-6, .6 mi W of SR-379.					200	250	270	250	250
	320	325	225	220	225					
0070 HRLY 99	SR-379 (Duckwater Rd), .1 mi N of US-6.					145	130	140	100	100
	120	155	160	175	165					
0071 HRLY 99	US-6, .2 mi E of SR-379 (Duck Water Rd).					225	300	320	300	300
	365	370	250	245	235					
0072 HRLY 99	SR-379 (Duckwater Rd), 19.2 mi N of US-6 & 150' S of the N end of oiled pavement.					60	60	75	90	130
	40	30	45	55	90					
0073	Old SR-20, 6.2 mi N of Duckwater School.									1000
0074 HRLY 00	SR-318 (Sunnyside Rd), drop box W at NY/WP County Line.					810	900	925	1000	1000
	730	715	650	760	725					
0075 HRLY 00	SR-318 (Sunnyside Rd), 1.2 mi S of the County Rd to Kirch Wildlife Area.					700	850	870	920	950
	700	685	625	730	650					
0076 HRLY 99	US-6, 11 mi E of jct of SR-375, 400' NE of mp US-6/NY-62.					140	200	200	200	220
	170	170	160	185	120					
0078 HRLY 99	Valley View Rd, 1 mi N of Amargosa Farm Rd.					135	140	135	120	100
		275	265	165						
0079 HRLY 00	SR-376 (Tonopah-Austin Rd), .5 mi N of US-6.					520	550	460	490	650
	470	370	500	535						

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:


Example: station number 1 is 0001

 station number 33 is 0033


 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.



310



LOVELOCK AREA




LOVELOCK


INTERSTATE INTERCHANGES

27


TOULON 93




WEST LOVELOCK 105




MAIN STREET 106




EAST LOVELOCK 107




COAL CANYON 112




OREANA-ROCHESTER 119




RYE PATCH DAM 129




HUMBOLDT 138




IMLAY 145




DUN GLEN MILL CITY 149



DUN GLEN 151



COSGRAVE 158



PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	IR-80, E/B off-ramp of the Toulon Intch "Exit 93", 250' W of the cross traffic rd.									90
	80	85	85	65	120	60	60	105	100	
0004 HRLY 00	IR-80, E/B on-ramp of the Toulon Intch "Exit 93", 150' E of the cross traffic rd.									100
	70	65	95	80	95	95	95	75	80	
0006 HRLY 98	IR-80, W/B off-ramp of the Toulon Intch "Exit 93", 250' E of the cross traffic rd.									120
	70	65	95	80	95	95	95	120	110	
0008 HRLY 99	IR-80, W/B on-ramp of the Toulon Intch "Exit 93", 150' W of the cross traffic rd.									140
	80	85	85	65	60	60	60	170	160	
0010 HRLY 99	Lower Valley Rd, at mp PE 11.1, 2.2 mi E of the rd to Derby Airport SW of Lovelock.									40
								50		
0013 HRLY 00	SR-396 (Cornell Av), 100" S of Boween St.									2400
	2275	2000	1625	2070	2025	1550	2200	2200	2250	
0014 HRLY 00	SR-396 (Cornell Av), 100' W of SR-398 (Main St).									2800
	3890	3610	3600	3500	3800	3550	3900	3900	2700	
0015 HRLY 00	SR-398 (Main St), 200' S of SR-396 (Cornell Av).									2000
	1780	1345	1380	1460	1590	1860	1850	1850	1750	
0016 HRLY 00	SR-396 (Cornell Av), 100' E of SR-398 (Main St).									3450
	4600	4175	4300	4180	4805	4500	4850	4850	3400	
0017 HRLY 99	SR-398 (Main St), 100' S of Dartmouth Av.									1700
	2475	2250	2060	2180	2390	2800	2450	2450	1700	
0018 HRLY 00	SR-396 (Cornell Av), 125' E of 13th St.									3400
	4495	3465	4230	4030	4630	4200	4500	4500	3200	
0020 HRLY 00	SR-856 (Airport Rd), .1 mi S of the E/B on-ramp at the E Lovelock Intch "Exit 107".									890
	650	630	720	710	795	890	1000	1000	825	

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0021 HRLY 00	SR-396 (Upper Valley Rd), .1 mi S of Loorz Rd.									
	1290	1300	1220	1255	1390	1450	1450	1450	1230	1250
0023 HRLY 00	SR-396 (Upper Valley Rd), 1 mi N of Loorz Rd.									
	900	860	770	880	940	960	950	950	810	810
0025 HRLY 00	SR-396 (Upper Valley Rd), .2 mi W of cross traffic rd of the Coal Canyon Intch "Exit 112".									
	530	605	550	560	600	600	470	420	390	390
0027 HRLY 99	IR-80, E/B off-ramp of the Oreana Intch "Exit 119", 150' W of the cross traffic rd.									
			165	180	190	190	165	140	205	190
0030 HRLY 00	SR-858 (Oreana Rd), .7 mi S of the E/B ramps of the Oreana Intch "Exit 119".									
	245	265	265	310	295	295	280	280	270	260
0031 HRLY 99	IR-80, E/B on-ramp of the Oreana Intch "Exit 119", .1 mi E of cross traffic rd.									
	60	60	60	65	140	140	60	120	90	60
0033 HRLY 99	IR-80, W/B off-ramp of the Oreana Intch "Exit 119", 100' E of the W/B on-ramp.									
	60	60	60	55	60	60	55	70	65	60
0034 HRLY 99	IR-80, W/B on-ramp of the Oreana Intch "Exit 119", .1 mi W of the W/B off-ramp.									
	165	165	165	160	145	145	165	150	165	180
0035 HRLY 00	IR-80, E/B off-ramp of the Rye Patch Intch "Exit 129", .2 mi W of the cross traffic rd.									
	285	360	400	475	440	385	385	385	490	390
0037 HRLY 00	IR-80, E/B on-ramp of the Rye Patch Intch "Exit 129", .1 mi E of the cross traffic rd.									
	360	385	425	460	455	380	480	495	520	380
0039 HRLY 00	IR-80, W/B off-ramp of the Rye Patch Intch "Exit 129", .1 mi E of the cross traffic rd.									
	215	215	255	245	255	280	380	350	290	200
0040 HRLY 00	SR-401(Rye Patch Dam Rd), .4 mi N of the W/B ramps at the Rye Patch Intch "Exit 129".									
	130	50	90	160	245	245	245	245	120	160

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0042 HRLY 00	IR-80, W/B on-ramp of the Rye Patch Intch "Exit 129", .2 mi W of the cross traffic rd. 140	190	230	245	245	300	300	360	320	300
0043 HRLY 99	IR-80, E/B off-ramp of the Humboldt Intch "Exit 138", .2 mi W of the cross traffic rd. 75	90	90	50	65	65	95	95	55	70
0046 HRLY 99	IR-80, E/B on-ramp of the Humboldt Intch "Exit 138", .1 mi E of the cross traffic rd. 115	125	125	80	110	110	200	145	115	100
0048 HRLY 99	IR-80, W/B off-ramp of the Humboldt Intch "Exit 138", .1 mi E of the cross traffic rd. 115	125	125	80	110	110	190	145	120	100
0051 HRLY 99	IR-80, W/B on-ramp of the Humboldt Intch "Exit 138", .2 mi W of the cross traffic rd. 75	90	90	65	70	70	95	95	60	70
0052 HRLY 98	IR-80, E/B off-ramp of the Imlay Intch "Exit 145", .2 mi W of the cross traffic rd. 115	150	90	100	110	110	110	75	70	70
0053 HRLY 00	IR-80, E/B on-ramp of the Imlay Intch "Exit 145", .2 mi E of the cross traffic rd. 150	160	100	110	120	120	110	105	100	60
0055 HRLY 98	IR-80, W/B off-ramp of the Imlay Intch "Exit 145", .2 mi E of the cross traffic rd. 130	160	100	100	110	110	110	65	60	40
0056 HRLY 99	SR-859 (Imlay Rd), 70' N of the Frontage Rd. 215	275	235	225	235	245	245	300	250	300
0057 HRLY 98	IR-80, W/B on-ramp of the Imlay Intch "Exit 145", .1 mi W of the cross traffic rd. 95	150	90	80	100	100	100	75	100	100
0058 HRLY 99	Imlay Rd, 150' S of Nevada Av. 105	135	115	145	140	145	145	150	120	130
0059 HRLY 98	IR-80, E/B off-ramp of the Mill City Intch "Exit 149", .2 mi W of the cross traffic rd. 360	415	480	285	400	465	465	320	330	250

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0060 HRLY 98	IR-80, E/B on-ramp of the Mill City Intch "Exit 149", .2 mi E of the cross traffic rd.									
	125	100	70	75	85	80	90	80	90	100
0063 HRLY 98	IR-80, W/B off-ramp of the Mill City Intch "Exit 145", .2 mi E of the cross traffic rd.									
	85	55	45	45	55	55	50	60	60	60
0066 HRLY 98	IR-80, W/B on-ramp of the Mill City Intch "Exit 149", .2 mi W of the cross traffic rd.									
	660	715	815	970	780	545	600	590	530	550
0067 HRLY 00	IR-80, E/B on-ramp of the Dun Glen Intch "Exit 151", .2 mi E of the cross traffic rd.									
	435	505	460	440	415	450	475	475	450	340
0069 HRLY 00	IR-80, W/B off-ramp of the Dun Glen Intch "Exit 151", .2 mi E of the cross traffic rd.									
	600	675	615	590	385	550	550	540	470	500
0071	IR-80, E/B off-ramp of the Cosgrave Intch "Exit 158", 150' W of the cross traffic rd.									
	235	245	190	265	440	300	275	275	350	350
0072 HRLY 00	Cosgrave Rest Area Rd, Cosgrave Intch "Exit 158", 75' E of the cross traffic rd.									
										620
0073	IR-80, E/B on-ramp of the Cosgrave Intch "Exit 158", 200' E of the cross traffic rd.									
	260	270	285	285	325	325	270	325	360	400
0075	IR-80, W/B off-ramp of the Cosgrave Intch "Exit 158", 150' E of the cross traffic rd.									
	125	125	285	125	115	115	145	285	275	230
0077	IR-80, W/B on-ramp of the Cosgrave Intch "Exit 158", 265' W of the cross traffic rd.									
	100	100	190	200	190	190	145	145	275	240
0078 HRLY 99	SR-400 (Unionville Rd), .2 mi N of the Unionville-Kyle Hot Springs Intch.									
	90	115	75	85	85	85	85	85	95	80
0087 HRLY 99	Reservation Rd, .2 mi E of Westfall Rd.									
									65	60

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0088 HRLY 99	Westfall Rd, .1 mi S of Reservation Rd.								130	120
0095 HRLY 98	SR-397 (Westergard Rd), .1 mi W of Carpenter Rd.									
	60	50	65	50	65	75	75	90	70	60
0097 HRLY 00	SR-397 (S Meridian Rd), .1 mi S of Reservation Rd.									
	145	145	160	140	140	165	165	165	150	140
0098 HRLY 00	SR-397 (S Meridian Rd), .2 mi N of Reservation Rd.									
	265	255	290	225	280	300	300	300	270	270
0100 HRLY 99	Carpenter Rd, .1 mi S of Reservation Rd.								90	80
0102 HRLY 98	SR-397 (Amherst Av), 150' S of 9th St.									
	470	400	450	535	710	700	410	410	490	620
0103 HRLY 00	SR-398 (Central Av), .1 mi N of Main St, across from Pershing Co Library.									
	1700	1640	1310	1280	1350	1400	1500	1500	1350	1450
0104 HRLY 98	SR-398 (Central Av), .4 mi N of 16th St.									
	930	840	550	490	640	585	620	620	620	630
0105 HRLY 00	SR-854 (Western Av), 75' W of Elmhurst Av.									
	1845	1810	1530	1725	2005	2020	2020	2020	2020*	1800
0106 HRLY 00	SR-854 (Western Av), 225' W of Jamestown Av.									
	665	590	515	505	570	575	575	575	575*	600
0107 HRLY 00	SR-854 (NS section of Lone Mtn Rd), 250' N of Western Av, 2.7 mi W of SR-396 (Cornell Av).									
	115	120	100	80	125	125	95	95	100	80
0108 HRLY 00	SR-399 (Pitt Rd), .3 mi W of SR-854 (Lone Mtn Rd).									
	260	280	225	235	330	335	260	260	240	230

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0109 HRLY 00	SR-399 (Pitt Rd), to Eagle Picher Mine.									
	170	170	160	150	220	220	140	140	205	190
0111 HRLY 00	SR-399 (Pitt Rd), .2 mi W of SR-398 (N Meridian Rd).									
	345	330	340	355	385	385	350	350	345	330
0112	SR-398 (N Meridian Rd), .1 mi S of SR-399 (Pitt Rd).									
	535	500	400	370	530	530	490	490	480	450
0113 HRLY 00	SR-398 (N Meridian Rd), .1 mi S of the EW portion of SR-398 (Fairview Rd).									
	390	350	290	345	405	405	470	470	425	400
0114 HRLY 00	SR-398 (Fairview Rd), .9 mi W of Loorz Rd.									
	305	290	240	255	270	270	320	320	260	240
0115 HRLY 00	SR-398 (Fairview Rd), .2 mi E of Loorz Rd.									
	260	250	215	210	220	220	290	290	225	200
0119 HRLY 99	SR-397 (Amherst Av), under E/B lanes of IR-80.									
	670	500	535	505	655	600	600	600	430	510
0120 HRLY 99	IR-80, .9 mi E of the Humboldt Intch "Exit 138".									
	6225	6680	6600	6625	6655	6920	6985	7245	7280	6900
0122 HRLY 00	IR-80, E/B off-ramp of the W Locklock Intch "Exit 105", .1 mi E of IR-80.									
	630	790	710	720	575	560	730	730	635	550
0125	Franklin St, 50' S of 14th St.									
									500	350
0126 HRLY 00	IR-80, W/B on-ramp of the W lovelock Intch "Exit 105", .6 mi W of Cornell Av.									
	730	890	715	555	530	465	600	725	490	430
0127 HRLY 00	14th St, 100' E of Franklin St.									
									730	880

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0129 HRLY 00	IR-80, W/B on-ramp of the Main St Intch "Exit 106", .2 mi W of the cross traffic rd.									
	175	210	190	180	320	375	360	270	445	400
0130 HRLY 00	IR-80, E/B off-ramp of the Main St Intch "Exit 106", .2 mi W of the cross traffic rd.									
	265	300	225	155	315	330	320	275	270	290
0131 HRLY 00	IR-80, E/B on-ramp of the Main St Intch "Exit 106", .25 mi E of the cross traffic rd.									
	225	260	265	250	395	340	330	375	490	430
0132 HRLY 00	IR-80, W/B off-ramp of the Main St Intch "Exit 106", .25 mi E of the cross traffic rd.									
	305	345	265	230	320	330	320	360	465	430
0136 HRLY 00	IR-80, .5 mi E of the bridge at the Main St Intch "Exit 106".									
	4855	5475	5400	5635	5755	6285	5825	6085	6795	6780
0137 HRLY 00	IR-80, E/B on-ramp of the E Lovelock Intch "Exit 107", .2 mi E of cross traffic rd.									
	745	725	750	695	515	470	665	640	440	360
0138 HRLY 00	IR-80, W/B off-ramp of the E Lovelock Intch "Exit 107", .1 mi W of W/B lanes of IR-80.									
	675	650	720	535	525	445	665	525	425	360
0139 HRLY 00	SR-856 (Airport Rd), .3 mi N of the W/B off-ramp of the E Lovelock Intch "Exit 107".									
	2155	2000	2425	1790	2040	1850	2450	1940	1500	1850
0141 HRLY 00	IR-80, .3 mi E of the E Lovelock Intch "Exit 107".									
	6275	6850	6870	6865	6795	7200	7155	7250	7660	7500
0142 HRLY 00	IR-80, 1.6 mi E of the Coal Canyon Intch "Exit 112".									
	6205	6770	6690	6800	6710	6990	6830	7095	7375	7200
0143 HRLY 99	IR-80, W/B on-ramp of the Coal Canyon Intch "Exit 112", .2 mi W of the cross traffic rd.									
	175	165	250	130	150	200	275	225	220	230
0144 HRLY 99	IR-80, E/B off-ramp of the Coal Canyon Intch "Exit 112", .1 mi W of the cross traffic rd.									
	185	185	240	165	180	255	300	250	265	260

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0145 HRLY 99	IR-80, E/B on-ramp of the Coal Canyon Intch "Exit 112", .2 mi. E of the cross traffic rd.									
	150	145	150	120	135	135	135	165	100	90
0146 HRLY 99	IR-80, W/B off-ramp of the Coal Canyon Intch "Exit 112", 250' E of the cross traffic rd.									
	140	125	160	110	110	110	115	155	100	100
0147 HRLY 99	Coal Canyon Rd, 200' N of the W/B ramps of the Coal Canyon Intch "Exit 112".									
	435	425	460	330	380	380	350	350	290	290
0149 HRLY 00	IR-80, .5 mi W of the bridge at the Main St Intch "Exit 106".									
	4765	5380	5285	5460	5710	6125	5845	5895	6540	6610
0150 HRLY 98	SR-860 (Derby Field Rd), .1 mi S of Old US-40.									
	45	30	35	35	40	45	45	45	70	40
0151 HRLY 98	SR-860 (Derby Field Rd), .2 mi S of Westergard Rd.									
	30	15	20	20	20	25	25	15	15	10
0152 HRLY 98	SR-397 (Westergard Rd), .1 mi W of Westfall Rd.									
	55	50	60	55	55	60	60	90	60	60
0153 HRLY 98	SR-397 (Westergard Rd), .3 mi W of S Meridian Rd.									
	45	40	65	55	50	60	60	60	40	40
0154 HRLY 00	IR-80, 1 mi W of the Rye Patch Intch "Exit 129".									
	5995	6560	6480	6580	6575	6855	6615	7045	7160	6950
0155 HRLY 00	IR-80, .7 mi W of the Humboldt Intch "Exit 138".									
	6145	6610	6530	6580	6570	6835	6785	7145	7160	6840
0156 HRLY 99	IR-80, 2.2 mi E of the Imlay Intch "Exit 145".									
	6295	6700	6620	6655	6675	6940	6995	7275	7270	6830
0157	IR-80, btwn the Dun Glen Intch "Exit 149" & the Cosgrave Intch "Exit 158".									
	6410	6775	6315	6820	6715	6875	6915	7340	7260	6810

PERSHING COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0158 HRLY 96	IR-80, .25 mi W of the cross traffic rd at the Dunn Glen Intch "Exit 151".									
	5485	5725	5440	5980	6105	6065	6070	6505	6560	6190
0159	IR-80, E/B off-ramp of the Dun Glen Intch "Exit 151", .25 mi W of the cross traffic rd.									
	110	130	200	190	190	190	180	180	220	220
0160 HRLY 00	Loorz Rd, .2 mi N of SR-398 (Fairview Rd).									
			60	80	85	110	145	145	75	80
0161 HRLY 98	Peterson Rd, .2 mi W of Carpenter Rd.									
			20	15	25	30	30	20	20	20
0162 HRLY 00	Coal Canyon Rd, cross traffic rd, 200' S of E/B ramps of Coal Canyon Intch "Exit 112".									
							440	440	425	450
0163 HRLY 99	6th St, 300' W of Franklin St.									
										880
0164 HRLY 99	Coal Canyon Rd, .1 mi S of Prison Rd.									
									70	40

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:




Example: station number 1 is 0001

 station number 33 is 0033

 station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.



STOREY COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 00	SR-342 (Silver City-Gold Hill Rd), .2 mi S of SR-341 (Virginia City Rd).									
	2320	2580	2585	2210	2210	2500	2200	2200	1800*	1950
0002 HRLY 00	SR-341 (Virginia City Rd), .1 mi S of SR-342.									
	325	380	455	410	410	450	400	400	400	500
0003 HRLY 00	SR-341("C St"), 200' N of SR-342.									
	2545	2360	2435	2410	2410	2700	2400	2300	2050*	2200
0004 HRLY 00	"F" St, .1 mi S of Washington St N of RxR tracks.									
							200	200	245*	250
0005 HRLY 00	SR-341 (Virginia City Rd), 120' S of Six Mile Canyon Rd (Mill St).									
	2430	2635	2710	2210	2210	2750	2400	2400	2100*	2250
0007 HRLY 00	SR-341 (Virginia City Rd), 100' N of Six Mile Canyon Rd (Mill St).									
	2330	2520	2600	2190	2190	2850	2500	2600	2360*	2600
0008 HRLY 00	SR-341 (Virginia City Rd), .1 mi N of "B" St.									
	2060	2135	2210	1950	1950	2150	2150	2100	1960*	2250
0010 HRLY 00	Six Mile Canyon Rd, 2.8 mi W of US-50, E of Dayton.									
									490	650
0011 HRLY 00	"D" St, 300' N of Flowery St.									
			450	680	680	560	650	590	560*	610
0013 HRLY 00	"D" St, 175' N of Union St.									
			385	630	630	620	650	640	640	650
0014 HRLY 00	Six Mile Canyon Rd, E of "D" St.									
								700	790*	780
0015 HRLY 00	Cartwright Rd, S of Buckeye Rd. (Virginia City Highlands)									
									1000	1000

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:



Example: station number 1 is 0001

 station number 33 is 0033


 station number 114 is 0114


If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.


All sites are listed in numeric order with a description of where the count was actually taken.



RENO URBAN AREA









SPARKS AREA






INTERSTATE INTERCHANGES



31




PATRICK 28




TRACY-CLARK 32

**THISBE-DERBY DAM 36**


ORCHARD 38



PAINTED ROCK 40



WADSWORTH PYRAMID LAKE 43







INTERCHANGES

31


LAKEVIEW 42




BELLEVUE 44




MOUNT ROSE 56




SOUTH VIRGINIA ST
SOUTH 57




SOUTH MEADOWS
PARKWAY 60




SOUTH VIRGINIA 61




DEL MONTE LN 62




VIRGINIA ST 63




MOANA 64




PLUMB-VILLANOVA 65




MILL 66




GLENDALE 67




I - 80




ODDIE BLVD 69




McCARRAN BLVD 70




PARR BLVD 72




NORTH VIRGINIA ST &
PANTHER 72 A




GOLDEN VALLEY 73



LEMON VALLEY 74



STEAD 76






INTERCHANGES


31

RED ROCK 78



COLD SPRINGS VALLEY 80

BORDER TOWN 83



WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 01	IR-80, Last Chance ramp of the W Verdi Intch "Exit 2", 250' N of W/B IR-80.									
	1215	1475	1500	1660	1730	1605	1670	1715	1570	2140
0002 HRLY 01	IR-80, W/B deceleration lane, from the W/B off-ramp of the W Verdi Intch "Exit 1".									
	50	65	60	65	55	55	50	60	60	65
0003 HRLY 01	SR-425 (FRWA48) of the W Verdi Intch, .1 mi E of the Last Chance W/B off-ramp "Exit 2".									
	1330	1560	1585	1700	1820	2000	1800	2050	2000	2550
0004 HRLY 01	IR-80, W/B off-ramp of the W Verdi Intch "Exit 2".									
	1390	1770	1820	1710	2020	1105	1150	1335	1570	2140
0005 HRLY 01	FRWA48 of the W Verdi Intch, .1 mi E of the W/B off-ramp of "Exit 2".									
	1450	1825	1840	1950	1845	1600	1750	2000	2300	2650
0006 HRLY 00	FRWA48 of the W Verdi Intch, 200' E of Dog Valley Rd (Trelease Ln).									
	1175	1300	1310	1750	1620	1450	1550	2200	2100	2500
0007 HRLY 01	SR-425 (Third St) of the W Verdi Intch, 200' E of the overpass of IR-80 "Exit 3".									
	915	1015	875	1100	1010	925	920	790	800	1100
0008 HRLY 99	US-395, S/B off-ramp at S Virginia St Intch "Exit 57B", 200' N of S/B lanes of SR-430.									
						14140	15525	15215	16300	16260
0009 HRLY 01	IR-80, E/B on-ramp of the W Verdi Intch "Exit 2", 50' S of E/B lanes of IR-80.									
	800	980	950	710	870	400	650	665	1050	1050
0010 HRLY 01	IR-80, E/B off-ramp of the W Verdi Intch "Exit 2", at the end of off-ramp.									
	575	620	570	635	530	800	830	850	680	765
0011 HRLY 01	IR-80, W/B off-ramp of the Verdi Intch "Exit 3", .5 mi N of IR-80.									
	175	165	150	150	160	165	165	185	160	170
0012 HRLY 01	SR-425 (Third St), at the E end of the bridge over the SPPC canal W of Verdi.									
	1135	1315	1075	1400	1305	1205	1250	1200	1150	1400

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0013 HRLY 00	US-395, .2 mi S of the S/B off-ramp at S Virginia Intch "Exit 57B".					11130	15680	15160	16770	16670					
0014 HRLY 99	US-395, S/B off-ramp of the Mt Rose Intch "Exit 56", (to W/B SR-431) .2 mi N of SR-431.					4475	7175	7270	7350	7950					
0015 HRLY 00	US-395, S/B off-ramp of the Mt Rose Intch "Exit 56", (to E/B SR-431) .2 mi N of SR-431.					1255	1000	640	650	750					
0016 HRLY 01	IR-80, E/B on-ramp of the Verdi Intch "Exit 3", .2 mi E of the cross traffic rd.					295	200	180	130	135	140	160	160	150	155
0017 HRLY 01	IR-80, E/B off-ramp of the Garson Intch "Exit 4", .1 mi W of IR-80.					1045	950	1010	1100	1305	1370	1230	1280	1170	1300
0018 HRLY 01	IR-80, E/B on-ramp of the Garson Intch "Exit 4", 600' W of E/B IR-80.					1875	2100	2155	3005	2735	2510	2245	2545	2260	2280
0019 HRLY 99	SR-431 (Mt Rose Hw), .3 mi W of S/B off-ramp at IR-580/Mt Rose Intch "Exit 56".						12800	13800	16100	16500					16800
0020 HRLY 01	IR-80, W/B off-ramp of the Garson Intch "Exit 4", 500' W of the cross traffic rd.					2500	2985	3005	3200	3285	3395	3050	3480	2700	3200
0021 HRLY 01	IR-80, W/B on-ramp of the Garson Intch "Exit 4", 500' W of the cross traffic rd.					1670	1835	1860	1900	2140	2140	2130	1855	2400	2100
0022 HRLY 01	IR-80, W/B off-ramp of the E Verdi Intch "Exit 5", 75' E of the W/B on-ramp.					1520	1600	1470	1380	1690	1600	1770	1805	2100	2000
0023 HRLY 00	SR-425 (Old US-40), 400' W of W/B off-ramp of the E Verdi Intch "Exit 5".						3240	3400	3580	4550				4250	4000
0024 HRLY 01	IR-80, E/B on-ramp of the E Verdi Intch "Exit 5", 75' W of the W/B on-ramp.					1400	1565	1440	1340	1675	1600	1810	1760	2110	1900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0025 HRLY 00	US-395, N/B on-ramp of Mt Rose Intch "Exit 56", .3 mi S of E/B SR-431.					5200	7100	7075	8550	7750
0026 HRLY 00	US-395, N/B on-ramp at Mt Rose Intch "Exit 56", .1 mi N of W/B SR-431.					200	400	175	220	270
0027 HRLY 01	IR-80, E/B off-ramp of the Mogul Intch "Exit 7".					215	195	230	225	235
						205	460	250	250	250
0028 HRLY 00	US-395, N/B on-ramp of S Virginia St Intch "Exit 57", .25 mi N of N/B lanes of S Virginia S					17300	17800	18220	19000	19455
0029 HRLY 01	IR-80, E/B on-ramp of the Mogul Intch "Exit 7", 50' E of the cross traffic rd.					1150	1200	1465	1090	1240
						1130	1330	1300	1380	1380
0030 HRLY 00	US-395, S/B off-ramp of the S Virginia St Intch "Exit 57A", .2 mi S of S/B lanes of US-395.					2800	810	305	390	390
0031 HRLY 01	IR-80, W/B off-ramp of the Mogul Intch "Exit 7", 300' NW of IR-80.					1140	1195	1435	1000	1135
						1105	1275	1320	1340	1380
0032 HRLY 00	US-395, 1.4 mi N of N/B on-ramp at Damonte Ln Intch "Exit 59".					45370	49815	48900	52460	52775
0033 HRLY 01	IR-80, W/B on-ramp of the Mogul Intch "Exit 7", 200' E of IR-80.					205	190	200	225	195
						195	220	220	200	200
0034 HRLY 00	IR-80, E/B off-ramp of the W 4th St Intch "Exit 8", 100' W of the underpass.					1085	1260	1240	1340	1200
						1150	1110	1100	900	1050
0035 HRLY 01	IR-80, W/B on-ramp of the W 4th St Intch "Exit 8", 100' W of the Ranch Rd.					1170	1320	1370	1600	1270
						1230	1150	1045	1020	1200
0036 HRLY 01	IR-80, E/B off-ramp of the Keystone Intch "Exit 12", across from "Exit 12" sign.					2310	2220	2425	2350	2890
						3160	3035	2845	3200	3200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0037 HRLY 00	IR-80, W/B on-ramp of the Keystone Intch "Exit 12", .3 mi W of Keystone Av.									
	2180	2080	2340	2330	2900	3450	3320	2895	3250	3500
0038 HRLY 97	US-395, N/B off-ramp of the S Meadows Pk Intch "Exit 60", .1 mi N of N/B lns of US-395.									
						535	665	860	1070	1500
0039 HRLY 00	US-395, N/B on-ramp of the S Meadows Pk Intch "Exit 60", 200' N of S Meadows Pk.									
						2200	2015	5100	5550	7200
0040 HRLY 00	IR-80, E/B on-ramp of the E McCarran Intch "Exit 19", 240' from end of on-ramp.									
	3090	3440	3490	3800	4030	4540	4190	4000	3450	2675
0041 HRLY 00	US-395, S/B off-ramp of the S Meadows Pk Intch "Exit 60", .1 mi S of S/B lanes of US-395.									
						2150	1570	4000	5520	7100
0042 HRLY 01	IR-80, W/B off-ramp of the E McCarran Intch "Exit 19".									
	3400	3525	3745	4100	4265	4960	4070	4660	3610	3000
0043 HRLY 00	US-395, S/B on-ramp of the S Meadows Pk Intch "Exit 60", .2 mi S of cross traffic rd.									
						405	375	640	800	1500
0044 HRLY 01	IR-80, E/B off-ramp of the Vista Intch "Exit 21".									
	2640	3375	4345	4340	5015	5175	5745	6375	7000	7700
0045 HRLY 97	Genty Wy, 150' W of Neil Rd.									
					5330	5600	4500	4450	4350	5100
0046 HRLY 00	Greg St, .1 mi S of the E/B on-ramp of the Vista Intch "Exit 21".									
							9600	9800	11700	12500
0047 HRLY 01	IR-80, E/B on-ramp of the Vista Intch "Exit 21", .1 mi E of Vista Bl.									
	1240	1255	1410	1400	1495	1585	1620	2175	1870	1900
0048 HRLY 01	IR-80, W/B off-ramp of the Pyramid Intch "Exit 18".									
										1200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0049 HRLY 01	IR-80, W/B off-ramp of the Vista Intch "Exit 21", 220' E of the cross traffic rd.									
	1180	1185	1295	1280	1350	1505	1540	1860	1870	1900
0050 HRLY 00	Vista Bl, 100' N of the W/B off-ramp of Vista Intch "Exit 21".									
					14900	13700	18200	20600	20500	19600
0051 HRLY 00	US-395, Fire Creek Intch "Exit 63" off-ramp from IR-580 to Kietzke Ln.									
							4050	4635	4840	5300
0052 HRLY 01	IR-80, W/B on-ramp of the Vista Intch "Exit 21", 200' from the end of the ramp.									
	3225	3855	4125	4345	5020	5910	6555	6185	7020	7700
0053 HRLY 98	Sunset Mountain Rd, 250' S of old US-395 (N Virginia St).									
					405	320	375	350	400	400
0054 HRLY 97	IR-80, E/B off-ramp of the Lockwood Intch "Exit 22", 175' W of cross traffic rd.									
	1210	1285	1630	1500	1590	1435	1515	1595	1500	1600
0055 HRLY 01	IR-80, E/B on-ramp of the Pyramid Intch "Exit 18" 150' W of Pyramid Way.									
										1200
0056 HRLY 97	IR-80, E/B on-ramp of the Lockwood Intch "Exit 22", 150' E of cross traffic rd.									
	140	125	165	170	175	160	160	225	150	110
0058 HRLY 00	IR-80, W/B off-ramp of the Lockwood Intch "Exit 22", 50' E of the cross traffic rd.									
	95	75	110	105	100	135	115	220	120	110
0059 HRLY 00	SR-430 (Virginia St), .9 mi N of Mt Rose-Geiger Grade Intch, .4 mi S of Damonte Ranch Rd.									
							13700	12500	12500	12500
0060 HRLY 00	IR-80, W/B on-ramp of the Lockwood Intch "Exit 22", 75' W of cross traffic rd.									
	1165	1235	1575	1450	1400	1505	1425	1495	1510	1595
0061 HRLY 97	IR-80, E/B off-ramp of the Mustang Intch "Exit 23", 25' E of IR-80 E/B.									
	730	600	700	700	580	580	640	725	780	770

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0062 HRLY 00	FRWA12 (S Frontage Rd), .1 mi E of the cross traffic rd of the Mustang Intch "Exit 23".									
	1150	940	1050	1050	1065	1055	1080	1075	1020	820
0063 HRLY 97	IR-80, E/B on-ramp of the Mustang Intch "Exit 23", 75' W of cross traffic rd.									
	100	80	90	95	80	80	90	115	90	90
0065 HRLY 97	IR-80, W/B off-ramp of the Mustang Intch "Exit 23", 50' W of the N frontage rd.									
	110	75	85	80	80	95	75	110	100	80
0067 HRLY 00	FRWA10 (N Frontage Rd), 100' E of the underpass of the Mustang Intch "Exit 23".									
	435	360	465	420	455	595	630	630	480	480
0069 HRLY 97	IR-80, W/B on-ramp of the Mustang Intch "Exit 23", 50' W of W/B lanes of IR-80.									
	740	595	695	670	655	855	700	680	780	650
0070	IR-80, .2 mi E of the Lockwood Intch "Exit 22".									
	15895	16390	17750	19055	19965	20245	19545	22240	22060	22310
0071 HRLY 99	IR-80, btwn the Mustang Intch "Exit 23" & Patrick Intch "Exit 28", 415' W of mp 25.									
	14635	15350	16530	17860	18890	18485	18370	21060	20690	21060
0073 HRLY 99	IR-80, E/B off-ramp of the Patrick Intch "Exit 28", .1 mi W of cross traffic rd.									
	240	180	350	340	330	225	370	425	380	350
0074 HRLY 00	FRWA14 McCarran Ranch Rd, 400' W of the cross traffic rd of the Patrick Intch "Exit 28".									
						300	300	340	60	40
0075 HRLY 99	IR-80, E/B on-ramp of the Patrick Intch "Exit 28", 290' E of cross traffic rd.									
	25	15	25	30	30	60	95	85	70	70
0076 HRLY 99	IR-80, W/B off-ramp of the Patrick Intch "Exit 28", 120' W of FR13 WA at mp 4.									
	25	20	30	35	40	75	125	110	220	70
0077 HRLY 00	IR-80, W/B on-ramp of the Patrick Intch "Exit 28", 120' W of FR13 WA at mp 4.									
	240	185	355	320	310	245	160	380	360	350

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0078 HRLY 00	IR-80, .3 mi E of the Patrick Intch "Exit 28" W/B off-ramp.									
	14205	15020	15880	17265	18320	18150	18060	20450	20240	20500
0079 HRLY 99	IR-80, E/B off-ramp of the Tracy-Clark Intch "Exit 32", 100' E of E/B lanes of IR-80.									
	175	175	280	370	260	725	215	235	200	180
0081 HRLY 98	FRWA15, 450' W of the cross traffic rd of the Tracy-Clark Intch "Exit 32".									
	270	190	290	485	465	950	380	320	300	300
0082 HRLY 99	IR-80, E/B on-ramp of the Tracy-Clark Intch "Exit 32", 170' E of FR-15WA to Clark Station.									
	100	80	130	130	160	165	100	110	90	100
0083 HRLY 99	IR-80, W/B off-ramp of the Tracy-Clark Intch "Exit 32", .2 mi W of the structure.									
	110	70	120	85	110	160	85	90	80	90
0084 HRLY 99	IR-80, W/B on-ramp of the Tracy-Clark Intch "Exit 32", .2 mi W of the structure.									
	185	165	270	310	190	715	200	215	180	190
0085 HRLY 00	FRWA16 (Clark Rd), 100' S of the E/B on-ramp of the Tracy-Clark Intch "Exit 32".									
	230	230								240
0086 HRLY 00	IR-80, btwn the Tracy-Clark Intch "Exit 32" & Thisbe-Derby Dam Intch "Exit 36".									
	14055	14830	15580	16800	18140	17035	17830	20210	20030	20320
0087 HRLY 00	IR-80, E/B off-ramp of the Thisbe-Derby Dam Intch "Exit 36", .1mi E of its exit from IR-80.									
	70	70	70	55	55	55	55	50	60	80
0090 HRLY 00	IR-80, E/B on-ramp of the Thisbe-Derby Dam Intch "Exit 36", .1 mi E of the overpass.									
	35	35	35	50	50	50	50	55	60	60
0092 HRLY 00	IR-80, W/B off-ramp of the Thisbe-Derby Dam Intch "Exit 36", 100' W of the overpass.									
	35	35	35	55	50	50	50	60	65	60
0093 HRLY 00	IR-80, W/B on-ramp of the Thisbe-Derby Dam Intch "Exit 36", 125' W of the overpass.									
	70	70	70	55	55	55	55	55	65	90

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0094 HRLY 00	IR-80, E/B off-ramp of the Orchard Intch "Exit 38", 200' W of the underpass.									
	15	15	15	15	15	15	15	25	25	20
0096 HRLY 00	IR-80, E/B on-ramp of the Orchard Intch "Exit 38", at E/B IR-80.									
	25	25	25	40	40	40	40	45	45	20
0098 HRLY 00	IR-80, W/B off-ramp of the Orchard Intch "Exit 38", 150' W of its exit from IR-80.									
	25	25	25	40	40	40	40	50	50	20
0099 HRLY 00	IR-80, W/B on-ramp of the Orchard Intch "Exit 38", 100' E of the W/B lanes of IR-80.									
	15	15	15	15	15	15	15	25	25	20
0100 HRLY 00	IR-80, E/B off-ramp of the Painted Rock Intch "Exit 40", 300' E of IR-80.									
	65	65	65	60	60	60	60	60	60	50
0102 HRLY 00	IR-80, E/B on-ramp of the Painted Rock Intch "Exit 40", 270' E of S Frontage Rd.									
	70	70	70	80	80	80	80	65	65	70
0104 HRLY 00	IR-80, W/B off-ramp of the Painted Rock Intch "Exit 40", 100' E of the cross traffic rd.									
	70	70	70	80	80	80	80	90	90	90
0105 HRLY 00	IR-80, W/B on-ramp of the Painted Rock Intch "Exit 40", 150' E of the W/B lanes of IR-80.									
	65	65	65	60	60	60	60	65	65	60
0108 HRLY 00	IR-80, .2 mi W of the W Wadsworth Intch "Exit 43".									
	14015	14790	15540	16965	18220	17115	17910	20300	20110	20320
0109 HRLY 97	IR-80, E/B off-ramp of the W Wadsworth Intch "Exit 43", .1 mi from W end of ramp.									
	635	660	875	800	810	700	665	650	700	720
0112 HRLY 97	IR-80, E/B on-ramp of the W Wadsworth Intch "Exit 43", .1 mi E of the cross traffic rd.									
	210	225	335	380	335	220	245	305	320	300
0114 HRLY 98	IR-80, W/B off-ramp of the W Wadsworth Intch "Exit 43", .1 mi E end of ramp.									
	255	275	340	410	340	255	250	310	330	300

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0115 HRLY 97	IR-80, W/B on-ramp of the W Wadsworth Intch "Exit 43", .2 mi W of the cross traffic rd.									
	680	710	880	770	845	740	695	695	700	720
0116 HRLY 00	IR-80, E of the W Wadsworth Intch "Exit 43", .1 mi W of the Storey County Line.									
	13165	13920	14460	16105	17240	16150	17045	19480	19360	19480
0117 HRLY 00	SR-427 (Wadsworth Rd), .3 mi W of SR-447.									
	1630	1800	1940	1960	1990	1900	1800	1920	1900	1700
0118 HRLY 98	US-395, S/B off-ramp of the Lakeview Intch "Exit 42", .1 mi N of SR-428.									
	185	210	225	235	215	185	215	200	240	200
0120 HRLY 96	SR-429, 150' N of List Country Rd.									
	2100	2290	2560	2680	2850	2650	2850	2800	2600	2600
0121 HRLY 99	US-395, S/B on-ramp of the Lakeview Intch "Exit 42", 200' S of the cattle guard.									
	1680	1830	2035	2135	2255	2335	2320	2350	2100	2200
0123 HRLY 99	US-395, N/B off-ramp of the Lakeview Intch "Exit 42", 20' S of the "Exit 42" sign.									
	1610	1630	1865	1960	2045	2030	1980	1965	1780	1750
0124 HRLY 99	US-395, N/B on-ramp of the Lakeview Intch "Exit 42", .2 mi N of SR 428.									
	190	210	220	230	210	180	220	205	250	220
0125 HRLY 99	SR-428 (East Lake Bl), 100' E of the N/B ramps of the Lakeview Intch "Exit 42".									
	1810	1880	1980	2020	2330	2400	2400	2350	2200	2250
0126 HRLY 99	SR-429 (Bowers Rd), .3 mi S of the S branch of SR-877 (Franktown Rd).									
	1010	1110	1100	1150	1755	1600	1900	1800	1700	1950
0127 HRLY 99	SR-877 (Franktown Rd), .1 mi N of the jct with SR-429 (Bowers Rd).									
	500	505	625	650	690	530	530	530	570	540
0128 HRLY 99	SR-429 (Bowers Rd), .4 mi N of SR-877 (Franktown Rd) at mp 2.									
	725	785	740	775	1335	1250	1450	1400	1300	1600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0129 HRLY 99	SR-877 (Franktown Rd), .2 mi S of SR-429 (Bowers Rd).									
	390	385	430	450	440	440	440	440	420	410
0130 HRLY 99	SR-429 (Bowers Rd), .6 mi N of SR-877 (Franktown Rd).									
	860	1090	1210	1270	1260	1200	1400	1300	1300	1400
0132 HRLY 99	US-395-SR-430, .7 mi S of E Lake Bl at Washoe Hill.									
	22950	25000	25355	26600	27900	29300	30200	30800	31000	32500
0133 HRLY 99	Eastlake Bl, .7 mi S of US-395.									
					4025	4500	4200	4350	4450	4500
0134 HRLY 99	US-395/SR-430, in Pleasant Valley at mp12 N of Washoe Hill.									
	25950	28100	28850	29400	30725	32200	31400	33500	35000	36500
0135 HRLY 99	US-395/SR-430, .5 mi S of SR-431 (Mt Rose Hw).									
	28400	29125	29700	30300	31000	33200	32600	35700	38000	38000
0136 HRLY 99	SR-431 (Mt Rose Hw), .2 mi W of US-395.									
	8185	8590	10500	11000	11700	5750	5800	5900	6200	6200
0137 HRLY 99	SR-341 (Geiger Grade), .4 mi E of US-395/SR-430.									
	8610	9250	9900	10400	10700	10900	11400	11900	11500	11500
0138 HRLY 96	US-395/SR-430, .25 mi N of SR-341 (Geiger Grade) & SR-431 (Mt Rose Hw).									
	40700	42445	44100	45400	48100	50000	46215	47935	47400	47800
0139 HRLY 00	US-395/SR-430 (S Virginia St), .2 mi N of Foothill Rd & S Meadows Pk.									
	51700	53675	55875	57475	60870	21300	19800	19500	19500	22200
0140 HRLY 98	SR-671 (Holcomb Ln), .1 mi W of SR-430 (S Virginia St).									
	1200	1390	1545	1835	1890	2500	2600	2650	2450	2850
0141 HRLY 98	SR-671 (W Holcomb Ln), .1 mi W of Thomas Creek Rd.									
	1675	1700	1890	2190	2240	2000	2150	1700*	1650	2150

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0142 HRLY 00	SR-430 (S Virginia St), .5 mi S of Longley Ln.									
	27700	26100	27900	25670	26400	21900	23000	22600*	23700	24000
0143 HRLY 98	Longley Ln, .2 mi E of SR-430 (S Virginia St).									
			17450	11200	11300	11400	12300	9750	13100	
0145 HRLY 00	Lakeside Dr, .2 mi S of SR-671 (Huffaker Ln).									
	2900	2925	3250	3130	3090	2600	2700	2500	3500	2950
0146 HRLY 99	SR-430 (S Virginia St), .2 mi S of Del Monte Ln.									
	24400	25400	25900	26710	26900	22300	23500	23100	24000	24600
0147 HRLY 00	SR-430 (S Virginia St), 150' S of Delucchi Ln.									
	23150	23900	25400	25100	25500	25100	23900	25100	26000	25800
0148 HRLY 00	SR-650 (McCarran Bl), 250' E of Kietzke Ln.									
	13500	14400	17000	17300	18600	21200	23800	24000	27000	27000
0149 HRLY 98	SR-430 (N Virginia St), 411' S of Sierra St for N/B & 75' N of 17th St for S/B.									
	10350	11600	10500	10080	9350	8100	9400	9700	11000	11000
0150 HRLY 00	SR-660 (N Sierra St), 400' S of SR-430 (N Virginia St).									
	6795	6650	6390	7300	7430	7300	7900	7950	8550	8800
0151 HRLY 00	SR-430 (N Virginia St), .4 mi N of N McCarran Bl.									
	16200	17500	17200	17025	17200	17500	17400	17200	20000	19300
0152 HRLY 00	SR-430 (N Virginia St), .1 mi S of Panther Dr & Virginia St.									
	13200	13000	12800	12055	13300	13300	13600	13300	14500	14300
0154 HRLY 00	US-395, .1 mi N of the N/B on-ramp of the Golden Valley Intch "Exit 73".									
	37410	39085	39380	41345	42450	44915	45430	45025	45875	47700
0155	US-395, 200' S of the N/B off-ramp of the Stead Intch "Exit 76".									
	27210	28465	29990	31955	33290	33995	35130	34520	35515	36000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0156 HRLY 00	US-395, .15 mi N of the RxR underpass N of Stead Intch "Exit 76".									
	15130	15955	16820	17725	19235	19735	20515	20180	21170	21450
0157 HRLY 00	US-395, N/B off-ramp of the Stead Bl Intch "Exit 76", 30' N of "Exit" sign.									
	6435	6690	7020	7510	7535	7775	8010	7600	7685	7820
0161 HRLY 00	US-395, S/B on-ramp of the Stead Bl Intch "Exit 76", .1 mi S of the cross traffic rd.									
	6385	6615	6945	7505	7415	7350	7575	7710	7290	7580
0162 HRLY 00	SR-651 (McCarran Bl), 500' W of Kietzke Ln.									
	20300	21550	21600	21500	22400	23300	22600	22800	23600	27700
0163 HRLY 99	Longley Ln, 300' S of Peckham Ln.									
				12670	11700	11600	11600	13200	12000	15800
0164 HRLY 00	Longley Ln, 175' N of Peckham Ln.									
				13560	13100	15500	12800	13200	12000	14000
0166 HRLY 00	Peckham Ln, .2 mi E of Persimmon Rd.									
	12800	13000	12900	13450	13500	13500	13800	12400	13100	14200
0167 HRLY 99	SR-430 (S Virginia St), 350' S of SR-667 (Kietzke Ln).									
	28500	27400	26300	26920	26400	25200	22700	25400	26400*	27500
0168 HRLY 99	SR-430 (S Virginia St), 200' N of Redfield Pk.									
	23250	23900	23500	23590	22700	22400	20200	22600	30500	33000
0169 HRLY 99	SR-667 (Kietzke Ln), 150' S of Peckham Ln at S end of divider.									
	11900	11200	11800	12500	12000	13000	14100	14200	15500*	16600
0170 HRLY 97	Peckham Ln, .2 mi E of Kietzke Ln, under the IR-580 overpass.									
					17000	17700	17300	17900	17800	18900
0171 HRLY 97	SR-667 (Kietzke Ln), .1 mi N of Peckham Ln.									
	20850	20800	20900	21400	20000	22200	24000	24000	19100	20500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0172 HRLY 97	Peckham Ln, 100' E of SR-430 (S Virginia St).					13800	13100	14300	13400	13800	12600	13500			
0173 HRLY 99	SR-430 (S Virginia St), .2 mi N of Peckham Ln.					27300	28000	28300	27900	27900	27700	24900	27900	30000	30500
0174 HRLY 98	Moana Ln, 300' W of SR-430 (S Virginia St).					17500	18400	17800	18400	18200	17500	17600	17200	16700	17500
0176 HRLY 00	Plumas St, 100' S of Moana Ln.					8200	9800	9400	9050	8300	9100	9450			
0177 HRLY 00	Plumas St, .2 mi N of Moana Ln.					16500	14800	12600	13400	14700	16100	16300	14300	16300	16800
0178 HRLY 99	SR-430 (S Virginia St), .1 mi S of Gentry Wy.					31200	34900	31300	30845	29900	29300	26400	32300	30500	31000
0181 HRLY 97	SR-667 (Kietzke Ln), .2 mi N of Gentry Wy.					25500	25000	25600	27700	23700	26700	27200	27200	26500	28800
0184 HRLY 99	SR-430 (S Virginia St),					33350	33550	35200	32075	33300	31600	30700	31000	30500	32000
0185 HRLY 99	SR-653 (E Plumb Ln), .1 mi E of SR-430 (S Virginia St) & 150' W of Locust St.					21650	21150	23000	23500	21400	22400	22300	22300	22500	22100
0186 HRLY 99	SR-430 (S Virginia St), 150' N of SR-653 (W Plumb Ln).					31600	31800	33400	28600	29700	29900	29000	29500	29000	32500
0188 HRLY 99	SR-663 (Wells Av), .2 mi N of SR-430 (S Virginia St) & 50' S of Colorado St.					9970	10500	10500	10000	10000	9900	11300			
0189 HRLY 97	SR-430 (S Virginia St), 500' S of Vassar St.					23450	23600	25600	26290	27400	19400	18700	18700	20000	21300

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0190 HRLY 99	SR-653 (E Plumb Ln), 300' W of SR-667 (Kietzke Ln).									
	27550	27450	27800	28300	25800	27200	27300	27300	27700	27100
0191 HRLY 97	SR-667 (Kietzke Ln), 300' S of SR-653 (E Plumb Ln).									
	25750	26000	26200	27200	25300	27000	26600	25700	27000	27500
0192 HRLY 99	SR-653 (E Plumb Ln), 300' E of SR-667 (Kietzke Ln).									
	28150	28000	29200	28900	27200	29000	27600	29000	31800	31800
0193 HRLY 99	SR-653 (E Plumb Ln), 250' W of Terminal Wy.									
	13150	13800	15300	15000	15400	17400	16500	16200	17500	15800
0194 HRLY 97	SR-667 (Kietzke Ln), 400' N of SR-653 (E Plumb Ln).									
	22600	23000	23600	22300	22200	23500	24100	24100	24150	24500
0195 HRLY 00	SR-653 (W Plumb Ln), 200' E of Plumas St.									
	19200	18900	19100	19000	17400	18200	17900	16800	19500	18600
0197 HRLY 00	SR-653 (W Plumb Ln), .1 mi E of Arlington Av & 100' W of Lander St.									
		21000	19000	17400	19500	18200	17500	18600	19100	
0203 HRLY 00	Arlington Av, 250' S of SR-653 (W Plumb Ln).									
			9000	8790	7350	8400	7950	7950	8600	
0204 HRLY 00	Skyline Bl, 75' W of Sharon Wy.									
			4800	5300	4430	4350	4000	3800	4550	
0205 HRLY 00	Skyline Bl, 400' W of Cashill Bl.									
	2970	3025	3100	4000	3780	3700	3650	3600	3300	3950
0208 HRLY 00	SR-653 (W Plumb Ln), 300' E of Hunter Lake Dr.									
	12650	12100	12300	12900	11300	12900	13300	12800	14400	14800
0209 HRLY 00	SR-653 (W Plumb Ln), 150' W of Hunter Lake Dr.									
	8415	7990	8100	8400	7570	8600	8500	8100	9300	9400

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0210 HRLY 00	SR-653 (W Plumb Ln), 200' E of Alexander Hamilton Dr. 6050 5660 5600 6100 5630 6400						6500	6200	7100	7400
0211 HRLY 99	Mayberry Dr, .9 mi E of the bridge over the Truckee River & .1 mi W of Fenno Rd. 2120 2185 2600 2950 3000 3150									3050
0213 HRLY 00	SR-647 (4th St), .2 mi W of Mayberry Dr. 3600 4655 4045 5000 4825 5400						5400	5500	5900	5900
0214 HRLY 00	SR-647 (4th St), .1 mi E of Mayberry Dr. 2575 3315 2830 3600 3440 3500						3500	4550	4750	4600
0215 HRLY 00	Plumas St, 50' S of California Av. 9065 9680 9900 8100 9900 8300						9500	8200	8750	8650
0216 HRLY 00	SR-660 (S Sierra St), 150' N of California Av. 8900 8700 8800 8700 8900 9800									9800
0218 HRLY 00	SR-430 (S Virginia St), 100' N of Stewart St. 17050 17800 18225 18700 19500 18700						18100	18300	18500	19000
0223 HRLY 00	SR-663 (Wells Av), 70' S of Stewart St. 15000 15200 17200 17500 17100 18000									18000
0224 HRLY 99	SR-667 (Kietzke Ln), 150' S of Mill St & 30' N of Stewart St. 24550 25100 26100 26400 26200 27300						28300	26800	26850	28000
0225 HRLY 00	SR-647 (W 4th St), .15 mi W of SR-648 (W 2nd St). 6950 7440 8100 10000 8620 8300						8300	10600	10200	10200
0226 HRLY 99	SR-648 (W 2nd St), .1 mi E of SR-647 (W 4th St). 5760 5140 4450 5200 5440 5000						5000	4850	5400	5400
0227 HRLY 00	SR-647 (W 4th St), .35 mi E of SR-648 (W 2nd St). 6815 7210 7850 8800 8300 7800						7700	7300	9650	9650

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0229 HRLY 00	SR-648 (W 2nd St), 200' W of Ralston St.					7200	7000	6900	6300	6350	5200	5300			
0231 HRLY 00	SR-648 (W 2nd St), 200' E of Ralston St.					6910	7000	7000	6700	7350	7350				
0232 HRLY 97	SR-648 (W 2nd St), 200' W of SR-660 (Sierra St).					8600	8900	8600	8650	8650					
0233 HRLY 99	SR-660 (N Sierra St), 75' S of SR-648 (W 2nd St).					8000	7820	7200	7600	7700	8500	8500			
0235 HRLY 00	SR-648 (W 2nd St), 100' W of SR-430 (N Virginia St).					10200	8800	8300	9700	9300	9350	9350			
0236 HRLY 00	SR-430 (N Virginia St), 100' N of SR-648 (W 2nd St).					13900	14000	14200	13800	14900	13500	13900			
0237 HRLY 00	SR-648 (E 2nd St), 150' E of SR-430 (N Virginia St).					5830	9600	8400	9600	9650	9400				
0239 HRLY 99	Kuenzli St, W of the Truckee River Bridge at the separation of E/B & W/B lanes.					5700	5820	9900	7400	7700	7600	7350			
0240 HRLY 98	SR-648 (E 2nd St), at the westend of the Truckee River Bridge.					3300	3300	5050	5250	4750					
0242 HRLY 99	SR-663 (Wells Av), 100' S of SR-648 (E 2nd St).					20500	21600	20600	19500	20900					
0244 HRLY 99	Kuenzli Ln, 25' E of Park St.					6600	6740	6750	7300	7600	7500	7250			
0245 HRLY 00	Kuenzli Ln, 250' E of SR-663 (Wells Av).					6600	6200	5835	5900	6080	5850	6200	6100	6000	5800

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0249 HRLY 98	SR-648 (E 2nd St), 300' W of SR-667 (Kietzke Ln).									
					13300	14900	14900	15000	16000	14500
0250 HRLY 99	SR-667 (Kietzke Ln), 250' S of SR-648 (E 2nd St).									
	17800	18000	18800	19100	18900	19000	19800	18900	20700	20000
0251 HRLY 00	SR-648 (E 2nd St), .2 mi E of SR-667 (Kietzke Ln).									
	15500	15200	16300	16600	15900	16900	17700	17700	17300	16900
0253 HRLY 99	SR-648 (Glendale Av), .1 mi W of SR-650 (McCarran Bl).									
	13200	13150	14300	14640	14400	14700	14500	14500	13600	13500
0254 HRLY 99	SR-650 (McCarran Bl), .1 mi N of SR-648 (Glendale Av).									
	28150	27300	29500	30250	30600	29900	30200	29300	32000	32000
0255 HRLY 96	SR-650 (McCarran Bl), .1 mi S of SR-648 (Glendale Av).									
	19300	17550	19950	20330	20600	21900	21900	20600	21400	21400
0256	East Greg St, 100' E of SR-650 (McCarran Bl).									
				16900	17200	16700	16800	17100	19700	22000
0257 HRLY 96	SR-650 (McCarran Bl), .5 mi N of Mill St.									
	20800	20750	21800	23200	23300	23200	23100	24300	25700	25700
0258 HRLY 99	SR-650 (McCarran Bl), .1 mi S of Mill St.									
	16000	16400	16400	17900	18500	18500	19200	19600	20900	20900
0259 HRLY 00	SR-657 (Keystone Av), .1 mi S of I-80 & 100' N of 5th St.									
	29500	29800	32700	32800	34200	35000	33500	32000	33500	31500
0260 HRLY 00	SR-647 (W 4th St), 295' E of SR-657 (Keystone Av).									
	11350	10850	11250	11700	9965	12600	12400	11800	13300	12900
0261 HRLY 00	SR-647 (W 4th St), 120' E of Washington St.									
	11500	11000	12900	13400	10700	12600	12900	13600	13600*	13900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0264 HRLY 00	SR-647 (W 4th St), 130' E of Ralston St.									
	12300	11600	12850	13500	10000	12500	13700	14100	14100*	14200
0265 HRLY 00	SR-647 (W 4th St), 150' W of SR-660 (N Sierra St).									
	14000	13250	15400	16000	11900	14000	13400	14900	16700	16700
0266 HRLY 00	SR-660 (N Sierra St), 150' S of SR-647 (W 4th St).									
			20200	19700	10500		11100	10900	12000	11700
0267 HRLY 98	SR-660 (N Sierra St), 75' S of W 5th St.									
						10200	10200	10000	11400	11700
0268 HRLY 00	SR-647 (W 4th St), 60' E of Sierra St.									
	14400	14400	15000	15600	15100	14000	14900	15800	16400	16400
0269 HRLY 98	SR-430 (N Virginia St), 300' N of SR-647 (4th St).									
			13000	13100	13400		13400	12700	10500	10400
0270 HRLY 00	SR-647 (E 4th St), 150' E of SR-430 (N Virginia St).									
	13900	13400	14700	13700	13200	13300	14100	14100	13500	13500
0273 HRLY 99	SR-660 (N Sierra St), 75' S of Imperial Wy.									
	7505	7525	7615	7900	8110	7700	8000	8600	9200	9500
0274 HRLY 00	SR-647 (E 4th St), 200' W of SR-663 (Wells Av).									
	14600	14000	15335	14200	13700	14300	13900	13600	13300	13300
0275 HRLY 00	SR-663 (Wells Av) underpass, 150' N of SR-647 (4th St).									
				1930	1600		1650	1500	1400	1500
0276 HRLY 00	SR-647 (E 4th St), 220' E of SR-663 (Wells Av).									
	13450	13000	12675	13700	13200	13500	13400	13100	11800	13100
0279 HRLY 99	SR-663 (Wells Av), 200' N of 6th St for S/B & 100' N of 6th St for N/B.									
				30800	28700*	28400*	28300*		29000	28200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0280 HRLY 00	SR-647 (E 4th St), 150' W of Tacchino St.									
	12450	11350	14000	14400	14700	14200	14300	14000	14000*	13700
0282 HRLY 01	IR-80, E/B off-ramp of the Fourth St Intch "Exit 16", 400' W of " Victorian Av " .									
	4585	4445	4015	4265	4670	4880	4860	5570	4780	4550
0283 HRLY 01	IR-80, E/B on-ramp of the Fourth St Intch "Exit 16", at IR-80.									
	2700	2440	2920	3000	2810	2735	3145	2660	2800	2650
0284 HRLY 01	IR-80, W/B off-ramp of the Fourth St Intch "Exit 16", at IR-80.									
	2560	2300	2415	2730	2885	2920	2655	3640	2800	2650
0285 HRLY 01	IR-80, W/B on-ramp of the Fourth St Intch "Exit 16", .15 mi W of "B" St.									
	5280	5140	5010	5130	5900	5160	5695	4500	4200	4000
0287 HRLY 98	SR-647 (Victorian Av), btwn SR-646 (Prater Wy) & SR-667 (Kietzke Ln).									
			6720		7370	6600	5600	5950	5950	6250
0288 HRLY 98	SR-646 (Prater Wy), 100' E of SR-647 (Victorian Av).									
			10740		10600	10800	10300	10900	12000	10900
0289 HRLY 98	SR-646 (Prater Wy), 150' W of 22nd St.									
					13200	13700	14000	14000	13900	13900
0290 HRLY 98	El Rancho Dr, 150' N of Prater Wy.									
	14300	14600	14150	15160	16000	16500	15600	16900	19000	18200
0292	SR-668 (Rock Bl), 200' S of SR-647 (Victorian Av).									
	25050	25600	23900	23950	24600	24300	23800	24100	24700	24300
0293 HRLY 01	IR-80, W/B off-ramp of the Rock Bl Intch "Exit 17".									
	3260	3010	3055	3250	3640	3495	3625	3495	3490	3400
0294 HRLY 01	IR-80, W/B on-ramp of the Rock Bl Intch "Exit 17".									
	8345	8735	8775	8870	8840	8880	9385	8785	8330	8220

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0295 HRLY 01	IR-80, E/B off-ramp of the Rock Bl Intch "Exit 17".									
	6365	6875	6595	6895	7300	7305	7040	6975	6530	6450
0296 HRLY 01	IR-80, E/B on-ramp of the Rock Bl Intch "Exit 17".									
	3525	3275	3775	3760	3635	3745	3865	3310	3480	3750
0298 HRLY 99	SR-668 (Rock Bl), 200' N of SR-648 (Glendale Av) & 50' S of Saber Av.									
	23700	24100	24600	24970	25200	24600	24400	25100	25900	25500
0299 HRLY 98	SR-647 (Victorian Av), 250' W of SR-668 (Rock Bl).									
		9855	10050	8840	10600	9500	9300	9500	9000	9150
0300 HRLY 98	SR-647 (Victorian Av), 100' E of SR-668 (Rock Bl).									
				10830	8650	9300	10600	10500	10100	10400
0302 HRLY 00	SR-445 (Pyramid Wy), 100' N of SR-647 ("Victorian Av").									
	13200	13700	14100	16395	16500	17000	14300	14300	16200	16900
0304 HRLY 00	IR-80, W/B on-ramp of the Pyramid Intch "Exit 18".									
	9775	9690	9475	9915	9880	10175	11115	10450	11130	10905
0306 HRLY 01	IR-80, E/B off-ramp of the Pyramid Intch "Exit 18", 30' E of E/B I-80.									
	10150	10025	9680	10140	10500	10815	10590	9955	11000	11545
0310 HRLY 01	IR-80, E/B off-ramp of the E McCarran Intch "Exit 19".									
	10100	10470	11475	11630	11730	11700	11550	8380	11580	11935
0311 HRLY 01	IR-80, W/B on-ramp of the E McCarran Intch "Exit 19".									
	8175	8540	9040	9200	9140	9415	8820	7605	8810	7975
0312 HRLY 98	SR-647 (Victorian Av), 250' W of Stanford Wy & 50' E of First St.									
				9340	8625	9400	9800	8900	7600	7350
0313 HRLY 99	SR-650 (McCarran Bl), 150' N of I-80.									
	32200	27300	36000	28530	38200	38300	38100	36000	39300	39800

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0314 HRLY 99	SR-646 (Prater Wy), 150' E of SR-650 (McCarran Bl).									
	21020			20900	20900		21200	20900	21200	21200
0315 HRLY 00	SR-650 (McCarran Bl), 530' W of SR-646 (Prater Wy).									
	18900	18600	18550	18945	20200	21900	22300	24200	23300	22000
0316 HRLY 98	SR-650 (McCarran Bl), 150' W of York Wy.									
	13200	13200	13600	14265	15200	15500	16900	17900	17200	16500
0317 HRLY 99	SR-667 (Kietzke Ln), .2 mi S of Victorian Av & 200' S of the SPRR overpass.									
	13550	13700	13500	14510	14400	14100	14700	14700	15500	15200
0318 HRLY 98	SR-663 (Wells Av), 200' N of Sadler Wy.									
					11100	10800	11100	11200	11800	11600
0319 HRLY 00	Sutro St, 300' N of Oddie Bl.									
				13200	13800	13400	13700	13700	16400	15700
0320 HRLY 00	SR-663 (Oddie Bl), .1 mi E of Sutro St.									
	10050	10450	10125	10800	10600	10300	11000	11400	11900	12700
0321 HRLY 00	SR-663 (Oddie Bl), 100' W of the S/B on-ramp to US-395.									
	14250	14250	14385	14235	17400	16900	15100	15700	15900	17000
0322 HRLY 00	US-395, S/B off-ramp of the Oddie Bl Intch "Exit 69", 75' N of Oddie Bl.									
	2120	2175	2325	2225	2170	2065	2115	2125	2400	2400
0323 HRLY 00	US-395, S/B Loop on-ramp of the Oddie Bl Intch "Exit 69", 100' N of US-395.									
	5175	5150	5070	5250	5270	6045	6350	5685	6450	6450
0324 HRLY 98	US-395, N/B on-ramp of the Oddie Bl Intch "Exit 69", .1 mi N of Oddie Bl.									
	2025	1955	2145	2080	1970	2100	2005	2250	2600	2150
0325 HRLY 00	US-395, N/B off-ramp of the Oddie Bl Intch "Exit 69", 200' N of US-395.									
	7625	7560	7845	7800	7500	7650	9695	8290	8770	8000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0326 HRLY 99	US-395, S/B on-ramp of the Oddie Bl Intch "Exit 69", 300' N of US-395.									
	1745	1735	2020	2090	1845	2420	2600	2095	2300	2300
0328 HRLY 99	SR-663 (Oddie Bl), .1 mi W of Silverada Bl.									
	23700	23900	24365	23680	25400	26200	26300	27300	27500	27100
0329 HRLY 99	SR-663 (Oddie Bl), 240' E of Mall Dr.									
	19050	19000	18725	16940	18100	18600	20100	20900	20400	19900
0331 HRLY 99	SR-663 (Oddie Bl), .1 mi E of El Rancho Dr.									
	17150	16000	14950	13820	14300	16600	17100	17800	18600	18200
0334 HRLY 00	SR-445 (Pyramid Wy), btwn "E" St & "F" St.									
	14000	14800	13825	15890	16300	17600	15800	15800	17900	18700
0335 HRLY 00	SR-445 (Pyramid Wy), 200' S of "H" St.									
	17000	17600	18600	19410	20400	21000	20200	20200	21000	21600
0336 HRLY 00	SR-445 (Pyramid Wy), 100' N of "J" St.									
	17600	18200	17700	19200	19600	20200	20900	20900	21700	23000
0337 HRLY 00	SR-445 (Pyramid Wy), 140' S of Gault Wy.									
	11700	12200	12425	13540	14000	15700	16200	15200	17800	16600
0338 HRLY 00	SR-445 (Pyramid Wy), 220' N of Emerson Wy.									
	10835	11800	13000	13300	18300	21000	22500	24800	23500	26000
0340 HRLY 00	SR-445 (Pyramid Hw), .8 mi N of Queens Wy.									
	9675	10500	12700	15900	17600	19700	21100	24000	22700	23400
0341 HRLY 98	Wedekind Rd, .15 mi W of SR-445 (Pyramid Wy).									
	985	1040	960	1050	1005	950	1050	1050	1280	1280
0344 HRLY 00	Clear Acre Ln, 420' S of El Rancho Dr.									
	17800	18400	18700	18100	18700	19000	18600	21100	23300	22500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0345 HRLY 00	Sun Valley Dr, .1 mi N of El Rancho Dr.									
	24400	25200	25800	26300	28200	30700	33200	32000	33600	32500
0346 HRLY 00	Sun Valley Dr, 405' S of 7th Av.									
	11050	11350	11900	13100	14100	13500	14800	15800	17500	17700
0347 HRLY 00	SR-445 (Pyramid Hw), 100' N of Sunset Springs Bl & Egyptian Bl.									
	2055	2125	2850	3200	3600	4000	4100	4550	4650	4400
0348	SR-445 (Pyramid Rd), 1.2 mi S of SR-446 to Nixon & .1 mi N of mp-30.									
	850	855	960	1000	1120	1250	1050	1150	1050	1050
0349 HRLY 00	SR-446 to Nixon, .4 mi E of SR-445 (Pyramid Rd).									
	445	465	500	490	525	560	480	480	460	520
0350 HRLY 00	SR-445 (Sutcliffe Rd), 1.1 mi N of SR-446 to Nixon.									
	825	900	940	980	1165	1300	1100	930	860	1120
0351 HRLY 00	SR-445 (Sutcliffe Rd) N of Sutcliffe, .2 mi N of mp SR-445/WA-36.									
	360	300	550	655	650	645	640	540	560	370
0352 HRLY 00	SR-447 (Nixon Rd), 8.7 mi N of Freemont St in Nixon & .4 mi S of mp SR-447/WA-25.									
	420	380	405	560	485	540	590	640	670	520
0353 HRLY 00	SR-447 (Nixon Rd), .2 mi N of SR-446 to Sutcliffe.									
	970	1145	1085	1195	1155	1300	1300	1400	1300	1250
0354 HRLY 00	SR-447 (Nixon Rd), 300' S of SR-446 to Sutcliffe.									
	890	1000	1090	1250	1195	1350	1110	1200	1100	1300
0355 HRLY 00	SR-447 (Nixon Rd), 1.1 mi N of SR-427 in Wadsworth.									
	915	1050	895	910	865	1150	1160	1200	1100	1400
0356 HRLY 98	US-395, btwn the Oddie Bl Intch "Exit 69" & the McCarran Bl Intch "Exit 70".									
	56270	60335	59000	64280	69340	70535	78445	81285	80980	82050

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0357 HRLY 98	US-395, S/B on-ramp of the Parr Bl Intch "Exit 72", .2 mi S of the cross traffic rd.									
	3035	3050	2500	2910	3475	3630	3730	4330	4460	3850
0358 HRLY 98	US-395, N/B off-ramp of the Parr Bl Intch "Exit 72", begining at the W end of guardrail.									
	3375	3630	3110	3140	3500	4135	4260	4825	4980	4210
0359 HRLY 00	Dandini Bl, 100' E of the N/B ramps of the Parr Intch "Exit 72".									
			3150	2835	3800	3220	7150*	6600		4300
0360 HRLY 98	US-395, N/B on-ramp of the Parr Bl Intch "Exit 72", 300' N of the cross traffic rd.									
	550	635	495	550	520	650	590	875	1000	1000
0361 HRLY 98	US-395, S/B off-ramp of the Parr Bl Intch "Exit 72", .2 mi N of cross traffic rd.									
	585	715	500	625	535	690	600	840	1030	900
0362 HRLY 00	Parr Bl, 100' W of the S/B ramps of the Parr Bl Intch "Exit 72".									
			6420	6770	6900	6300	7750	9700		9000
0363	US-395, cross traffic rd of the Parr Bl Intch "Exit 72", 65' W of the N/B ramps.									
										4400
0364 HRLY 99	US-395, S/B off-ramp of the Panther Valley Intch "Exit 72 A", .2 mi W of the N/B US-395.									
	4300	4320	5150	4405	4085	4405	4330	4600	4710	4400
0365 HRLY 00	US-395, S/B on-ramp of the Panther Valley Intch "Exit 72A", .2 mi W of US-395.									
	1025	1080	460	1420	1780	1225	2100	1730	1770	1720
0366 HRLY 99	US-395, N/B off-ramp of the Panther Valley Intch "Exit 72A", 300' W of the US-395 overpass.									
	955	975	850	1260	1420	1385	1565	1585	1700	1600
0367 HRLY 00	US-395, N/B on-ramp of the Panther Valley Intch "Exit 72A", 300' W of the US-395 overpass.									
	4000	4000	5430	4180	4175	4640	4550	4735	4750	4440
0368 HRLY 99	SR-431 (Mt Rose Hw), .1 mi S of Joy Lake Rd.									
	4305	4540	5100	5760	5505	5200	5600	6200	6300	6300

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0369 HRLY 98	SR-431 (Mt Rose Hw), .1 mi N of New Sky Tavern Ski Area.									
	3900	4145	4700	5310	5000	4600	5400	5850	5950	5950
0370 HRLY 99	SR-878 to the Reno Ski Bowl, .3 mi E of Mt Rose Hw.									
	90	105	105	120	95	95	105	90	80	90
0371 HRLY 98	SR-431 (Mt Rose Hw), 5 mi N of SR-28 & 100' W of mp 5.									
	4010	4130	4500	5085	4905	4450	5500	5800	5900	5900
0372 HRLY 00	SR-431 (Mt Rose Hw), 100' N of SR-28 (Tahoe Bl).									
	4195	4630	5050	5550	6060	6000	5300	5800	5900	5850
0373 HRLY 00	SR-28 (Tahoe Bl), .1 mi E of SR-431 (Mt Rose Hw).									
	9810	11200	11550	11660	11200	12600	12200	11500	12200	11800
0374 HRLY 00	SR-28 (Tahoe Bl), 450' W of SR-431 (Mt Rose Hw).									
	10450	11350	12275	12100	11690	12700	12800	12100	12100	12100
0377 HRLY 99	SR-28 (Tahoe Bl), at the NV/CA Stateline.									
	13700	13800	15075	15170	14700	15500	15100	14600	13500	13900
0378 HRLY 99	SR-28 (Tahoe Bl), .4 mi W of Village Bl.									
	9855	10350	11000	10860	10400	11300	11200	11100	11000	11000
0379 HRLY 00	SR-28 (Tahoe Bl), 200' E of Village Bl.									
	9990	10350	11000	11155	10700	11700	12200	11900	11900	11900
0380 HRLY 00	SR-28 (Tahoe Bl), .2 mi W of the E end of Lakeshore Bl.									
	4335	4220	5010	5560	5340	5900	5800	5450	6200	5800
0381 HRLY 00	Lakeshore Bl, E end .1 mi W of SR-28 (Tahoe Bl).									
			1670	2335	2435	2300	1700	1850	1850	1850
0382 HRLY 00	SR-28 (Tahoe Bl), 200' E of the E end of Lakeshore Bl.									
	5710	5645	6400	7300	7010	7700	6400	6000	7300	6700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0384 HRLY 00	SR-447 (Gerlach Rd), in the middle of Gerlach, 100' W of Bruno's Country Club. 610 555 510 710 850 740 720 720 750									650
0385 HRLY 00	County Rd to Vya, 1.4 mi N of SR-447. 0									120
0388 HRLY 00	Cedarville Rd, .1 mi N of the County Rd to Crutcher Springs. 180 220 205 215 215 220									180
0401 HRLY 01	IR-80, .2 mi W of the Garson Rd Intch "Exit 4". 23005 23885 23915 24020 25305 24045 25350 25275 28050									29060
0402 HRLY 99	US-395, .5 mi S of the cross traffic rd of the Bellevue Intch "Exit 42". 21675 22660 22745 23930 25195 25525 26790 27285 28860									28825
0404 HRLY 99	SR-429 (Bowers Rd), .2 mi S of US-395. 1140 1230 1665 1750 1735 1500 1700 1600 1600									1700
0409 HRLY 98	US-395, N/B off-ramp of the McCarran Intch "Exit 70", 500' N of the N/B lanes. 10500 11260 10930 12930 14200 14810 16790 17595 18500									18400
0410 HRLY 00	US-395, S/B on-ramp of the McCarran Bl Intch "Exit 70". 13100 12900 13265 13500 14800 15200 17265 19535 18500									18400
0411 HRLY 99	US-395, S/B off-ramp of the McCarran Bl Intch "Exit 70", 200' N of McCarran Bl. 3250 3030 2815 3410 4435 4030 4130 4685 5050									5050
0412 HRLY 00	US-395, N/B on-ramp of the McCarran Intch "Exit 70", 300' N of McCarran Bl. 3355 2195 1175 2175 3100 4205 3900 4350 5000									5000
0414 HRLY 99	SR-650 (McCarran Bl), .1 mi E of US-395. 19050 20100 20155 26000 30000 30300 31800 30500 32000									31700
0415 HRLY 00	SR-651 (N McCarran Bl), 50' E of Clear Acre Ln. 25300 28000 26500 28130 31700 30600 32300 31900 35900									30600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0416 HRLY 00	SR-651 (N McCarran Bl), .1 mi W of Clear Acre Ln, E of Hug High School.									
	18600	19600	17900	18840	20900	21100	21500	22500	24700	22200
0417 HRLY 00	SR-430, .2 mi N of Panther Valley & Virginia St									
	11000	10375	11200	12160	11460	11655	12545	14530	12930	13800
0418 HRLY 00	US-395, 500' N of the N/B on-ramp of the Parr Intch "Exit 72".									
	34000	36070	34180	39680	41945	42335	45620	45750	46620	49140
0419 HRLY 99	US-395, N/B off-ramp of the Bellevue Intch "Exit 44", N of N/B US-395.									
	180	130	145	150	175	160	180	160	200	180
0420 HRLY 99	US-395, N/B on-ramp of the Bellevue Intch "Exit 44", 300' S of cross traffic rd.									
	110	110	130	135	135	195	170	200	220	190
0423 HRLY 99	US-395, S/B off-ramp of the Bellevue Intch "Exit 44", 100' S of US-395.									
	100	100	110	115	170	150	170	200	170	150
0425 HRLY 99	US-395, S/B on-ramp of the Bellevue Intch "Exit 44", .1 mi S of the cross traffic rd.									
	120	120	125	130	135	145	120	120	150	130
0426 HRLY 00	SR-447 (Gerlach Rd), 200' S of the RxR crossing, .1 mi E of Gerlach.									
	490	475	465	590	530	650	650	700	730	600
0427 HRLY 99	SR-663 (Oddie Bl), 100' E of 12th St.									
	9015	9190	9085	8140	7895	9000	9600	10000	9800	9600
0428 HRLY 01	IR-80, E/B on-ramp of the Keystone Intch "Exit 12", 350' E of Keystone Av.									
	14800	15265	15800	16490	19000	19200	18220	18075	18200	17900
0430 HRLY 01	IR-80, W/B off-ramp of the Keystone Av Intch "Exit 12", 500' E of the cross traffic rd.									
	14200	15220	14350	16300	18200	18480	16945	16825	17000	16730
0431 HRLY 01	IR-80, W of the Keystone Intch "Exit 12", 20' E of the Stoker Av Structure.									
	38185	41730	44365	41145	48240	49255	53415	55895	59290	64250

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0432 HRLY 00	IR-80, E of the Keystone Intch "Exit 12".									
	62695	67915	69750	69255	79650	80325	82225	85055	88040	92180
0433 HRLY 00	IR-80, E/B off-ramp of the Virginia St Intch "Exit 13", 100' W of Sierra St.									
	4830	4730	4570	3860	5095	4910	5415	5530	5670	6580
0434 HRLY 01	IR-80, E/B on-ramp of the Virginia St Intch "Exit 13", 300' E of Center St.									
	14850	14000	14960	13195	15150	15890	15870	15280	15620	16855
0435 HRLY 01	IR-80, W/B off-ramp of the Virginia St Intch "Exit 13", 200' W of W/B I-80.									
	13850	12555	14225	13560	14975	15655	15635	14755	15910	15585
0436 HRLY 01	IR-80, W/B on-ramp of the Virginia St Intch "Exit 13", 200' W of Sierra St.									
	5400	5345	5245	4350	6010	5330	5610	5730	5810	6450
0438 HRLY 99	University Terrace, 380' E of Washington St.									
									3950	4500
0439 HRLY 00	IR-80, E of the Virginia St Intch "Exit 13".									
	81165	84395	89120	87800	98960	101630	102705	103830	108090	109760
0440 HRLY 01	IR-80, E/B off-ramp of the Wells Av Intch "Exit 14",									
	3800	4600	4430	3280	5520	5430	5575	5110	5470	5860
0441 HRLY 00	IR-80, E/B on-ramp of the Wells Av Intch "Exit 14", 120' W of I-80.									
	5770	7975	8165	9820	9605	9850	10605	9825	8820	9200
0443 HRLY 01	IR-80, W/B off-ramp of the Wells Av Intch "Exit 14", 50' W of I-80.									
	6185	7895	8135	9470	7910	8650	9255	8955	8940	9200
0444 HRLY 01	IR-80, W/B on-ramp of the Wells Av Intch, "Exit 14", 35' E of I-80.									
	4100	4565	5035	4605	5595	6045	6225	5540	5910	5770
0445 HRLY 00	SR-663 (Wells Av), 150' N of the W/B ramps of the Wells Av Intch "Exit 14".									
					19000	16700	17300	17800	19000	19100

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0447 HRLY 01	IR-80, E/B off-ramp to N/B 395 "Exit 15".									
	6050	6735	6900	6140	6815	6900	7810	8995	7460	8000
0448 HRLY 01	IR-80, E/B off-ramp to S/B 395 "Exit 68".									
	17550	18975	19500	20170	22100	23700	25595	24840	20300	24850
0450 HRLY 01	IR-80, W/B on-ramp from N/B US-395 "Exit 68".									
	14750	16465	17500	17375	19250	19905	19575	22095	21500	22500
0451 HRLY 01	IR-80, E/B on-ramp from US-395 N/B "Exit 68".									
	15200	15400	15435	15240	17000	17580	18325	16355	13500	18650
0453 HRLY 01	IR-80, W/B off-ramp to S/B US-395 at "Exit 68".									
	15700	17050	17950	16015	17405	17940	17660	15255	17760	18020
0454 HRLY 01	IR-80, W/B off-ramp to N/B 395 "Exit 68".									
	6800	6935	7365	7900	8345	7860	8110	8330	8850	8400
0456 HRLY 00	IR-80, E/B on-ramp from S/B 395 "Exit 68".									
	6300	7170	7120	6700	7450	7600	8210	8525	8700	8650
0457 HRLY 00	IR-80, W/B on-ramp from S/B 395 "Exit 68".									
	5615	6560	6510	6060	7680	8120	7680	9160	7800	8100
0458	IR-80, 200' E of the E/B on-ramp of US-395 "Exit 15".									
	85255	88920	93415	95315	99425	101010	106945	95335	106220	106800
0459 HRLY 00	US-395, N/B on-ramp of the Glendale Av Intch "Exit 67", 50' E of the N/B I-580.									
	4780	5000	5500	6155	6805	6650	5970	5000	4850	5750
0460 HRLY 00	US-395, S/B off-ramp of the Glendale Av Intch "Exit 67".									
	5475	5700	6295	6840	7000	7115	7200	5725	6000	6700
0461 HRLY 00	US-395, N of the Glendale Intch "Exit 67", .2 mi N of Glendale Av.									
	105105	111140	111955	118235	125280	131130	142315	136515	133750	145120

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0462 HRLY 00	US-395, 200' N of the I-80 Intch "Exit 68".									
	66670	70650	69465	75035	79815	82485	92970	92980	93500	94250
0463 HRLY 00	SR-651 (N McCarran Bl), 740' W of Sutro St.									
	14600	14250	13300	14430	15300	14600	15900	16300	18600	17400
0464 HRLY 00	SR-651 (N McCarran Bl), 400' E of N Virginia St.									
	13150	12725	12300	13440	14000	14300	15100	17000	17800	17500
0465 HRLY 98	SR-650 (N McCarran Bl), 300' E of Probasco Wy.									
	14700	14900	14975	15870	16800	17200	18700	19300	17500	17500
0466 HRLY 98	SR-650 (N McCarran Bl), 250' W of Probasco Wy.									
	15300	15300	15650	16535	17600	17800	19700	20400	17800	17600
0467 HRLY 00	SR-650 (N McCarran Bl), 300' E of SR-445 (Pyramid Wy).									
	16100	16050	16475	17590	19700	19300	20800	22900	20000	20100
0468 HRLY 00	US-395, btwn McCarran Intch "Exit 70" & Parr Intch "Exit 72", 100' N of Clear Acre underpas.									
	39275	41400	38795	44555	47875	48760	52420	53190	54030	55300
0469 HRLY 00	IR-80, W/B loop on-ramp of the E McCarran Ave Intch "Exit 19", 275' E of McCarran Bl.									
	2850	3130	3570	3720	3695	3845	3510	3015	3450	3450
0470 HRLY 97	US-395, N/B off-ramp of the Red Rock Intch "Exit 78", .1 mi S of the cross traffic rd.									
	1540	1615	1950	2060	2720	3050	3255	3310	3455	3600
0472 HRLY 98	Silver Lake Rd, Red Rock Intch "Exit 78", 450' S of the Red Rock Rd.									
								2800	2900	3150
0473 HRLY 00	Red Rock Rd, .1 mi E of Moya Bl.									
					3625	3650	3700	4100	4150	4100
0474 HRLY 97	US-395, N/B on-ramp of the Red Rock Intch "Exit 78", 25' N of the cross traffic rd.									
	405	425	410	555	640	675	705	505	595	600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0476 HRLY 97	US-395, S/B off-ramp of the Red Rock Intch "Exit 78", .1 mi N of the cross traffic rd.									
	415	405	395	410	510	650	575	500	600	600
0477 HRLY 97	US-395, S/B on-ramp of the Red Rock Intch "Exit 78", 50' S of the cross traffic rd.									
	1310	1400	1785	2060	2560	2950	3155	3215	3437	3500
0480 HRLY 98	FRWA23 W Frontage Rd (Old 395), 100' S of the cross traffic rd of the Red Rock Rd Intch "Ex.									
								520	520*	530
0481 HRLY 00	US-395, .3 mi N of mp WA 37.									
	13100	13770	13890	14570	15105	15060	14385	14660	15473	15600
0484 HRLY 00	W 7th St, 500' W of Conway Ln.									
	5900	5845	6700	6990	6500	7200	7900	8150	8550	9100
0485 HRLY 99	W 7th St, 50' W of Wyoming Av.									
				8775	7805	7500	8100	8000	8400	9350
0487 HRLY 98	W 7th St, 300' W of Keystone Av.									
				13700	12000	12100	12800	13100	13000	13000
0488 HRLY 00	W 5th St, 150' W of Vine St.									
					8765	8600	8400	8600	8800	8650
0490 HRLY 98	W 6th St, 150' W of SR-430 (N Virginia St).									
						13000	11100	10100	11700	11000
0491 HRLY 99	E 6th St, 75' E of SR-430 (N Virginia St).									
				8500	10500	9200	9200	8600	8600*	8500
0492 HRLY 99	E 6th St, 200' W of SR-663 (S Wells Av).									
			10400	9600	10700	9400	9900	9250	9150	9150
0493 HRLY 00	E 6th St, btwn Morrill Ave & Spokane St.									
				8600	9400	8900	8800	8400	9400	9400

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0494 HRLY 00	E 6th St, btwn Toano St & Montello St.				3900	4225	4000	3500	3800	5000	4400			
0495 HRLY 98	SR-646 (Prater Wy), btwn 18th St & 19th St.				11300	12040	12300	12700	12700	12800	12600	12000		
0496 HRLY 01	SR-646 (Prater Wy), btwn SR-668 (Rock Bl) & 16th St.				11680	11300	11700	12500	11900	11900	12700			
0497 HRLY 99	SR-646 (Prater Wy), 100' E of SR-445 (Pyramid Wy).				16750	16100	16600	18800	17900	17300	17400			
0499 HRLY 99	E Prater Wy, 150' E of Probasco Wy.					18500	20000	21100	20100	18400	18500			
0500 HRLY 99	SR-646 (E Prater Wy), 150' W of SR-650 (N McCarran Bl).				23020	21600	23200	23400	22600	21800	21000			
0504 HRLY 99	Mayberry Dr, 300' W of Hunter Lake Dr.				9000	7990	8400	8800	8950	9550	9250			
0505 HRLY 98	Mayberry Dr, .2 mi E of Hunter Lake Dr & 30' E of Memory Ln.				9050	8715	8200	9500	8300	9000	8600	8900	9100	8800
0506 HRLY 98	California Av, 300' W of Booth St.					10100	10400	9900	11400	10900	9850			
0507	California Av, .1 mi E of Keystone Av & 200' W of Newlands Cr.				12730	13700	12840	14400	13400	13400	13300	13200	13200*	12700
0508 HRLY 98	California Av, 300' W of Arlington Av.				11700	10900	10900	10800	12500	12500	12500			
0509 HRLY 00	W Liberty St, 100' E of Arlington Av.				5900	6640	6400	6300	5800	5400	5800			

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0510 HRLY 00	W Liberty St, 75' W of S Center St.				11800	11200	11700	11200	11200	11300	11600			
0511 HRLY 00	E Liberty St, 175' E of S Center St.				10600	10500	10200	10500	12000	13000	11500	11100	10600	10500
0513 HRLY 99	Ryland St, 100' W of Locust St.				10400	10100	9920	10050	11000	10700	10600	10300	11100	11200
0516 HRLY 99	Mill St, 250' E of Kietzke Ln.				23600	21800	27500	29900	25500	26400	26500			
0517 HRLY 00	SR-650 (N McCarran Bl), .2 mi S of SR-646 (E Prater Wy).				24900	23900	25650	25590	27500	28200	28800	29800	28000	26800
0518 HRLY 97	Vassar St, 50' E of SR-430 (S Virginia St).				3255	3300	3575	3600	3550	3200	3350	3450		
0520 HRLY 99	Vassar St, 150' E of Kirman Av.				6900	6740	6700	6500	6350	6050	6550			
0522 HRLY 97	Vassar St, 300' E of SR-667 (Kietzke Ln).				11800	11200	10400	11300	11200	11600	12100			
0523 HRLY 00	Vassar St, .1 mi W of Terminal Wy.				7450	7500	7000	7000	6950	7500	7600			
0525 HRLY 98	W Moana Ln, 50' E of Skyline Bl.				3885	4115	4500	4600	4060	4200	5350	4000	3650	3650
0527 HRLY 97	E Moana Ln, 100' W of SR-667 (Kietzke Ln).				27100	26800	24100	24500	24400	24200	24000			
0528 HRLY 96	Neil Rd, 238' S of Mauldin Ln.				14700	13600	14300	13800	13800	14600	16400			

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0529 HRLY 99	Neil Rd, 200' S of E Peckham Ln.									
	5600		6000		5325	6300	5400	5400	5650	6150
0534	Hunter Lake Dr, 100' S of Mayberry Dr.									
									9700	9700
0535 HRLY 99	Keystone Av, 100' S of Jones St.									
	13250	13950	13500	14000	14000	14400	13300	13500	15600	14500
0537 HRLY 00	Keystone Av, 100' S of SR-647 (W 4th St).									
	19300	20300	20800	22700	22100	23600	21800	22300	25500	24000
0538 HRLY 00	Keystone Av, 120' S of 7th St.									
	28100	26300	26765	28000	28800	29400	28100	29200	29500	30000
0539 HRLY 00	Keystone Av, 200' N of W 7th St.									
	15700	14700	16385	17100	17600	16300	16300	16900	15500	17200
0541 HRLY 96	Keystone Av, 300' N of Coleman Dr.									
	3750	3985	4020	3910	4145	4100	4550	4250	4250*	4250
0543 HRLY 00	Arlington Av, 25' N of Marsh Av.									
				13300	13200	12400	12300	11800	11800	12300
0544 HRLY 99	Arlington Av, 125' N of W Liberty St.									
				16600	17500	15500	16100	14700	13600	13400
0545 HRLY 00	Arlington Av, 200' S of SR-648 (W 2nd St).									
				12500	13000	10600	11000	10800	11100	10800
0546 HRLY 00	Arlington Av, 100' N of SR-648 (W 2nd St).									
					8415	10700	10400	10300	10400	10800
0547 HRLY 97	US-395, N/B off-ramp of the Cold Springs Valley Intch "Exit 80", 50' N of US-395.									
	2230	2210	2315	2415	2430	2485	2480	2375	2500	2600

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0548 HRLY 99	Cold Springs Valley Rd, 75' E of the N/B ramps of the Cold Springs Valley Intch "Exit 80". 5000									
0549 HRLY 97	US-395, S/B on-ramp of the Cold Springs Valley Intch "Exit 80", .25 mi S of the cross rd. 2225 2210 2315 2400 2360 2420 2430 2275 2500 2550									
0555 HRLY 00	S Center St, 100' S of E Liberty St.				4400	4300	3800	3800	4400	4750
0556 HRLY 99	S Center St, 100' N of E Liberty St.				6600	6250	6300	5550	5550	5650
0557 HRLY 00	S Center St, 100' N of First St.				10300	9750	10200	8200	8200	9150
0558 HRLY 00	S Center St, 200' N of SR-648 (E 2nd St).				12000	11600	11200	10000	10000	11100
0559 HRLY 00	N Center St, 100' S of E 6th St.				7000	7130	9300	9500	9500	8500
0560 HRLY 98	N Center St, 100' N of E 6th St.				8000	9130	9500	9600	9600*	9200
0564 HRLY 99	Locust St, 100' N of SR-653 (E Plumb Ln).				5900	6070	6100	6100	6450	5550
0566 HRLY 99	Locust St, 100' N of Vassar St.				2515	2310	2110	2300	2180	2100
0567 HRLY 97	Locust St, 300' S of Ryland St.				3700	2465	2390	2750	2580	2400
0568 HRLY 00	Locust St, 25' N of Ryland St.					1215	1200	1350	1200	1300

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0570 HRLY 00	Locust St, 200' N of SR-648 (E 2nd St).				1430	1530	1400	1450	1300	1450	1350			
0571 HRLY 97	Kirman Av, 100' N of SR-653 (E Plumb Ln).				4800	5005	4250	4700	4100	4600	4850			
0572 HRLY 99	Kirman Av, 100' S of Vassar St.				3000	3300	2850	2600	2600	2650	2850			
0573	Kirman Av, 100' N of Vassar St.	3175	2950	2815	3000	3300	2850	3000	3000	2650	2850			
0574 HRLY 00	Kirman Av, 125' S of Ryland St.	2915	2995	3025	3100	3420	3200	3350	3350	2550	3150			
0575 HRLY 00	Kirman Av, 75' N of Willow St.	5430	5500	4300	4300	4790	4500	4550	4700	4300	4200			
0577 HRLY 00	Kirman Av, 100' N of SR-648 (E 2nd St).				7500	7180	8300	8600	8100	8250	8250			
0579 HRLY 98	Sutro St, 200' S of E 9th St.				11900	11800	12800	11700	12200	13000	12300			
0581 HRLY 98	Sutro St, 150' N of Wedekind Rd.	9320	9725	8710	9100	9260	9000	9500	9600	11000	11100			
0582 HRLY 98	Sutro St, 300' S of SR-651 (N McCarran Bl).	7055	6990	6100	6600	7975	7700	7400	7300	8200	8300			
0583 HRLY 99	SR-667 (Kietzke Ln), 300' S of Gentry Wy.				25600	25600	27300	26600	26200	26200	28900	28900	28200	34000
0584 HRLY 00	SR-668 (S Rock Bl), 400' N of Mill St, just S of the Truckee River Bridge.				9035	10100	9900	10180	9360	11300	9100	10100	11000	11500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0585 HRLY 99	SR-668 (S Rock Bl), 100' S of Freeport Bl.									
	18000	19000	18200	18695	18000	18000	20000	19200	19000	20400
0586 HRLY 95	SR-668 (Rock Bl), 75' N of "D" St.									
					15800	15600	16400	16600	16400	16500
0587 HRLY 98	Probasco Wy, 60' N of "J" St.									
	3270	3190	3065	3180	3075	3200	3250	3250	3050	2800
0588 HRLY 98	Probasco Wy, 125' N of Quail St.									
	2900	2920	2670	2900	2880	2800	2800	2400	2650	2600
0589 HRLY 98	Probasco Wy, btwn Gault Wy & N McCarran Bl.									
	2295	2335	2125	2290	2270	2250	2300	2100	2350	2250
0590 HRLY 00	Arrow Creek Pk, 375' W of SR-430 (S Virginia St).									
									8900	12700
0591 HRLY 98	Zolezzi Ln, 250' W of Oak Glen Rd, E of Thomas Creek Rd.									
					3700	4100	4700	4600	5500	5500
0593 HRLY 00	SR-668 (S Rock Bl), .2 mi S of Mill St.									
	13500	15100	14700	15075	14400	14200	13800	14900	16000	17100
0594 HRLY 00	Mill St, .3 mi W of SR-668 (S Rock Bl).									
				14900	14400	14800	14300	15300	18800	16700
0595 HRLY 00	Mill St, .5 mi E of SR-668 (S Rock Bl).									
				9000	8730	9000	8400	9000	10900	10000
0596 HRLY 99	SR-648 (Glendale Av), 100' E of the E entrance to the Hilton.									
	16600	16300	17775	18780	19200	18400	19100	18900	20300	19500
0597 HRLY 99	Eastlake Bl, 100' S of the Jumbo Grade Rd.									
					2060	2300	2300	2200	2100	2150

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0598 HRLY 99	Eastlake Bl, 200' N of Coyote Dr.				3030	3200	3300	3900	3250	3150
0599 HRLY 99	El Rancho Dr, 100' SE of Clinton Ct.				9100	10100	12300	12800	11900	11900
0600 HRLY 00	Sun Valley Dr, .1 mi N of Gepford Pk.				19350	19750	19000	20600	23300	22600
0601 HRLY 00	SR-427 (Wadsworth Rd), 100' E of SR-447 (Nixon Rd).				1570	1645	1700	1825	1775	1700
0602 HRLY 00	SR-427 (Wadsworth Rd), .2 mi E of the Truckee River.				1795	1885	2070	2155	2525	2400
0604 HRLY 99	US-395, N/B on-ramp of the Cold Springs Valley Intch "Exit 80", 600' N of the cross rd.				15	10	15	30	25	25
0605 HRLY 99	US-395, S/B off-ramp of the Cold Springs Valley Intch "Exit 80", .2 mi N of the cross rd.				15	15	15	30	25	25
0607 HRLY 00	US-395, btwn the Cold Springs Vly Intch "Exit 80" & Bordertown Intch "Exit 83", at mp 40.9.				8675	9375	9290	9815	10365	10205
0608 HRLY 99	US-395, N/B off-ramp of the Bordertown Intch "Exit 83"				945	950	920	1000	1175	1200
0609 HRLY 97	US-395, N/B on-ramp of the Bordertown Intch, "Exit 83" .2 mi N of the cross traffic rd.				365	360	330	370	435	380
0611 HRLY 00	US-395, S/B off-ramp of the Bordertown Intch "Exit 83", 300' S of US-395.				230	265	235	230	250	230
0612 HRLY 99	US-395, S/B on-ramp of the Bordertown Intch "Exit 83", 300' S of the cattle guard.				815	860	830	905	940	1155

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0615 HRLY 00	FRWA23, .2 mi N of the Bordertown Bar.									
	395	425	415	440	510	460	470	475	350	430
0617 HRLY 98	SR-668 (Rock Bl), 150' S of SR-663 (Oddie Bl).									
					11600	12400	13100	14400	13900	12700
0619 HRLY 98	SR-668 (Rock Bl), N of Vance Wy.									
					8240	8500	7400	8300	8300	9500
0620 HRLY 01	IR-80, .2 mi W of the Vista Intch "Exit 21".									
	21480	23500	26445	27735	29870	30885	31350	33410	35080	36885
0621 HRLY 00	SR-648 (Glendale Rd), .1 mi W of Industrial Wy.									
	14800	16100	15900	16425	16600	16000	16300	16200	17300	17200
0622 HRLY 00	Kuenzli St, 100' W of SR-667 (Kietzke Ln).									
	3400	3535	2800	3400	3420	3400	3350	3200	3350	3500
0623 HRLY 00	SR-668 (Rock Bl), 300' W of Longley Ln.									
	12000	12700	12100	13750	13800	13800	13000	14600	15700	15800
0624 HRLY 96	El Rancho Dr, .2 mi N of SR-663 (Oddie Bl).									
	11100	11150	10900	9410	11300	11700	12000	13200	12200	11800
0625 HRLY 00	Kuenzli St, 200' E of Kirman Av.									
	6960	6595	7300	7400	7725	7800	8100	7700	8200	7600
0626 HRLY 98	El Rancho Dr, 500' N of Wedekind Rd.									
				6175	5775	5900	5500	5800	6500	6250
0627 HRLY 00	US-395, S/B on-ramp of the Glendale Av Intch "Exit 67".									
	3550	3625	3795	3315	3600	3515	3800	4185	4900	4880
0628 HRLY 00	US-395, N/B off-ramp of the Glendale Av Intch "Exit 67".									
	3640	3735	3895	3930	4000	4060	4225	4000	4200	4450

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0629 HRLY 00	US-395, btwn the Mill St Intch "Exit 66" & Glendale Av Intch "Exit 67".									
	102040	107800	107850	112485	119075	124940	137168	133975	132000	142000
0630 HRLY 00	US-395, S/B off-ramp of the Mill St Intch "Exit 66".									
	8425	9590	9430	9650	9490	9475	10180	9385	8600	9100
0631 HRLY 00	US-395, S/B on-ramp of the Mill St Intch "Exit 66".									
	5070	5500	4985	4795	5775	6010	6495	5490	6500	5900
0632 HRLY 00	US-395, N/B on-ramp of the Mill St Intch "Exit 66".									
	6845	7940	7775	7960	7700	8545	8825	8000	6470	8300
0633 HRLY 98	US-395, N/B off-ramp of the Mill St Intch "Exit 66".									
	5380	5910	5415	4870	6015	7300	7340	6000	6870	5750
0634 HRLY 99	US-395, btwn the Plumb-Villanova Intch "Exit 65" & Mill St Intch "Exit 66".									
	97220	101680	101045	104540	115620	120230	132000	128080	130300	136250
0635 HRLY 00	Mill St, btwn Matley Lane & Terminal Wy.									
			23200	23300	23700	24200	22500	25800	28400	27700
0636 HRLY 00	US-395, S/B off-ramp of the Plumb-Villanova Intch "Exit 65".									
	11000	13655	11700	11970	12185	12240	14440	11950	12390	13000
0638 HRLY 00	W Frontage Rd (one-way S/B), 400' S of Villanova.									
	9800	10610	10900	10100	10400	10400	12200	11100	10330	10900
0639 HRLY 00	US-395, S/B on-ramp of the Plumb-Villanova Intch, 300' N of S/B lanes "Exit 65A".									
	5665	6430	5550	7070	6700	8000	8310	8175	8470	8950
0640 HRLY 00	US-395, N/B off-ramp of the Plumb-Villanova Intch "Exit 65", 250' N of the N/B lanes.									
	5035	5460	5550	6280	6785	8015	8010	7625	7600	9000
0641 HRLY 00	E Frontage Rd (N/B One-Way), btwn Villanova & Plumb Ln of the Plumb-Villanova Intch "Exit 65".									
	10800	11650	11110	12000	12100	12100	13100	13100	13100	11000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0643 HRLY 00	US-395, N/B on-ramp of the Plumb-Villanova Intch "Exit 65", 200' S of the N/B lanes.									
	11600	13140	12855	13150	13455	13740	14500	13400	13000	13000
0644 HRLY 99	US-395, btwn the Moana Ln Intch "Exit 64" & the Plumb-Villanova Intch "Exit 65".									
	81555	83860	82995	87185	96810	103900	113390	112545	114840	122150
0645 HRLY 00	US-395, S/B off-ramp of the Moana Ln Intch "Exit 64", .1 mi S of the S/B lanes of "Exit 64"									
	17000	15300	14335	14740	16000	16200	15275	15275	13910	15150
0646 HRLY 97	Moana Ln, 75' W of the S/B ramps of I-580.									
								27600	31200	31200
0647 HRLY 00	US-395, S/B on-ramp of the Moana Ln Intch "Exit 64", .1 mi S of Moana Ln.									
	1965	1775	1800	2270	2110	3240	3000	3205	3280	3450
0648 HRLY 98	US-395, N/B off-ramp of the Moana Ln Intch "Exit 64".									
	1585	1590	1670	1890	1995	3065	3130	3325	3000	3150
0649 HRLY 00	Moana Ln, 250' W of Neil Rd.									
					14500	14900	15700	15500*	15500*	15200
0650 HRLY 98	US-395, N/B on-ramp of the Moana Intch "Exit 64", 100' S of the N/B Lanes.									
	15555	14000	13540	14170	15665	15805	16925	15230	14500	15100
0651 HRLY 99	US-395, 291' S of Moana Ln, btwn S/B off & on-ramps of Moana Intch "Exit 64"									
	52550	57925	58590	62430	69200	78200	84580	88570	92710	98500
0652 HRLY 00	SR-650 (S McCarran Bl), .1 mi E Neil Rd.									
				12700	12500	12800	13200	15800	15600	15500
0653 HRLY 00	SR-650 (S McCarran Bl), .1 mi W of Neil Rd.									
				15800	15250	15600	16500	19000	18800	18800
0654 HRLY 00	SR-650 (S McCarran Bl), 300' W of Meadowood Mall Link.									
			24600	27100	29100	31700	35500	35500	40900	40900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0656 HRLY 00	SR-651 (S McCarran Bl), 335' S of E/B off-ramp at W McCarran Bl Intch "Exit 10" .									
	14500	17200	18200	20300	21200	23100	23800	23800	26300	35000
0657 HRLY 01	IR-80, E/B off-ramp of the W McCarran Bl Intch "Exit 10".									
	1810	1880	1910	2505	2330	2605	2575	2710	2680	3230
0658 HRLY 01	IR-80, E/B on-ramp of the W McCarran Bl Intch "Exit 10".									
	7455	8475	7650	7190	8465	10305	11840	11785	12270	13480
0660 HRLY 01	IR-80, W/B on-ramp of the W McCarran Bl Intch "Exit 10", 300' W of W/B lanes of I-80.									
	1870	1885	2035	2505	2300	2565	2720	2845	2860	3250
0661 HRLY 01	IR-80, W/B off-ramp of the W McCarran Bl Intch "Exit 10",									
	7210	8240	8220	6885	8600	10275	11350	11295	11050	13780
0662 HRLY 00	SR-651 (N McCarran Bl), 545' N of I-80 W/B on-ramp of the W McCarran Intch "Exit 10".									
	22700	25200	24300	22625	23600	28100	29200	28100	31000	36000
0663 HRLY 00	SR-651 (N McCarran Bl), 364' N of W 7th St.									
	10450	12100	11900	13740	13800	15400	16800	16800	17700	20800
0664 HRLY 00	SR-651 (N McCarran Bl), 638' W of SR-430 (N Virginia St).									
	11000	11700	11700	12780	13100	13200	14900	14900	16100	18000
0666 HRLY 97	SR-650 (S McCarran Bl), .1 mi E of Rio Poco Rd.									
				14900	15400	16100	16000	17500	17000	17900
0669 HRLY 99	Vista Bl, 300' N of Brierley Wy.									
				11300	12400	11400	15700	18300	19100	18300
0671 HRLY 01	IR-80, 200' E of the Mogul Rest Stop area, W of "Exit 7".									
	27585	29350	29115	29945	31265	29640	30865	31730	33650	35040
0672 HRLY 00	SR-430 (S Virginia St), 190' S of the S/B ramp under I-580 & N/B is 200' from McCarran Bl.									
	29600	29600	31400	31000	35900	34100	29300	30800	32000	35000

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0673 HRLY 99	US-395, .6 mi N of the Bellevue Intch "Exit 44".									
	21635	22620	22715	23900	25195	25565	26830	27405	28900	28855
0674 HRLY 99	SR-650 (N McCarran Bl), .3 mi E of El Rancho Dr.									
	17850	18300	18600	21240	22900	24800	26100	27000	24200	26400
0675 HRLY 99	SR-650 (N McCarran Bl), .2 mi E of Sullivan Ln.									
	22000	23300	23300	25445	27300	28200	30000	31600	29300	29500
0676 HRLY 99	SR-650 (N McCarran Bl), .1 mi E of Wedekind Rd sign.									
	22400	24100	23950	26090	28000	28800	31400	32300	31500	31000
0677 HRLY 99	SR-650 (N McCarran Bl), .2 mi E of SR-668 (Rock Bl).									
	21600	23150	23350	26000	26800	27600	31100	32400	31600	32500
0678 HRLY 97	SR-650 (S McCarran Bl), .1 mi N of Mira Loma.									
				16700	17800	18000	17800	19400	18500	18900
0681 HRLY 98	US-395, S/B off-ramp of the Stead Bl Intch "Exit 76", 200' S of "Exit" sign.									
	345	360	360	435	410	415	435	435	530	350
0682 HRLY 98	US-395, N/B on-ramp of the Stead Bl Intch "Exit 76", 10' S of the RxR Underpass.									
	395	435	435	510	485	450	535	535	600	500
0683 HRLY 00	SR-430 (N Virginia St), 251' S of 9th St.									
	13700	17100	17800	16600	15700	17700	15300	17800*	17500*	17500
0684 HRLY 99	E Prater Wy, 150' W of Greenbrae Dr.									
				17315	16300	18100	18000	18400	17000	17200
0685 HRLY 99	E Prater Wy, 100' E of Greenbrae Dr.									
					14700	16400	16000	17400	15500	16100
0686 HRLY 99	E Prater Wy, .1 mi W of Pullman Dr.									
					13200	14300	15100	15100	15100	14900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000				
0687 HRLY 99	E Prater Wy, .2 mi E of Sparks Bl.				8100	9300	9400	9550	9650	9650				
0688 HRLY 00	SR-651 (S McCarran Bl), 200' W of Lakeside Dr.				18000	20000	20800	20800	21000	21700	23600			
0689 HRLY 00	Neil Rd, .1 mi S of SR-650 (S McCarran Bl).				8900	8610	10000	11500	11700	11900	10700			
0690 HRLY 98	Neil Rd, 300' N of DeLucchi Ln.				3800	4010	4100	4500	4600	5200	4700			
0694 HRLY 97	Pembroke Dr, 30' W of Sinelio Dr.				4850	5380	5600	5200	5600	6600	6600			
0695 HRLY 00	Pembroke Dr, .1 mi W of Piping Rock Dr.				4020	3890	3900	3900	4200	4950	4950			
0696 HRLY 99	N Virginia St (Old US-395), 300' NW of SR-430 (US-395 Business Rt).				4070	4140	3465	4175	4135	4000	4400	4500	5150	4700
0700 HRLY 98	Stead Bl, 100' W of the S/B ramps of the Stead Intch "Exit 76".				1760	1810	1600	2075	1850	2000	1800	1910	1950	2000
0701 HRLY 97	Neil Rd, 50' S of Chris Ln.				6000	5670	5800	4900	4900	5100	5500			
0703 HRLY 96	Terminal Wy, .1 mi N of National Guard Wy.				7500	7520	7100	6600	5950	5900	6700			
0704 HRLY 99	Terminal Wy, 500' N of Plumb Ln.				11800	11400	13000	11600	11600	12400	11500	11500	13400	12500
0705 HRLY 99	Terminal Wy, .1 mi S of Vassar St.				13150	12700	14100	13800	13300	14500	13500	12100	13700	12700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0706 HRLY 00	Terminal Wy, .1 mi S of Mill St. 14450 14000 15000 13600				13400	15400	13600	13500	14400	14300
0707 HRLY 00	Greg St, 400' NE of Mill St. 13000				12900	14600	12800	13200	14500	13900
0709 HRLY 99	Greg St, .1 mi E of SR 668 (Rock Bl). 10650 11800 11500 11300				10900	10900	11200	11800	12600	13500
0710 HRLY 99	Greg St, 300' E of Marietta Wy & Southern Wy. 9800 8800 8400					8900	8600	9000	9450	9950
0711 HRLY 96	Greg St, .1 mi W of SR-650 (McCarran Bl). 6730 7520 7300 7500				7500	7500	7800	8200	7800	8200
0712 HRLY 00	Greg St, 200' E of Deming Wy.					11200	12100	12300	13000	14500
0713 HRLY 00	Vista Bl, .1 mi N of E Prater Wy.				9605	11400	11000	13400	12300	12500
0715 HRLY 00	Baring Bl, 200' E of Springland Dr.				5405	6700	6100	6750	6750	7100
0717 HRLY 00	Baring Bl, 400' E of N Truckee Ln. 14700 16000 15300 14500				15400	15100	16000	16700	16800	17300
0719 HRLY 00	Sparks Bl, .2 mi S of Prater Wy. 14800 16200 16200 16500				16200	16000	16800	18400	18900	20200
0720 HRLY 99	Sparks Bl, .1 mi N of Prater Wy. 15900 14400				14500	15500	16300	17000	17500	18700
0721 HRLY 99	Sparks Bl, .2 mi S of Baring Bl.				8405	8900	9600	10500	11700	11400

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0722 HRLY 00	Golfer Pass Rd, 200' W of Village Bl in Incline Village.									
				1030	1140	1150	1050	1100	1150	1000
0723 HRLY 00	Golfer Pass Rd, 20' S of Bunker Ct in Incline Village.									
					475	500	450	450	550	550
0724 HRLY 00	College Rd, 25' E of Mt Rose Hw in Incline Village.									
				1940	2280	2200	2350	2000	2000	2100
0727 HRLY 00	McCourry Bl, 75' NW of Northwood Bl, btwn Northwood Bl & McDonald Dr.									
				2600	3405	3050	3150	3050	2900	2900
0728 HRLY 00	Village Bl, .1 mi W of Country Club Dr in Incline Village.									
				1065	1215	1250	1200	1200	1250	1250
0729 HRLY 00	Village Bl, "School Bus Stop Ahead" sign S.									
					2415	2500	2200	2200	2350	2250
0730 HRLY 00	Village Bl, 300' N of Northwood Bl in Incline Village.									
				5075	5770	5900	5900	5800	4800	4900
0733 HRLY 97	Village Bl, 500' N of Southwood & 100' S of Incline Wy in Incline Village.									
				3825	3795	4200	4200	3900	3500	3500
0734 HRLY 00	Ski Wy, 100' W of Country Club Dr in Incline Village.									
				2840	2890	3000	2700	2900	3550	3200
0736 HRLY 00	Country Club Dr, 100' N of Lakeshore Bl in Incline Village.									
	3040	3125	2730	3000	3610	3900	3150	3550	3650	3350
0737 HRLY 00	Country Club Dr, 100' N of SR-028 (Tahoe Bl) in Incline Village.									
					5015	5100	5050	4950	5350	5250
0738 HRLY 00	Country Club Dr, 125' N of First Green Dr in Incline Village.									
				2090	2305	2350	2400	2600	2450	2450

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0742 HRLY 97	Northwood Bl, 75' E of Village Bl in Incline Village.					1520	1815	1950	2900	2550	2700	2700			
0744 HRLY 00	Northwood Bl, 50' S of Alder Av in Incline Village.					3080	3640	3700	3350	3250	3250	3250			
0747 HRLY 00	Southwood Bl, btwn 100' E of Mays Bl & Lark Ct in Incline Village.					3810	4405	4600	4500	4000	3850	4000			
0749 HRLY 00	Southwood Bl, 50' S of SR-028 (Tahoe Bl) in Incline Village.						5105	5150	4900	4500	4450	4900			
0750 HRLY 00	Incline Wy, btwn Southwood Bl & Country Club Dr in Incline Village.					1665	1965	2100	1650	1700	1850	2000			
0752 HRLY 00	Mays Bl, 25' E of Allen Wy in Incline Village.					1915	2080	2100	1850	1850	1900	1900			
0753 HRLY 00	Tyner Wy, 200' N of Woodridge Wy in Incline Village.					870	1005	890	815	815	1150	700			
0754 HRLY 00	Second Creek Dr, 75' N of Mt Rose Hw in Incline Village.					1070	1245	1250	1250	1200	1000	1030			
0756 HRLY 00	Lakeshore Bl, 100' E of Village Bl in Incline Village.					5750	5635	5700	4550	4900	4750	4400			
0757 HRLY 00	Lakeshore Bl, 100' E of Robert Av in Incline Village.					3010	3930	5270	3370	3660	3400	2750*	2650*	3000	2900
0758 HRLY 00	Lakeshore Bl, 100' W of Village Bl in Incline Village.					4265	4260	4600	3700	3100	3450	3350			
0761 HRLY 00	Lakeshore Bl, 100' E of SR-028 (Tahoe Bl) in Incline Village.					3490	3730	4810	3890	4065	4100	3200	3100	3050	3050

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000					
0762 HRLY 00	Tyner Wy, .1 mi W of Gayle St in Incline Village .					985	1000	1150	1050	900	860				
0764 HRLY 00	Tyner Wy, 200' W of Jennifer St in Incline Village.					990	1345	1300	1250	1150	1200	1200			
0765 HRLY 00	Barbara St, 100' W of Mt Rose Hw in Incline Village.					940	965	1150	1100	1000	1100	1100			
0767 HRLY 00	Fay St, 50' W of Mt Rose Hw in Incline Village.					640	795	760	695	735	790	830			
0768 HRLY 00	Marlette Wy, 25' W of Mt Rose Hw in Incline Village.					370	460	470	450	470	460	450			
0770 HRLY 00	SR-431 (Mt Rose Hw), 50' S of Barbara St.					4110	4380	4700	4100	5015	5500	5050	5450	5450	5450
0774 HRLY 00	US-395, N/B on-ramp of the S Virginia St Intch "Exit 63".					8500	9425	9070	10120	11890	12105	13305	13785	12900	15150
0775 HRLY 97	US-395, Fire Creek Intch "Exit 63" S/B off-ramp from I-580 to S Virginia St.					9000	9910	10080	10170	12185	11960	9825	9545	9720	10600
0776 HRLY 99	US-395, btwn the Virginia St "Exit 63" & Del Monte Ln Intch "Exit 62", 100' N of sound wall					35050	38590	39440	42140	45125	54135	57400	60605	65250	67450
0777 HRLY 00	US-395, S/B off-ramp of the Del Monte Intch "Exit 62".					3475	3900	3535	4040	5615	7500	7100	6600	5605	6000
0778 HRLY 00	US-395, N/B 2 lane on-ramp of the Del Monte Intch "Exit 62".					2670	3170	2875	3865	3825	4735	5255	4025	4250	4200
0779 HRLY 00	Del Monte Ln, 150' E of the N/B on-ramp & 488' W of Virginia St.					9600	10200	12700	14000	15300	21700	19600	20200	21400	21200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0780 HRLY 00	Del Monte Ln, 193' W of W/B ramps of Del Monte Ln-US-395 Intch, & 347' E of Kietzke Ln.									
	6265	6190	8000	9200	6430	7300	7200	7150	14700*	17900
0781 HRLY 00	Del Monte Ln, 256' W of Kietzke Ln.									
	1285	1270	1450	1800	1815	1850	1850	1700	1800	2350
0782 HRLY 00	Kietzke Ln, .2 mi N of Del Monte Ln.									
	5320	6375	7400	8600	9275	9200	13300	13100	13900	16700
0783 HRLY 00	Kietzke Ln, 264' N of Redfield Pk & 434' S of Fire Creek Crossing.									
	3885	3965	5200	5400	6250	6200	10800	11800	11000	12000
0784 HRLY 99	US-395, S/B off-ramp of the Lemmon Valley Intch "Exit 74".									
	960	975	840	855	595	630	940	810	980	900
0785 HRLY 00	US-395, N/B on-ramp of the Lemmon Valley Intch "Exit 74", 100' N of the cross traffic rd.									
	1495	1640	1745	1700	1845	1735	1825	1600	1760	1450
0786 HRLY 00	US-395, N/B off-ramp of the Lemmon Valley Intch "Exit 74", 200' N of the gore.									
	6595	6950	6440	6365	6240	6750	7060	6915	7000	7280
0787 HRLY 99	US-395, S/B on-ramp of the Lemmon Valley Intch "Exit 74".									
	6060	6280	5535	5580	5360	6535	6005	6000	6100	6770
0788 HRLY 00	Lemmon Valley Dr, 300' W of US-395 & 50' W of the ramps.									
	365	480	420	420	400	420	450	1090*	960	700
0789 HRLY 00	Lemmon Valley Dr, E of the Lemmon Valley Dr Intch "Exit 74", 150' E of the ramps.									
	14300	14465	14050	14600	14900	15585	15400	15700	17900	17700
0792 HRLY 01	IR-80, W/B on-ramp of the Sparks Blvd Intch "Exit 20", .2 mi W of the cross traffic rd.									
	7880	7275	8410	8300	8580	8910	8725	8270	9380	9600
0793 HRLY 99	Evans St, S of Enterprise Rd.									
						1000	1500	2850	3050	3300

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0794 HRLY 98	Huffaker Ln, 242' E of Meadow Vista Dr.									
	2050	2300	2500	2800	2540	2900	2900	2800	2550	3600
0795 HRLY 99	US-395, S/B on-ramp of the Golden Valley Intch "Exit 73", 200' N of S/B US-395.									
	3380	3645	3290	3710	3640	3135	4605	4885	4920	5310
0796 HRLY 99	US-395, S/B off-ramp of the Golden Valley Intch "Exit 73", 450' S of S/B US-395.									
	1925	2020	1255	1335	1475	1500	1590	1540	1585	1780
0797 HRLY 99	US-395, N/B on-ramp of the Golden Valley Intch "Exit 73", 125' S of N/B US-395.									
	2345	2375	1610	1630	1790	1800	2000	1790	1900	2030
0798	US-395, N/B off-ramp of the Golden Valley Intch "Exit 73".									
	3800	4000	3645	3870	4180	4020	4390	5190	5300	5460
0799 HRLY 99	Golden Valley Rd, 75' W of the S/B ramps of the Golden Valley Intch "Exit 73".									
	5000	5475	5350	5600	5590	5800	6155	6500	7300	7900
0800 HRLY 98	Golden Valley Rd, 500' W of N Hills Bl.									
	9155	9170	8530	9000	9435	11200	10400	11400	12900	13900
0801 HRLY 00	US-395, S/B off-ramp of the Plumb-Villanova Intch "Exit 65", to the airport "Exit 65B".									
	2365	2440	2780	3550	4140	3960	3720	3685	3840	3750
0802 HRLY 00	US-395, N/B on-ramp of the Plumb-Villanova Intch "Exit 65" from the airport.									
	1400	1475	1815	2040	2515	2405	2270	2300	2300	2300
0803 HRLY 01	IR-80, E/B off-ramp of the Nugget Intch "Exit 17" onto Nugget Av.									
	3425	3925	4035	3990	4495	4115	4305	4105	4000	3630
0804 HRLY 01	IR-80, btwn the W Verdi Intch "Exit 2" & the Verdi Intch "Exit 3".									
	22535	23520	23585	23740	25030	23740	25025	24930	27740	28735
0805	IR-80, btwn the Garson Intch "Exit 4" & the E Verdi Intch "Exit 5".									
	24665	26185	26205	27225	27900	26440	27285	28165	29440	31140

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0806 HRLY 01	IR-80, .1 mi E of the W/B off-ramp of the Mogul Intch "Exit 7".									
	29455	31360	31585	31585	33210	31475	32790	33880	25920	37350
0807	IR-80, btwn the W 4th St Intch "Exit 8" & the Robb Dr Intch "Exit 9".									
	27200	28780	28975	28645	30740	29095	30530	31735	34000	35100
0808 HRLY 00	IR-80, btwn the E 4th St Intch "Exit 16" & Rock Bl Intch "Exit 17".									
	80650	84075	89725	91650	94550	96625	102190	91565	104240	103550
0809	IR-80, btwn the Rock Bl Intch "Exit 17" & Pyramid Wy Intch "Exit 18".									
	69300	70825	77150	78905	81190	83565	84415	76505	90950	92400
0810	IR-80, btwn the E McCarran Bl Intch "Exit 19" & Sparks Bl Intch "Exit 20".									
	34740	35935	41145	42200	44540	47115	47115	48390	52040	54665
0811	IR-80, btwn the Thisbe-Derby Dam Intch "Exit 36" & the Orchard Intch "Exit 38".									
	13985	14760	15510	16795	18130	17025	17820	20220	20080	20270
0812	IR-80, btwn the Orchard Intch "Exit 38" & the Painted Rock Intch "Exit 40".									
	14005	14780	15530	16845	18180	17075	17870	20265	20080	20270
0814 HRLY 01	IR-80, E/B on-ramp of the Sparks Bl Intch "Exit 20".									
	1030	800	785	825	1200	855	980	1160	870	800
0815 HRLY 01	IR-80, W/B off-ramp of the Sparks Bl Intch "Exit 20".									
	590	375	515	520	850	585	690	665	620	620
0817 HRLY 99	Sparks Bl, N of I-80 Sparks Bl Intch "Exit 20", .2 mi N of the W/B ramps.									
	17800	19600	18500	20100	20600	19300	21000	21500	21700	21700
0819 HRLY 00	US-395, S/B on-ramp of the Del Monte Intch "Exit 62".									
	2820	2880	3305	3190	3820	5900	8110	7315	7765	8070
0820 HRLY 00	US-395, N/B off-ramp of the Del Monte Intch "Exit 62".									
	1235	1335	1560	1920	2200	4965	6000	6100	6450	6700

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0823 HRLY 00	US-395, N/B on-ramp of the S Virginia St Intch "Exit 61", from S/B S Virginia St.									
	2285	2745	2845	2560	2595	2700	3500	2900	3535	3800
0824 HRLY 97	US-395, N/B off-ramp of the S Virginia St Intch "Exit 61".									
						2160	2390	2300	2460	2450
0825 HRLY 00	US-395, N/B on-ramp of the S Virginia St Intch "Exit 61", from N/B Virginia St.									
	13100	15200	15755	16920	18030	2105	2550	2150	2175	2425
0826 HRLY 99	US-395, S/B on-ramp of the S Virginia St Intch "Exit 61".									
						2560	1165	2170	2300	2300
0827 HRLY 00	US-395, S/B off-ramp of the S Virginia St Intch "Exit 61".									
	17575	17790	19295	20080	21080	3900	4300	6315	7000	6420
0828 HRLY 98	US-395, S of S Virginia St Intch "Exit 61".									
						48780	52360	56500	61660	64125
0830 HRLY 01	IR-80, E/B off-ramp of the Sparks Bl Intch "Exit 20".									
	7000	6335	7590	7510	8140	8760	8710	8535	9070	9600
0831 HRLY 00	Clear Acre Ln, 250' N of Wedekind Rd.									
	5390	5960	5600	5990	5765	5700	5800	5400	5600	6200
0832 HRLY 99	Plumb Ln, btwn Matley Ln & Harvard Wy.									
		27475	28900	28600	28300	27700	23900	28300	31000	31000
0833 HRLY 00	Kings Row, NW of Majestic Dr.									
			6800	6920	6850	6750	6600	6900	6900	6700
0834 HRLY 98	Spanish Springs Rd, .5 mi N of Goldy Wy.									
			1010	1100	965	1600	2000	1950	2000	2000
0835 HRLY 00	Stoker Av, .2 mi N of SR-647 (W Fourth St).									
			5000	5200	5225	5000	5400	5100	4700	4500

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
0836 HRLY 99	Stoker Av, btwn W 6th St & W 7th St.			7800	4990	4470	4300	4400	4350	4000	4000
0837 HRLY 00	Brinkby Av, E of Plumas St.			2000	2240	2650	2300	2300	2000	1800	1800
0838 HRLY 00	Brinkby Av, btwn Lakeside Dr & Portola Dr.			4200	4730	5260	4700	4700	4500	4500	4700
0839 HRLY 99	California Av, W of Keele Dr.			560	540	570	550	500	600	550	600
0840 HRLY 99	California Av, 200' N of Mayberry Dr.			1890	1820	1670	1600	1600	1900	1900	1600
0841 HRLY 99	College Dr, 200' W of Bon Rea Wy.			1280	1260	1350	950	1150	1100	990	1050
0842 HRLY 99	College Dr, 50' E of Mackey Ct.			2280	2200	2330	1950	2000	1950	2100	2100
0843 HRLY 00	S Plumas St, 250' N of Ridgeview Dr.			3500	4800	4930	5200	5100	5550	5150	5150
0844 HRLY 98	E Ninth St, W of Silverada Bl.			6030	6000	6370	6300	6300	6100	6250	6650
0845 HRLY 98	"G" St, W of El Rancho Dr.			6550	7290	7630	7900	7100	6800	6950	6950
0846 HRLY 98	"G" St, 75' E of Sullivan Ln.			700	570	625	720	720	620	680	680
0847 HRLY 97	Gentry Wy, .1 mi W of SR-667 (Kietzke Ln).			6500	7100	6900	6600	6600	7000	6850	6850

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0848 HRLY 98	Greenbrae Dr, 120' W of SR-668 (Rock Bl).									
		2850	2515	2530		2600	2400	2350	2250	2300
0849 HRLY 00	Greenbrae Dr, 300' E of Fourth St.									
		5375	4710	4790		4900	5100	4400*	4650	4700
0850 HRLY 99	Idlewild Dr, .1 mi W of Troy Ln.									
		1370		1220		1400	1400	1500	1500	1450
0851 HRLY 00	Caughlin Pk, .2 mi W of McCarran Bl.									
										4700
0852 HRLY 00	Idlewild Dr, 100' E of Hunter Lake Dr.									
		3165	2400	2510		2700	2700	2850	2850	2750
0853 HRLY 00	Lakeside Dr, 200' N of McCarran Bl.									
		7500	9350	9655		9600	9200	9150	8900	10200
0854 HRLY 99	Cashill Bl, 376' W of Skyline Bl.									
										2300
0855 HRLY 98	Lakeside Dr, 350' S of Moana Ln.									
		11800	12300	12400		12800	13300	11900	11700	12400
0856 HRLY 00	Lakeside Dr, btwn Lakeside Ct & Berrum Ln.									
		10500	10000	10200		10100	10500	10500	9400	10000
0857 HRLY 00	Lemmon Valley Dr, 1.9 mi S of Red Rock Rd.									
		35	40	40		45	50	50	30	90
0858 HRLY 00	Marsh Av, 278' W of Arlington Av.									
									450	400
0859 HRLY 00	Manzanita Ln, 150' W of Plumas St.									
		1370	1360	1490		1650	1750	1450	1180	1650

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000		
0860 HRLY 00	Manzanita Ln, 50' W of Lakeside Dr.				1340	1300	1360	1300	1400	1250	1160	1500
0861 HRLY 98	Manzanita Ln, E of Lakeside, btwn Warren Ln & Jasper Ln.				350	380	355	370	410	350	260	330
0862 HRLY 99	Mill St, 100' E of Eastern jct of River Rock St.				4700	6500	7135	7650	7700	6850	6300	6400
0864 HRLY 00	Monroe St, btwn Mark Twain Av & Nixon Av.				780	800	750	790	750	750	820	740
0866 HRLY 98	"I" St, 75' E of Fourth St.				2040	1920	1990	2400	2600	2650	2700	2500
0868 HRLY 00	Mt Rose St, 102' W of Plumas St.											4600
0869 HRLY 98	Ralston St, 200' N of W Tenth St.				1650	1700	1760	1500	1550	1600	1400	1350
0870 HRLY 00	Ralston St, 100' N of Imperial Bl.				435	450	445	520	430	440	380	400
0871 HRLY 99	Sharon Wy, btwn Belford Rd & Webster Wy.				2300	2600	2970	2550	2100	1800	1500	2350
0872 HRLY 00	Sharon Wy, 50' S of Marsh Av.				2875	2860	2730	2850	2550	2200	2100	2250
0873 HRLY 97	Sierra Madre Dr, btwn Matich Dr & Reggie Rd.				1470	1650	1575	1650	1450	1500	1500	1550
0874 HRLY 98	Silverada Bl, 60' N of Tom Sawyer Dr.				4555	4500	4540	4500	4900	4900	4900	5200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0875 HRLY 99	Lakeside Dr, 384' S of McCarran Bl.								8750	10500
0876 HRLY 98	Silverada Bl, .1 mi N of Oddie Bl.								8850	8600
		7975	7500		8000	7900	9250	9200		
0877 HRLY 99	Valley Rd, 250' N of Manogue Rd.								3900	3950
		2980	3600		3365	3400	3400	3550		
0878 HRLY 99	Washington St, 200' N of W Second St.								1700	1800
		1695	1600		1875	1850	1800	1750		
0879 HRLY 00	Washington St, 200' S of University Terrace.								5550	5500
		4255	5000		5000	4300	4900	4900		
0880 HRLY 00	Buck Dr, .1 mi E of Lemmon Valley Dr.								3850	4100
0881 HRLY 98	Wedekind Rd, 50' E of Silverada Bl.								7600	7400
		3835	4000		5615	6300	6900	7200		
0882 HRLY 00	Wedekind Rd, btwn Clear Acre Ln & Whitfield Wy.								5650	5850
		3600	3625		4340	4000	4700	4800		
0883 HRLY 97	Yori Av, S of Linden St.								1800	2200
		1530	1500		1785	1650	1750	2050		
0884 HRLY 97	Yori Av, 200' N of Grove St.								1100	1300
		1250	1200		1360	1300	1250	1450		
0885 HRLY 99	Yori Av, S of Casazza Dr.								910	1100
		1190	825		790	900	900	950		
0886 HRLY 99	Yori Av, 165' N of Stewart St.								1150	1200
		1010	1210		1090	1100	1200	1250		

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0887 HRLY 98	York Wy, 150' E of Rock Bl.		1980	2000	2060	2100	1850	2500	2550	2550
0888 HRLY 99	Caliente St, 308' W of North Virginia St.								780	700
0889 HRLY 00	York Wy, 100' W of Probasco Wy.		2300	2290	2340	2300	2300	2350	2600	2600
0890 HRLY 99	Lymberry Rd, 350' N of Moana Ln.								3150	3400
0891 HRLY 00	E York Wy, 100' W of SR-650 (McCarran Bl).		2960	2980	3220	3050	3000	3050	3150	3200
0892 HRLY 98	Fourth St, 100' N of Tasker Wy.		3475	3250	3265	3150	3250	3250	3350	2850
0893 HRLY 98	Fourth St, btwn Galleron Wy & Devere Wy.		2720	2540	2690	2700	2800	2700	3100	2600
0894 HRLY 98	Fourth St, 100' N of Queen Wy.		1210	1250	1275	1200	1250	1200	1100	1100
0895 HRLY 99	Gear St, 400' W of Williams Av.		960	790	820	840	715	900	750	950
0896 HRLY 99	Grove St, 400' E of Virginia St.								5600	5600
0897 HRLY 97	Holcomb Ln, btwn Burns St & Wonder St.		6380	6800	6785	6300	4600	5750	6600	6700
0898 HRLY 97	Holcomb Ln, btwn Stewart St & E Liberty St.		3650	3800	4250	4100	4300	4100	3950	4350

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0900 HRLY 99	Clean Water Wy, 1.7 E of S McCarran Bl, over Steamboat Creek at the W end of structure.									
			240	250	235	270	270	290	330	330
0901 HRLY 00	Lake St, 100' S of Bridge over Truckee River.									
			4600	6900	7575	6700	7200	7200	6350	6550
0902 HRLY 00	SR-663 (Wells Av) underpass, .1 mi N of Kuenzli Ln.									
			3175	3200	3410	3250	3200	2800	3200	3250
0904 HRLY 98	Vine St, grade separation, 200' S of University Terrace.									
			2240	2600	2400	2200	2200	600*	650	860
0905 HRLY 98	Washington St, grade separation, 160' S of 7th St.									
			4570	5100	4625	4650	4700	3900	4950	4900
0906 HRLY 99	Ralston St, grade separation, 190' N of Elm St.									
			3660	4100	3720	3200	3700	3400	3400	3400
0907 HRLY 01	Sierra St, grade separation, 75' S of the W/B on-ramp to I-80.									
			11320	9800	9200	10400	11500	10500	12000	11600
0908 HRLY 99	Virginia St, grade separation, 120' S of 8th St.									
			16300	18800	19000	21500	19400	19400	16100*	15900
0909 HRLY 98	Center St, grade separation, 80' S of I-80.									
			3415	3400	4130	3400	3200	3000	3000	3750
0910 HRLY 00	Evans St, grade separation, 70' N of 8th St.									
			2450	2650	1880	2250	2250	2900	2850	2600
0911 HRLY 99	Valley Rd, grade separation, 130' N of 8th St.									
			4235	5000	4860	4800	4600	4900	4900	4850
0912 HRLY 00	Booth St, 70' South of Idlewild Dr.									
					2600	2800	2800	2550	2550*	2900

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0914 HRLY 99	Villanova Dr, 88' W of Market St.								3200	3500
0916 HRLY 00	Ramsey Wy, 164' S of Lemmon Dr.								650	650
0917 HRLY 00	Chickadee Wy, 183' E of Lemmon Dr.									270
0918 HRLY 00	Flanigan Rd (N of Gerlach), W of SR-447.								25	50
0919 HRLY 01	S Verdi Rd, W. of Garrison Rd.								3300	3250
0920 HRLY 00	Military Rd, 421' N of Tholl Rd.								6750	6200
0921 HRLY 00	Foothill Rd, 122' E of Thomas Creek Rd.								680	1000
0922 HRLY 99	W Hidden Valley Dr, 158' N of Mira Loma Dr.								2100	2100
0923	"C" St, E of Rock Bl.								1900	2000
0924 HRLY 99	Edison Wy, .1 mi N of Rock Bl.								2200	1900
0925 HRLY 99	Talus Wy, 100' W of North Virginia St.									2300
0926 HRLY 00	Patrician Ln, 150' W of Lemmon Dr.									690

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0927 HRLY 99	Hoge Rd, 268' W of North Virginia St & 54' W of Nola Wy.									850
0928 HRLY 99	Socrates St, 483' N of N McCarran Bl.									2400 2300
0929 HRLY 99	Selmi St, 125' W of Clear Acre.									3400 3200
0930 HRLY 99	SR-431(Mt Rose Hw), .2 mi E of the Callahan Ranch Rd.									
		7450	8420	8875	9300	9600	9700	10800	11000	
0931 HRLY 00	SR-651 (N McCarran Bl), 343' E of Kings Row.									
		11800	13260	13600	12400	13700	13700	14000	16700	
0932 HRLY 99	Sierra Highlands Dr, 165' W of N McCarran Bl.									4800 6850
0933 HRLY 01	IR-80, W/B on-ramp of the Robb Dr Intch "Exit 9", 200' W of the cross traffic rd.									
		285	295	350	385	480	525	760	840	
0934 HRLY 00	IR-80, W/B off-ramp of the Robb Dr Intch "Exit 9", 350' W of the W/B lanes.									
		1995	1900	2900	2735	3550	3685	4330	4810	
0935 HRLY 01	IR-80, E/B on-ramp of the Robb Dr Intch "Exit 9", 250' W of the E/B lanes.									
		2125	2165	2880	2740	2350	3900	4600	5130	
0936 HRLY 01	IR-80, E/B off-ramp of the Robb Dr Intch "Exit 9", 200' W of the cross traffic rd.									
		370	335	365	340	420	425	660	730	
0937	IR-80, E of the Robb Dr Intch "Exit 9".									
		32440	32080	35805	33845	35520	38370	41510	43470	
0938 HRLY 99	Mae Anne Av, 517' E of Robb Dr.									11100 11100

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0939 HRLY 99	Moya Bl, .1 mi N of Red Rock Rd.				1905	2400	2450	2650	3050	3050
0940 HRLY 99	Moya Bl, .1 mi S of Lear Bl.				1500	1400	1750	1850	1850	2000
0941 HRLY 00	Lear Bl, 350' E of Stead Bl.				2370	2600	3000	3100	3800	3800
0942 HRLY 00	Lear Bl, 500' W of Stead Bl.				3010	2500	3700	3800	3500	3300
0943 HRLY 00	Lemmon Dr, .5 mi E of N/B ramps of the Lemmon Dr Intch "Exit 74".				13100	13600	14800	14800	15300	15800
0944 HRLY 00	Lemmon Dr, .4 mi E of Military Rd.				11100	11800	10800	10800	11100	10200
0945 HRLY 00	Sagewood Dr, 20' E of Andes St.				395	380	390	360	450	460
0946 HRLY 00	Kernite St, 150' S of Hornblend St.				425	440	555	555	555	555
0947	Humite St, 400' W of Zeolite St, E of the Jct.				135	155	180	180	180	180
0948 HRLY 98	Mt Baldy St, 30' S of Mt Logan St.				615	510	870	770	740	1000
0949 HRLY 00	Mt Rainier St, .1 mi S of Mt Whitney St.				200	195	260	230	230	240
0950 HRLY 00	Bravo Av, 200' E of Mt Charleston St.					250	210	170	200	200

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0951 HRLY 98	Gregory Wy, 200' E of Sprout Wy.(local)				160	125	150	155	150	160
0952 HRLY 00	Golden View Dr, 100' E of the Pyramid Hw.(local)				3300	3800	3950	3950	3800	3800
0953 HRLY 98	Lindsey Ln, .2 mi NW of Pah Rah Dr.(local)				205	210	245	200	200	200
0954 HRLY 98	Sawyer Wy, 75' W of 4th St.(local)				175	315	210	200	170	180
0955 HRLY 98	Baxter Wy, 30' N of York Wy.(local)				350	345	325	310	370	340
0956 HRLY 98	Gwen Wy, 100' W of Patrice Dr.(local)				525	235	245	210	250	220
0957 HRLY 98	Gleeson Wy, 50' W of Tanglewood Dr.(local)				680	800	850	800	800	800
0958 HRLY 98	Lida Ln, 100' W of Round Mountain Rd.(local)				300	285	250	230	230	260
0959 HRLY 98	Spanish Springs Rd, .25 mi S of Sparks Bl.(local)				540	660	900	800	900	860
0960 HRLY 98	Drexel Wy, 100' N of Del Rosa Wy.(local)				210	210	240	240	200	230
0961 HRLY 98	Whitewood Dr, 100' W of Blossom View Dr.(local)					500	580	625	770	880
0962 HRLY 98	Junction Dr, 300' N of Pullman Dr.(local)				195	215	195	200	250	250

394

* = DATA ADJUSTED OR ESTIMATED

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0963 HRLY 98	Howard Dr, 75' N of Greenbrae Dr.(local)				2665	2800	2850	2800	2700	2600
0964 HRLY 98	"H" St, 100' E of 12th St.(local)				530	545	500	610	610	600
0965 HRLY 98	15th St, .1 mi S of Rock Bl.(local)				3925	4200	4450	3900	3900	3150
0966 HRLY 98	Covina Dr, 183' S of Greenbrae Dr.(local)				300	515	290	270	250	300
0967 HRLY 98	11th St, 300' W of N Virginia St.(local)				1690	1250	1250	1450	1650	1350
0968 HRLY 00	Brookfield Dr, 300' E of Williams St.(local)					130	100	120	100	135
0969 HRLY 99	Accacia Wy, 150' W of Apollo Wy.(local)				100	250	215	215	215	215
0970 HRLY 98	Regal Dr, 50' N of Regal Ct.(local)				655	600	670	650	640	680
0971 HRLY 99	Glenview Dr, 150' S of Regal Dr.(local)				60	260	495	310	310	250
0972 HRLY 00	Ibis Ln, 200' S of 7th St.(local)				435	430	400	400	350	400
0973 HRLY 99	Greg Pk, 100' S of Greg St.(local)				1340	1400	1500	1500	1500	1500
0974 HRLY 00	Davidson Wy, 100' N of Plumb Ln.(local)					130	170	185	170	200

395

* = DATA ADJUSTED OR ESTIMATED

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0975 HRLY 00	Coronet Dr, 100' E of Coronet Cr.(local)				155	240	170	150	150	150
0976 HRLY 99	Sagitarious Dr, 300' N of Andromeda Wy.(local)					1100	1000	950	1100	900
0977 HRLY 98	Clover Wy, 30' S of Moana Ln.(local)				120	130	175	140	120	170
0978 HRLY 00	Cavanaugh Dr, 200' E of Lakeside Dr.(local)				125	130	130	120	110	110
0979 HRLY 98	Ridgeview Dr, 300' N of Mountain Vista Wy.(local)				3295	3200	3400	3300	3500	3500
0980 HRLY 97	Riley Av, 200' E of Neil Rd.(local)				2165	1950	1850	2100	1800	2000
0981 HRLY 99	Bismark Dr, 200' W Arcadia Wy.(local)				90	95	80	80	80	100
0982 HRLY 00	West 1st Av, 170' W of Sunflower Dr.(local)				210	225	250	470	470	330
0983 HRLY 00	Carol Dr, 350' S of 4th Av.(local)				400	310	410	310	300	355
0984 HRLY 00	4th Av, 50' W of Corral Dr.(local)				285	245	245	240	200	220
0985 HRLY 00	Short Av, 75' W of Frans Ct.(local)				90	95	95	30	40	50
0986 HRLY 98	Sidehill Dr, 200' N of 5th Av.(local)				800	875	875	910	910	940
					396	* = DATA ADJUSTED OR ESTIMATED				

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0987 HRLY 00	Sidehill Dr, 100' N of Pit St.(local)				755	750	810	1100	1100	980
0988 HRLY 00	Pit St, 100' W of Sidehill Dr.(local)				165	175	190	190	190	190
0989 HRLY 00	Quartz Ln, 50' E of Sidehill Dr.(local)				800	765	700	890	1050	1150
0990 HRLY 00	Smokey Canyon Dr, 50' N of Warm Springs Dr.(local)				70	80	75	60	60	60
0991 HRLY 00	Leon Dr, 125' W of Middle Fork Dr.(local)				1080	1030	1100	1100	1050	1050
0992 HRLY 00	Klondike Dr, 100' N of 8th Av.(local)				770	470	460	800	700	700
0993 HRLY 98	Seneca Dr, 200' S of Mohawk Ln.(local)				625	615	580	570	570	600
0994 HRLY 98	Robb Dr, .1 mi N of Mae Anne Av.							2450*	4500	5300
0995	Alpha Av, 25' W of Mt Vida St.							520	600	630
0996 HRLY 00	Silver Lake Rd, .2 mi W of Stead Bl.							6300	6600	6500
0997 HRLY 00	Mt Anderson St, .1 mi W of Mt Bismark St.							540	880*	1500
0998 HRLY 00	Stead Bl, .1 mi N of Lear Bl.							5700	5800	5800

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0999 HRLY 99	Mt Vida St, 50' S of Echo St, N of Mt Charleston St.							570	1180*	1100
1000 HRLY 98	Sullivan Ln, 259' N of Prater Wy.							7800	8100	7600
1001 HRLY 98	Sullivan Ln, 137' N of Wedekind Rd.							3100	3200	3000
1002 HRLY 99	Mira Loma Dr, .15 mi E of McCarran Bl.								9900	9900
1003 HRLY 00	Wedge Pk, 245' N of Ghost Rider.								3100	3650
1004 HRLY 99	Toll Rd, .1 mi W of SR-341.								3600	3600
1005 HRLY 00	Avenida De Landa, 275' N of Mae Anne Av.									2900
1006 HRLY 00	South Meadows Pk, 510' E of SR-430 (Virginia St) & W of US-395/I-580.								5800	7450
1007 HRLY 98	Highland Ranch Pk, .45 mi W of Pyramid Hw.							2600	4250*	5000
1013 HRLY 00	US-395, N/B off-ramp of Damonte Ranch Intch "Exit 59", .3 mi S of cross traffic rd.									160
1014 HRLY 00	US-395, N/B on-ramp of Damonte Ranch Intch, "Exit 59 282' N of cross traffic rd.									4400
1015 HRLY 00	US-395, S/B off-ramp of Damonte Intch "Exit 59", .25 mi N of cross traffic rd.									3800

WASHOE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
1016 HRLY 00	US-395, S/B on-ramp of Damonte Ranch Intch "Exit 59", 293' S of cross traffic rd.									125

Welcome to the Nevada Department of Transportation's Annual Traffic Report on the World-Wide-Web. This report contains a ten-year history (if available) of Annual Average Daily Traffic at statewide count locations. To reference these locations, proceed to the next page where you will find maps with the available sites. The locations are depicted in red with a station identification number. You will use this station identification number to reference the Table 3 section, which follows the maps.

Located on the left side of the report in the Table 3's, you will find the station identification number zero-filled to the fourth digit. See example below:



Example: station number 1 is 0001


station number 33 is 0033

station number 114 is 0114

If the station identification number is seven digits long, this is a continuous count location and will have to be referenced in the ATR's (Automatic Traffic Recorder's) section. The ATR section can be found at the beginning of the report, where the counties are listed.

All sites are listed in numeric order with a description of where the count was actually taken.





WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0001 HRLY 99	Av "F", in Ely at the RxR tracks near Sunbeam Coal Company.						200	200	210	160
0002 HRLY 99	Power Line Rd, .9 mi off of US-93, S of McGill.								220	160
0004 HRLY 99	Warm Springs Rd, 2.3 mi W of US-93 at Monte Neva Hot Springs.						10	10	15	20
0005 HRLY 00	US-50, 1.2 mi E of Fish Creek Rd to Duckwater.									
	665	630	565	645	640	570	600	580	600	500
0006 HRLY 99	SR-892 (Strawberry Rd), .1 mi N of US-50.									
	85	75	65	90	75	70	75	85	100	80
0008 HRLY 99	Av "A", in McGill off of US-93 at the RxR Tracks.								470	500
0009 HRLY 00	First St, in McGill S of RxR crossing.								440	430
0011 HRLY 98	Ruth-Kimberly Rd, .25 mi S of US-50.									
				1085	2370	1600	1500	1300	900	700
0013 HRLY 98	Kimberly Branch Rd, 1.6 mi W of the Main Rd to the New Ruth Townsite.									
				90	1660	750	740	710	180	90
0015 HRLY 00	US-50, 3.6 mi E of Ruth Rd, W of the Kennecott Copper RxR overpass W of Ely.									
	1665	1515	1400	1630	2570	2100	2050	1820	1500	1450
0016 HRLY 00	US-50 (Aultman St), W of Mill St.									
	3810	3590	3470	3760	3985	4800	4400	3900	3200	3000
0017 HRLY 99	US-6 Spur (Mill St), 150' S of US-50 (Aultman St).									
	2740	2490	2420	2685	3005	2900	2650	3150	2400	2050

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0018 HRLY 00	US-50 (Aultman St), 25' W of 4th St.									
	6365	6070	5950	6200	6570	7300	7200	7600	6150	5450
0020 HRLY 00	US-50 (Aultman St), .2 mi W of US-93 jct.									
	10950	10450	10240	10945	11600	10600	11600	11340	10700	9550
0021 HRLY 00	Center St, btwn Orson St & Parker St.									
										120
0022 HRLY 99	Lackawanna Rd-Ogden Rd, at the RxR tracks.									
							970	970	1050	960
0023 HRLY 98	US-93, 200' N of US-50 (Aultman St).									
	11650	11500	11270	12100	13100	11200	12300	12300	10500	11300
0025 HRLY 99	US-50-US-93, 25' S of the "Av H".									
	5850	6600	5800	6380	6760	6700	7200	7750	7650	7500
0026 HRLY 00	US-50-US-93, .2 mi N of US-6.									
	3575	3755	3365	3800	4030	4100	4400	4750	4900	7450
0028 HRLY 98	Steptoe Creek Forest Camp (Cave Lake Turn Off), Cave Lake Turn off .2 mi E of US-6-50 and 9:									
			240	235	175	130	130	220	230	
0030 HRLY 99	SR-894 (Shoshone Rd), .2 mi E of US-93.									
	45	25	35	50	55	40	50	40	30	50
0031 HRLY 00	"C" Av, btwn 14th St& 15th St.									
										530
0033 HRLY 99	SR-893 (Spring Valley Rd), .2 mi N of US-6 and US-50.									
	35	40	35	45	45	50	50	60	45	50
0035 HRLY 00	US-6-US-50, .25 mi W of the W leg of Wye of SR-487 to Baker.									
	515	635	575	575	485	580	620	640	680	660

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0036 HRLY 00	SR-487 (Baker Rd), .5 mi S of the W leg of Wye of SR-487 to US-6 & US-50.									
	220	205	250	255	255	230	280	280	290	270
0038 HRLY 99	SR-488 (Lehman Caves Rd), 1 mi W of SR-487 in Baker.									
	260	260	340	345	370	300	400	400	400	370
0039 HRLY 99	SR-487 (Baker Rd), 1.5 mi S of SR-488 to Lehman Caves.									
	145	145	175	140	165	150	180	180	170	160
0047 HRLY 00	US-93, .4 mi S of McGill.									
	2900	2095	2795	2845	3070	2950	3100	2900	2900	2850
0050 HRLY 98	Duck Creek Rd, 200' E of US-93.									
	80	125	130	115	115	140	170	120	130	130
0054 HRLY 98	Cherry Creek Rd, .2 mi W of US-93.									
	80	60	40	30	40	50	80	45	60	50
0055 HRLY 00	US-93, .5 mi S of US-93A (Lages Jct).									
	885	1095	1270	1445	1125	1150	1250	1250	1350	1350
0056 HRLY 00	US-93, .3 mi N of US-93A (Lages Jct).									
	595	640	760	920	800	750	950	950	1000	1000
0057 HRLY 00	US-93A, .2 mi N of US-93 (Lages Jct).									
	325	300	355	470	370	380	350	370	350	380
0058 HRLY 00	US-6, .45 mi W of Murray St.									
	1175	935	1180	1080	1250	1300	1280	1450	1600	1550
0062 HRLY 00	US-6, .3 mi E of SR-318 to Preston & Lund.									
	1180	1030	965	1020	1170	1110	1130	1320	1450	1300
0063 HRLY 00	US-6, .2 mi W of SR-318 to Preston & Lund.									
	405	370	375	375	370	330	350	330	350	370

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0064 HRLY 00	SR-318 (Sunnyside Rd), .1 mi S of US-6.									
	945	900	850	830	1100	1050	1150	1030	1300	1200
0065 HRLY 00	SR-895 (Preston Spur), in Preston, W of SR-318.									
	130	100	85	75	90	90	120	90	90	110
0067 HRLY 00	SR-318 (Sunnyside Rd), 200' S of Center St in front of School.									
	1150	970	1090	1115	1070	1150	1250	1300	1600	1450
0069 HRLY 00	US-6, 1 mi E of the US-6 Spur.									
										2000
0070	US-6, .3 mi W of US-50 & 93.									
	1245	1140	1210	1345	1630	1700	2100	2550	2800	2800
0071 HRLY 00	Murray St, .1 mi NW of US-6.									
	615	560	615	690	980	730	840	1180	600	820
0072 HRLY 00	US-6-50 and US-93, 50' S of US-6 jct.									
	2780	2560	2360	2645	2805	3000	3050	3300	3400	3050
0073 HRLY 00	US-6-50 and US-93, .6 mi N of US-6-50 with US-93 at Major Woods.									
	785	780	785	805	825	730	850	900	950	990
0074 HRLY 00	US-93, .4 mi S of US-6-50 at Majors, 100' S of "US 6-50-93" sign N.									
	280	255	300	295	290	285	320	290	450	430
0075 HRLY 00	US-93, .1 mi N of US-93 mp WP-55 panel E.									
	3365	3200	3935	4005	4935	4400	4500	4800	4500	4850
0076 HRLY 99	Campton St, 75' W Reno Rd.									
			1660	1805	2020	1950	1950	1650	2000	1600
0080 HRLY 00	SR-490 (Prison Rd), 1.5 mi N of US-93 Jct.									
					435	400	385	390	320	400

WHITE PINE COUNTY

TABLE 3 - ANNUAL AVERAGE DAILY TRAFFIC AT PORTABLE TRAFFIC COUNT STATIONS -

STATION	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
0081 HRLY 00	SR-490 (Prison Rd), .5 mi N of Bothwick Rd.				925	970	900	930	950	960
0082	Ruby Valley Rd, 50' N of US-50.									50
0083 HRLY 00	Spring Valley Rd, .1 mi E of US-93.									30
0084 HRLY 00	Charcoal Oven Rd, 200' S of US-50.									30
0085 HRLY 00	Baker Cut-off Rd, .3 mi S of US-50.									150