

# **DISCLAIMER:**

**The information contained within this document has been superseded and is no longer considered current.**

**This document is made available for reference purposes only.**



# QUALIFIED PRODUCTS LIST (QPL)

## Table of Contents

*10/02/17: Please be advised that many QPL specification numbers have changed to align those categories with their listing in NDOT's 2014 Standard Specifications for Road and Bridge Construction.*

Spec #	Spec Description	Page #
213.02.17	BACKFLOW PREVENTER COVERS	1
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	1
401.03.02	ASPHALT RELEASE AGENTS	1 – 2
406.02.01	PRIME COAT MATERIAL	2
408.02.05	ALL WEATHER ASPHALT COLD PATCH	3 – 4
496.02.01	OVERLAY SYSTEM (POLYESTER)	4
497.02.01	ADHESIVES FOR MULTILAYER OVERLAYS	4
502.03.13b	PREFORMED JOINT FILLERS	5
502.03.13c	ASPHALTIC PLUG EXPANSION JOINTS	5 – 6
502.03.13d	EXPANSION JOINT SEALANT	6
502.03.13e	EXPANSION JOINT (SPECIAL)	6
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	7
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	7 – 8
505.02.03	EPOXY COATINGS (FOR STEEL REINFORCING BARS)	8 – 9
600.02.01	TRENCH DRAINS	9 – 10
609.03.02	FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)	11 – 16
610.02.01	ARTICULATED CONCRETE BLOCK	16 – 17
612.02.01	GRAFFITI RESISTANT COATINGS	17
613.02.01	DETECTABLE WARNINGS (ADA TILE)	18
616.02.01	PLASTIC FENCE FABRIC	19
618.02.01	GUARDRAIL OFFSET BLOCKS	19
618.02.01a	GUARDRAIL TERMINAL	19 – 20
619.02.01a	GUIDEPOSTS (FLEXIBLE)	20 – 23
619.02.01b	OBJECT MARKERS (FLEXIBLE, TYPE 2)	23 – 25

623.01.01	DYNAMIC MESSAGE SIGNS	25
623.02.08	SERVICE PEDESTALS	25 – 26
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	26
623.02.16	DUCT SEALING COMPOUND	26
623.02.30a	VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)	27
623.02.30e	LOOP DETECTOR SEALANT	27 – 28
623.02.31	DRIVER FEEDBACK SIGNS	28
623.03.01	TRAFFIC SIGNALS	28 – 31
623.03.15	SIGN LIGHTING FIXTURES	31
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	31
623.05.26	RED LIGHT DETECTORS	31
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	32 – 33
625.02.03	CHANGEABLE MESSAGE SIGNS	33 – 36
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	36 – 38
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	38 – 39
625.02.06	WATER FILLED BARRIER RAIL	39 – 40
625.02.07	PORTABLE BEACON LIGHT SYSTEM	40
625.03.03	SIGN SUPPORT SYSTEM	40 – 46
625.03.04	BARRICADES	46 – 50
627.02.01	THERMOPLASTIC SIGN PANELS	50
630.02.01	HEADLIGHT GLARE SCREENS	50 – 51
632.03.05	RETRORELECTOMETERS	51 – 52
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	52 – 53
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	53 – 54
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	54
633.02.04	PAVEMENT MARKERS ADHESIVE	54 – 55
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	55
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	56
637.03.02	DUST PALLIATIVE (OPTIONAL)	57 – 59
641.02.01	IMPACT ATTENUATORS	59 – 60
642.02.02	CONCRETE PANEL WALL SYSTEMS	60 – 61

<b>642.02.03</b>	<b>SEGMENTAL BLOCK WALL SYSTEMS</b>	<b>61 – 62</b>
<b>646.02.02</b>	<b>CRACK SEALANTS</b>	<b>62</b>
<b>646.02.05</b>	<b>LIQUID MEMBRANE</b>	<b>63</b>
<b>702.03.01c</b>	<b>CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)</b>	<b>63</b>
<b>702.03.01d</b>	<b>CURING COMPOUND (WHITE PIGMENTED, WAX BASE)</b>	<b>64</b>
<b>702.03.04</b>	<b>CURING COMPOUND (BRIDGE DECK)</b>	<b>64 – 65</b>
<b>702.03.05</b>	<b>POZZOLANS</b>	<b>65 – 66</b>
<b>707.03.04</b>	<b>JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)</b>	<b>66 – 67</b>
<b>714.03.01b</b>	<b>COATING SYSTEMS FOR BRIDGES</b>	<b>67</b>
<b>716.03.01a</b>	<b>REFLECTIVE SHEETING (TYPE IV)</b>	<b>68 – 69</b>
<b>716.03.01b</b>	<b>REFLECTIVE SHEETING (TYPE V)</b>	<b>69</b>
<b>716.03.01c</b>	<b>REFLECTIVE SHEETING (TYPE VI)</b>	<b>69 – 70</b>
<b>716.03.01d</b>	<b>REFLECTIVE SHEETING (TYPE IX)</b>	<b>70 – 71</b>
<b>716.03.01e</b>	<b>REFLECTIVE SHEETING (TYPE XI)</b>	<b>72</b>
<b>726.03.04</b>	<b>HERBICIDES</b>	<b>72 – 73</b>
<b>726.03.07</b>	<b>MULCH</b>	<b>73 – 75</b>
<b>726.03.08</b>	<b>TACKIFIER</b>	<b>76</b>
<b>726.03.17</b>	<b>SOIL STABILIZER</b>	<b>76 – 80</b>
<b>728.03.02</b>	<b>EPOXY RESIN ADHESIVE FOR BONDING</b>	<b>80 – 85</b>
<b>729.03.03</b>	<b>PAINT MARKING MATERIAL – EPOXY</b>	<b>85 – 86</b>
<b>729.03.05</b>	<b>PAINT MARKING MATERIAL – POLYUREA</b>	<b>86 – 87</b>
<b>729.03.05a</b>	<b>PAINT MARKING MATERIAL – RAPID DRY WATERBORNE (ACRYLIC EMULSION)</b>	<b>87</b>
<b>729.03.05b</b>	<b>PAINT MARKING MATERIAL – RAPID DRY WATERBORNE (TYPE I, TEMPORARY STRIPING FORMULATION)</b>	<b>87 – 88</b>
<b>729.03.05c</b>	<b>PAINT MARKING MATERIAL – RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)</b>	<b>88 – 89</b>
<b>732.03.01</b>	<b>PAVEMENT MARKING TAPE (TYPE I)</b>	<b>90</b>
<b>732.03.02</b>	<b>PAVEMENT MARKING TAPE (TYPE II)</b>	<b>90 – 91</b>
<b>732.03.03</b>	<b>PAVEMENT MARKING TAPE (TYPE IV)</b>	<b>91</b>
<b>732.03.04a</b>	<b>PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)</b>	<b>92</b>
<b>732.03.04b</b>	<b>PAVEMENT MARKINGS (PERFORMED THERMOPLASTIC)</b>	<b>92</b>

# NEVADA DEPARTMENT OF TRANSPORTATION

## QUALIFIED PRODUCTS LIST (QPL)

### 213.02.17 BACKFLOW PREVENTER COVERS

Vendor Name / Address	Product Name	Remarks
VIT Products Incorporated Kim Goldenstein 2063 Wineridge Place Escondido CA 92029 sales@vitproducts.com	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211 www.vitproducts.com	<b>ALHPI 60</b>     approved 6 /14/2006
VIT Products Incorporated Kim Goldenstein 2063 Wineridge Place Escondido CA 92029 sales@vitproducts.com	Phone: (760) 480-6702 Cell: Fax: (760) 480-0211 www.vitproducts.com	<b>SBBC-50 ALPH</b>     approved 6 /14/2006

### 214.02.01 MAILBOX SUPPORT SYSTEMS (TYPE C)

Vendor Name / Address	Product Name	Remarks
S-Square Tube Products Eileen French PO Box 306 Commerce City CO 80037 admin@s-squartube.com	Phone: (303) 286-7051 Cell: (888) 267-6463 Fax: (866) 639-5717 www.s-squartube.com	<b>NEX</b>     Type C approved 3 /29/2004
Traffic & Parking Control Company Bryan Everard 5100 West Brown Deer Road Brown Deer WI 53223 bryane@tapconet.com	Phone: (262) 814-7000 Cell: (414) 793-2508 Fax: (800) 444-0331 www.tapconet.com/vloc	<b>V-LOC</b>     Type C approved 11/4 /1997

### 401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address	Product Name	Remarks
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	<b>Super Slick Asphalt Release Agent</b>     approved 7 /12/2006
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>Black Magic</b>     approved 7 /21/2000
BG Chemical LP Jeff Gunter PO Box 720025 Dallas TX 75372 jgunter@bgchemical.com	Phone: (800) 725-8470 Cell: (214) 826-6822 Fax: (214) 826-7290 www.bgchemical.com	<b>GreenGuard</b>     approved 11/5 /2009

**401.03.02 ASPHALT RELEASE AGENTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Brody Chemical Richard Wagner 6125 W. Double Eagle Circle Salt Lake City UT 84118 richard@brodychemical.com	Phone: (801) 963-2436 Cell: (800) 488-2436 Fax: (801) 963-2437  www.brodychemical.com	<b>First Choice Asphalt Release</b>  approved 6 /15/2016
Compound Technologies Inc Vickie Grimes 70 Riverside Drive Cartersville GA 30120 vgrimes@asphaltrelease.com	Phone: (678) 721-4101 Cell: (770) 891-3307 Fax: (770) 386-3391  www.asphaltrelease.com	<b>No 1</b>  Dilution rates: 1:5 (water) for superpave mix designs; 1:20 (water) for conventional mix designs. approved 7 /21/2000
Compound Technologies, Inc. Paul Wilson 70 Riverside Drive SW Cartersville GA 30120 vgrimes@asphaltrelease.com	Phone: (678) 721-4101 Cell: (770) 891-3307 Fax: (770) 386-3391  www.asphaltrelease.com	<b>BMF</b>  approved 6 /15/2016
Compound Technologies, Inc. Vickie Grimes 70 Riverside Drive Cartersville GA 30120 vgrimes@asphaltrelease.com	Phone: (678) 721-4101 Cell: Fax: (770) 386-3391  asphaltrelease.com	<b>SPX-7</b>  approved 9 /25/2017
KT Chemicals, Inc. Karl Taft 1002 N Central Expressway Ste 499 Richardson TX 75080 info@kt-chemicals.com	Phone: (855) 932-2228 Cell: Fax:  www.kt-chemicals.com	<b>ClearRelease</b>  approved 6 /15/2016
Rhomar Industries Eric Vestal 2107 East Rockhurst Springfield MO 65802 evestal@rhomar.com	Phone: (800) 688-6221 Cell: (417) 866-5592 Fax: (417) 866-5593  www.rhomar.com	<b>Enviro-Slide Ultra</b>  approved 4 /26/2000

**406.02.01 PRIME COAT MATERIAL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ergon Asphalt Products Ryan Proctor 3901 Ponderosa Way Las Vegas NV 89118 ryan.proctor@ergon.com	Phone: (303) 243-4607 Cell: Fax:  ePrime	Dilute according to manufacturer's directions  approved 9 /11/2012
Paramount Alon Asphalt Bakersfield Jim Ryan PO Box 5655 Bakersfield CA 93388 jryan@ppcla.com	Phone: (661) 392-3630 Cell: (661) 978-9357 Fax: (661) 399-1054  www.alonashalt.com	<b>Topein-S</b>  Dilute 1 part Topein-S with 3 parts water, apply 0.25 gal per sq yd and allow to break, then apply 0.15 gal per sq yd and allow to cure for 24 hours. Adjust at Resident Engineer's direction to prevent puddling or runoff. approved 9 /11/2012

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Cold Mix Manufacturing Corporation Dario Amicucci 65 Edison Ave Mount Vernon NY 10550 sales@greenpatch.com Phone: (800) 985-9192 Cell: Fax: (718) 463-0292 www.greenpatch.com	<b>Greenpatch</b>	approved 8 /28/2013
CrafcO, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafcO.com Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafcO.com	<b>HP Asphalt Repair</b>	approved 10/13/2011
Highway Product Incorporated Jim Lenford 7905 Agate Road White City OR 97503 lenford.jim6800toolbox.com Phone: (800) 866-5269 Cell: (541) 826-3551 Fax: (541) 826-3607 www.800toolbox.com	<b>All Season Patch</b>	approved 6 /1 /1999
Interwest Safety Supply Incorporated Dave Krantz 724 East 1860 South Provo UT 84606-6214 dkrantz@iwsafety.com Phone: (801) 375-6321 Cell: Fax: (801) 377-2739 www.iwsafety.com	<b>Instant Road Repair</b>	approved 12/31/2011
Lakeside Industries Rick Rawlings 6505 226th Place SE Suite 200/PO Box 7016 Issaquah WA 98027 rickr@lakesideind.com Phone: (425) 313-2681 Cell: (425) 313-2600 Fax: (425) 313-2620 www.lakesideind.com	<b>EZ Street Cold Asphalt</b>	approved 1 /13/2011
Nord-Agrar International Incorporated Customer Service 1605 Sonoma Avenue Albany CA 94707 rami@nordagrAr.com Phone: (800) 238-4838 Cell: (510) 525-8961 Fax: (510) 525-8743 www.nordagrAr.com	<b>Perma Patch</b>	approved 10/13/2011
QPR Lloyd Washington 7322 Bonnyshire Drive Chattanooga TN 37416 lwashington@qprmail.com Phone: (800) 388-4338 Cell: (425) 553-6874 Fax: (423) 553-6879 www.qprusa.com	<b>QPR High Performance Cold Patch</b>	approved 10/13/2011
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864 www.seaboardasphalt.com	<b>Bond-X Green High Performance Cold Mix</b>	approved 9 /3 /2014

**408.02.05 ALL WEATHER ASPHALT COLD PATCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com	Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864  www.seaboardasphalt.com	<b>Seaboard Asphalt Bond-X Bond X</b>    approved 10/13/2011
Unique Paving Materials Corporation William Stul 3993 East 93rd Street Cleveland OH 44105 info@uniquepavingmaterials.com	Phone: (800) 441-4880 Cell: (562) 243-3804 Fax: (216) 341-8514  www.uniquepavingmaterials.com	<b>UPM High Performance Cold Mix</b>    approved 10/13/2011

**496.02.01 OVERLAY SYSTEM (POLYESTER)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488  www.atlasform.com	<b>Atlas Tech-Deck</b>    approved 3/13/2012
Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (866) 494-1772 Cell: (858) 442-8185 Fax: (858) 571-5043  www.kwikbondpolymers.com	<b>PPC-1121</b>    approved 3/13/2012

**497.02.01 ADHESIVES FOR MULTILAYER OVERLAYS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
E-Bond Epoxies Incorporated Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (858) 571-5043 Cell: (858) 442-8185 Fax: (858) 571-5043  www.polymerdek.com	<b>E-Bond 526</b>    approved 8/29/2009
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Poly-Carb Mark 163 Flexogrid</b>    approved 8/29/2009
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  www.unitex-chemicals.com	<b>Pro-Poxy Type III DOT</b>    approved 8/29/2009

**502.03.13b PREFORMED JOINT FILLERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**502.03.13b PREFORMED JOINT FILLERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239  www.wbacorp.com	<b>JEENE Structural &amp; Sealing Jt</b>  approved 8 /2 /2006
BASF/Watson Bowman Acme Corp Paul Biesinger 95 Pineview Drive Amherst NY 14228 paul.biesinger@basf.com	Phone: (800) 677-4922 Cell: (716) 553-7308 Fax: (716) 691-9239  www.wbacorp.com	<b>Wabo Evazote UV</b>  approved 8 /2 /2006
Polyset Company Incorporated Terry Eck P.O. Box 111 Mechanicville NY 12118 t.eck@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001  www.polyset.com	<b>Ply-Seal</b>  approved 3 /28/2011
Polyset Company Incorporated Terry Eck P.O. Box 111 Mechanicville NY 12118 t.eck@polyset.com	Phone: (518) 664-6000 Cell: Fax: (518) 664-6001  www.polyset.com	<b>Ply-Seal XE Beige</b>  approved 3 /28/2011
RJ Watson Incorporated Eric Watson 11035 Walden Alden NY 14004 ewatson@rjwatson.com	Phone: (716) 901-7020 Cell: Fax: (716) 901-7015  www.rjwatson.com	<b>Silicoflex</b>  approved 12/7 /2000
Sunshine Industrial, Inc. Mack Hahn or Ayme Price 5051 Merriam Drive Merriam KS 66203 mackh.sunshine@yahoo.com	Phone: (913) 362-6300 Cell: (816) 820-0035 Fax: (913) 362-6341  sunshineindustrial.com	<b>Polytite N</b>  approved 5 /7 /2015
TechStar Incorporated Warren Brown 1219 West Main Cross Street Findlay OH 45840 warren@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959  www.techstar-inc.com	<b>W Seal</b>  approved 4 /19/1999

**502.03.13c ASPHALTIC PLUG EXPANSION JOINTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
BASF/Watson Bowman Acme Corp Debra Steiger 95 Pineview Drive Amherst NY 14228 debbie.steiger@basf.com	Phone: (800) 677-4922 Cell: (716) 817-5410 Fax: (716) 691-9239  www.wbacorp.com	<b>Wabo Expandex</b>  approved 12/5 /2011

**502.03.13c ASPHALTIC PLUG EXPANSION JOINTS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
DS Brown Company Brent Toller 300 East Cherry Street North Baltimore OH 45872 btoller@dsbrown.com	Phone: (800) 848-1730 Cell: (801) 837-8555 Fax: (419) 257-2200  www.dsbrown.com	<b>Matrix 502 DS Brown</b>     approved 6 /5 /1997
Dynamic Surface Application Ltd Mike Stachowicz 373 Village Road Pennsdale PA 17756 mstachowicz@dsa-ltd.com	Phone: (800) 491-5663 Cell: (413) 427-0227 Fax: (888) 600-0036  www.dsa-ltd.com	<b>BJS Thorma Joint System</b>     approved 9 /19/2002

**502.03.13d EXPANSION JOINT SEALANT**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
BASF/Watson Bowman Acme Corp Debbie Steiger 95 Pineview Drive Amherst NY 14228 debbie.steiger@basf.com	Phone: (800) 677-4922 Cell: (716) 308-6799 Fax: (716) 691-9239  www.wbacorp.com	<b>Wabo Silicone Seal</b> Two part sealant    approved 8 /2 /2006
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: (303) 484-6206  www.dowcorning.com	<b>890 SL Silicone Sealant</b>     approved 4 /22/2002
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: (303) 484-6206  www.dowcorning.com	<b>902 RCS</b>     approved 4 /22/2002
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax:  usa.sika.com	<b>Sikasil 728 RCS</b>     approved 10/15/2014

**502.03.13e EXPANSION JOINT (SPECIAL)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Silicone Specialties Incorporated Joe Maloney PO Box 50009 Tulsa OK 74150 joe.maloney@ssicm.com	Phone: (800) 888-8909 Cell: (915) 276-1376 Fax: (918) 582-7510  www.ssicm.com	<b>Dow 902 XJS Joint System</b> This is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product.    approved 4 /22/2002

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
------------------------------	---------------------	----------------

**502.03.19 FINE SURFACE FINISH (BONDED GROUT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	<b>Tammscoat Fine</b> approved 1 /1 /2006
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>TexCote 300 Bridge Cote</b> approved 6 /16/2008
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441 www.texcote.com	<b>TexCote XL70 Bridge Cote</b> approved 6 /16/2008

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	<b>Crafco Asphalt Rubber</b> Type 1, 2 or 4 depends on the climate zone approved 1 /7 /1998
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	<b>Deery 180</b> Type 1, 2 or 4 depends on the climate zone approved 6 /6 /2013
Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: www.henry.com	<b>Calseal</b> Type 1, 2 or 4 depends on the climate zone approved 9 /8 /1998
Maxwell Products Incorporated Larry Allen 650 South Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	<b>Elastoflex 650</b> Type 1, 2 or 4 depends on the climate zone approved 9 /30/1996
Maxwell Products Incorporated Larry Allen 650 South Delong Street Salt Lake City UT 84104 larry@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 918-8912 Fax: (801) 972-5536 www.maxwellproducts.com	<b>Elastoflex 670</b> Type 1, 2 or 4 depends on the climate zone approved 9 /30/1996

**502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Right Pointe, LLC Philippe Gauthier 234 Harvestore Drive DeKalb IL 60115 philippeg@rightpointe.com	Phone: (815) 754-5700 Cell: Fax: (815) 754-5702 www.rightpointe.com	<b>#5078 Class B</b>    approved 9 /25/2017
Right Pointe, LLC Philippe Gauthier 234 Harvestore Drive DeKalb IL 60115 philippeg@rightpointe.com	Phone: (815) 754-5700 Cell: Fax: (815) 754-5702 www.rightpointe.com	<b>Asphalt Rubber Modified</b> Type 1, 2 or 4 depends on the climate zone    approved 11/22/2016

**505.02.03 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Electrical Markets Division Karu Alahapperuma 6801 River Place Boulevard Austin TX 78726 kalahapperuma@mmm.com	Phone: (979) 848-5502 Cell: (979) 215-4571 Fax: (979) 848-5533 www.3m.com/corrosion	<b>Scotchkote 413 Fusion Bonded Epoxy Powder Coating</b> Fusion Bonded Epoxy Coating 413 - AASHTO M284 / ASTM A775   approved 10/10/2011
3M Infrastructure Protection Division Sam Attaguile 6801 Riverplace Boulevard Austin TX 78726 samattaguile@mmm.com	Phone: (512) 984-4146 Cell: Fax: (512) 984-4871 www.3m.com/corrosion	<b>Scotchkote 413/215</b> Rebar Liquid Patch Compound 413/215 - AASHTO M284 / ASTM A775 as repair material for 3M FB 413   approved 10/10/2011
Akzo Nobel Andy Stevenson 20 Culvert Street Nashville TN 37210 andy.stevenson@akzonobel.com	Phone: (615) 259-2430 Cell: (623) 203-8337 Fax: (615) 255-7903 www.akzonobel.com	<b>Resicoat RB600 HKF30R</b>    approved 4 /30/2008
Dupont Coating Solutions, Inc. Bob Batchelor 6131 McCauley Rd. Valley Springs CA 95252 robert.e.batchelor@usa.dupont.com	Phone: (209) 772-9411 Cell: (209) 815-4650 Fax: (209) 772-9411 www.dupontpowder.com	<b>7-2719 Nap Gard</b>    approved 1 /22/2001
Dupont Coating Solutions, Inc. Bob Batchelor 6131 McCauley Rd. Valley Springs CA 95252 robert.e.batchelor@usa.dupont.com	Phone: (209) 772-9411 Cell: (209) 815-4650 Fax: (209) 772-9411 www.dupontpowder.com	<b>7-2750 Nap Gard</b>    approved 1 /22/2001
Valspar Corporation Karl Jorgenrud P.O. Box 1461 Minneapolis MN 55440 kjorgenrud@valspar.com	Phone: (612) 851-7036 Cell: (612) 309-5900 Fax: (612) 465-2676 www.valspar.com	<b>Lilly Greenbar #720A009</b>    approved 4 /4 /2000

**505.02.03 EPOXY COATINGS (FOR STEEL REINFORCING BARS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Valspar Corporation Sandra Goebel 1101 South 3rd Street Minneapolis MN 55415 sgoebel@valspar.com	Phone: (651) 324-6031 Cell: Fax: (952) 835-1988  www.valsparindustrial.com	<b>Vectrashield</b>       approved 3 /28/2017

**600.02.01 TRENCH DRAINS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478  www.abtdrains.com	<b>A-67 Interceptor</b>       This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478  www.abtdrains.com	<b>MHD 12 (12" ID)</b>       (12" Trench Drain System). This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478  www.abtdrains.com	<b>MHD 8 (8" ID)</b>       (8" Trench Drain System). This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478  www.abtdrains.com	<b>Polydrain</b>       This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478  www.abtdrains.com	<b>XHD</b>       This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /17/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>FG200 Concrete</b>       This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /28/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>S100K Concrete</b>       This is a general QPL ONLY; the unit will be selected based on the specific project requirements. approved 1 /28/2003

**600.02.01 TRENCH DRAINS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>S300K Concrete</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	<b>TrafficDrain</b> Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014 www.acousa.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 1 /28/2003
Hubbell Lenoir City, Inc. Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	<b>Polycast 700</b> Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 3 /2 /2005
Hubbell Lenoir City, Inc. Thomas Beattie 273 Willow Green Way Vacaville CA 95687 tbeattie@hubbell.com	<b>Polycast 900R</b> Phone: (800) 346-3061 Cell: (707) 291-6991 Fax: (865) 986-0585 www.polycastdrain.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 9 /18/2012
Multidrain Systems Incorporated Steve Born PO Box 7107 Statesville NC 28687 steve.born@multidrainsystems.com	<b>EconoDrain</b> Phone: (866) 634-6057 Cell: (704) 873-9081 Fax: (704) 873-9082 www.multidrainsystems.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 4 /6 /2004
Multidrain Systems Incorporated Steve Born PO Box 88 Barium Springs NC 28010 steve.born@multidrainsystems.com	<b>MultiDrain</b> Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 4 /6 /2004
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.delre@zurn.com	<b>Z-882 (9.25" Wide)</b> Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 3 /28/2003
Zurn Industries Incorporated Jim Delre 1801 Pittsburgh Avenue Erie PA 16502 jim.delre@zurn.com	<b>Z-886 (4" Wide)</b> Phone: (814) 455-0921 Cell: (919) 332-5653 Fax: (814) 875-1402 www.zurn.com	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. <b>approved</b> 3 /28/2003

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Ardex LP Dennis Layne 400 Ardex Park Drive Aliquippa PA 15001 dennis.layne@ardexamericas.com	<b>Transportation Repair Mortar (TRM)</b> Phone: (724) 203-5000 Cell: (602) 418-1292 Fax: (724) 203-0373 www.ardexamericas.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 10/31/2013
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	<b>Atlas Pro-1 Patch</b> Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 5/14/2009
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	<b>Master Emaco S466 CI</b> Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067 www.buildingstystems.basf.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1/3/2002
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	<b>Master Emaco T10-60</b> Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067 www.buildingstystems.basf.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1/3/2002
BASF Corporation John Bettencourt 889 Valley Park Drive Shakopee MN 55379 john.bettencourt@basf.com	<b>Master Emaco T545 DOT</b> Phone: (952) 496-6547 Cell: (925) 784-6969 Fax: (952) 496-6067 www.buildingstystems.basf.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1/3/2002
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>Ulti Pave3</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6/28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>UltiGrout</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6/28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	<b>Utility Fill One Step</b> Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 6/28/2010

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>		<b>Product Name</b>	<b>Remarks</b>	
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270  www.ctscement.com	<b>RS Cement All</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270  www.ctscement.com	<b>RS Concrete Mix</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270  www.ctscement.com	<b>RS DOT Repair Mix</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /27/1994
CTS Cement Manufacturing Corp Grant Kao 11065 Knott Avenue, Suite A Cypress CA 90630 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (626) 833-8838 Fax: (714) 379-8270  www.ctscement.com	<b>RS Motar Mix</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. RS=Rapid Set	approved 1 /27/1994
CTS Cement Manufacturing Corporation Grant Kao 11065 Knott Ave. Cypress CA 90630 gkao@ctscement.com	Phone: (657) 222-8040 Cell: (800) 929-3030 Fax:  www.ctscement.com	<b>Rapid Set Mortar Mix Plus</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /25/2017
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  www.daytonsuperior.com	<b>Dayton Superior HD-50</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /30/1996
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399  www.euclidchemical.com	<b>EucoSpeed</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /23/1998
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399  www.euclidchemical.com	<b>EucoSpeed MP</b>	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /23/1998

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Express Repair</b> Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /16/2006
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Hi-Flow Grout</b> Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /16/2006
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Speed Crete 2028 Rapid</b> Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /8 /2004
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Speed Crete Green Line</b> Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /8 /2004
Five Star Products Incorporated Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarprom.com	<b>Highway Patch</b> Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprom.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /30/1996
Five Star Products Incorporated Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarprom.com	<b>Structural Concrete</b> Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprom.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /30/1996
Henkel Loctite Tom Lopez 3093 Remington Way Tracy CA 95377 tom.lopez@henkel.com	<b>Loctite MagnaCrete</b> Phone: (209) 834-5547 Cell: (209) 650-8317 Fax: www.henkelna.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 4 /10/2006
HP Concrete Repair Materials, Inc. John Collins 23411 Aliso Viejo Parkway Suite K126 Aliso Viejo CA 92656 johncollins@concreterepair.com	<b>High Performance Concrete</b> Phone: (949) 470-3225 Cell: Fax: (949) 470-3888 www.concreterepair.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 1 /3 /2002

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planigrout 712</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 9 /25/2017
MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planitop 18</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 3 /24/2017
MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planitop 18 ES</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 9 /25/2017
MAPEI Corporation Bruce Haller 1144 E Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planitop X</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 9 /25/2017
MAPEI Corporation Bruce Haller 1144 E. Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planitop XS</b> Phone: (954) 246-8520 Cell: (954) 637-5121 Fax: (954) 246-8825 www.mapei.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 9 /25/2017
R.A. Lucas Company, Inc. Raeleen Lucas 5182 Katella Ave., Suite 1048 Los Alamitos CA 90720-2853 lucasco@ralucasco.com	<b>Phosocrete HC</b> Phone: (562) 799-6160 Cell: Fax: (562) 799-6150 www.ralucasco.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 3 /24/2017
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	<b>Sikacrete 321FS</b> Phone: (925) 785-6241 Cell: Fax: usa.sika.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 12/28/2016
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	<b>Sikaquick 2500</b> Phone: (925) 785-6241 Cell: Fax: usa.sika.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. <b>approved</b> 12/28/2016

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 cbuchanan@specchemllc.com	<b>Phone:</b> (913) 233-9700 <b>Cell:</b> <b>Fax:</b>  www.specchemllc.com	<b>Repcon 928</b>  the use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc, unless pre-approved through Materials Division for other applications.	approved 5 /7 /2013
US Concrete Products Ed Brennan 16 Greenmeadow Drive Timonium MD 21093 info@uscproducts.com	<b>Phone:</b> (866) 827-8727 <b>Cell:</b> (410) 561-8770 <b>Fax:</b> (410) 561-8771  www.uscproducts.com	<b>HP Cement</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 10/22/2004
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC Quickset</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC R3</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC STR Mortar</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 8 /29/2008
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch Concrete</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 9 /3 /2014
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	<b>Phone:</b> (303) 778-7227 <b>Cell:</b> (303) 489-1083 <b>Fax:</b> (303) 722-8426  www.uspec.com	<b>US SPEC Transpatch EXT</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017

**609.03.02 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.uspec.com	<b>US SPEC V/O Patch</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 3 /24/2017
WR Meadows Incorporated of Arizona Lauren Mazza 4220 South Sarival Avenue Goodyear AZ 85338 lmazza@wrmeadows.com	Phone: (623) 932-9383 Cell: Fax: (623) 932-1547  www.wrmeadows.com	<b>Futura 15 Fast Setting Concrete</b>  The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	approved 8 /21/2008

**610.02.01 ARTICULATED CONCRETE BLOCK**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Basalite Concrete Products, LLC James Motarex 335 Greg Street Sparks NV 89431-6295 james.motarex@paccoast.com	Phone: (775) 358-1200 Cell: (775) 745-1286 Fax: (775) 359-5997  www.basalite.com	<b>UltraFlex</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 11/18/2009
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax:  www.contech-cpi.com	<b>Armorflex</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 10/23/2008
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	Phone: (800) 338-1122 Cell: (916) 635-0760 Fax:  www.contech-cpi.com	<b>Petraflex</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 10/23/2008
Hanes Geo Components Quinn Brown 5927 Balfour Court Suite 108 Carlsbad CA 92008 quinn.brown@hanescompanies.com	Phone: (702) 341-0354 Cell: (702) 493-3713 Fax: (760) 431-2453  www.hanesgeo.com	<b>Armorflex</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 1 /21/1998
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511  www.shoretac.com	<b>Shorblock</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 3 /23/2009
Shoretac Patrick Bonorden 510 O'Neal Lane Baton Rouge LA 70819 pbonorden@premierconcrete.com	Phone: (281) 450-3469 Cell: (225) 273-9888 Fax: (225) 273-3511  www.shoretac.com	<b>Shoretac</b>  This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	approved 3 /23/2009

**610.02.01 ARTICULATED CONCRETE BLOCK**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Soil Retention Products, Inc. Nick Jansson 2501 State Street Carlsbad CA 92008 njansson@soilrentention.com	Phone: (760) 966-6090 Cell: Fax: (760) 966-6099  www.soilrentention.com	<b>Enviroflex</b>     This is a general QPL ONLY; the unit will be selected based on the specific project requirements.
		approved 8 /23/2011

**612.02.01 GRAFFITI RESISTANT COATINGS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Polymer Corporation Gordon Daw 9176 South 300 West Suite 4 Sandy UT 84070 gdaw@americanpolymer.com	Phone: (866) 366-1137 Cell: (801) 255-9505 Fax: (801) 255-7123  www.americanpolymer.com	<b>Clear VU High Solids (AP 307)</b>    Clear VU High Solids Base Coating (AP 307) Clear Top Coat (AP100, AP101, or AP102) Pigmented Top Coat (AP200, AP201, or AP202)  10/08 new product replaces GSS 10
		approved 7 /6 /2008
Integument Technologies Jennifer Smyth 72 Pearce Avenue Tonawanda NY 14150 info@integument.com	Phone: (716) 873-1199 Cell: Fax: (716) 873-1303  www.integument.com	<b>Fluorogrip Anti Graffiti Film</b>   For signs ONLY
		approved 11/12/2010
Monopole Incorporated Tony Khalil 4661 Alger Street Los Angeles CA 90039 tony@monopoleinc.com	Phone: (800) 491-9977 Cell: (818) 515-5004 Fax: (818) 502-0818  www.monopoleinc.com	<b>Monochem Permashield 5600 Premium System</b>   Company passed an additional metal field test
		approved 10/6 /2009
Sherwin-Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>2K Waterbased Urethane Anti Graffiti</b>   Part A: B65T00194 and Part B: B65V190
		approved 9 /21/2009
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: (510) 346-2441  www.texcote.com	<b>Graffiti-Gard "S"</b>   
		approved 11/12/2010
The Starco Group/SEI Chemical Ross Sklar 3137 East 26th St Vernon CA 90058 ross@thestarcogroup.com	Phone: (323) 266-7111 Cell: Fax: (888) 273-4489  www.thestarcogroup.com	<b>GPA 200 Graffiti Proofer</b>   Flattening agent required
		approved 9 /29/2009
The Starco Group/SEI Chemical Ross Sklar 3137 East 26th St Vernon CA 90058 ross@thestarcogroup.com	Phone: (323) 266-7111 Cell: Fax: (888) 273-4489  www.thestarcogroup.com	<b>GPA 300 Graffiti Proofer</b>   Flattening agent required
		approved 9 /29/2009

**613.02.01 DETECTABLE WARNINGS (ADA TILE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>ACO DWD</b> Approved for concrete panels in NV Red ONLY.  approved 2 /26/2009
ACO Polymer Products, Inc. Justin White 825 Beechcraft Casa Grande AZ 85222 jwhite@aco-online.com	Phone: (888) 490-9552 Cell: (209) 204-0988 Fax: (209) 574-1014  www.acousa.com	<b>DWD Heritage</b> Approved for concrete panels in Red ONLY.  approved 2 /26/2009
Advanced Surface Systems, Inc. (ASSI) Karen "KC" Hemry 509 Radford Place Knoxville TN 37917 kchemry@hotmail.com	Phone: (865) 540-3833 Cell: (865) 206-4789 Fax: (865) 540-3933  www.suredome.com	<b>SureDome</b> Approved for concrete panels in both NV Red and NV Green.  approved 10/10/2008
Arcis Corporation Daniel VanBrabant 10680 NW 289th Place/PO Box 1250 North Plains OR 97133 danv@arcis-corp.com	Phone: (503) 647-5042 Cell: Fax: (503) 647-7731  www.arcis-corp.com	<b>ADA Arcis Tactile</b> Approved for concrete panels in both NV Red and NV Green.  approved 9 /2 /2008
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742  www.armorcastprod.com	<b>Armorcast DWS</b> Approved for concrete panels in both NV Red and NV Green.  approved 2 /28/2011
StrongGo, LLC Jennifer Rinn 3296 East Hemisphere Loop Tucson AZ 85706-5013 jrinn@stronggo.com	Phone: (866) 439-3216 Cell: (502) 547-3510 Fax: (520) 547-3515  www.stronggo.com	<b>TekWay Dome Tiles</b> Approved for concrete panels in both NV Red and NV Green.  approved 11/27/2006
Transpo Industries Incorporated Mike Stenko 20 Jones Street New Rochelle NY 10801 mstenko@transpo.com	Phone: (800) 321-7870 Cell: (914) 636-1000 Fax: (914) 636-1282  www.transpo.com	<b>Step-Safe DWS</b> Approved for concrete panels in both NV Red and NV Green.  approved 3 /26/2004
United Diamond & Stone, Inc. Darren Thomas 16788 Placer Hills Road Suite C Meadow Vista CA 95722 darren_thomas@sbcglobal.net	Phone: (530) 878-2440 Cell: (530) 320-4180 Fax: (530) 878-8263  www.uniteddiamondandstone.com	<b>Cast-in-Tact 3</b> Approved for concrete panels in both NV Red and NV Green.  approved 8 /20/2009

**616.02.01 PLASTIC FENCE FABRIC**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**616.02.01 PLASTIC FENCE FABRIC**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
CONTECH Neil Erickson 9025 Centre Pointe Drive Suite 400 West Chester OH 43069 ericksonn@contech-cpi.com	<b>Phone:</b> (800) 338-1122 <b>Cell:</b> (916) 635-0760 <b>Fax:</b> www.contech-cpi.com	<b>Safety Geogrid</b> approved 5 /15/2002
Conwed Plastics Customer Service 1300 Godward Avenue SE Suite 5000 Minneapolis MN 55413 customer.service@conwedplastics.com	<b>Phone:</b> (800) 426-6933 <b>Cell:</b> (612) 623-1700 <b>Fax:</b> (612) 623-2500 www.conwedplastics.com	<b>Safety Fence</b> approved 10/10/1999

**618.02.01 GUARDRAIL OFFSET BLOCKS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arizona Structural Laminators Ginger Wiltbank PO Box 2008 Eagar AZ 85925 gwiltbank@azglulam.com	<b>Phone:</b> (928) 333-5501 <b>Cell:</b> <b>Fax:</b> (928) 333-4403 www.azglulam.com	<b>Glue Laminated Wood</b> Used with w-beam and tri-beam guardrails approved 3 /10/2004
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559 www.TrinityHighway.com	<b>King-Block</b> Used with steel post w-beam guardrails approved 5 /31/2005
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Phone:</b> (360) 943-9559 <b>Cell:</b> (360) 561-3966 <b>Fax:</b> (360) 943-9559 www.TrinityHighway.com	<b>King-Sized King Block</b> Used with steel post tri-beam guardrails approved 5 /31/2005

**618.02.01a GUARDRAIL TERMINAL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	<b>Phone:</b> (330) 346-0721 <b>Cell:</b> (432) 263-2435 <b>Fax:</b> (330) 346-0722 www.roadsystems.com	<b>Fleat 350</b> FLARED; TL-3 Compliant approved 9 /29/2009
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	<b>Phone:</b> (330) 346-0721 <b>Cell:</b> (432) 263-2435 <b>Fax:</b> (330) 346-0722 www.roadsystems.com	<b>Fleat SP</b> FLARED; TL-3 Compliant approved 9 /29/2009

**618.02.01a GUARDRAIL TERMINAL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722  www.roadsystems.com	<b>MSKT (MASH Sequentially Kinking Terminal)</b>	TANGENTIAL; MASH, TL-3 Compliant     approved 12/28/2016
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722  www.roadsystems.com	<b>SKT 350</b>	TANGENTIAL; TL-3 Compliant     approved 1/12/1998
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722  www.roadsystems.com	<b>SKT Lite</b>	TANGENTIAL; TL-3 Compliant     approved 1/12/1998
Road Systems Incorporated John Durkos PO Box 2163 Big Spring TX 79721 jdurkos@roadsystems.com	Phone: (330) 346-0721 Cell: (432) 263-2435 Fax: (330) 346-0722  www.roadsystems.com	<b>SKT SP</b>	TANGENTIAL; TL-3 Compliant     approved 1/12/1998
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>CAT 350</b>	TANGENTIAL; TL-3 Compliant     approved 3/30/1997
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>ET Plus</b>	TANGENTIAL; TL-3 Compliant     approved 6/20/2016
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SRT 350</b>	FLARED     approved 3/30/1997

**619.02.01a GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Carsonite Composites Ernest Joyner 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>Flexguard Post System</b>	Type 2; standard surface and soil/ground mount options available     approved 1/17/2013



**619.02.01a GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>Phone:</b> (253) 284-8000 <b>Cell:</b> (253) 284-8005 <b>Fax:</b> (253) 284-8080  www.pexco.com	<b>FG 300 Model EFX</b>  Type 2; standard surface and soil/ground mount options available	<b>approved</b> 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>Phone:</b> (253) 284-8000 <b>Cell:</b> (253) 284-8005 <b>Fax:</b> (253) 284-8080  www.pexco.com	<b>FG 300 Model PE</b>  Type 2; standard surface and soil/ground mount options available	<b>approved</b> 10/15/1999
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>Phone:</b> (253) 284-8000 <b>Cell:</b> (253) 284-8005 <b>Fax:</b> (253) 284-8080  www.pexco.com	<b>FG 300 Model UR</b>  Type 2; standard surface and soil/ground mount options available	<b>approved</b> 10/15/1999
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Phone:</b> (512) 218-9500 <b>Cell:</b> <b>Fax:</b> (512) 388-0417  www.shur-tite.com	<b>Driveable Del</b>  Type 2; standard surface and surface/soil mount options available	<b>approved</b> 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Phone:</b> (512) 218-9500 <b>Cell:</b> <b>Fax:</b> (512) 388-0417  www.shur-tite.com	<b>Shur-Flex Guardrail Clamp</b>  Type 2; standard surface and surface/soil mount options available	<b>approved</b> 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Phone:</b> (512) 218-9500 <b>Cell:</b> <b>Fax:</b> (512) 388-0417  www.shur-tite.com	<b>Shur-Tite Cable Barrier</b>  Type 2; standard surface and soil/ground mount options available	<b>approved</b> 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Phone:</b> (512) 218-9500 <b>Cell:</b> <b>Fax:</b> (512) 388-0417  www.shur-tite.com	<b>Socket Mt Del</b>  Type 2; standard surface and surface/soil mount options available	<b>approved</b> 4 /30/2009
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	<b>Phone:</b> (512) 218-9500 <b>Cell:</b> <b>Fax:</b> (512) 388-0417  www.shur-tite.com	<b>Surface Mt Del</b>  Type 2; standard surface and surface/soil mount options and angled mounts	<b>approved</b> 4 /30/2009

**619.02.01a GUIDEPOSTS (FLEXIBLE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 5500 Earthflex Del</b> Type 2; standard surface and surface/soil mount options available  approved 12/3 /2002

**619.02.01b OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>Island Sentry K-Marker</b> Type 2; standard surface and surface/soil mount options available  approved 8 /1 /1989
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD Bolt Down</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>RT 360 HD Tubular</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH Dura Post 36"</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH K-Marker Series</b> Type 2; standard surface and soil/ground mount options available  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH Replaceable Barrier</b> Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches)  approved 10/5 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SH Tubular</b> Type 2; standard surface and soil/ground mount options available  approved 10/5 /2008

**619.02.01b OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>BD Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>HM Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>T1 Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /1 /1994
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	<b>T2 Marker Round</b> Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /1 /1994
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Complete Curb</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model PE</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Model UR</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /19/2009
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>FG 300 Turn Pike Curb</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 2; standard surface and surface/soil mount options available	<b>approved</b> 6 /19/2009

**619.02.01b OBJECT MARKERS (FLEXIBLE, TYPE 2)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Type K Island Marker</b> Type 2; standard surface and surface/soil mount options available  approved 9 /13/2007
SHUR-TITE Products Gary Champ P.O. Box 2283 Round Rock TX 78680 gary@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417  www.shur-tite.com	<b>Shur-Flex Driveable</b> Type 2; standard surface and surface/soil mount options available  approved 2 /2 /2010
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 5215 K Marker</b> Type 2; standard surface and surface/soil mount options available  approved 12/3 /2002

**623.01.01 DYNAMIC MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Daktronics Incorporated Casey Williamson 117 Prince Drive Brookings SD 57006-0128 casey.williamson@daktronics.com	Phone: (605) 692-0200 Cell: (720) 413-2307 Fax: (605) 697-4700  www.daktronics.com	<b>Light-Emitting Diode DMS</b> Type 1 and type 2  approved 1 /7 /2004

**623.02.08 SERVICE PEDESTALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Eaton Corporation Tom Barber 6225 South Valley View Suite C Las Vegas NV 89118 thomasebarber@eaton.com	Phone: (702) 309-4088 Cell: Fax: (702) 222-0771  www.eaton.com	<b>Service Pedestals</b>  approved 1 /7 /2011
Milbank Manufacturing Company Dave Stipe 4801 Deramus Avenue Kansas City MO 64120 dstipe@milbankmfg.com	Phone: (660) 463-0827 Cell: (714) 743-0712 Fax:  www.milbankmfg.com	<b>Metered Service Pedestals</b>  approved 1 /15/2002
Myers Power Products Diana Grootenk 2950 East Philadelphia Street Ontario CA 91761 bids@myerspower.com	Phone: (909) 923-1800 Cell: (949) 375-3399 Fax: (909) 923-1806  www.myerspowerproducts.com	<b>Service Pedestals</b> +UPS/BBS  approved 9 /5 /2000

**623.02.08 SERVICE PEDESTALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Pacific Utilities Products Bob Ford 2430 Railroad Street Corona CA 92880 pupsales@pedestals.net	Phone: (800) 860-6157 Cell: (951) 493-8394 Fax: (951) 279-3116 www.pedestals.net	<b>Service Pedestals</b> approved 11/19/2002
Tesco Controls Incorporated Curt Vasey 8440 Florin Road Sacramento CA 95828 cvasey@tescocontrols.com	Phone: (916) 395-8800 Cell: (916) 952-5088 Fax: (916) 403-0013 www.tescocontrols.com	<b>Tescoflex Service Pedestals</b> approved 11/21/2002

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLY**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carolina High Mast Scott Engberg 700 East McLeroy Boulevard Suite A Saginaw TX 76179 sengberg@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 657-6973 Fax: (682) 286-0086 www.chmindustries.com	<b>Series 426</b> Bottom latching approved 12/30/2003
Eagle High Mast Lighting Company Joseph Simons III 14904 E. Summit Drive Fountain Hills AZ 85268 himasttg@aol.com or Eaglekaren@aol.com	Phone: (847) 473-3800 Cell: (847) 247-1100 Fax: (480) 248-6730 www.eaglehighmast.com	<b>High Mast Assembly</b> Bottom latching approved 1 / 2 / 2004
Holophane Corporation John Caratozzolo, LC 42425 N 10th Avenue Phoenix AZ 85086 jcaratozzolo@holoplane.com	Phone: (623) 465-9135 Cell: (480) 227-7823 Fax: (866) 616-5189 www.holophane.com	<b>Series Holophane LD5 Lighting Lowering D</b> Bottom latching approved 1 / 2 / 2004

**623.02.16 DUCT SEALING COMPOUND**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 ideal_industries@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483 www.idealind.com	<b>Duct Seal</b> approved 10/7 /2009
Rectorseal Shawn Sites 2601 Spenwick Drive Houston TX 77055 scottk@rectorseal.com	Phone: (713) 263-8001 Cell: (800) 231-3345 Fax: (713) 263-7577 www.rectorseal.com	<b>RectorSeal</b> approved 10/7 /2009

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
High Leah Electronics, Inc. (see remarks) Beth Ann Ritz PO Box 1455 Oakridge OR 97463 sales@diamondtraffic.com	Phone: (541) 782-3903 Cell: Fax: (541) 782-2053  www.diamondtraffic.com	<b>Brass Linguine Class 1</b> This company is doing business as Diamond Traffic Products. approved 1 /11/2001
Measurement Specialties, Inc. Robin Wilson 1000 Lucas Way Hampton VA 23666 robin.wilson@meas-spec.com	Phone: (757) 766-4496 Cell: Fax: (757) 766-4297  www.meas-spec.com	<b>Roadtrax BL Sensor Brass Linguine Class 1</b> approved 5 /26/1999

**623.02.30e LOOP DETECTOR SEALANT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3m.com/tcm	<b>5000 Rubberized Loop</b> Rubberized asphalt material approved 6 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3m.com/tcm	<b>P/N 606 Detector Loop</b> Rubberized asphalt material approved 6 /16/2000
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>271 Loop Detector</b> Rubberized asphalt material approved 8 /5 /1998
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>272 Loop Detector</b> Rubberized asphalt material approved 8 /5 /1998
Durant Performance Coating, Inc. Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Phone: (800) 420-0021 Cell: (781) 289-1400 Fax: (781) 289-1405  www.durantcorp.com	<b>Stat-a-Flex Polyester Loop</b> Polyester material approved 11/19/1996
Quikrete Company Rob Hernandez 7705 Wilbur Way Sacramento CA 95828 rhernandez@quikrete.com	Phone: (916) 689-8840 Cell: (916) 248-2139 Fax: (916) 689-8857  www.quikrete.com	<b>Commercial Grade Permanent Blacktop Repair #1701</b> Asphaltic concrete material approved 1 /1 /2001

**623.02.30e LOOP DETECTOR SEALANT**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Perm Sealer 974 Nitrile</b> Nitrile rubber material approved 12/19/1996
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Phone: (704) 525-1852 Cell: (704) 904-1481 Fax: (704) 525-1859 www.raiproducts.com	<b>Pro Seal 6006 Polyester</b> Polyester material approved 12/19/1996
Reed & Graham Company Peter Fitzpatrick 690 Sunol Street San Jose CA 95126 peter@rginc.com	Phone: (408) 287-1400 Cell: (408) 421-2833 Fax: (408) 294-3696 www.rginc.com	<b>Overkote Loop Filler</b> Asphaltic emulsion material approved 8 /5 /1998

**623.02.31 DRIVER FEEDBACK SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Traffic Logix Brett Ferrin 3 Harriett Lane Spring Valley NY 10977 bferrin@trafficlogix.com	Phone: (866) 915-6449 Cell: (801) 371-8784 Fax: (866) 995-6449 www.trafficlogix.com	<b>Driver Feedback Signs</b> approved 6 /14/2011
TraffiCalm Systems/MOR Manufacturing Karen Hentemann 5676 East Seltice Way Post Falls ID 83854 khentemann@trafficalm.com	Phone: (855) 738-2722 Cell: (208) 691-0102 Fax: www.mormanufacturing.com	<b>TraffiCalm/DriveBrite Radar Driver Feedback Signs</b> approved 1 /13/2011

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dialight Corporation Matthew Sieglitz 1501 Route 34 South Farmingdale NJ 07727 msieglitz@dialight.com	Phone: (732) 919-3119 Cell: (732) 751-5810 Fax: (732) 751-3110 www.dialight.com	<b>LED 12" Signal Heads (all) 16"x18" Ped Signal Hea</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 3 /26/2002
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 vendor@eoius.com	Phone: (909) 784-3333 Cell: (626) 823-8639 Fax: (909) 784-3330 www.eoius.com	<b>LED Traffic Signal</b> 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 6 /17/2008

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Excellence Opto Incorporated Cheryl Huang 1663 West 2nd Street Pomona CA 91766 vendor@eoibus.com	<b>Phone:</b> (909) 784-3333 <b>Cell:</b> (626) 823-8639 <b>Fax:</b> (909) 784-3330 www.eoibus.com	<b>Pedestrian Traffic Signal</b> 12" TRV-R12SG-D2T Red, TRV-Y12SG-D2T Yellow, and TRV-G12SG-D2T Green Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 6 /17/2008
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12GA-IL6-A1-P3</b> Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 9 /25/2017
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12G-LX-IL6-A1-P3</b> approved 4 /2 /2015
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12RA-IL6-A1-P3</b> Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 9 /25/2017
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12R-LX-IL6-A1-P3</b> approved 4 /2 /2015
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12YA-IL6-A1-P3</b> Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 9 /25/2017
Leotek Electronics Gail Lawrence 1955 Lundy Way San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (903) 935-2695 <b>Cell:</b> (903) 399-8055 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12Y-LX-IL6-A1-P3</b> approved 4 /2 /2015
Leotek Electronics USA Corp Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (408) 380-1788 <b>Cell:</b> (903) 935-2695 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>LED 12" Signal Heads (all) 16"x18" Tinted Ped</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications. approved 4 /6 /2010

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Leotek Electronics USA Corp Kimberly Konte 726 South Hillview Drive Milpitas CA 90744 kim@leotek.com	<b>Phone:</b> (408) 381-1788 <b>Cell:</b> (602) 538-7194 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-12R-LX-IL6-A1-P2 LED Traffic Signal</b> Must be Intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 9 /25/2017
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (408) 380-1788 <b>Cell:</b> (903) 935-2695 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-PED-16-CIL-9 16" Countdown LED FH/MP</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 4 /6 /2010
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (408) 380-1788 <b>Cell:</b> (903) 935-2695 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-PED-16-CIL-P1</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 11/7 /2012
Leotek Electronics USA LLC Gail Lawrence 1955 Lundy Avenue San Jose CA 95131 gail.lawrence@leotek.com	<b>Phone:</b> (408) 380-1788 <b>Cell:</b> (903) 935-2695 <b>Fax:</b> (408) 518-8128 www.leotek.com	<b>TSL-PED-16-DIL 16" LED FH/MP Indication</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 4 /6 /2010
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	<b>Phone:</b> (602) 344-7770 <b>Cell:</b> (602) 326-5698 <b>Fax:</b> (602) 344-7771 www.lumination.com	<b>LED 12" GTx Signal Heads Pedestrian Signal Heads</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 11/3 /2011
Phoenix Highway Products Lupe Cruz 2631 North 37th Drive Phoenix AZ 85009 lupe@phoenixhighwayproducts.com	<b>Phone:</b> (602) 344-7770 <b>Cell:</b> (602) 326-5698 <b>Fax:</b> (602) 344-7771 www.lumination.com	<b>LED 12" Signal Heads</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 3 /26/2002
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	<b>Phone:</b> (972) 480-0888 <b>Cell:</b> <b>Fax:</b> (972) 480-8884 www.trastarusa.com	<b>JXC-300HFT Series LED Vehicular Lamps</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 11/6 /2012
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	<b>Phone:</b> (972) 480-0888 <b>Cell:</b> <b>Fax:</b> (972) 480-8884 www.trastarusa.com	<b>JXJ300-07 Omni-directional "Tinted" Led Arrow</b> Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications approved 11/6 /2012

**623.03.01 TRAFFIC SIGNALS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Trastar Incorporated Elaine Davis 860 North Dorothy Drive Suite 600 Richardson TX 75081 edavis@trastarusa.com	Phone: (972) 480-0888 Cell: Fax: (972) 480-8884  www.trastarusa.com	<b>JXM 300/400 VIE Series Countdown Pedestrian Lamps</b>  Must be intertek ETL verified to be compliant to the most current ITE VTCSH-LED or PTCSI-LED specifications  approved 11/6 /2012

**623.03.15 SIGN LIGHTING FIXTURES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237  www.gelightingsystems.com	<b>85 Watt Induction Versaflood III Induction</b>  (MSR Series Sign) Versaflood III Induction Signlighter CSV3SL2004 ***Product will be discontinued on January 1, 2017***  approved 1 /17/2003

GE Consumer & Industrial Lighting Syst Pete Porte 4141 Bison Lake Havasu AZ 86404 pete.porte@ge.com	Phone: (928) 855-7223 Cell: (714) 323-2636 Fax: (928) 855-7237  www.gelightingsystems.com	<b>GTx LED Signal Modules</b>  approved 11/14/2011
---	---	---

Holophane Corporation John Caratozzolo, LC 42425 N 10th Avenue Phoenix AZ 85086 jcaratozzolo@holoplane.com	Phone: (623) 465-9135 Cell: (480) 227-7823 Fax: (866) 616-5189  www.holophane.com	<b>Panel Vue Series Model 85QLXXDG/QD/Door Prop</b>  approved 1 /17/2003
--	---	---

Lumi Trak, Inc. Jeff Harper PO Box 158 Shrewsbury PA 17361 jeff@lumitrak.com	Phone: (717) 235-2863 Cell: (717) 779-8628 Fax: (717) 235-5076  www.lumitrak.com	<b>LT2000 SL120MOD</b>  approved 9 /25/2017
--	--	--

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Lumi Trak Incorporated George Townsend PO Box 158 Shrewsbury PA 17361 george@lumitrak.com	Phone: (717) 235-2863 Cell: (717) 818-8203 Fax: (717) 235-5076  www.lumitrak.com	<b>Lumi Trak</b>  approved 10/11/2000

**623.05.26 RED LIGHT DETECTORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (750) 727-8100 Fax: (760) 597-7108  www.mccain-inc.com	<b>Red Light Detector</b>  approved 7 /16/2003

**625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FB 33 Flexible Barrier</b>     approved 2 /2 /1993
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FB34</b>     approved 12/28/2016
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154  http://artukinc.com	<b>FT - Flex Tab</b>     approved 12/28/2016
Hall Manufacturing Corporation Kerry Clark 297 Margaret King Avenue Ringwood NJ 07456 kerry@hallmanufacturing.com	Phone: (973) 962-7779 Cell: Fax: (973) 962-7652  www.hallmanufacturing.com	<b>FlexX 2020</b>     w/75 mm X 75mm  approved 12/17/1997
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304  www.irwinhodson.com	<b>A-Shape Highway Traffic Reflector</b>     Epoxy shall be used for fastening the reflective marker to the top of the concrete barrier rail  approved 5 /7 /2015
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304  www.ihco.com	<b>Barrier Traffic Reflector Series</b>     approved 9 /3 /2013
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>DAPCO Straight Guardrail Reflector Plates</b>     Type II; standard surface and soil/ground mount options available  approved 1 /9 /1995
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>PCBM 12H High Impact</b>     Type II; standard surface and soil/ground mount options available  approved 11/3 /2009

**625.02.02      MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>PCBM T12H High Impact</b> Type II; standard surface and soil/ground mount options available  approved 11/3 /2009
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 9300 Roadguide</b>  approved 12/3 /2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 9400 Roadguide</b>  approved 12/3 /2002

**625.02.03      CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ADDCO Acquisition, LLC Customer Service 240 Arlington Avenue East St Paul MN 55117 sales@addco.com	Phone: (651) 488-8600 Cell: Fax: (651) 558-3600  www.addco.com	<b>Sign Dot Sign DH1000 (TYPE I)</b>  approved 5 /28/1996
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS GP 465</b>  approved 4 /8 /1997
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS GP465 (TYPE I)</b>  approved 4 /10/1997
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS T331</b>  approved 4 /8 /1997
American Signal Company Casey Inoue 2755 Bankers Industrial Drive Atlanta GA 30360 info@amsig.com	Phone: (770) 448-6650 Cell: Fax: (770) 448-8970  www.amsig.com	<b>CMS T331 (TYPE I)</b>  approved 4 /10/1997

**625.02.03 CHANGEABLE MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Enduron Custom Incorporated Chelsea Smith 150 Cree Crescent Winnipeg, Manitoba R3J 3W1 chelsea.s@enduron.net	Phone: (204) 885-2580 Cell: Fax: (204) 888-2912  www.enduron.net	<b>CMS 80FM</b>     approved 10/13/2004
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 340*</b> * DISCONTINUING THESE PRODUCTS     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 340* (TYPE I)</b> * DISCONTINUING THESE PRODUCTS     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 345*</b> * DISCONTINUING THESE PRODUCTS     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Nighthawk 345* (TYPE I)</b> * DISCONTINUING THESE PRODUCTS     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 345</b>     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 345 (TYPE I)</b>     approved 4 /10/2000
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 380</b>     approved 4 /10/2000

**625.02.03 CHANGEABLE MESSAGE SIGNS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
National Sign & Signal Company Jeff Geofs 2440 Artesia Avenue Fullerton CA 92833 jeff@nationalsignalinc.net	Phone: (888) 994-0300 Cell: (714) 441-7707 Fax: (714) 441-7714  www.nationalsignal.com	<b>Sunray Solar 380 (TYPE I)</b>    approved 4 /10/2000
Precision Solar Control, Inc. Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.precisionsolarcontrols.com	<b>SMC HE 1000</b>    approved 2 /22/1998
Precision Solar Control, Inc. Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.precisionsolarcontrols.com	<b>SMC SM 2000 (TYPE I)</b>    approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517  www.ver-mac.com	<b>PCMS</b>    approved 2 /22/1998
Signalisation-Ver-Mac Incorporated Kimberly Jack 1781 rue Bresse Sainte-Foy, Quebec G2G 2V2 kim.jack@ver-mac.com	Phone: (888) 488-7446 Cell: (418) 654-1303 Fax: (418) 654-0517  www.ver-mac.com	<b>PCMS (TYPE I)</b>    approved 2 /22/1998
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger II (TYPE I)</b>    approved 8 /14/2009
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger III (TYPE I)</b>    approved 8 /14/2009
Solar Technology Incorporated Maryse Kleckner 7620 Cetronia Road Allentown PA 18106 mkleckner@solartechnology.com	Phone: (610) 391-8600 Cell: (610) 391-8603 Fax: (610) 391-8601  www.solartechnology.com	<b>Silent Messenger Solar Powered (TYPE I)</b>    approved 2 /22/1998

**625.02.03 CHANGEABLE MESSAGE SIGNS**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Wanco Incorporated Dan Myers 5870 Tennyson Street Arvada CO 80003 dan.myers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725  www.wanco.com	<b>WTLMB(A)</b> Hydraulic tower lift  approved 8 /5 /2002
Wanco Incorporated Dan Myers 5870 Tennyson Street Arvada CO 80003 dan.myers@wanco.com	Phone: (303) 427-5700 Cell: (800) 972-0755 Fax: (303) 427-5725  www.wanco.com	<b>WTLMB(B)</b> Hand winch tower lift  approved 8 /5 /2002
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.workareaprotection.com	<b>Pro-line Arrow Board</b>  approved 2 /27/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.workareaprotection.com	<b>PSC SMC 1000 ST</b>  approved 7 /18/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.workareaprotection.com	<b>SMC / MMMC 4000 FM Mini</b>  approved 2 /27/2013
Work Area Protection Corporation Charles Frick 2205 Hightower Drive Garland TX 75041 cfrick@nesl.com	Phone: (972) 278-0553 Cell: (800) 868-7414 Fax: (972) 278-8683  www.workareaprotection.com	<b>SMC 2000 FM ST</b>  approved 11/7 /2012

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Energite III</b> TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 4 /14/1999
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Energite III Module</b> TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 4 /26/2006

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>Quadguard</b> Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 4 /26/2006
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	<b>React 350</b> Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 4 /14/1999
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	<b>Absorb 350</b> Phone: (559) 999-5015 Cell: Fax: www.barriersystemsinc.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 10/30/2009
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	<b>Universal Tau II</b> Phone: (559) 999-5015 Cell: Fax: www.barriersystemsinc.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 10/30/2009
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	<b>XTENUator</b> Phone: (559) 999-5015 Cell: Fax: www.barriersystemsinc.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 10/30/2009
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 benjamin.gascoigne@PSS-Innovations.com	<b>Crash Gard Sand Barrel</b> Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.PSS-Innovations.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 9 /12/2012
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	<b>Big Sandy 48247-SPI Temp</b> Phone: (801) 979-7099 Cell: Fax: (949) 573-9290 www.traffixdevices.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 3 /22/2000
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	<b>Big Sandy Sand Barrel</b> Phone: (801) 979-7099 Cell: Fax: (949) 573-9290 www.traffixdevices.com	TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.	approved 3 /22/2000

**625.02.04 IMPACT ATTENUATOR (TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 CLeMonds@TraFFixDevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.TraFFixDevices.com	<b>Sentry Longitudinal Energy Dissipater (SLED)</b> TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 3 /25/2016
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>QuadGuard II Narrow CZ TL-3</b> This (24") attenuator shall only be allowed for use as a temporary end treatment. TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 3 /24/2017
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 gripnedn@earthlink.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Triton Barrier CET TL-3</b> TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 12/28/2016
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>SCI100GM</b> MASH Approved, TL-3 compliant; Must be mounted on a concrete or asphalt slab per manufacturer's requirements.  approved 2 /23/2007

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 4475 Delancy Drive Las Vegas NV 89103 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Safe-Stop 180 TMA</b> TL-3 Compliant; Required truck weight 7300 to 12,000 kg (16,096 to 26,460 lbs); Unit selected must have a manufacture recommended installation for the design speed specified in the bid item.  approved 11/3 /1999
Energy Absorption Systems, Inc. Don Gripne 4475 Delancy Drive Las Vegas NV 89103 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>SS90HD</b> TL-3 Compliant; Trailer Mounted - required truck weight 7,300 to 12,000 kg (16,096 to 26,460 lbs). Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 12/4 /2014
Gregory Industries Incorporated Eric Smith 4100 13th Street SW Canton OH 44710 esmith@gregorycorp.com	Phone: (330) 477-4800 Cell: (330) 265-1168 Fax: (330) 477-0626  www.gregorycorp.com	<b>TTMA-100 Trailer Truck Mounted Attenuator</b> TL-3 Compliant; Trailer Mounted - Minimum support vehicle weight of 10,000lbs (4,535.9kg), Maximum support vehicle weight: unlimited. Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 3 /4 /2015
Lindsay Transporation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>U-MAD Trailer</b> TL-3 Compliant; Trailer Mounted - Support Vehicle must be 18,998lbs (8613kg) +/-992lbs (450kg). Unit length selected must be 129 inch TL-3 length cushion and must have a manufacturer recommended installation for the design speed specified in the bid item.  approved 2 /25/2015

**625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>UMAD TMA</b> TL-3 Compliant; Truck Mounted - Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: Fax: (949) 573-9290  www.traffixdevices.com	<b>ScorPion C 10,000</b> TL-3 Compliant; Required truck weight 9,000 kg (19,842 lb); Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>MPS 350 III</b> TL-3 Compliant; Truck Mounted - Required truck weight 6350 to 10,900 kg (16,090 to 19,845 lbs); Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.

**625.02.06 WATER FILLED BARRIER RAIL**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Armorcast Products Company Aria Aleong 13230 Saticoy Street North Hollywood CA 91605 aria@armorcastprod.com	Phone: (818) 982-3600 Cell: (714) 271-8754 Fax: (818) 982-7742  www.armorcastprod.com	<b>Guardian Barrier Water Filled w/350 Kit</b> Allowed for speeds less than or equal to 45 mph.
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Triton Barrier</b> Use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph (white colored 6.5 ft sections).
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800</b> Type 3; with or without lights; approved for all speeds.
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 Gate</b> Type 3; with or without lights; approved for all speeds.
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 MDS</b> Type 3; with or without lights; approved for all speeds.

**625.02.06 WATER FILLED BARRIER RAIL**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Highway Care Sam Arnold 7068 Fire Opal Drive Las Vegas NV 89131 sam.arnold@highwaycare.com	Phone: (702) 341-7374 Cell: (702) 204-0732 Fax: (702) 242-4733  www.highwaycareusa.com	<b>Barrierguard 800 VLB</b> Type 3; with or without lights; approved for all speeds.  approved 6 /20/2012
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Orion Steel Barrier</b> Type 3 Approved for all speeds  approved 12/23/2013
PolyJohn Enterprise/SinksNMore Div. Steve Washburn 2500 Gaspar Avenue Whiting IN 46394-2175 steve.washburn@polyjohn.com	Phone: (800) 292-1305 Cell: Fax: (219) 659-0625  www.rhinobarriers.com	<b>Rhino Safety Barrier w/350 kit</b> Use 30 m (100 ft) minimum for LON for speeds less than or equal to 45 mph. Deflection is up to 13 ft (4 m). Fill each panel with 92.5 gal (350 L) of water (+/- 1 gal (3.8 L)). *NOTE: 350 kit no longer available*  approved 10/24/2007
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Traffic Control System 2001</b> Allowed for speeds less than or equal to 45 mph.  approved 11/27/2007

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
K&K Systems Incorporated Timothy Keith 687 Palmetto Road Tupelo MS 38801 timothy@k-k-systems.com	Phone: (888) 414-3003 Cell: (662) 566-2025 Fax: (662) 566-7123  www.k-k-systems.com	<b>Safety Beacon Light</b>  approved 1 /6 /1998

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alcan Composites USA, Inc. Debbie Jett 208 West 5th Street Benton KY 42025 debbie.jett@3acomposites.com	Phone: (270) 527-4200 Cell: (800) 434-3042 Fax: (270) 527-1552  www.alcancompositesusa.com	<b>Dibond for Highway Work Zone Signage</b> Must conform to section 716. Alpolc sign substrate is allowed only with stands specified by the FHWA letters of acceptance  approved 5 /9 /2006
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>Bone Light 4MM ACM Aluminum Composite</b> Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716  approved 10/16/2008

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-412</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-412-2S</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-460</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-460-2S</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-484</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Bone Safety Signs Chris Goode 6450 Industrial Way Alpharetta GA 30004 chris@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: (770) 333-1639  www.bonesafety.com	<b>SZ-484-2S</b>  Approved for RIGID SIGN substrates as specified by the FHWA letter of acceptance; attached signs must conform to section 716	<b>approved</b>  10/16/2008
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054  www.dicketool.com	<b>DF3000S Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	Phone: (800) 333-5641 Cell: (206) 818-9277 Fax: (800) 695-6054  www.dicketool.com	<b>DF3000WQ Dynaflex</b>  Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance	<b>approved</b>  12/7 /1998

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054 www.dicketool.com	<b>DF3003S Dynaflex</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054 www.dicketool.com	<b>DF3003W Dynaflex</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054 www.dicketool.com	<b>DL1003W Dynaflex</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Dicke Tool Company Michael Burke 1845 Anunsen Street NE Salem OR 97301 mike@dicketool.com	<b>Phone:</b> (800) 333-5641 <b>Cell:</b> (206) 818-9277 <b>Fax:</b> (800) 695-6054 www.dicketool.com	<b>UF2000 Uniflex Verticle Portable</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 12/7 /1998
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>Phone:</b> (800) 872-7446 <b>Cell:</b> (607) 734-2295 <b>Fax:</b> (607) 734-8783 www.usa-sign.com	<b>C200</b> must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>Phone:</b> (800) 872-7446 <b>Cell:</b> (607) 734-2295 <b>Fax:</b> (607) 734-8783 www.usa-sign.com	<b>C202</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>Phone:</b> (800) 872-7446 <b>Cell:</b> (607) 734-2295 <b>Fax:</b> (607) 734-8783 www.usa-sign.com	<b>C902 Superflex Compact Stand w/Fiberglass Leaf Spr</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>Phone:</b> (800) 872-7446 <b>Cell:</b> (607) 734-2295 <b>Fax:</b> (607) 734-8783 www.usa-sign.com	<b>Superflex Compact Stand w/Fiberglass Leaf Spr</b> Must conform to section 716. Dibond susbstrate is allowed only with stands specified by the FHWA letters of acceptance	approved 5 /31/2000

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X501 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X550 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X551 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Eastern Metals Michelle Beiling 1430 Sullivan Street Elmira NY 14901 mbeiling@usa-sign.com	<b>X600 FS Coil Spring</b> Phone: (800) 872-7446 Cell: (607) 734-2295 Fax: (607) 734-8783 www.usa-sign.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 4 /4 /2000
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS1</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548A</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548AE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548C</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548CA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548CAE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548CE</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548E</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UC</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UCA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com www.kormansigns.com	<b>SS548UCR</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS548UCRA</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS560</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Korman Signs Incorporated John Murray 3029 Lincoln Avenue Richmond VA 23228-4295 jam@kormansigns.com	<b>SS560A</b> Phone: (800) 296-6050 Cell: (804) 262-6050 Fax: (804) 261-1040 www.kormansigns.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>4812</b> Phone: (800) 521-6776 Cell: (248) 488-5762 Fax: (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>4814K Windmaster</b> Phone: (800) 521-6776 Cell: (248) 488-5762 Fax: (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>4815RB</b> Phone: (800) 521-6776 Cell: (248) 488-5762 Fax: (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>4818</b> Phone: (800) 521-6776 Cell: (248) 488-5762 Fax: (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	<b>4850RB</b> Phone: (800) 521-6776 Cell: (248) 488-5762 Fax: (248) 488-5700 www.mditraficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance approved 1 /24/2003

**625.03.03 SIGN SUPPORT SYSTEM**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	Phone: (800) 521-6776 <b>4860KC</b> Cell: (248) 488-5762 Fax: (248) 488-5700  www.mditrafficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance     approved 1 /24/2003
Marketing Displays International Eydie Case 38271 West Twelve Mile Road Farmington Hills MI 48331 ecase@mdiworldwide.com	Phone: (800) 521-6776 <b>4884CS</b> Cell: (248) 488-5762 Fax: (248) 488-5700  www.mditrafficcontrol.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by the FHWA letters of acceptance     approved 1 /24/2003
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 <b>Big Buster Dual SF</b> Cell: Fax: (949) 573-9290  www.traffixdevices.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance;  SF=Spring Folding   approved 3 /22/2000
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 <b>Economy Plastic FB</b> Cell: Fax: (949) 573-9290  www.traffixdevices.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance;  FB= Folding Bar   approved 3 /22/2000
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 <b>Little Buster Dual SF</b> Cell: Fax: (949) 573-9290  www.traffixdevices.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance;  SF=Spring Folding   approved 3 /22/2000
TraFFix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 <b>Zephyr Portable Stand</b> Cell: Fax: (949) 573-9290  www.traffixdevices.com	Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance.     approved 3 /22/2000

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Bent MFG. CO. BDAA, Inc. Jessica Ybarra 15442 Chemical Lane Huntington Beach CA 92649 freight@bentmfg.com	Phone: (888) 842-0600 <b>All Plastic Universal Waffle &amp; Steel Legged</b> Cell: (714) 842-0600 Fax: (888) 842-2368  www.bentmfg.com	Type 1 and type 2; with or without lights     approved 5 /2 /2006
Bent MFG. CO. BDAA, Inc. Jessica Ybarra 15442 Chemical Lane Huntington Beach CA 92649 freight@bentmfg.com	Phone: (888) 842-0600 <b>Plywood Panel Barricade</b> Cell: (714) 842-0600 Fax: (888) 842-2368  www.bentmfg.com	Type 3; with or without lights     approved 3 /10/2000

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Highway Technologies David Johnson 4535 Copper Sage Street Las Vegas NV 89115 david.johnson@hwy-tech.com	Phone: (702) 453-1616 Cell: Fax: (702) 438-3460  www.hwy-tech.com	<b>Barricade</b> Type 3 with or without lights    approved 1 /10/2000
Impact Recovery Systems Megan Morris 4955 Stout Drive San Antonio TX 78219 mmorris@impactrecovery.com	Phone: (800) 736-5256 Cell: Fax: (210) 734-6448  www.impactrecovery.com	<b>Type III Barricade</b>    approved 1 /15/2013
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type I Barricade (Wood/Steel)</b> Type I Barricade wood/steel 8" panel only   approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type I Roadmarker Barricade (All Plastic)</b>    approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type II Barricade (Wood/Steel)</b> Type II Barricade wood/steel 8" panel only   approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type II Roadmarker Barricade (All Plastic)</b>    approved 12/3 /2012
Myers & Sons Hi-Way Safety, Inc. Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (800) 228-1701 Cell: (909) 591-1781 Fax: (909) 657-0999  www.hiwaysafety.com	<b>Type III Barricade (Wood/Steel)</b> Type III Barricade wood/steel 8" panel only   approved 12/3 /2012
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Barricade</b> Type 3B; with or without lights   approved 11/5 /2009

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	<b>O-Frame Barricade</b> Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type 3B; with or without lights	approved 11/5 /2009
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	<b>Plasticade Angle Iron Type III Barricade</b> Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	Type 3	approved 12/31/2012
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	<b>Plasticade Telespar Type III Barricade</b> Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	Type 3	approved 12/31/2012
Plasticade Henry Ross 7700 North Austin Avenue Skokie IL 60077 hross@plasticade.com	<b>Sentinel</b> Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 955-8074 www.plasticade.com		approved 2 /21/2007
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 benjamin.gascoigne@PSS-Innovations.com	<b>Anchor Barricade</b> Phone: (800) 662-6338 Cell: (216) 231-8590 Fax: (216) 231-2702 www.PSS-Innovations.com	Type 3; with or without lights	approved 5 /5 /2010
R.A. Lucas Company, Inc. Raeleen Lucas 5182 Katella Avenue Suite #104-B Los Alamitos CA 90720 lucasco@earthlink.net	<b>42" Channelizer</b> Phone: (562) 799-6160 Cell: (714) 397-4428 Fax: (562) 799-6150 ralucasco.com	Type 3; standard surface/soil mount options available	approved 1 /23/2001
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2100 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2 Cannot be used in configuration that is wider than was tested - 24"	approved 10/31/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2150 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2 Vannot be used in configuration that is wider than was tested - 24"	approved 10/31/2002

**625.03.04 BARRICADES**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2200 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2 Cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2250 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2 Cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2300 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2400 All Plastic</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3B; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2500 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2550 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2600 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 1 and type 2; cannot be used in configuration that is wider than was tested approved 10/14/2004
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	<b>TD 2650 Works Barricade</b> Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	Type 3; cannot be used in configuration that is wider than was tested approved 10/14/2004

**625.03.04 BARRICADES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 3000 A Frame Barricade</b> Type 1 and type 2 Cannot be used in configuration that is wider than was tested  approved 12/3 /2002
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290  www.traffixdevices.com	<b>Economy Plastic Folding Bar Sand Fill Bag</b> Type 3; with or without lights  approved 4 /3 /2000
Trinity Highway Products, LLC Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>2001M W/Temporary Signal Model # 2001</b> Type 3; with or without lights  approved 3 /10/2004
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>Lane Changer B500 LC Traffic Drum</b> Type 3; with or without lights  approved 7 /12/2010

**627.02.01 THERMOPLASTIC SIGN PANELS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
No Vendors at this Time *** *** ***	Phone: *** Cell: Fax:	approved 11/4 /2008

**630.02.01 HEADLIGHT GLARE SCREENS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carsonite Composites Int'l Ernest Joyner III 19845 US Highway 76 Newberry SC 29108 ernest.joyner@philips.com	Phone: (800) 648-7916 Cell: (803) 940-3034 Fax: (803) 276-8940  www.carsonite.com	<b>Modular Guidance System</b>  approved 10/1 /2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Glare Screen System</b>  approved 7 /31/1996

**630.02.01 HEADLIGHT GLARE SCREENS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane #C Ft Meyers FL 33912 jim@flexstake.com	Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	<b>Glare Screen System</b> approved 7/31/1996

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Flint Trading Incorporated QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900 www.ennisflint.com	<b>LTL-2000 discontinuing</b> 10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies approved 6/1/1999

Flint Trading Incorporated QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900 www.ennisflint.com	<b>LTL-X 30 Meter Geometry</b> approved 6/1/1999
--	--	--

Flint Trading Incorporated Ed Vodegel 115 Todd Court Thomasville NC 27360 sales@ennisflint.com	Phone: (336) 475-6600 Cell: (916) 205-7073 Fax: (336) 475-7900 www.ennisflint.com	<b>LTL-X Mark II</b> approved 9/25/2017
--	--	---

Mirolux Products Incorporated William Kaiser 12571 S. Deer Canyon Lane Draper UT 84020-3105 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	<b>Mirolux Ultra 30</b> approved 12/26/1999
---	--	---

Mirolux Products Incorporated William Kaiser 12571 S. Deer Canyon Lane Draper UT 84020-3105 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	<b>Mirolux Ultra 30 SE</b> approved 9/25/2017
---	--	---

RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>LaserLux CEN 30 LaserLux CEN 30 Mobile</b> 10/08 MX 30 Retroreflectometer was discontinued but still qualifies; 12/16 CEN 30 both the mobile and portable units have been discontinued but still qualify. approved 12/5/2016
---	---	--

RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286 www.roadvista.com	<b>LaserLux G7 Mobile</b> approved 9/25/2017
---	---	--

**632.03.05 RETROREFLECTOMETERS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286  www.roadvista.com	<b>StripeMaster Series I</b>     approved 5 /27/2010
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (888) 637-2758 Fax: (858) 576-9286  www.roadvista.com	<b>StripeMaster Series II</b>     approved 5 /27/2010

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alpine Products Bart Farrar 550 3rd Street SW Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303  www.alpinemarkings.com	<b>DDOT ABS</b>     100 mm (4") round approved 6 /2 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>929 ABS</b>     100 mm (4") round 100 mm (4") round 100 mm (4") round approved 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>929 PP</b>     100 mm (4") round 100 mm (4") round 100 mm (4") round approved 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>Ceramic</b>     100 mm (4") round 100 mm (4") round 100 mm (4") round approved 6 /1 /1999
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085  www.glowlitemarket.com	<b>W: Type A/4"</b> <b>Y: Type AY/4"</b>    100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective  W = White; Y = Yellow approved 3 /7 /2005
Hi-Way Safety Incorporated Luke de Leon 13310 5th Street Chino CA 91710 ldeleon@hiwaysafety.com	Phone: (909) 591-1781 Cell: (909) 591-1781 Fax: (909) 627-0999  www.hi-waysafety.com	<b>W: ABS DOT 4"</b> <b>Y: ABS DOT 4"</b> <b>Y: ABS DOT 4" Non R</b>   100 mm (4") round 100 mm (4") round 100 mm (4") round (non reflective)  W = White; Y = Yellow; R = Reflective approved 6 /1 /1999

**633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Interstate Sales Mike Trentman 12600 Locksley Lane, Suite 200 Auburn CA 95602 mike@interstatesales.com	Phone: (800) 237-7245 Cell: (530) 823-6070 Fax: (530) 823-0994  www.interstatesales.com	<b>Diamond Back (ABS &amp; Polypropylene)</b> 100 mm (4") round (ABS & Polypropylene)  approved 6 /1 /1999
NovaShield Industrial Incorporated Norman Yamaguchi 92 Corporate Park Suite C331 Irvine CA 92606-5106 norman@novashield.com	Phone: (714) 656-3659 Cell: Fax: (925) 215-2549  www.nvoashield.com	<b>W: ADOT Y: ADOT W: CDOT Y: CDOT</b> 100 mm (4") round 100 mm (4") round 100 mm (4") round 100 mm (4") round  W = White; Y = Yellow  approved 3 /20/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096  www.trafficwks.com	<b>TD 10000 Series</b> 100 mm (4") round  approved 12/4 /2002

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>290 Durable Raised</b> 89 mm x 100 mm (3.6"X4")  approved 6 /1 /1999
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>921 AR</b>   approved 6 /1 /1999
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>C80 FH Raised</b> 100 mm (4") round  approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>AA</b> 100 mm x 100 mm (4"X4")  approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>ARC</b> 100 mm x 100 mm (4"X4")  approved 6 /1 /1999

**633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>Round Shoulder ARC</b> 100 mm x 100 mm (4"x4")  approved 6 /1 /1999

**633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>2002</b> 58 mm x 19 mm (2.3"x4.6")  approved 6 /1 /1999

Ray-O-Lite A Division of Pac-Tec Inc Patricio Montemayor 5401 N. Sam Houston Parkway W Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506  www.rayolite.com	<b>2004</b> 58 mm x 19 mm (2.3"x4.6")  approved 6 /1 /1999
--	--	--

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>34270 Hot Applied Flexible</b>  approved 6 /16/1998

Flint Trading Incorporated QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>Bundy 12 cm X 12 cm Pad; (5" X 5") Pad</b> White color on plantmix and back color on PCCP approved 5 /4 /1998
--	--	--

Henry Company Randy Rozell 999 North Sepulveda Boulevard Suite 800 El Segundo CA 90245 rrozell@henry.com	Phone: (916) 849-9908 Cell: Fax: (858) 391-1077  www.henry.com	<b>Dotstick Bituminous</b>  approved 9 /29/2003
--	--	--

Martin Asphalt Dolly Navarrete 300 Christy Place South Houston TX 77587 dnavarrete@martinmlp.com	Phone: (713) 941-4410 Cell: (713) 818-1005 Fax: (713) 947-4906  www.martinaspalt.com	<b>172542 Evergrip Bituminous</b>  approved 6 /15/1998
--	--	---

**633.02.04 PAVEMENT MARKERS ADHESIVE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Martin Asphalt Company Dolly Navarrete 300 Christy Place South Houston TX 77587 dolly.navarrete@martinmlp.com	Phone: (713) 943-5210 Cell: (713) 941-4410 Fax: (713) 947-4908  www.martinasphalt.com	<b>Evergrip Flexible GTR BMA</b>    approved 6 /15/2016
Seal Bond Kelly Barnes 14851 Michael Lane Spring Lake MN 49456 kbarnes@seal-bond.com	Phone: (800) 252-4144 Cell: Fax: (616) 850-0530  www.seal-bond.com	<b>SB 9113 Traffic Reflector Adhesive</b>    approved 9 /25/2017

**633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Universal Incorporated Steve Edsinga 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 805-3839 Fax: (562) 944-2298  www.apexmarker.com	<b>Apex Chip Seal / Overlay Marker</b>    approved 1 /8 /2013
Glowlite Incorporated Edward and John Fei 1861 West La Habra Boulevard #230 La Habra CA 90631 info_glowlite@yahoo.com	Phone: (626) 336-6086 Cell: Fax: (626) 336-6085  www.glowlitemarker.com	<b>W: Type 932 (1-way)</b> <b>Y: Type 932 (2-way)</b>  100 mm (4") round (ceramic and plastic/PP) 100 mm (4") round (ceramic and plastic/PP) NR=Non Reflective; W = White; Y = Yellow  approved 3 /7 /2005
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Halftrack Model 25</b>   Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>Halftrack Model 26</b>   Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>TOM</b>   Work zone pavement markers  approved 11/29/2000
Pexco LLC / Davidson Traffic Cntrl Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080  www.pexco.com	<b>TRPM (Temporary Overlay)</b>   Work zone pavement markers  approved 11/29/2000



**637.03.02 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Alon Asphalt Bakersfield Jim Ryan 1201 China Grade Loop/PO Box 5655 Bakersfield CA 93388 jim.ryan@alonusa.com	<b>Phone:</b> (661) 392-3630 <b>Cell:</b> (661) 978-9357 <b>Fax:</b> (661) 399-1054  www.alonasphalt.com	<b>Topein S Emulsion</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /28/2002
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	<b>Phone:</b> (800) 527-2101 <b>Cell:</b> (214) 415-3984 <b>Fax:</b> (972) 247-7111  www.arrowmagnolia.com	<b>Road Boss</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 11/8 /2005
Dallas Roadway Products, Inc. Ellyn Neal-Favors 15305 Dallas Parkway Suite 300 Addison TX 75001 dallasroadway@yahoo.com	<b>Phone:</b> (972) 803-6708 <b>Cell:</b> (702) 405-0351 <b>Fax:</b> (972) 596-8418  www.dallasroadway.com	<b>Dust Control DC-22</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 6 /19/2006
Eco-Infrastructure Solutions, LLC Greg Martinez 701 North St. Vrain Street El Paso TX 79902 greg@eco-infrastructuresolutions.com	<b>Phone:</b> (915) 276-0879 <b>Cell:</b> <b>Fax:</b> (915) 276-0879  www.eco-infrastructuresolutions.com	<b>DustStop</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 5 /6 /2010
EnviRoad, LLC Swayne Walther 2606 North Newark Street Portland OR 97217 swayne@enviroad.com	<b>Phone:</b> (800) 536-2650 <b>Cell:</b> (503) 279-2606 <b>Fax:</b> (503) 279-2621  www.enviroad.com	<b>Earthbind 100</b>  Application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	<b>approved</b> 3 /17/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (800) 369-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959  www.envirotechservices.com	<b>Lignin (Ammonium Lignosulfonate)</b>  Application and dilution rates follow manufacturer's instructions; surface preparation is required according to manufacturer's instructions; soil clay content at the surface on which product is applied must be at least 5%	<b>approved</b> 8 /26/2003
EnviroTech Services Incorporated Charles Sherven 3705 Lamay Lane Reno NV 89511 csherven@envirotechservices.com	<b>Phone:</b> (775) 852-3878 <b>Cell:</b> (775) 852-3878 <b>Fax:</b> (970) 346-3959  www.envirotechservices.com	<b>RoadSaver</b>	<b>approved</b> 5 /7 /2015
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Phone:</b> (702) 871-1884 <b>Cell:</b> (702) 871-7976 <b>Fax:</b> (702) 871-3629  www.fluid-tech-inc.com	<b>Trans Seal I</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 1 /3 /2002

**637.03.02 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>Phone:</b> (562) 592-0836 <b>Cell:</b> (949) 533-6799 <b>Fax:</b> (949) 722-6799  gmbostoncompany.com	<b>PX 300</b>  Application and dilution rates follow manufacturer's instructions; application and dilution rate: 20 gal of water / 1 gal of product per 200 square feet of area  approved 6 /10/2003
Hercules Environmental, Inc. Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531  www.HerculesEnvironmental.com	<b>Hercules Pam Soiloc-MQ-Dust Suppressant</b>  Application and dilution rates follow manufacturer's instructions; application rate of diluted mixture 0.35m2 / L (14 sq.ft. / gal.)  approved 5 /2 /1999
Innovative Turf Solutions Melissa Schrad 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633  www.innovativeturfsolutions.com	<b>EnviroPam (powder) EnviroPam L (liquid)</b>  Application and dilution rates follow manufacturer's instructions  approved 2 /16/2011
LSC Environmental Products Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>Earth Bound</b>  approved 2 /16/2011
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>EarthGuard</b>  Application and dilution rates follow manufacturer's instructions  approved 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>EarthGuard Fiber Matrix</b>  Application and dilution rates follow manufacturer's instructions  approved 11/2 /2001
Midwest Industrial Supply, Inc. Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247  www.midwestind.com	<b>EnviroKleen</b>  Application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal  approved 1 /13/2000
Midwest Industrial Supply, Inc. Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind	<b>Phone:</b> (330) 456-3121 <b>Cell:</b> <b>Fax:</b> (330) 456-3247  www.midwestind.com	<b>Soil Sement</b>  Application and dilution rates follow manufacturer's instructions; application rate: initial treatment 50-120 sq ft / gal; maintenance application: 120-500 sq ft/gal  approved 1 /13/2000

**637.03.02 DUST PALLIATIVE (OPTIONAL)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Plas-Bond</b>	Application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic <b>approved</b> 11/13/2000
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89136 daniel@nuequipment.com Phone: (702) 649-8767 Cell: (702) 325-2323 Fax: (702) 649-8446 www.nuequipment.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions; should be ONLY used in areas that will not be disturbed by vehicle or foot traffic <b>approved</b> 11/13/2000
Pennzsuppress Corporation Emily Montgomery PO Box 543173 Grand Prairie TX 75054 emily.montgomery@pennzsuppress.com Phone: (469) 853-6168 Cell: Fax: (817) 652-2215 www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b>	Application and dilution rates follow manufacturer's instructions; application rate: 0.9 m2/L (36 sq ft / gal) (apply twice); can be used in travel-ways ONLY; application is restricted from within 50 feet of any body of water. <b>approved</b> 5 /2 /1999
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Plas-Tex</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 12/10/2003
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com Phone: (702) 873-2023 Cell: (702) 210-2020 Fax: (702) 873-0915 www.soil-tech.com	<b>Poly-Tex</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 12/10/2003
Soilworks, LLC Chad Falkenberg 7580 N. Dobson Road, Suite 320 Scottsdale AZ 85256 info@soilworks.com Phone: (800) 545-5420 Cell: (480) 545-5454 Fax: (480) 545-5456 www.soilworks.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 9 /20/2004
US Gypsum Company Kym Heitke 550 West Adams Street Chicago IL 60661-3076 kheitke@usg.com Phone: (916) 966-0639 Cell: (916) 417-5048 Fax: (916) 966-0634 www.usg-erosioncontrol.com	<b>Dust Armour</b>	Application and dilution rates follow manufacturer's instructions <b>approved</b> 8 /28/2006

**641.02.01 IMPACT ATTENUATORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559 www.TrinityHighway.com	<b>Quad Guard Standard</b>	TL-3 Compliant <b>approved</b> 6 /30/2008

**641.02.01 IMPACT ATTENUATORS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>Quad Guard Wide (69/90)</b> TL-3 Compliant    approved 6 /15/1998
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>QuadGuard Elite 8 Bay</b> TL-3 Compliant    approved 6 /30/2008
Energy Absorption Systems, Inc. Don Gripne 2525 North Stemmons Freeway Dallas TX 75207 Don.Gripne@trin.net	Phone: (360) 943-9559 Cell: (360) 561-3966 Fax: (360) 943-9559  www.TrinityHighway.com	<b>React 350 (60/96/120)</b> TL-3 Compliant    approved 6 /15/1998
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Universal Tau II</b> TL-3 Compliant    approved 8 /22/2011
Lindsay Transportation Solutions / Barrier Systems Vance Ezell 3049 Golden State Frontage Rd Fresno CA 93725 vezell@stssi.com	Phone: (559) 999-5015 Cell: Fax:  www.barriersystemsinc.com	<b>Universal Tau IIR</b> TL-3 Compliant    approved 8 /22/2011
Work Area Protection Corporation Jeffery Smith 2500 Production Drive St. Charles IL 60174 workarea@workareaprotection.com	Phone: (800) 327-4417 Cell: (630) 330-8063 Fax: (630) 377-9270  www.workareaprotection.com	<b>SCI100GM</b> MASH approved, TL-3 Compliant; Approved at all speeds.    approved 2 /23/2007

**642.02.02 CONCRETE PANEL WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Hilfiker Retaining Wall Lauren Blankinship 1902 Hilfiker Lane Eureka CA 95503 lauren@hilfiker.com	Phone: (800) 762-8962 Cell: (707) 443-5093 Fax: (707) 443-2891  www.hilfiker.com	<b>Reinforced Soil Embankment Wall</b>    approved 9 /8 /1998

**642.02.02 CONCRETE PANEL WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  www.reinforcedearth.com	<b>Reinforced Earth Lrg Wall</b>     approved 2 /7 /2001
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  www.reinforcedearth.com	<b>Retained Earth</b>     approved 2 /7 /2001
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Earth</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Large Wall Panel</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
SSL, LLC Andrew Thompson 4740 Scotts Valley Drive Suite E Scotts Valley CA 95066 andrewt@mseplus.com	Phone: (831) 430-9300 Cell: (831) 331-6199 Fax: (831) 430-9340  www.mseplus.com	<b>MSE Plus</b>     Modified panels required; W24 longitudinal wire not permitted approved 5 /6 /2002
Tensar International Corporation Jong Lee 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 jlee@tensarcorp.com	Phone: (770) 344-2090 Cell: (951) 312-0251 Fax: (770) 968-9881  www.tensar-international.com	<b>Ares Retaining Precast Wall</b>     approved 6 /11/1998
Vist-A-Wall Systems Brian Nami 650 Justice Lane Mansfield TX 76063 brian.nami@vistawallsystems.com	Phone: (817) 507-0200 Cell: (281) 923-5565 Fax: (817) 507-0197  www.vistawallsystems.com	<b>Stabilized Earth Walls</b>     approved 8 /28/2013

**642.02.03 SEGMENTAL BLOCK WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Jensen Precast Frank Nunes 625 Bergin Way Sparks NV 89431-5803 fnunes@jensenprecast.com	Phone: (800) 431-9308 Cell: (775) 352-6345 Fax: (775) 359-1038  www.jensenprecast.com	<b>Redi-Rock</b>     Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications approved 7 /23/2009

**642.02.03 SEGMENTAL BLOCK WALL SYSTEMS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Reinforced Earth Company Jacques Bloomfield 23161 Mill Creek Drive #315 Laguna Hills CA 92653 jbloomfield@reinforcedearth.com	Phone: (949) 689-9023 Cell: Fax:  www.reinforcedearth.com	<b>Pyramid</b> Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications approved 9 /30/1994
Super Lite Block Estrella Cotto 3565 East Bost Road Suite 108 Las Vegas NV 89021 estrella.cotto@oldcastleapg.com	Phone: (866) 758-3427 Cell: (702) 255-6364 Fax:  www.keystonewalls.com	<b>KeySteel SQFT MSE Panel</b> Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 640.02.03 NDOT specifications approved 5 /15/2002
Tensar International Corporation Jong Lee 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 jlee@tensarcorp.com	Phone: (770) 344-2090 Cell: (951) 312-0251 Fax: (770) 968-9881  www.tensar-international.com	<b>MESA</b> Permitted only when specified in the contract documents as an acceptable product approved 1 /1 /2012

**646.02.02 CRACK SEALANTS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Euclid Chemical Company Christopher Balsat 19320 Redwood Road Cleveland OH 44110 cbalsat@euclidchemical.com	Phone: (800) 321-7628 Cell: Fax: (216) 531-9399  www.euclidchemical.com	<b>Dural 50</b> approved 8 /29/2009
Liquid Concrete K.C. Sullivan 16915 SE 272 Street Suite 100-143 Covington WA 98042 kcs@liquidconcrete.com	Phone: (800) 201-9300 Cell: (206) 321-0702 Fax: (877) 349-1922  www.liquidconcrete.com	<b>Ure-Kote R-60</b> approved 7 /11/2007
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax:  usa.sika.com	<b>Sikadur 55 SLV</b> approved 6 /15/2016
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  www.unitex-chemicals.com	<b>Bridge Seal 75%</b> approved 8 /29/2009

**646.02.05 LIQUID MEMBRANE**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**646.02.05 LIQUID MEMBRANE****Vendor Name / Address****Product Name****Remarks**

Bridge Preservation, LLC Bill Kudrenski PO Box 10223 Kansas City MO 64171 bridgepreserve@aol.com	Phone: (905) 945-3646 Cell: (716) 691-3301 Fax: (905) 945-1374  www.rjwatson.com	<b>Bridge Deck Membrane (BDM)</b>	approved 9 /25/2017
--	--	-----------------------------------	------------------------

Poly-Carb Incorporated Paul Frazier 33095 Bainbridge Road Solon OH 44139 paul@poly-carb.com	Phone: (800) 225-5649 Cell: (440) 954-1552 Fax: (440) 248-1513  www.poly-carb.com	<b>Uregrid Waterproof Membrane (Spray Applied)</b>	approved 9 /25/2017
---	---	--	------------------------

**702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)****Vendor Name / Address****Product Name****Remarks**

Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488  www.atlasform.com	<b>Atlas Res-Cure</b>	ASTM C309 Type 1D approved 9 /2 /2008
--	---	-----------------------	---

Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax:  www.daytonsuperior.com	<b>Resin Cure w/Dye J11WD</b>	ASTM C309 Type 1D approved 1 /8 /2010
--	--	-------------------------------	---

US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426  www.usspec.com	<b>US SPEC MaxCure Resin Clear</b>	ASTM C309 Type 1D approved 2 /6 /2006
---	--	------------------------------------	---

W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206  www.wrmeadows.com	<b>1100 Clear</b>	ASTM C309 Type 1D approved 8 /20/2008
--	---	-------------------	---

W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206  www.wrmeadows.com	<b>1300 Clear</b>	ASTM C309 Type 1D approved 8 /20/2008
--	---	-------------------	---

White Cap Steve LaForge 1830 East Lincoln Way Sparks NV 89434 stevelaforge@whitecap.net	Phone: (775) 353-3333 Cell: Fax: (775) 353-3300  www.whitecapdirect.com	<b>Resin Cure - Clear VOC</b>	ASTM C309 Type 1D approved 9 /4 /2008
---	---	-------------------------------	---

**702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Pro-Cure White</b> PCCP ASTM C309, Type 2, Class A approved 9 /2 /2008
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.daytonsuperior.com	<b>White Wax Cure J9A</b> PCCP ASTM C309, Type 2, Class A approved 8 /29/2008
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	Phone: (800) 321-7628 Cell: (216) 692-8305 Fax: (216) 531-9399 www.euclidchemical.com	<b>Kurez Vox White</b> PCCP ASTM C309, Type 2, Class A approved 8 /21/1997
SpecChem John Love 1511 Baltimore Ave Ste 600 Kansas City MO 64108 jlove@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 713-2241 Fax: (816) 561-4021 www.specchemllc.com	<b>Atlas Pro-Cure White</b> approved 1 /22/2014
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City KS 64108 cbuchanan@specchemllc.com	Phone: (913) 233-9700 Cell: Fax: www.specchemllc.com	<b>Pavecure WW</b> PCCP ASTM C309, Type 2, Class A approved 2 /18/2008
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	<b>US SPEC MaxCure Wax White</b> PCCP ASTM C309, Type 2, Class A approved 7 /2 /2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>1600 White</b> PCCP ASTM C309, Type 2, Class A approved 8 /21/2008

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	<b>Atlas Pro-Cure AMS</b> Bridge Decks ASTM C309, Type 2, Class B approved 9 /2 /2008

**702.03.04 CURING COMPOUND (BRIDGE DECK)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.daytonsuperior.com	<b>DSSCC White PAMS Cure</b> Bridge Decks ASTM C309, Type 2, Class B Bridge Decks ASTM C309, Type 2, Class B approved 6 /17/2008
SpecChem, LLC John Love 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 jlove@specchemllc.com	Phone: (816) 968-5600 Cell: (913) 713-2241 Fax: (816) 561-4029 www.specchemllc.com	<b>Atlas Pro-Cure AMS</b> approved 1 /22/2014
SpecChem, LLC Colin Buchanan 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 cbuchanan@specchemllc.com	Phone: (913) 233-9700 Cell: Fax: www.specchemllc.com	<b>Pave Cure AMS</b> approved 5 /7 /2013
US Mix Company Andrew Beaty 112 South Santa Fe Drive Denver CO 80223 abeaty@usmix.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	<b>US SPEC AMS 3754 White</b> Bridge Decks ASTM C309, Type 2, Class B approved 6 /17/2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>2245 Bridge Deck Cure</b> Bridge Decks ASTM C309, Type 2, Class B approved 8 /21/2008
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>2250 White</b> Bridge Decks ASTM C309, Type 2, Class B approved 8 /21/2008

**702.03.05 POZZOLANS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Boral Material Technologies, LLC Melissa Garcia 45 NE Loop 410, Suite 700 San Antonio TX 78216 melissa.garcia@boral.com	Phone: (210) 349-4069 Cell: (210) 241-1595 Fax: (210) 491-3413 www.boralflyash.com	<b>Boral Micron 3 Fly Ash Class F</b> Plant: Rockdale, TX approved 2 /17/2010
Boral Material Technologies, LLC Melissa Garcia 45 NE Loop 410, Suite 700 San Antonio TX 78216 melissa.garcia@boral.com	Phone: (210) 241-1595 Cell: (210) 349-4069 Fax: (210) 491-3413 www.boralflyash.com	<b>Plant Apache Class F Fly Ash</b> approved 6 /15/2016

**702.03.05 POZZOLANS**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Headwaters Resources Larry Bronson P.O. Box 50192 Henderson NV 89016 LBronson@headwaters.com	Phone: (702) 547-6941 Cell: (702) 498-4797 Fax: (702) 547-6941  www.flyash.com	<b>Class F Fly Ash</b> Class F Fly Ash Sources: Plant: Delta Plant, UT Plant: Navajo Plant, Page, AZ Plant: Bridger Plant, WY
Nevada Cement Company Scott Murphy I-80 Exit 46, PO Box 840 Fernley NV 89408 smurphy@nevadacement.com	Phone: (775) 575-2281 Cell: (775) 232-4508 Fax: (775) 575-4387  www.nevadacement.com	<b>Pozzolan Class "N"</b> Class N
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-2728  www.srmaterials.com	<b>Bonanza Class F Fly Ash</b>
Salt River Materials Group - Phoenix Cement Co Jeff Hearne 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 jhearne@srmaterials.com	Phone: (480) 850-5757 Cell: (602) 321-6040 Fax: (480) 850-2728  www.srmaterials.com	<b>Pozzolan Class F</b> Plant: Cholla Plant, Joseph City, AZ Plant: Four Corners Plant, Fruitland, NM Plant: Gallup Plant, Gallup, NM Plant: San Juan Plant, Waterflow, NM
Whitemud Resources Incorporated Thomas O' Neill Bow Valley Square 2 205 - 5 Avenue SW Suite 3900 Calgary, AB, T2P 2V7 Canada info@whitemudresources.com	Phone: (403) 441-8206 Cell: (403) 266-1985 Fax: (403) 263-5035  www.whitemudresources.com	<b>Whitemud</b>

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513  www.crafco.com	<b>Roadsaver Silicone SL</b>
Dow Corning Corporation Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dowcorning.com	Phone: (989) 496-6833 Cell: (303) 880-9614 Fax: (303) 484-6206  www.dowcorning.com	<b>890 SL</b>

**707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
DS Brown Company Ben Jacobus 300 East Cherry Street North Baltimore OH 45872 bjacobus@dsbrown.com	Phone: (800) 848-1730 Cell: (651) 748-8114 Fax: (651) 748-8115  www.dsbrown.com	<b>DSB 900 SL Silicone</b> SL = Self Leveling  approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286  www.pecora.com	<b>Pecora 300</b>  approved 9 /15/2001
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax:  usa.sika.com	<b>Sikasil 728 SL</b>  approved 4 /10/2006
Tremco Incorporated Technical Services 3735 Green Road Beachwood OH 44122 tscs@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535  www.tremcosealants.com	<b>Spectrem 900 SL Formula 974831 w/ 333 Cartridges</b> SL = Self Leveling  approved 5 /31/2002

**714.03.01b COATING SYSTEMS FOR BRIDGES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Carboline Company Debbie Simmons 2150 Schuetz Road Maryland Heights MO 63146 dlsimmons@carboline.com	Phone: (314) 644-1000 Cell: (770) 846-1318 Fax: (314) 587-2693  www.carboline.com	<b>Use the System in Remarks</b> Shop Coat: Carbozinc 11, Part A: Base Part B: Zinc Filler. 1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy-Part A: Resin Part B: Catalyst. Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane-Part A: Resin Part B: Urethane Converter 811  approved 12/30/1998
International Paint, LLC Dan Griffin 5606 Raintree Ridge Jeffersonville IN 47130 daniel.griffin@internationalpaint.com	Phone: (800) 525-6824 Cell: (281) 684-5203 Fax: (812) 256-6733  www.international-pc.com	<b>Use the System in Remarks</b> Shop Coat: Interzinc 22HS Primer, Part A: QH5055H Part B: QH5056H 1st Field Coat: Interguard 475HS - Part A: EVA010 PartB: EVA046 Top Coat: Interthane® 990HS - Part A: 99010A Part B: 870HS/990HS  approved 1 /10/2005
PPG Protective & Marine Coatings Tod Savage 1934 Aspen Lane El Cajon CA 92019 tod.savage@ppg.com	Phone: (619) 633-8406 Cell: (619) 633-8406 Fax:  www.ppgpmc.com	<b>Use the System in Remarks</b> Shop Coat: Dimetcote 9 Inorganic Zinc, Part A: Base Part B: Zinc Dust 1st Field Coat: Amercoat® 385 Multi-Purpose Epoxy - PartA: Resin Part B: Cure Top Coat: Amercoat 450 H Aliphatic Polyurethane - Part A: Resin Part B: Cure  approved 5 /21/2008
Sherwin Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>Use the System in Remarks</b> Shop Coat: Zinc Clad II, Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150  approved 12/30/1998

**716.03.01a REFLECTIVE SHEETING (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3300 Flex P</b>  Type IV  for Barricades and Cones	approved 9 /10/2010
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>334</b>  Type IV  for Barricades ONLY and Permanent Traffic	approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3924S</b>  Type IV  for Barricades ONLY and Permanent Traffic	approved 12/1 /2004
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3930</b>  Type IV  for Barricades ONLY and Permanent Traffic	approved 12/1 /2004
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>T6500 P HI</b>  Type IV  for temporary traffic control devices, delineators and permanent signs ONLY	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>W6000 P</b>  Type IV  for temporary traffic control devices, delineators and permanent signs ONLY	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>W7514 F</b>  Type IV  for temporary traffic control devices, delineators and permanent signs ONLY	approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>WR-7100 White R</b>  Type IV  F= Fluorescent; R= Reboundable	approved 3 /31/2011

**716.03.01a REFLECTIVE SHEETING (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>WR-7114 Orange FR</b> Type IV F= Fluorescent; R= Reboundable  approved 3 /31/2011
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Oralite 5900 High Intensity Prismatic All Colors</b> Type IV  approved 2 /5 /2013
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Oralite 5900 White and Yellow Intensity Prismatic</b> Type IV  approved 2 /5 /2013
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Resilience Channelizer Tape</b> Type IV for use in construction work zones on drums, cones, tubes, posts, and vertical panels  approved 4 /6 /2011

**716.03.01b REFLECTIVE SHEETING (TYPE V)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE AP 1000</b> Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.  approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE AR 1000</b> Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.  approved 4 /8 /1999

**716.03.01c REFLECTIVE SHEETING (TYPE VI)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Company, Traffic Safety Security Division Eric Dornak P.O. Box 23139 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (701) 743-0012 Cell: Fax:  www.3m.com/tss	<b>RS60/641 Roll-Up Signs</b> Type VI  approved 12/28/2016

**716.03.01c REFLECTIVE SHEETING (TYPE VI)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3340 Cone</b> Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>RS-24* Roll-up</b> Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>RS-34* Roll-up</b> Type VI for Barricades ONLY and Permanent Traffic; *Roll-up Signs approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>S9000C Cone Collar</b> Type VI for reboundable traffic cones ONLY approved 2 /2 /2004
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Marathon Roll-up</b> Type VI for use in emergency traffic control construction work zones and utility work areas approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>ORALITE Super Bright Roll-Up</b> Type VI for use in emergency traffic control construction work zones and utility work areas approved 4 /8 /1999
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	Phone: (800) 654-7570 Cell: Fax: (800) 895-0951  www.orafolamericas.com	<b>Reflective Flag*</b> Type VI *for flagger poles ONLY approved 4 /6 /2011

**716.03.01d REFLECTIVE SHEETING (TYPE IX)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>3910 FL DG</b> Type IX for permanent traffic signs; FL=Flourescent, DG=Diamond Grade approved 8 /16/2000

**716.03.01d REFLECTIVE SHEETING (TYPE IX)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>3911 FL Y DG</b> Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Type IX for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>3914 FL DG</b> Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Type IX for permanent traffic signs; FL=Florescent, DG=Diamond Grade approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	<b>3990 VIP DG</b> Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	Type IX DG=Diamond Grade approved 9 /10/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>OV T9500</b> Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	Type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>OV T9511</b> Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	Type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>OV T9513</b> Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	Type IX OV=OmniView approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	<b>OV T9514</b> Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688 www.reflectives.averydennison.com	Type IX OV=OmniView approved 7 /10/2001
ORAFOL Americas, Inc. Rebecca Cavazuti 120 Darling Drive Avon CT 06001 reflective-americas@orafol.com	<b>Oralite 5930 Flourescent Orange Work Zone Rigid</b> Phone: (800) 654-7570 Cell: Fax: (800) 895-0951 www.orafolamericas.com	Type IX approved 2 /5 /2013

**716.03.01e REFLECTIVE SHEETING TYPE XI)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**716.03.01e REFLECTIVE SHEETING TYPE XI)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>4000 DG3</b> Type XI B=Barricade; WZ=Work Zones  approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>4080 DG3 WZ</b> Type XI B=Barricade; WZ=Work Zones  approved 8 /16/2000
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>444 DG3 B</b> Type XI B=Barricade; WZ=Work Zones  approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11500</b> Type XI OC=OmniCube  approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11511</b> Type XI OC=OmniCube  approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11513</b> Type XI OC=OmniCube  approved 7 /29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (847) 588-7257 Fax: (847) 588-7688  www.reflectives.averydennison.com	<b>OC T11514</b> Type XI OC=OmniCube  approved 7 /29/2010

**726.03.04 HERBICIDES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Control Solutions Incorporated Howard Stoddard 5903 Genoa-Red Bluff Road Pasadena TX 77507-1041 orders@controlsolutionsinc.com	Phone: (800) 242-5562 Cell: (281) 892-2500 Fax: (281) 892-2501  www.controlsolutionsinc.com	<b>Pramitol 25E</b> Application rate: 38L/hectare 25 gal/acre  approved 8 /1 /1993

**726.03.04 HERBICIDES**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Dow AgroSciences, LLC Beau Miller 9330 Zionsville Road Indianapolis IN 46268 bjmiller@dow.com	Phone: (916) 525-2633 Cell: (916) 296-2811 Fax: (866) 373-4252  www.dowagro.com	<b>Spike 80 DF</b> Application rate: 1.8 kg/hectare 10 lbs/acre; DF is a dry formula with safer application W is a wet formula approved 8 /2 /1993

**726.03.07 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Excelsior Company Kurt Kelsey 831 Pioneer Avenue Rice Lake WI 54868 kkelsey@erosionlab.com	Phone: (715) 236-5643 Cell: (715) 234-6861 Fax: (715) 236-5627  www.curlex.com	<b>Bindex BFM</b> Application and dilution rates follow manufacturer's instructions approved 3 /28/2013
Central Fiber Jeff Ward 1525 Waynesburg Dr, SE Canton OH 44707 sales@centralfiber.com	Phone: (330) 452-2630 Cell: Fax: (330) 452-2644  www.centralfiber.com	<b>Spraymatrix</b> approved 2 /26/2015
Central Fiber Jeff Ward 1525 Waynesburg Dr, SE Canton OH 44707 sales@centralfiber.com	Phone: (330) 452-2630 Cell: Fax: (330) 452-2644  www.centralfiber.com	<b>Spraymatt</b> approved 2 /25/2015
Fiber Marketing International, Inc. Earl Dahlin 11111 East Trent Spokane WA 99206 earl@fmisales.com	Phone: (206) 459-4942 Cell: (509) 927-4071 Fax: (509) 927-2330  www.fmisales.com	<b>Rainier Fiber Bonded Fiber Matrix</b> approved 6 /15/2016
Fiber Marketing International, Inc. Earl Dahlin 11111 East Trent Spokane WA 99206 earl@fmisales.com	Phone: (206) 459-4942 Cell: (509) 927-4071 Fax: (509) 927-2330  www.fmisales.com	<b>Rainier Fiber Premium Wood Fiber Mulch</b> approved 6 /15/2016
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447  www.hmi-mfg.com	<b>NaturesOwn Evolution 70 NaturesOwn Mulch</b> Application and dilution rates follow manufacturer's instructions approved 6 /25/1998
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447  www.hmi-mfg.com	<b>NaturesOwn Evolution NaturesOwn X9000 Mulch</b> Application and dilution rates follow manufacturer's instructions approved 6 /25/1998

## 726.03.07 MULCH

<i>Vendor Name / Address</i>		<i>Product Name</i>	<i>Remarks</i>	
Hamilton Manufacturing, Inc. (HMI) Christy Hamilton Eames 901 Russet Street Twin Falls ID 83301 christy@hmi-mfg.com	Phone: (208) 733-9689 Cell: Fax: (208) 733-9447  www.hmi-mfg.com	<b>NaturesOwn Mulch with Tac NaturesOwn Mulch</b>	Application and dilution rates follow manufacturer's instructions	approved 4 /4 /2012
Hydrostraw, LLC Ronald Edwards 22110 S. SR 27 Rockford WA 99030 ron@hydrostraw.com	Phone: (800) 545-1755 Cell: Fax: (815) 468-7450  www.hydrostraw.com	<b>Bonded Fiber Matrix Guar Plus Formulation</b>	Application and dilution rates follow manufacturer's instructions	approved 8 /30/2011
Hydrostraw, LLC Ronald Edwards 22110 S. SR 27 Rockford WA 99030 ron@hydrostraw.com	Phone: (800) 545-1755 Cell: Fax: (815) 468-7450  www.hydrostraw.com	<b>Hydrostraw Original</b>	Application and dilution rates follow manufacturer's instructions	approved 2 /3 /2009
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard</b>	Application and dilution rates follow manufacturer's instructions	approved 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard Fiber Matrix</b>	Application and dilution rates follow manufacturer's instructions	approved 11/2 /2001
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>Conwed 1000</b>	Application and dilution rates follow manufacturer's instructions	approved 12/18/2008
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>Flexterra HP FGM</b>	Application and dilution rates follow manufacturer's instructions	approved 12/18/2008
Profile Products, LLC Sandra House 1525 Waynesburg Dr. SE Canton OH 44707 shouse@profileproducts.com	Phone: (330) 452-2630 Cell: (847) 215-1144 Fax: (847) 215-0577  www.profileproducts.com	<b>Second Nature Paper Fiber</b>	Application and dilution rates follow manufacturer's instructions	approved 6 /25/1998

**726.03.07 MULCH**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Profile Products, LLC Sandra House 750 Lake Cook Road, Suite 440 Buffalo Grove IL 60089 shouse@profileproducts.com	Phone: (847) 215-1144 Cell: (603) 601-6885 Fax: (847) 215-0577  www.profileproducts.com	<b>TerraMulch Wood Fiber</b> Application and dilution rates follow manufacturer's instructions  approved 12/18/2008
Tensor/North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensorcorp.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247  www.nagreen.com	<b>Hydra CM Steep Slope</b> Application and dilution rates follow manufacturer's instructions  approved 2 /27/2012
Tensor/North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensorcorp.com	Phone: (800) 772-2040 Cell: Fax: (812) 867-0247  www.nagreen.com	<b>Hydra CX2 Extreme Slope</b> Application and dilution rates follow manufacturer's instructions  approved 2 /27/2012

**726.03.08 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Apex Resources Incorporated Viny Gupta 5546 Shepherdsville Road Louisville KY 40228 viny@apexr.com	Phone: (502) 964-7521 Cell: Fax: (502) 964-7520  www.apexr.com	<b>DustFloc</b>   approved 3 /27/2017
Chemstar (aka Golden Gate) Bob Johnson 3915 Hiawatha Avenue Minneapolis MN 55406-3203 bob.johnson@chemstar.com	Phone: (303) 986-4343 Cell: Fax: (303) 986-4747  www.chemstar.com	<b>StarTac 100</b>   approved 3 /27/2017
Chemstar (aka Golden Gate) Bob Johnson 3915 Hiawatha Avenue Minneapolis MN 55406-3203 bob.johnson@chemstar.com	Phone: (303) 986-4343 Cell: Fax: (303) 986-4747  www.chemstar.com	<b>StarTac 600</b>   approved 3 /27/2017
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799  gmbostoncompany.com	<b>PX 300</b> Application and dilution rates follow manufacturer's instructions  approved 6 /10/2003
HydroStraw, LLC Ron Edwards 22110 S State Route 27 Rockford WA 99030 ron@hydrostraw.com	Phone: (800) 545-1755 Cell: (509) 291-6000 Fax: (815) 468-7450  www.hydrostraw.com	<b>HydroStraw Fiber RX</b>   approved 3 /24/2017

**726.03.08 TACKIFIER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Innovative Turf Solutions Melissa Schrard 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	Phone: (513) 317-8311 Cell: Fax: (513) 672-9633  www.innovativeturfsolutions.com	<b>EnviroPam (powder)</b> <b>EnviroPam L (liquid)</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517  www.soilmoist.com	<b>FI-1045</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 2 /3 /2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517  www.soilmoist.com	<b>FI-1046</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 2 /3 /2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	Phone: (800) 962-4010 Cell: (216) 475-8488 Fax: (216) 475-6517  www.soilmoist.com	<b>FI-3500</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 2 /3 /2010
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 11/2 /2001
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	Phone: (800) 800-7671 Cell: (661) 617-7335 Fax: (661) 587-6806  www.lscenv.com	<b>EarthGuard Fiber Matrix</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 11/2 /2001
Pennzsuppress Corporation Emily Montgomery PO Box 543173 Grand Prarie TX 75054 emily.montgomery@pennzsuppress.com	Phone: (469) 853-6168 Cell: Fax: (817) 652-8815  www.pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 5 /19/2004

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Alon Asphalt Bakersfield Jim Ryan 1201 China Grade Loop/PO Box 5655 Bakersfield CA 93388 jim.ryan@alonusa.com	Phone: (661) 392-3630 Cell: (661) 978-9357 Fax: (661) 391-1054  www.alonasphalt.com	<b>Topein S Emulsion</b> Application and dilution rates follow manufacturer's instructions <b>approved</b> 2 /28/2002

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	<b>Road Boss</b> Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	Application and dilution rates follow manufacturer's instructions	approved 11/8 /2005
ENCAP, LLC Shannon Homme 3921 Algoma Road Green Bay WI 54311 accountservices@encap.net	<b>PAM-12 PLUS</b> Phone: (877) 405-5050 Cell: (920) 217-0281 Fax: (920) 406-9740 www.enceppro.com/index.php/products/	Application and dilution rates follow manufacturer's instructions	approved 3 /10/2008
EnviRoad, LLC Swayne Walther 2606 North Newark Street Portland OR 97217 swayne@enviroad.com	<b>Earthbind 100</b> Phone: (800) 536-2650 Cell: (503) 279-2606 Fax: (503) 279-2621 www.enviroad.com	Application and dilution rates follow manufacturer's instructions; can be used ONLY for traffic and staging areas; cannot be used on vacant lands, buffer zone is required, product cannot be used within 50 yards of any body of water	approved 3 /17/2003
Evonik Stockhausen, LLC Lynn Royal 2401 Doyle Street Greensboro NC 27406 lynn.4oyql@evonik.com	<b>HydroPam</b> Phone: (336) 335-3781 Cell: Fax: (251) 443-4840 www.evonik.com	Application and dilution rates follow manufacturer's instructions	approved 3 /1 /2010
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Road Oyl</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Soil Seal</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
Fluid Tech Incorporated Scott Rowsell 2865 South Jones Boulevard Suite 200 Las Vegas NV 89146 srowsell@fluid-tech-inc.com	<b>Trans Seal I</b> Phone: (702) 871-1884 Cell: (702) 871-7976 Fax: (702) 871-3629 www.fluid-tech-inc.com	Application and dilution rates follow manufacturer's instructions	approved 1 /3 /2002
G.M. Boston Company International, LLC Craig Hoad PO Box 121 Sunset Beach CA 90742-0121 craighoad@gmbostoncompany.com	<b>PX 300</b> Phone: (562) 592-0836 Cell: (949) 533-6799 Fax: (949) 722-6799 gmbostoncompany.com	Application and dilution rates follow manufacturer's instructions	approved 6 /10/2003

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531  www.HerculesEnvironmental.com	<b>Hercules Pam</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 5 /18/2004
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531  www.HerculesEnvironmental.com	<b>Soiloc-MQ-Dust Suppr</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 5 /18/2004
Hercules Environmental, Inc Rob Hotle 6596 New Peachtree Road Doraville GA 30340 hercenv@herculesenvironmental.com	<b>Phone:</b> (770) 303-0878 <b>Cell:</b> <b>Fax:</b> (770) 455-6531  www.HerculesEnvironmental.com	<b>Soiloc-Pam</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 5 /18/2004
Innovative Turf Solutions Melissa Schrad 3318 Glenmont Lane Cincinnati OH 45248 mrs@innovativeturfsolutions.com	<b>Phone:</b> (513) 317-8311 <b>Cell:</b> <b>Fax:</b> (513) 672-9633  www.innovativeturfsolutions.com	<b>EnviroPam (powder)</b> <b>EnviroPam L (liquid)</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /16/2011
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (800) 962-4010 <b>Cell:</b> (216) 475-8488 <b>Fax:</b> (216) 475-6517  www.soilmoist.com	<b>FI-1045</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /3 /2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (800) 962-4010 <b>Cell:</b> (216) 475-8488 <b>Fax:</b> (216) 475-6517  www.soilmoist.com	<b>FI-1046</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /3 /2010
JRM Chemical Scott Wiesler 4881 Neo Parkway Cleveland OH 44128 jrm@en.com	<b>Phone:</b> (800) 962-4010 <b>Cell:</b> (216) 475-8488 <b>Fax:</b> (216) 475-6517  www.soilmoist.com	<b>FI-3500</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 2 /3 /2010
LSC Environmental Products, LLC Andy Iturriria 2183 Pennsylvania Avenue Apalachin NY 13732 aiturriria@lscenv.com	<b>Phone:</b> (800) 800-7671 <b>Cell:</b> (661) 617-7335 <b>Fax:</b> (661) 587-6806  www.lscenv.com	<b>EarthGuard</b>  Application and dilution rates follow manufacturer's instructions	<b>approved</b> 11/2 /2001

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Midwest Industrial Supply, Inc Kimberly Keith 1101 3rd Street SE Canton OH 44701 kim@midwestind.com/custserv@midwestind www.midwestind.com	<b>Soil Sement</b>	Application and dilution rates follow manufacturer's instructions	approved 1 /4 /2001
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89135-0907 daniel@nuequipment.com	<b>Plas-Bond</b>	Application and dilution rates follow manufacturer's instructions	approved 11/13/2000
NU Equipment Incorporated Daniel Frehner PO Box 750907 Las Vegas NV 89135-0907 daniel@nuequipment.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions	approved 11/13/2000
Pennzsuppress Corporation Emily Montgomery PO Box 4339 Grand Prairie TX 75054 emily.montgomery@pennzsuppress.com	<b>PennzSuppress D Dust Suppressant</b>	Application and dilution rates follow manufacturer's instructions	approved 5 /19/2004
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com	<b>Plas-Tex</b>	Application and dilution rates follow manufacturer's instructions	approved 12/10/2003
Soil Tech Company Robby Jay 6420 Cameron Drive Suite 207 Las Vegas NV 89118 shane@soil-tech.com	<b>Poly-Tex</b>	Application and dilution rates follow manufacturer's instructions	approved 12/10/2003
Soilworks, LLC Chad Falkenberg 7580 N Dobson Road, Suite 320 Scottsdale AZ 85256 info@soilworks.com	<b>Soiltac</b>	Application and dilution rates follow manufacturer's instructions	approved 9 /20/2004
Tensor North American Green Jill Pack 5401 St. Wendel - Cyntiana Road Poseyville IN 47633 jpack@tensorcorp.com	<b>Hydra CX2 Extreme Slope</b>	Application and dilution rates follow manufacturer's instructions	approved 2 /27/2012

**726.03.17 SOIL STABILIZER**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Tensar North American Green Jill Pack 5401 St. Wendel - Cynthiana Road Poseyville IN 47633 jpack@nagreen.com	<b>HydraCM Steep Slope Matrix</b> Phone: (800) 772-2040 Cell: (801) 977-0970 Fax: (812) 867-0247 www.nagreen.com	Application and dilution rates follow manufacturer's instructions. approved 2 /27/2012

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	<b>ULTRABOND 1</b> Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 11/21/2005
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	<b>ULTRABOND 1300</b> Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	Type I, II, IV and V; Grade 3; Class B&C approved 11/21/2005
Adhesives Technology Corporation Renee Thomas 450 East Copans Road Pompano Beach FL 33064-5509 rthomas@atcepoxy.com	<b>ULTRABOND HS-200</b> Phone: (800) 892-1880 Cell: (954) 782-2221 Fax: (954) 782-2499 www.atcepoxy.com	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 11/21/2005
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	<b>Atlas Epoxy Bonder</b> Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Type I, II, IV and V; Grade 2 Classes B&C approved 4 /29/2004
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	<b>LPL Epoxy Bonder</b> Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Type I, II, IV and V; Grade 2 Classes B&C approved 4 /29/2004
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>AquaFilm J-74</b> Phone: (877) 416-3439 Cell: Fax: www.daytonsuperior.com	Type I, II, IV and V; Grade 3; Class A approved 1 /14/2003
Dayton Superior Corporation Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	<b>Sure Anchor I J-51</b> Phone: (877) 416-3439 Cell: Fax: www.daytonsuperior.com	Type I, II, IV and V; Grade 3; Class A approved 1 /14/2003

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
E-Chem, LLC James High 3300 Princeton Dr. S 30 Albuquerque NM 87107 james@e-chem.net	<b>EP-Gel Fast</b>	Type I, II, IV and V; Grade 3; Class B & C	approved 8 /30/2017
Euclid Chemical Company Brian Lewis 19320 Redwood Road Cleveland OH 44110 lewisbr@euclidchemical.com	<b>Dural 452 MV</b>	Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C	approved 11/29/2012
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	<b>HIT RE 500</b>	Type IV; Grade 3; Classes A, B&C	approved 7 /6 /2009
Hilti Incorporated Iris Peitz 5400 South 122nd East Avenue Tulsa OK 74146-6007 government@hilti.com	<b>HTE 50</b>	Type I, II, IV and V; Grade 2; Class C & 1300 Classes B&C	approved 7 /6 /2009
Hilti, Inc. Peter Anderson 7250 Dallas Parkway, Suite 1000 Plano TX 75024 peter.anderson@hilti.com	<b>HIT-RE 500v3</b>	Type I, II, IV, and V; Grade 3; Class A, B, and C	approved 9 /25/2017
ITW Commercial Construction North America Amy Kolczak 700 High Grove Blvd Glendale Heights IL 60139 akolczak@itwccna.com	<b>Red Head Epcon C6+ Adhesive Anchoring System</b>	Type I, II, and IV, Grade 3 and Class B and C	approved 6 /15/2016
ITW Commercial Construction North America Amy Kolczak 700 High Grove Boulevard Glendale Heights IL 60319 akolczak@itwccna.com	<b>Red Head G5+</b>	Type I, II, IV and V; Grade 3; Class B and C	approved 9 /25/2017
Mapei Americas Headquarters Bruce Haller 1144 East Newport Center Drive Deerfield Beach FL 33442 bhaller@mapei.com	<b>Planibond AE</b>		approved 8 /3 /2011

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
MKT Fastening, LLC Bert Mayer 1 Gunnebo Drive Lonoke AR 72086 bert@mktfastening.com	Phone: (501) 676-2222 Cell: Fax: (501) 676-7266  www.mktfastening.com	<b>Liquid Roc 500+</b> Type IV; Grade 3; Class A, B, and C    approved 9 /25/2017
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286  www.pecora.com	<b>Dynapoxy EP-420</b> Type II, Grade 2; Classes B&C    approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286  www.pecora.com	<b>Dynapoxy EP-430 Fast</b> Type I, II, IV & V; Grade 3; Classes 1; B&C    approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286  www.pecora.com	<b>Dynapoxy EP-450</b> Type I, II, IV & V; Grade 1; Classes B&C    approved 6 /7 /2010
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (818) 519-7658 Fax: (215) 721-0286  www.pecora.com	<b>Dynapoxy Low Mod Epoxy</b> Type III, Grade 2; Classes B&C    approved 6 /7 /2010
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>DEWALT PE1000+</b> Type I, II, IV and V; Grade 2; Classes B&C    approved 12/1 /2016
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>DEWALT Pure 110+</b> Type I, II, IV and V; Grade 2; Classes B&C    approved 12/1 /2016
Powers Fasteners Beth Hinkley 2 Powers Lane Brewster NY 10509 beth.hinkley@sbdinc.com	Phone: (800) 524-3244 Cell: (845) 230-7503 Fax: (914) 576-6483  www.powers.com	<b>DEWALT Pure GP</b> Type I, II, IV and V; Grade 3; Classes B&C    approved 12/1 /2016

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>DEWALT Pure50+</b>	Type I, II, IV and V; Grade 3; Classes B&C     approved 12/1 /2016
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>PE1000+</b>	Type I, II, IV and V; Grade 2; Classes B&C     approved 12/5 /2011
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>Power Fast Plus</b>	Type I, II, IV and V; Grade 2; Classes B&C     approved 12/5 /2011
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 235-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>Pure 110+</b>	Type I, II, IV and V; Grade 2; Classes B&C     approved 11/22/2013
Powers Fasteners Beth Hinkley 2 Powers Lane Brewster NY 10509 beth.hinkley@sbdinc.com	Phone: (800) 524-3244 Cell: (845) 230-7503 Fax: (914) 576-6483  www.powers.com	<b>Pure GP</b>	Type I, II, IV and V; Grade 3; Classes B&C     approved 3 /25/2016
Powers Fasteners Robert Antoinette 2 Powers Lane Brewster NY 10509 rantoinette@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>Pure50+</b>	Type I, II, IV and V; Grade 3; Classes B&C     approved 11/22/2013
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>Standard Set</b>	Type I, II, IV and V; Grade 2; Classes B&C     approved 11/25/2008
Powers Fasteners Mark Ziegler 2 Powers Lane Brewster NY 10509 ziegler@powers.com	Phone: (914) 253-6300 Cell: Fax: (914) 576-6483  www.powers.com	<b>T308 Plus</b>	Type I, II, IV and V; Grade 2; Classes B&C     approved 11/25/2008

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Sika Corporation Jim Bluse 415 Devon Court San Ramon CA 94583 bluse.jim@us.sika.com	Phone: (925) 785-6241 Cell: Fax: usa.sika.com	<b>Sikadur 35 Hi Mod</b>    approved 4 /10/2006
Simpson Strong Tie Wendy Allen 5151 South Airport Way Stockton CA 95206 wallen@strongtie.com	Phone: (800) 999-5099 Cell: (415) 559-9038 Fax: (209) 234-3868 www.stongtie.com/products/anchorsyste	<b>EDOT</b> Type I, II, IV and V; Grade 3; Class C  approved 1 /15/2009
Simpson Strong Tie Wendy Allen 5151 South Airport Way Stockton CA 95206 wallen@strongtie.com	Phone: (800) 999-5099 Cell: (415) 559-9038 Fax: (209) 234-3868 www.stongtie.com/products/anchorsyste	<b>ET-HP Epoxy Adhesive</b> Type IV, Grade 3, Class C  approved 1 /15/2009
Titan Construction Supply, Inc. Brian Wickham 250 Edison Way Reno NV 89502 bwickham@titansupply.com	Phone: (888) 550-2201 Cell: (775) 351-2201 Fax: (775) 351-2205 www.titansupply.com	<b>Pro-Poxy 100</b> Type II, III, IV and V; Grade 3; Class A, B&C  approved 4 /29/2008
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemcials.com	<b>J-51 Sure Anchor I</b> Type I, II, IV & V; Grade 3; Class A  approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemcials.com	<b>Pro-Poxy 200</b> Type I, II, IV & V; Grade 2; Class B&C  approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemcials.com	<b>Pro-Poxy 300</b> Type I, II, IV & V; Grade 2; Class B&C  approved 1 /14/2003
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemcials.com	<b>Pro-Poxy 300 FAST</b> Type I, II, IV & V; Grade 2; Class B&C  approved 1 /14/2003

**728.03.02 EPOXY RESIN ADHESIVE FOR BONDING**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Unitex Chemicals / Dayton Superior Clay Christiansen 2069 NE Henefer Rd. Henefer UT 84033 claychristiansen@daytonsuperior.com	Phone: (801) 671-3658 Cell: Fax: www.unitex-chemicals.com	<b>Pro-Poxy 50</b> Type I, II, IV & V; Grade 2; Classes B&C approved 1 /14/2003
USP Structural Connectors, MiTek USA, Inc. Jim Collins 14305 Southcross Drive, Suite 200 Burnsville MN 55306 jcollins@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (952) 898-8605 www.uspconnectors.com	<b>CIA-GEL 6000-GP</b> Type I, II, IV and V; Grade 2; Class C & 1300 Class B&C approved 3 /25/2016
USP Structural Connectors, MiTek USA, Inc. Jim Collins 14305 Southcross Drive Suite 200 Burnsville MN 55306 jcollins@mii.com	Phone: (800) 328-5934 Cell: (952) 898-8772 Fax: (952) 898-8605 www.uspconnectors.com	<b>CIA-GEL 7000 Adhesive</b> Type I & IV; Grade 3; Classes B, C&D approved 8 /9 /2000
W.R. Meadows of N. CA Megan Haman 652 Indiana Street Benicia CA 94510 mhaman@wrmeadows.com	Phone: (800) 342-5976 Cell: (707) 745-6666 Fax: (707) 747-6206 www.wrmeadows.com	<b>Rezi Weld 1000</b> Type I, II, IV and V; Grade 2; Classes B&C approved 7 /17/2002

**729.03.03 PAINT MARKING MATERIAL - EPOXY**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881 www.coloradopaint.com	<b>1180</b> White: 1180 Part A Yellow: 1186 Part A Hardener: 1185 Part B approved 3 /23/2000 "Lead Free Yellow" contains organic yellow pigment.
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900 www.ennisflint.com	<b>HPS-3</b> White: HPS-3 Part A Yellow: HPS-3 Part A Black: HPS-3 Part A Hardener: HPS-3 Part B approved 7 /25/2002 "Lead Free Yellow" contains organic yellow pigment.
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963 www.epoplex.com	<b>Epoplex LS50</b> White: LS50 Part A Yellow: LS50 Part A Hardener: LS50 Part B approved 2 /6 /2003 "Lead Free Yellow" contains organic yellow pigment.

**729.03.03 PAINT MARKING MATERIAL - EPOXY**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS60</b> White: LS60 Part A Yellow: LS60 Part A Hardener: LS60 Part B  "Lead Free Yellow" contains organic yellow pigment.	approved 2 /6 /2003
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.2 NV</b> White: Mark 55.2 Part A Yellow: Mark 55.2 Part A Hardener: Mark 55.2 Part B  "Lead Free Yellow" contains organic yellow pigment.	approved 5 /11/2004
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.3 NV</b> White: Mark 55.3 Part A Yellow: Mark 55.3 Part A Hardener: Mark 55.3 Part B  "Lead Free Yellow" contains organic yellow pigment.	approved 5 /11/2004
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 55.4 NV</b> White: Mark 55.4 Part A Yellow: Mark 55.4 Part A Hardener: Mark 55.4 Part B  "Lead Free Yellow" contains organic yellow pigment.	approved 10/24/1997

**729.03.05 PAINT MARKING MATERIAL - POLYUREA**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Company Thanh-Huong Do Building 235-3A-09 St Paul MN 55144 ejdornak@mmm.com	Phone: (651) 733-1110 Cell: (702) 743-0012 Fax:  www.3m.com	<b>3M All Weather Liquid Pavement Marking Series 5000</b> Reflective media applied by Double Drop w/Reflective Element Method. Usage is restricted to Clark Co w/elevation ≤ 4,000 feet.	approved 3 /25/2016
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>HPS-5</b> White: Part A Yellow: Part A Cross Linker: Part B Double Drop w/Glass Spheres Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet.	approved 7 /25/2002
Epoplex Cindi Westlund 1000 East Park Avenue Maple Shade NJ 08052 epoplex@epoplex.com	Phone: (800) 822-6920 Cell: (856) 667-8399 Fax: (856) 779-2963  www.epoplex.com	<b>Epoplex LS90</b> White: Part A Yellow: Part A Cross Linker: Part B Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide	approved 2 /6 /2003
Olin Epoxy-POLY-CARB Jeff Shrider 8440 Tower Drive Twinsburg OH 44087 jeff@poly-carb.com	Phone: (330) 963-4426 Cell: (440) 417-5535 Fax:  www.poly-carb.com	<b>Mark 75.4</b> White: Part A Yellow: Part A Cross Linker: Part B Double Drop w/Glass Sphere Method can be used statewide without restrictions. Double Drop w/Reflective Element Method is restricted to Clark County w/elevations ≤ 4,000 feet.	approved 1 /10/2013

**729.03.05 PAINT MARKING MATERIAL - POLYUREA**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Swarco Colorado Paint Company Ling Tan 4747 Holly Street Denver CO 80216 ling.tan@swarco.com	Phone: (303) 388-9265 Cell: Fax: (303) 388-0881  www.coloradopaint.com	<b>MFUA 12</b> 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere statewide

approved  
6 / 7 / 2013**729.03.05a PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (ACRYLIC EMULSION)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Arkema Incorporated Keith Olesen 410 Greyson Drive Cary NC 27511 keith.olesen@arkema.com	Phone: (919) 469-6773 Cell: (919) 434-5845 Fax:  www.arkema.com	<b>ENCOR DT 250</b> Type I
Arkema Incorporated Keith Olesen 410 Greyson Drive Cary NC 27511 keith.olesen@arkema.com	Phone: (919) 469-6773 Cell: (919) 434-5845 Fax:  www.arkema.com	<b>ENCOR DT 400</b> Type II
Dow Chemical/Rohm & Haas LLC Joanna Shurell 100 Independence Mall West Philadelphia PA 19106 dowCIG@dow.com	Phone: (800) 447-4369 Cell: (215) 592-3000 Fax: (800) 382-4008  www.dowanswercenter.com	<b>Fastrack 3427</b> Type I; prev Rhoplex Fastrack 3427; Bulk #10081323; Substance #101051012
Dow Chemical/Rohm & Haas LLC Joanna Shurell 100 Independence Mall West Philadelphia PA 19106 dowCIG@dow.com	Phone: (800) 447-4369 Cell: (215) 592-3000 Fax: (800) 382-4008  www.dowanswercenter.com	<b>Fastrack HD21A</b> Type II; prev Rhoplex Fastrack HD21A; Bulk #10076070; Substance #101084604

approved  
7 / 19 / 2002approved  
7 / 19 / 2002approved  
5 / 20 / 1999approved  
5 / 20 / 1999**729.03.05b PAINT MARKING MATERIAL - RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATI**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	Phone: (909) 356-2130 Cell: (916) 742-3869 Fax: (909) 356-2135  www.americantrafficproducts.com	<b>170 White, 176 Yellow Fast Dry Waterborne Paint</b> Both are Fastrack 3427
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881  www.coloradopaint.com	<b>W: 1160-NV Waterborne Y: 1166-NV Waterborne</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow

approved  
1 / 15 / 2013approved  
12 / 16 / 2011

**729.03.05b PAINT MARKING MATERIAL - RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATI**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982801 NVW-21-M-2</b> <b>Y: 982802 NVY-21-M-2</b> ENCOR Latex DT 250 NA ENCOR Latex DT 250 NA W = White; Y = Yellow  approved 12/11/2002
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982821 NVW-34-M-1</b> <b>Y: 982822 NVY-34-M-1</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow  approved 12/1 /2002
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: Pervo Plastics 6000</b> <b>Y: Pervo Plastics 6003</b> Fastrack 3427 Fastrack 3427 W = White; Y = Yellow  approved 7 /30/2002
International Coatings Company, Inc. Amelia Nucup 13929 East 166th Street Cerritos CA 90703 anucup@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486  www.iccink.com	<b>W: Line-Pro 5630</b> <b>Y: Line-Pro 5640</b> Line-Pro 5630 Line-Pro 5640 W = White; Y = Yellow  approved 7 /24/2013

**729.03.05c PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	Phone: (909) 356-2130 Cell: (916) 742-3869 Fax: (909) 356-2135  www.americantrafficproducts.com	<b>380 White High Build Paint</b>  approved 12/4 /2014
American Traffic Products Incorporated Ron Linderoth 1450 N. Fitzgerald Avenue Rialto CA 92376 info@americantrafficproducts.com	Phone: (909) 356-2130 Cell: (916) 742-3869 Fax: (909) 356-2135  www.americantrafficproducts.com	<b>386 Yellow High Build Paint</b>  approved 7 /22/2013
Colorado Paint Company/Swarco Marilou Bruce 4747 Holly Street Denver CO 80216 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881  www.coloradopaint.com	<b>W: 1110-NV Ultra High</b> <b>Y: 1116-NV Ultra High</b> Rhoplex Fastrack HD-21A Type II Rhoplex Fastrack HD-21A Type II W = White; Y = Yellow  approved 12/16/2011
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982811 NVW-40-M-2</b> <b>Y: 982812 NVY-40-M-2</b> ENCOR Latex DT 400 NA ENCOR Latex DT 400 NA W - White; Y = Yellow  approved 12/11/2002

**729.03.05c PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: 982831 NVW-HD-M-1</b> <b>Y: 982832 NVY-HD-M-1</b>  Fastrack HD21A Fastrack HD21A W = White; Y = Yellow	approved 12/11/2002
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: Pervo Plastics 6050</b> <b>Y: Pervo Plastics 6053</b>  Fastrack HD21A Fastrack HD21A W = White; Y = Yellow	approved 7/30/2002
International Coatings Company, Inc. Amelia Nucup 13929 East 166th Street Cerritos CA 90703 anucup@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486  www.iccink.com	<b>Line-Pro 5610 White</b> <b>Line-Pro 5620 Yellow</b>  Company contact: Amelia Nucup and/or Scott Johnson, (562) 926-1010 ext 343 and/or (714) 299-0631	approved 11/19/2013
Sherwin Williams Company Paul Trautman 101 Prospect Avenue NW Cleveland OH 44115 paul.trautmann@sherwin.com	Phone: (216) 566-1733 Cell: (210) 861-2286 Fax: (216) 830-7721  www.sherwin-williams.com	<b>W: TM2398</b> <b>Y: TM2399</b>  Fastrack HD-21A Fastrack HD-21A W = White; Y = Yellow	approved 7/9/2003

**732.03.01 PAVEMENT MARKING TAPE (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>	
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 270</b>  Type I white/yellow available	approved 5/6/2011
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b>  Type I white/yellow available	approved 4/29/2008
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b>  Type I white/yellow available	approved 4/29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 100</b>  Type I white/yellow available	approved 10/10/2007

**732.03.01 PAVEMENT MARKING TAPE (TYPE I)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 200</b> Type I white/yellow available  approved 10/10/2007
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Delta-line TWR</b> Type I white/yellow available  approved 10/10/2007
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 35</b> Type I white/yellow available  approved 2/17/2004
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 60</b> Type I white/yellow available  approved 2/17/2004

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b> Type II white/yellow available  approved 4/29/2008
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b> Type II white/yellow available  approved 4/29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series 900</b> Type II white/yellow available  approved 2/2/2010
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Deltaline XRP</b> Type II white/yellow available  approved 2/2/2010

**732.03.02 PAVEMENT MARKING TAPE (TYPE II)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
Swarco Industries / Traffic Mgt Mark Colombo 270 Rutherford Lane / PO Box 89 Columbia TN 38401 mark.colombo@swarco.com	Phone: (931) 560-4158 Cell: (314) 221-7833 Fax: (314) 729-1797  www.swarco.com	<b>Series Director 35</b> Type II white/yellow available  approved 2 /17/2004

**732.03.03 PAVEMENT MARKING TAPE (TYPE IV)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 270</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 380</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011
3M Traffic Control Materials Division Eric Dornak PO Box 231393 Las Vegas NV 89105 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435  www.3M.com/tcm	<b>Series 390</b> Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics  approved 5 /6 /2011
Advance Traffic Markings Brenda Robbins PO Box H Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 300</b> Type IV white/yellow available  approved 10/19/2012
Advance Traffic Markings Brenda Robbins 100 Patch Rubber Road Roanoke Rapids NC 27870 brobbins@trafficmarking.com	Phone: (252) 536-2574 Cell: (252) 578-5091 Fax: (252) 536-4940  www.trafficmarking.com	<b>Series 400</b> Type IV  approved 4 /29/2008
Brite Line Technologies Shea Durkin 10660 E. 51st Ave. Denver CO 80239 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557  www.brite-line.com	<b>Series Deltaline XRP</b> Type IV  approved 2 /2 /2010

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<b>Vendor Name / Address</b>	<b>Product Name</b>	<b>Remarks</b>
------------------------------	---------------------	----------------

**732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Crown Technology, LLC Jeannie Elliott 35 Industrial Park Drive Woodbury GA 30293 jeannie1@crownthermo.com	Phone: (706) 553-9500 Cell: (800) 457-6267 Fax: (866) 553-9501  www.crownthermo.com	<b>Ecotherm Yellow Alkyd</b> Yellow Only    approved 10/23/2013
Crown Technology, LLC Jeannie Elliott 35 Industrial Park Drive Woodbury GA 30293 jeannie1@crownthermo.com	Phone: (800) 457-6267 Cell: (706) 553-9500 Fax: (706) 553-9501  www.crownthermo.com	<b>Tuffline Alkyd</b> Lead free    approved 10/14/2004
Ennis Paint, Inc. (dba Ennis-Flint) QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>W: 885555 Alkyd Thermoplastic</b> <b>Y: 884685 Alkyd</b> Lead free W = White; Y = Yellow   approved 9/30/2009

**732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)**

<i>Vendor Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>
Flint Trading Incorporated QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>Hot Tape</b> Select 125-mil thickness.    approved 5/3/2001
Flint Trading Incorporated QPL Administrator 115 Todd Court Thomasville NC 27360 qpladmin@ennisflint.com	Phone: (800) 331-8118 Cell: (336) 475-6600 Fax: (336) 475-7900  www.ennisflint.com	<b>PreMark</b> Select 125-mil thickness. Product name shortened to PreMark.    approved 5/3/2001

## **QPL NOTES**

**October 2, 2017**

If specified in a contract's Special Provisions under the "Notice to Contractors", contractors are required to use that Qualified Products List (QPL). This dated QPL is distributed to the contractors along with contract documentation.

The QPL is maintained by the NDOT Research Section. Products will remain on the QPL as long as their performance is satisfactory and the product vendor/manufacture complies with NDOT requirements. Poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The NDOT Product Evaluation Coordinator must be notified of any modification of material, composition or configuration of a product or change in manufacturer's name and address in a timely manner (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future.

If you have any questions regarding QPL and/or product evaluation process, contact Sabra Gilbert-Young, Product Evaluation Coordinator, via e-mail at [sgilbert-young@dot.nv.gov](mailto:sgilbert-young@dot.nv.gov) or by telephone at (775) 888-7894.