

# 2007 Nevada Behavioral Risk Factor Surveillance System (BRFSS) Report



Joint Publication of

Nevada Center for Health Statistics and Informatics  
University of Nevada, Reno

And

State Health Division  
Nevada State Department of Health and Human Services

## **Acknowledgment (1)**

The following individuals are recognized for grant supporting, data collecting, compiling, preparing, editing and reviewing of 2006 Nevada BRFSS Report:

### **University of Nevada, Reno:**

Dr. Wei Yang  
Professor and Director  
Center for Health Statistics and Informatics

William Lee  
Biostatistician II  
Center for Health Statistics and Informatics

Dr. Veronica Blas Dahir  
Associate Director  
Center for Research Design and Analysis

Dr. George Fernandez  
Director  
Center for Research Design and Analysis

### **Nevada State Department of Health and Human Services:**

Alicia Chancellor Hansen  
Chief Biostatistician  
Bureau of Health Planning & Statistics

Dr. Luana Ritch  
Chief  
Bureau of Health Planning & Statistics

## **Acknowledgment (2)**

Special thanks the staff at the University of Nevada, Reno, Center for Research Design and Analysis for their hard work conducting the phone interviews:

Christopher M Sanchez  
Interview Supervisor  
All Interviewer Team Members

## **Acknowledgment (3)**

With sincere gratitude to the following individuals who served on the BRFSS Advisory Committee, Working Group and Users Group (Alphabetic order):

Stevie Burden  
Prevention Program Supervisor  
Substance Abuse Prevention and Treatment Agency  
Nevada State Division of Mental Health and Developmental Services

Maria Canfield  
Director  
Substance Abuse Prevention and Treatment Agency  
Nevada State Division of Mental Health and Developmental Services

Dr. Kevin Crowe  
Chief of Planning  
Nevada State Division of Mental Health and Developmental Services

Dr. Leslie Elliott  
Senior Epidemiologist  
Washoe County District Health Department

Jing Feng  
Statistician  
Southern Nevada Health District

Beth Handler  
Diabetes Program Manager  
Bureau of Community Health  
Nevada State Health Division

Alicia Chancellor Hansen  
Chief Biostatistician  
Bureau of Health Planning & Statistics  
Nevada State Health Division

Charlene Herst  
Chronic Disease Section Manager  
Bureau of Community Health  
Nevada State Health Division

Gwen Hosey  
CDC Public Health Advisor  
Bureau of Community Health  
Nevada State Health Division

Kelly Langdon  
Injury Prevention Coordinator  
Bureau of Family Health Services  
Nevada State Health Division

James Jordan  
Biostatistician  
Bureau of Family Health Services  
Nevada State Health Division

Vidya Kailash  
Health Program Specialist  
Substance Abuse Prevention and Treatment Agency  
Nevada State Division of Mental Health and Developmental Services

Deborah McBride  
Chief  
Bureau of Community Health  
Nevada State Health Division

Sharon Clodfelter  
Statistician  
Washoe County District Health Department

Dr. Luana Ritch  
Chief  
Bureau of Health Planning & Statistics  
Nevada State Health Division

Patricia Rowley  
Epidemiology Manager  
Southern Nevada Health District

Judy Wright  
Chief  
Bureau of Family Health Services  
Nevada State Health Division

Dr. Wei Yang  
Professor and Director  
Center for Health Statistics and Informatics  
University of Nevada, Reno

## Table of Contents

Acknowledgment (1) .....	1
Acknowledgment (2) .....	1
Acknowledgment (3) .....	2
Introduction.....	7
Sampling Design.....	8
Implementing DSS.....	10
Data Weighting .....	11
Terms .....	12
Highlights from 2007 Nevada BRFSS Data .....	13
Table 1: General Health Status .....	16
Table 2: Number of Days Physical Health Not Good.....	17
Table 3: Number of Days Mental Health Not Good.....	18
Table 4: Poor Physical or Mental Health.....	19
Table 5: Have any health care coverage .....	20
Table 6: Do you have one person you think of as your personal doctor or health care provider? .....	21
Table 7: Could Not See Doctor Because of Cost.....	22
Table 8: Length of time since last routine checkup .....	23
Table 9: Exercise in Past 30 Days.....	24
Table 10: Ever Told Blood Pressure High.....	25
Table 11: Currently Taking Blood Pressure Medication .....	26
Table 12: Ever Had Blood Cholesterol Checked.....	27
Table 13: How Long since Cholesterol Checked .....	28
Table 14: Ever Told Blood Cholesterol High.....	29
Table 15: Ever Diagnosed with Heart Attack.....	30
Table 16: Outpatient rehab after heart attack hospital stay.....	31
Table 17: Ever Diagnosed with Angina or Coronary Heart Disease .....	32
Table 18: Ever Diagnosed with a Stroke .....	33
Table 19: Outpatient rehab after hospital stay for stroke.....	34
Table 20: Take Aspirin Daily or Every Other Day.....	35
Table 21: Health Makes Taking Aspirin Unsafe .....	36
Table 22: Ever Told Had Asthma .....	37
Table 23: Still Have Asthma.....	38
Table 24: Flu shot past 12 months .....	39
Table 25: Flu spray past 12 months .....	40
Table 26: Pneumonia shot ever.....	41
Table 27: Ever had Hepatitis B vaccine.....	42
Table 28: Any high risk situations apply .....	43
Table 29: Adults who are current smokers .....	44
Table 30: Stopped Smoking in past 12 months .....	45
Table 31: Activity Limitation Due to Health Problems.....	46
Table 32: Health Problems Requiring Special Equipment .....	47
Table 33: Had Pain, Aching, Stiffness, Swelling.....	48
Table 34: Joint Symptoms Three Months Old.....	49

Table 35: Treated For Joint Symptoms.....	50
Table 36: Told Have Arthritis.....	51
Table 37: Limited Because of Joint Symptoms .....	52
Table 38: How Often Do You Drink Fruit Juices.....	53
Table 39: How Often Do You Eat Fruit?.....	54
Table 40: How Often Do You Eat Green Salad?.....	55
Table 41: How Often Do You Eat Potatoes?.....	56
Table 42: How Often Do You Eat Carrots?.....	57
Table 43: How many Servings of Vegetables do you eat? .....	58
Table 44: Physical Activity at Work.....	59
Table 45: Moderate Physical Activity .....	60
Table 46: Moderate Physical Activity Days .....	61
Table 47: Vigorous Physical Activity.....	62
Table 48: Vigorous Physical Activity Days.....	63
Table 49: Ever tested HIV .....	64
Table 50: Was your last HIV test a rapid test? .....	65
Table 51: How often get emotional support needed .....	66
Table 52: Satisfaction with life .....	67
Table 53: Diarrhea past 30 days?.....	68
Table 54: Visit health professional for this diarrheal disease? .....	69
Table 55: Give stool sample to health professional? .....	70
Table 56: Ever Told by Doctor You Have Diabetes.....	71
Table 57: Now Taking Insulin .....	72
Table 58: Now Taking Diabetes Pills .....	73
Table 59: How Often Check Blood for Glucose.....	74
Table 60: How Often Check Feet for Sores or Irritations.....	75
Table 61: Ever Had Feet Sores or Irritations Lasting More Than Four Weeks .....	76
Table 62: Times Seen Health Professional for Diabetes .....	77
Table 63: Times Checked for Glycosylated Hemoglobin.....	78
Table 64: Times Feet Check for Sores/irritations .....	79
Table 65: Last Eye Exam Where Pupils Were Dilated.....	80
Table 66: Ever Told Diabetes Has Affected Eyes .....	81
Table 67: Ever Taken Class in Managing Diabetes.....	82
Table 68: Have You Ever Had a Mammogram .....	83
Table 69: How Long since Last Mammogram .....	84
Table 70: Ever Had Breast Physical Exam by Doctor .....	85
Table 71: How Long since Last Breast Physical Exam .....	86
Table 72: Ever Had a Pap Test .....	87
Table 73: How Long Since Last Pap Test .....	88
Table 74: Had Hysterectomy .....	89
Table 75: How often feel nervous past 30 days.....	90
Table 76: How often feel hopeless past 30 days.....	91
Table 77: How often feel restless past 30 days.....	92
Table 78: How often feel depressed past 30 days.....	93
Table 79: How often feel everything was an effort past 30 days.....	94
Table 80: How often feel worthless past 30 days .....	95
Table 81: Emotional problem kept you from doing work past 30 days.....	96

Table 82: Receiving medicine or treatment from health professional for emotional problem 97

Table 83: Mental health treatment can help people lead normal life..... 98

Table 84: People are generally caring toward people with mental illness..... 99

Table 85: Adults with good or better health ..... 100

Table 86: Respondents aged 18-64 that have any form of health care coverage..... 101

Table 87: Adults that report doing physical activity or exercise during the past 30 days other than their regular job ..... 102

Table 88: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional ..... 103

Table 89: Cholesterol check within past five years ..... 104

Table 90: Adults who have had their cholesterol checked and have been told by a doctor or other health professional that it was high ..... 105

Table 91: Adults who have ever been told they have asthma..... 106

Table 92: Adults who have been told they currently have asthma ..... 107

Table 93: Computed asthma status ..... 108

Table 94: Adults aged 65+ who have had a flu shot within the past year ..... 109

Table 95: Adults aged 65+ who have ever had a pneumonia vaccination..... 110

Table 96: Four-level smoker status..... 111

Table 97: Weight Status by body mass index..... 112

Table 98: Binge drinking ..... 113

Table 99: Heavy Alcohol Consumption ..... 114

Table 100: Respondents diagnosed with arthritis..... 115

Table 101: 3 level moderate physical activity category..... 116

Table 102: 3 level vigorous physical activity category ..... 117

Table 103: How long has it been since you last visited a dentist or dental clinic for any reason? ..... 118

Table 104: How many of your permanent teeth have been removed because of tooth decay or gum disease? ..... 119

Table 105: How long has it been since you had your teeth cleaned by a dentist or hygienist? ..... 120

Table 106: How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?..... 121

Table 107: How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?..... 122

Table 108: During the past 30 days, on how many days did you use marijuana or hashish?123

Table 109: During the past 30 days, on how many days did you use any other illegal drug? ..... 124

Table 110: During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?..... 125

## Introduction

---

The Behavioral Risk Factor Surveillance System (BRFSS) is an annual telephone survey conducted independently within each of the 50 states and U.S. territories. The survey is conducted continuously throughout the year, and is a collaborative effort between the Centers for Disease Control and Prevention (CDC) and each state's Department of Health. Participation in the survey is voluntary, and all data collected are confidential. The state of Nevada compiled 4,125 respondents during the 2007 BRFSS comprising 1,732 adult males and 2,393 adult females.

The following report summarizes results from the 2007 Nevada BRFSS survey. Since sample data was used in this report, all data in this report have been weighted to reflect the statewide population. The weighting process was done to adjust for the under-representation of certain population sub-groups in the sample.

For each topic, a table of common demographic items and risk factors (age, gender, weight status, etc.) were selected to be cross-tabulated with the main questions of interest. The tables within the report include the number of respondents (N), the weighted percentage, and the 95% confidence interval (C.I.) for the behavior rates within each item. Confidence intervals provide a basis for quality analysis and comparability. Percentages for two different sub-groups can be determined as statistically significant if the confidence intervals do not overlap.

Due to sampling and weighting procedures, the Center for Disease Control (CDC) recommends caution be taken when interpreting prevalence rates for subgroups with less than 50 respondents. Small sample sizes (less than 50) are considered to be very unreliable. The tables within this report include certain subgroups with less than 50 respondents and therefore cannot be interpreted with confidence.

### NOTES ABOUT TABLES IN THIS REPORT

- Use caution in interpreting if number of respondents is less than 50
- N = Number of Respondents, % = Percentage, C.I. = Confidence Intervals (at 95 percent probability level).
- Percentages are weighted to population characteristics.
- US median value of prevalence estimates are compiled from the 50 US states and outlying territories, or the number of participating states when not all entities used the question
- Missing values for demographic variables:

## *Sampling Design*

- Sampling design refers to the method used to select respondents to interview. This is also known as *sampling method* or *sampling strategy*.

The method of choosing telephone numbers must be statistically valid. The resulting sample must be a probability sample so that information obtained from the sample can be used to generalize results to the total population in the state as well as to the nation as a whole.

### **BRFSS Protocol:**

Samples used in the BRFSS must be probability samples in which all households with telephones have a known, nonzero chance of inclusion, as stated in item #1 in [Policy Memo 2003.1](#). All samples come from the Telecordia Technologies database and include all numbers in NXX Types 00, 50, 51, 52, and 54 in the sampling frame.

### **Disproportionate stratified random sampling (DSS)**

With DSS, as implemented in the BRFSS beginning in 2003, telephone numbers are drawn from two strata (lists) that are based on the presumed density of known telephone household numbers. In this design, telephone numbers are classified into strata that are either high density (**listed 1+ block** telephone numbers) or medium density (**not listed 1+ block** telephone numbers) to yield residential telephone numbers. Telephone numbers in the high density stratum are sampled at the highest rate. The rate at which each stratum is sampled is called the *sampling rate*. The ratio of the sampling rate of one stratum to sampling rate of a reference stratum is called the *sampling ratio*.

#### DSS Overview

The DSS design attempts to find a way of differentiating, before sampling begins, between a set of telephone numbers that contains a large proportion of target numbers (the high-density block) and a set that contains a smaller proportion of target numbers (the medium-density block). It is possible to create more than two groups, but for BRFSS, only two groups are used. In this way, sampling telephone numbers is more efficient compared to simple random sampling.

Following are DSS terms and descriptions:

<b>Term</b>	<b>Description</b>
<b>sampling frame</b>	For your state's BRFSS, the set of all active telephone numbers in your state that could possibly be assigned to households. A telephone sample vendor will provide a sampling frame for your state.
<b>stratum</b>	A discrete subdivision of a sampling frame. For example, using information about the geographic location to which a telephone number is assigned, we can assign each unique number to a state or even county (even though some of those assignments might be incorrect). Thus, we can stratify the numbers by state or county.
<b>household density stratum</b>	Refers to the particular stratum (that is, high or medium) that a number is in.
<b>1+ block</b>	A computer generated listing of 100 consecutive telephone numbers containing at least one published household telephone number.
<b>listed 1+ block</b>	All of the listed telephone numbers from the 1+ block of numbers. Also known as high density stratum.
<b>not listed 1+ block</b>	The remaining numbers from the 1+ block of telephone numbers after the listed telephone numbers are removed. Also known as a medium density stratum.
<b>hit rate</b>	Percent of household numbers in a sample, stratum, or block.
<b>target population</b>	In the BRFSS, the target population is telephone numbers assigned to households.
<b>unique identifier</b>	Each telephone number in the sample is assigned a unique identifier.
<b>replicate</b>	A group of 30 telephone numbers that must be called as a unit.

## ***Implementing DSS***

- Calculate the number of **listed 1+** and **not listed 1+ blocks** to dial, determined by the sampling ratio.
- Calculate the number of replicates (30 consecutive telephone numbers) that will need to be released. Initially figure on about four sample records from each replicate. If the number of completes for a month does not exactly match your target for that month, don't make any changes if the difference is small. However, if the difference is dramatic, call the BSB for advice.
- Process the DSS sample based on the procedures for your CATI system.

### **Changing Your Sampling Design**

Consult with BSB before making any changes to their sampling design. Examples of changes are changing geographic strata or altering your sampling ratio. Changing your design without compromising the data requires a sampling statistician.

### Sample Size

Sample size refers to the number of telephone numbers that must be called within a given period of time. BSB's goal is to support at least 4,000 interviews per state. Factors influencing sample size include the following:

#### **1. Cost**

Cost is usually the main consideration when you determine sample size because collecting and processing survey data is expensive. Although there are variations between sample designs, for a given design, the larger the sample size, the more expensive it is to survey.

#### **2. Number and size of populations for which estimates are desired**

The need for obtaining estimates for subpopulations within states — for example racial or ethnic minority groups, or persons aged 65 years or older — must be considered when calculating the sample size. In general, the oversampling of subpopulations will require an increase in the sample size for the whole population.

#### **3. Desired level of confidence in estimates**

In general terms, a larger sample increases the statistical precision of the survey data, but also increases cost. A sampling statistician is needed to calculate the best possible precision using the smallest possible sample.

**Data Weighting**

The following table explains data weighing:

<b>Definition</b>	Data weighting is an important statistical process that attempts to remove bias in the sample.
<b>Purpose</b>	<ul style="list-style-type: none"> <li>• Corrects for differences in the probability of selection due to nonresponse and noncoverage errors.</li> <li>• Adjusts variables of age, race, and gender between the sample and the entire population.</li> <li>• Allows the generalization of findings to the whole population, not just those who respond to the survey.</li> </ul>
<b>Implications</b>	<p>Design factors affect weighting. In the BRFSS, these factors include:</p> <ul style="list-style-type: none"> <li>• Number of residential telephones in household</li> <li>• Number of adults in household</li> <li>• Geographic or density stratification</li> </ul>
<b>Advantages</b>	Allows comparability of data.
<b>Disadvantages</b>	Can only be performed when the sampling methodology is carefully controlled.

Additional facts about data weighing include:

- Weighting consists of a lot more than post-stratification.
- Weighting for design factors has more of an effect on final results than does post-stratification.
- Weighting for design factors is also more important than conceptually.
- Weighting affects both the point estimate (bias) and confidence intervals (precision).

**Data Weighting Calculation**

The computational formula below is intended to reflect all the possible factors that could be taken into account in weighting a state's data. Where a factor does not apply, its value is set to one.

The formula for weighting:

$$\text{FINALWT} = \text{STRWT} * 1 \text{ OVER IMPNPH} * \text{NUMADULT} * \text{POSTSTR}$$

The following table explains data weighing variables:

<b>Variable</b>	<b>Description</b>
<b>FINALWT</b>	This is the final weight assigned to each respondent.
<b>STRWT</b>	Accounts for differences in the basic probability of selection among strata (subsets of area code/prefix combinations). It is the inverse of the sampling fraction of each stratum. There is almost never a complete correspondence between strata, which are defined by subsets of area code/prefix combinations, and regions, which are defined by the boundaries of government entities.
<b>IMPNPH</b>	This refers to the number of residential telephone numbers in the respondent's house.
<b>NUMADULT</b>	This is the number of adults in the respondent's household.
<b>POSTSTR</b>	The number of people in an age-by-sex or age-by-race-by-sex category in the population of a region or a state divided by the sum of the products of the preceding weights for the respondents in that same age-by-sex or age-by-race-by-sex category. POSTSTR adjusts for noncoverage and nonresponse and, before 1995, also adjusted for different probabilities of selection by region, where applicable.

## **Terms**

The following are common BRFSS terms and definitions:

<b>Term</b>	<b>Definition</b>
<b>Confidence Level</b>	The confidence intervals for specific statistics (for example, means, regression lines) give us a range of values around the statistic where the "true" (population) statistic can be expected with a given level of certainty to be located. Smaller confidence intervals indicate more precise estimates.
<b>Imputed Values</b>	Estimated values based on other information in the data file.
<b>Outcome Rate</b>	A rate based on all or some of the disposition codes in a survey.
<b>Poststratification</b>	The method used to adjust the distribution of the sample data so that it more accurately reflects the total population of the sampled area. The poststratification factor is calculated by computing the ratio of the age, race, and sex distribution of the state population divided by that of the sample. This factor is then multiplied by the design weight to compute an adjusted, final-weight variable. The weighting adjusts not only for variation in selection and sampling probability but also for demographic characteristics so that projections can be made from the sample to the general population.
<b>Sampling Frame</b>	In the BRFSS, the sampling frame is the set of all active telephone numbers in the United States that could possibly be assigned to households. A telephone sample vendor will provide a sampling frame for your state.

## Highlights from 2007 Nevada BRFSS Data

---

- Overall, 49.7% of Nevada adults considered their self-perceived health status as 'excellent/very good' and 17.3% of Nevada adults considered their health status as 'fair or poor'.
- 41.9% of Nevada adults with annual household income from all sources of less than \$15,000 considered their health status as 'fair or poor'. 42.3% of the same income group had 8 or more days during the last 30 days where their physical or mental health was not good.
- 20.8% of Nevada residents reported that they did not have any health care coverage; the proportion of adults with health insurance increases as education levels and income levels increase.
- 49.8% of Hispanic did not have any health care coverage and 58.2% of residents with less than high school education did not have any health care coverage.
- 31.8% of Nevada residents with annual household income less than \$15,000 reported that there a time in the past 12 months they could not see a doctor because of cost.
- 61.6% of Nevada residents had routine checkup within the past 12 months.
- 24.4% of Nevada adults did not participate in any physical activities or exercises in past 30 days.
- 8.0% of Nevada residents had told by doctor that they have diabetes. 19.6% of them had told by doctor that diabetes has affected their eyes or that they had retinopathy.
- A significantly higher proportion of Nevada adults who was obese, versus normal weight, had diabetes (16.5% vs. 3.4% respectively).
- 27.0% of Nevada adults had told by a doctor or other health professional that they have high blood pressure. Among them, 68.8% are currently taking medicine for their high blood pressure.
- Over one-third or 37.1% of Nevadans reported high cholesterol level in 2007.
- 4.2% of adults had told by a doctor, nurse, or other health professional that they had a heart attack.

- 13.4% of Nevada adults had told by a doctor, nurse, or other health professional that they had asthma. Females were more likely than males diagnosed with asthma (16.3% vs. 10.5% respectively).
- 30.6% of Nevada residents had flu shot during the past 12 months.
- 26.9% of Nevada adults had pneumonia shot and 37.4% had Hepatitis B vaccine before.
- 7.1% adults reported the following high risk situations apply to them even just one time: You have hemophilia and have received clotting factor concentrate: or You are a man who has had sex with other men: or You have taken street drugs by needle: or You traded sex for money or drugs.
- The prevalence of current smokers among Nevada adults was 21.5%; more than half (56.2%) of the current smokers have tried to quit smoking for one day or longer during the past 12 months.
- 18.8% of adults in Nevada were limited in some way or in some activities because of physical, mental or emotional problems.
- 5.9% of Nevada residents had some health problem that required them to use special equipment, such as cane, a wheelchair, a special bed, or a special telephone.
- 38.9% of adults in Nevada had symptoms of pain, aching, or stiffness in or around a joint not including back or neck. The majority (82.2%) of them had their joint symptoms for more than 3 months. 74.0% had seen a doctor for these joint symptoms.
- One quarter (25.2%) of Nevada residents had told by a doctor or other health professional that they have some form of arthritis.
- Overall, 41.9% of Nevada adults had been tested for HIV. Males (37.5%) were less likely than females (46.5%) to have HIV test.
- 94.3% of Nevada residents were satisfied or very satisfied with their life.
- 62.5% of females in Nevada had a mammogram and 88.4% had a clinical breast exam by doctor.
- The majority (94.3%) of females in Nevada reported they have had a Pap test.
- 22.4% of females in Nevada have had a hysterectomy. A hysterectomy is an operation to remove the uterus.

- 8.3% of Nevada adults are now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem.
- Females were more likely than males for receiving medicine or treatment for emotional problem (11.2% vs. 5.4% respectively).
- Over one-third (38.4%) of Nevada residents were considered overweight and about one-quarter (24.6%) of Nevada residents were considered obese. Adults with 'fair or poor health' were more likely (38.0%) of being obese.
- Males were more likely than females to be at risk of being overweight, 45.0% vs. 31.3% respectively.
- 16.9% of Nevada adults were at risk for binge drinking. Males were significantly more likely than females to engage in binge drinking, 23.8% vs. 9.9% respectively.
- 7.1% of Nevada residents were at risk for heavy alcohol consumption. Three-quarter (75.5%) of adults who were at risk for heavy alcohol consumption also were at risk for binge drinking.
- 5.7% of Nevada adults driven a vehicle while they were under the influence of alcohol. Males (7.5%) were more likely than females (3.8%) to drive under the influence of alcohol.
- 10.3% of Nevada residents in the 18-24 age group had driven a vehicle while they were under the influence of alcohol.

**Table 1: General Health Status**

Would you say that in general your health is:		Excellent/Very Good			Good			Fair/Poor		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	2058	49.7%	(47.3-52.1)	1315	33.0%	(30.7-35.2)	745	17.3%	(15.6-19.1)
<b>Gender</b>	<b>Male</b>	889	50.9%	(47.2-54.5)	546	32.0%	(28.5-35.5)	292	17.1%	(14.4-19.9)
	<b>Female</b>	1169	48.5%	(45.4-51.6)	769	33.9%	(31.0-36.9)	453	17.6%	(15.4-19.8)
<b>Race</b>	<b>White/Non-Hisp</b>	1627	57.6%	(54.9-60.2)	906	29.2%	(26.8-31.7)	452	13.2%	(11.4-14.9)
	<b>Black or Af.Am./Non-Hisp</b>	48	46.7%	(34.5-58.9)	41	34.6%	(23.5-45.7)	24	18.7%	(10.5-27.0)
	<b>Other Race/Non-Hisp</b>	81	53.6%	(42.1-65.1)	62	27.1%	(18.1-36.2)	38	19.3%	(8.6-30.0)
	<b>Multiracial/Non-Hisp</b>	144	49.7%	(41.1-58.2)	88	30.0%	(22.4-37.5)	65	20.4%	(13.7-27.0)
	<b>Hispanic</b>	145	28.4%	(22.9-33.8)	213	45.7%	(39.4-52.1)	156	25.9%	(20.8-31.0)
<b>Age</b>	<b>18-24</b>	130	58.1%	(49.7-66.5)	74	28.4%	(20.8-36.0)	30	13.5%	(8.0-19.1)
	<b>25-34</b>	249	47.4%	(40.7-54.1)	175	38.9%	(32.1-45.8)	62	13.6%	(9.0-18.3)
	<b>35-44</b>	350	51.7%	(46.4-57.0)	236	34.0%	(29.0-39.0)	85	14.3%	(10.4-18.2)
	<b>45-54</b>	468	52.7%	(47.8-57.6)	258	30.8%	(26.3-35.3)	125	16.4%	(12.4-20.5)
	<b>55-64</b>	439	49.6%	(44.8-54.4)	239	29.1%	(24.6-33.6)	176	21.3%	(17.5-25.2)
	<b>65+</b>	422	40.1%	(36.0-44.2)	333	33.8%	(29.7-37.8)	267	26.1%	(22.4-29.8)
<b>Education</b>	<b>Less Than H.S.</b>	79	18.9%	(12.9-24.8)	160	43.1%	(35.5-50.7)	162	38.0%	(30.9-45.2)
	<b>H.S. or G.E.D.</b>	467	42.1%	(37.6-46.6)	395	37.5%	(33.1-41.9)	243	20.4%	(16.8-23.9)
	<b>Some Post-H.S.</b>	701	56.2%	(52.1-60.3)	419	30.0%	(26.3-33.7)	206	13.8%	(10.9-16.6)
	<b>College Graduate</b>	798	65.0%	(60.9-69.1)	339	27.2%	(23.2-31.2)	126	7.9%	(6.0-9.7)
<b>Income</b>	<b>Less than \$15,000</b>	61	20.1%	(12.0-28.3)	94	38.0%	(27.3-48.7)	133	41.9%	(31.5-52.2)
	<b>\$15,000 to 24,999</b>	164	31.6%	(24.9-38.2)	168	36.9%	(29.7-44.0)	161	31.6%	(25.3-37.9)
	<b>\$25,000 to 34,999</b>	161	39.4%	(31.4-47.3)	162	43.0%	(34.5-51.4)	89	17.7%	(12.4-22.9)
	<b>\$35,000 to 49,999</b>	259	45.0%	(38.6-51.4)	209	36.2%	(30.2-42.3)	100	18.8%	(13.6-23.9)
	<b>\$50,000 to 74,999</b>	397	58.9%	(53.6-64.1)	234	30.4%	(25.6-35.3)	68	10.7%	(7.5-13.9)
	<b>\$75,000+</b>	792	68.5%	(64.7-72.3)	284	25.2%	(21.6-28.7)	71	6.3%	(4.2-8.4)
<b>Region of Residence</b>	<b>Clark</b>	648	51.2%	(48.0-54.5)	417	32.9%	(29.7-36.0)	227	15.9%	(13.5-18.2)
	<b>Washoe</b>	724	54.7%	(51.5-57.9)	408	31.1%	(28.1-34.1)	200	14.2%	(11.9-16.6)
	<b>All Other Counties</b>	650	49.0%	(45.7-52.4)	435	32.4%	(29.4-35.4)	259	18.6%	(15.8-21.3)
<b>Health Insurance</b>	<b>Yes</b>	1851	55.0%	(52.5-57.4)	1077	31.1%	(28.8-33.4)	568	14.0%	(12.4-15.6)
	<b>No</b>	198	29.6%	(23.9-35.3)	231	40.3%	(33.8-46.9)	174	30.1%	(24.2-35.9)
<b>Weight Status</b>	<b>Normal weight</b>	892	61.3%	(57.5-65.1)	393	24.3%	(21.0-27.6)	217	14.4%	(11.6-17.2)
	<b>Overweight</b>	771	49.5%	(45.5-53.5)	483	36.9%	(32.8-40.9)	221	13.7%	(11.0-16.4)
	<b>Obese</b>	339	36.5%	(31.8-41.1)	369	37.3%	(32.6-42.0)	261	26.3%	(22.1-30.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	1726	52.1%	(49.4-54.8)	1012	32.5%	(29.9-35.2)	525	15.4%	(13.5-17.3)
	<b>At Risk</b>	328	41.2%	(36.1-46.4)	300	34.6%	(29.8-39.4)	211	24.2%	(19.7-28.6)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1849	50.0%	(47.5-52.6)	1167	33.0%	(30.6-35.5)	655	16.9%	(15.1-18.8)
	<b>At Risk</b>	155	51.9%	(43.5-60.3)	95	29.6%	(22.4-36.8)	61	18.5%	(12.5-24.6)
<b>Health Status</b>	<b>Good or Better Health</b>	2058	60.1%	(57.5-62.7)	1315	39.9%	(37.3-42.5)	0	.	(.-)
	<b>Fair or Poor Health</b>	0	.	(.-)	0	.	(.-)	745	100.0%	(100.0-100.0)

**Table 2: Number of Days Physical Health Not Good**

Number of Days Physical Health Not Good		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	454	11.4%	(9.8-13.0)	438	10.4%	(9.0-11.7)	643	14.4%	(12.8-16.0)	2529	63.8%	(61.5-66.1)
<b>Gender</b>	<b>Male</b>	194	11.8%	(9.4-14.3)	150	8.9%	(7.0-10.8)	225	12.2%	(9.9-14.6)	1143	67.0%	(63.7-70.4)
	<b>Female</b>	260	11.0%	(9.0-13.1)	288	11.9%	(10.0-13.8)	418	16.6%	(14.4-18.7)	1386	60.5%	(57.5-63.5)
<b>Race</b>	<b>White/Non-Hisp</b>	358	12.4%	(10.6-14.3)	306	10.3%	(8.7-11.8)	445	14.2%	(12.3-16.1)	1843	63.1%	(60.5-65.8)
	<b>Black or Af.Am./Non-Hisp</b>	8	10.1%	(1.1-19.0)	14	12.8%	(5.1-20.4)	24	16.9%	(9.3-24.4)	65	60.3%	(48.5-72.1)
	<b>Other Race/Non-Hisp</b>	17	11.2%	(4.0-18.4)	20	14.1%	(6.2-22.0)	27	9.6%	(2.3-16.8)	112	65.1%	(54.0-76.2)
	<b>Multiracial/Non-Hisp</b>	18	4.9%	(1.5-8.3)	36	10.3%	(5.9-14.6)	64	23.2%	(15.8-30.6)	176	61.6%	(53.4-69.9)
	<b>Hispanic</b>	51	11.6%	(7.2-15.9)	61	9.5%	(6.3-12.6)	75	12.2%	(8.6-15.7)	318	66.8%	(61.1-72.5)
<b>Age</b>	<b>18-24</b>	32	15.6%	(9.2-22.0)	37	12.0%	(7.2-16.7)	18	6.4%	(3.0-9.8)	145	66.1%	(58.2-74.0)
	<b>25-34</b>	63	14.0%	(9.1-19.0)	54	7.9%	(4.8-10.9)	55	12.2%	(8.0-16.5)	307	65.9%	(59.6-72.2)
	<b>35-44</b>	109	13.7%	(10.3-17.1)	67	10.0%	(6.9-13.0)	79	12.7%	(9.1-16.2)	416	63.7%	(58.7-68.7)
	<b>45-54</b>	91	9.9%	(7.0-12.7)	90	10.5%	(7.6-13.5)	122	15.8%	(11.8-19.8)	538	63.8%	(59.0-68.6)
	<b>55-64</b>	83	8.2%	(5.9-10.6)	94	14.0%	(10.4-17.6)	153	17.9%	(14.3-21.6)	517	59.8%	(55.1-64.5)
	<b>65+</b>	76	6.8%	(4.7-9.0)	96	9.2%	(6.7-11.7)	216	20.7%	(17.3-24.1)	606	63.3%	(59.3-67.4)
<b>Education</b>	<b>Less Than H.S.</b>	34	11.3%	(5.9-16.7)	52	10.3%	(6.3-14.3)	84	19.2%	(14.0-24.5)	220	59.2%	(51.9-66.5)
	<b>H.S. or G.E.D.</b>	110	10.5%	(7.4-13.6)	115	8.8%	(6.5-11.1)	212	17.8%	(14.4-21.3)	647	62.8%	(58.4-67.3)
	<b>Some Post-H.S.</b>	147	12.0%	(9.1-14.8)	147	12.2%	(9.6-14.7)	206	13.2%	(10.5-15.9)	812	62.7%	(58.7-66.7)
	<b>College Graduate</b>	161	11.9%	(9.3-14.5)	123	10.2%	(7.7-12.7)	139	10.3%	(7.9-12.7)	835	67.6%	(63.8-71.5)
<b>Income</b>	<b>Less than \$15,000</b>	25	11.7%	(4.2-19.2)	33	8.2%	(3.6-12.8)	113	38.0%	(28.2-47.8)	107	42.1%	(31.2-53.0)
	<b>\$15,000 to 24,999</b>	48	10.9%	(5.0-16.8)	55	9.9%	(6.3-13.4)	119	23.3%	(17.8-28.7)	262	55.9%	(48.8-63.1)
	<b>\$25,000 to 34,999</b>	37	7.4%	(3.8-11.0)	55	12.6%	(7.8-17.4)	67	11.4%	(7.4-15.4)	244	68.6%	(61.7-75.5)
	<b>\$35,000 to 49,999</b>	65	11.4%	(7.3-15.5)	61	10.0%	(6.5-13.5)	83	15.0%	(10.3-19.7)	353	63.6%	(57.4-69.7)
	<b>\$50,000 to 74,999</b>	78	10.4%	(7.2-13.5)	83	14.2%	(10.2-18.2)	71	8.9%	(6.1-11.8)	464	66.5%	(61.3-71.6)
	<b>\$75,000+</b>	156	14.4%	(11.4-17.4)	99	9.0%	(6.8-11.3)	91	7.7%	(5.5-9.9)	799	68.9%	(65.0-72.7)
<b>Region of Residence</b>	<b>Clark</b>	126	11.4%	(9.1-13.7)	139	10.5%	(8.7-12.4)	204	14.2%	(12.1-16.4)	810	63.8%	(60.7-67.0)
	<b>Washoe</b>	172	13.1%	(10.9-15.2)	132	10.3%	(8.3-12.3)	180	12.8%	(10.6-15.0)	829	63.8%	(60.7-67.0)
	<b>All Other Counties</b>	147	12.0%	(9.7-14.3)	153	11.8%	(9.3-14.3)	228	15.4%	(13.2-17.7)	798	60.7%	(57.4-64.1)
<b>Health Insurance</b>	<b>Yes</b>	390	11.7%	(10.0-13.4)	361	10.1%	(8.7-11.6)	537	14.5%	(12.8-16.2)	2166	63.7%	(61.3-66.1)
	<b>No</b>	64	10.7%	(6.8-14.7)	76	11.3%	(8.0-14.6)	104	14.1%	(9.8-18.4)	348	63.9%	(57.8-69.9)
<b>Weight Status</b>	<b>Normal weight</b>	164	12.1%	(9.2-14.9)	167	10.2%	(8.1-12.4)	193	11.9%	(9.5-14.3)	963	65.8%	(62.1-69.5)
	<b>Overweight</b>	155	9.9%	(7.7-12.2)	151	10.5%	(8.2-12.9)	187	11.6%	(9.2-14.0)	961	68.0%	(64.3-71.6)
	<b>Obese</b>	120	12.1%	(9.0-15.1)	109	11.4%	(8.6-14.2)	230	22.5%	(18.6-26.5)	496	54.0%	(49.2-58.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	377	11.7%	(9.9-13.5)	342	10.3%	(8.8-11.8)	463	12.7%	(11.0-14.3)	2037	65.3%	(62.8-67.8)
	<b>At Risk</b>	76	10.4%	(7.0-13.9)	95	10.7%	(7.6-13.7)	176	20.6%	(16.4-24.7)	483	58.3%	(53.2-63.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	402	11.8%	(10.0-13.5)	389	10.4%	(9.0-11.9)	581	14.5%	(12.8-16.2)	2254	63.3%	(60.9-65.7)
	<b>At Risk</b>	44	10.7%	(6.6-14.8)	35	11.0%	(6.5-15.6)	44	14.4%	(8.7-20.2)	186	63.9%	(56.2-71.6)
<b>Health Status</b>	<b>Good or Better Health</b>	392	12.1%	(10.3-13.9)	343	9.6%	(8.2-11.0)	249	7.1%	(5.9-8.4)	2350	71.2%	(68.9-73.5)
	<b>Fair or Poor Health</b>	62	8.4%	(4.8-12.1)	94	14.2%	(10.4-18.0)	393	49.4%	(43.8-55.1)	174	28.0%	(22.7-33.3)

### Table 3: Number of Days Mental Health Not Good

Number of Days Mental Health Not Good		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'												
<b>Total</b>	<b>Total</b>	448	10.9%	(9.4-12.3)	465	12.6%	(10.8-14.3)	620	15.4%	(13.7-17.1)	2549	61.2%	(58.8-63.5)
<b>Gender</b>	<b>Male</b>	157	9.7%	(7.6-11.9)	155	11.7%	(8.9-14.5)	193	10.8%	(8.6-13.1)	1211	67.7%	(64.1-71.2)
	<b>Female</b>	291	12.0%	(10.1-14.0)	310	13.5%	(11.4-15.6)	427	20.0%	(17.5-22.5)	1338	54.5%	(51.4-57.6)
<b>Race</b>	<b>White/Non-Hisp</b>	331	10.8%	(9.2-12.4)	332	11.8%	(10.0-13.6)	418	14.3%	(12.3-16.3)	1882	63.1%	(60.5-65.7)
	<b>Black or Af.Am./Non-Hisp</b>	12	11.9%	(4.0-19.9)	11	7.6%	(2.6-12.5)	18	16.7%	(8.2-25.3)	72	63.8%	(52.5-75.0)
	<b>Other Race/Non-Hisp</b>	13	9.5%	(1.9-17.2)	11	4.3%	(1.2-7.4)	31	14.5%	(5.6-23.3)	124	71.7%	(60.9-82.5)
	<b>Multiracial/Non-Hisp</b>	36	10.1%	(5.2-15.0)	34	12.5%	(6.4-18.6)	69	28.6%	(20.5-36.8)	155	48.8%	(40.2-57.4)
	<b>Hispanic</b>	52	11.0%	(7.2-14.7)	74	17.8%	(12.3-23.3)	79	13.8%	(10.0-17.6)	301	57.4%	(51.1-63.7)
<b>Age</b>	<b>18-24</b>	31	10.1%	(5.4-14.9)	34	16.2%	(9.7-22.8)	49	21.6%	(14.6-28.7)	120	52.0%	(43.4-60.6)
	<b>25-34</b>	59	12.2%	(7.9-16.6)	82	17.4%	(11.6-23.2)	92	15.1%	(10.9-19.3)	251	55.3%	(48.5-62.0)
	<b>35-44</b>	96	12.8%	(9.4-16.2)	98	13.2%	(9.8-16.7)	111	14.8%	(11.2-18.5)	364	59.1%	(54.0-64.2)
	<b>45-54</b>	95	10.7%	(7.8-13.5)	110	11.9%	(8.9-14.8)	144	18.1%	(14.0-22.2)	497	59.4%	(54.6-64.2)
	<b>55-64</b>	97	11.9%	(8.5-15.3)	70	7.8%	(5.4-10.3)	118	14.3%	(10.8-17.8)	560	66.0%	(61.3-70.6)
	<b>65+</b>	70	6.5%	(4.4-8.5)	71	8.0%	(5.5-10.5)	106	9.3%	(7.0-11.7)	757	76.2%	(72.6-79.8)
<b>Education</b>	<b>Less Than H.S.</b>	30	10.3%	(5.1-15.4)	47	13.8%	(8.5-19.1)	80	16.2%	(11.6-20.8)	233	59.7%	(52.3-67.1)
	<b>H.S. or G.E.D.</b>	118	8.8%	(6.5-11.0)	126	12.8%	(9.4-16.1)	199	19.7%	(16.0-23.4)	650	58.7%	(54.2-63.3)
	<b>Some Post-H.S.</b>	155	13.1%	(10.2-16.0)	160	13.1%	(10.2-15.9)	209	16.7%	(13.4-20.1)	795	57.1%	(52.9-61.3)
	<b>College Graduate</b>	144	11.0%	(8.5-13.6)	131	11.5%	(8.1-14.9)	131	9.6%	(7.2-12.0)	853	67.9%	(63.7-72.0)
<b>Income</b>	<b>Less than \$15,000</b>	25	6.7%	(0.1-13.3)	41	17.6%	(9.6-25.6)	90	28.0%	(19.5-36.5)	127	47.7%	(36.9-58.5)
	<b>\$15,000 to 24,999</b>	50	9.6%	(6.0-13.3)	51	13.6%	(7.6-19.6)	102	22.7%	(16.6-28.7)	284	54.1%	(46.9-61.3)
	<b>\$25,000 to 34,999</b>	39	10.0%	(5.7-14.3)	46	14.9%	(7.1-22.7)	65	14.8%	(9.7-20.0)	257	60.3%	(51.9-68.6)
	<b>\$35,000 to 49,999</b>	59	8.8%	(5.7-11.9)	76	13.9%	(9.0-18.7)	78	14.7%	(10.3-19.2)	353	62.6%	(56.4-68.8)
	<b>\$50,000 to 74,999</b>	92	14.3%	(10.2-18.4)	74	9.8%	(6.8-12.8)	90	12.8%	(9.3-16.4)	441	63.1%	(57.8-68.4)
	<b>\$75,000+</b>	135	11.5%	(9.0-14.0)	126	11.5%	(8.9-14.1)	124	10.7%	(8.0-13.4)	761	66.3%	(62.4-70.2)
<b>Region of Residence</b>	<b>Clark</b>	143	11.5%	(9.4-13.6)	146	11.8%	(9.6-14.0)	193	15.7%	(13.3-18.1)	804	61.0%	(57.7-64.2)
	<b>Washoe</b>	150	11.4%	(9.4-13.4)	147	11.9%	(9.8-14.1)	207	15.5%	(13.2-17.8)	820	61.1%	(58.0-64.3)
	<b>All Other Counties</b>	147	10.2%	(8.3-12.0)	150	12.6%	(10.0-15.2)	195	13.7%	(11.5-15.9)	834	63.5%	(60.2-66.8)
<b>Health Insurance</b>	<b>Yes</b>	390	11.6%	(10.0-13.2)	381	11.3%	(9.7-12.9)	478	14.0%	(12.3-15.8)	2215	63.1%	(60.7-65.5)
	<b>No</b>	56	8.4%	(4.9-11.9)	83	17.6%	(12.0-23.1)	139	19.9%	(15.2-24.6)	321	54.1%	(47.6-60.7)
<b>Weight Status</b>	<b>Normal weight</b>	162	10.1%	(7.8-12.3)	162	10.8%	(8.5-13.2)	218	16.2%	(13.2-19.2)	951	62.9%	(59.1-66.7)
	<b>Overweight</b>	154	11.8%	(9.2-14.5)	175	14.0%	(10.8-17.2)	193	12.3%	(9.7-14.9)	940	61.8%	(57.8-65.8)
	<b>Obese</b>	118	11.5%	(8.4-14.5)	109	11.8%	(8.5-15.2)	176	19.1%	(15.3-22.9)	556	57.6%	(52.8-62.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	357	10.9%	(9.2-12.5)	360	12.2%	(10.3-14.2)	447	13.7%	(11.9-15.5)	2066	63.2%	(60.5-65.8)
	<b>At Risk</b>	91	11.0%	(7.9-14.2)	105	13.9%	(10.0-17.8)	168	21.3%	(17.0-25.7)	473	53.7%	(48.5-58.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	404	11.3%	(9.7-12.9)	407	12.3%	(10.5-14.1)	535	14.4%	(12.6-16.1)	2294	62.0%	(59.5-64.5)
	<b>At Risk</b>	36	10.2%	(5.6-14.8)	45	14.9%	(9.0-20.7)	59	25.9%	(17.8-34.0)	171	49.1%	(40.7-57.5)
<b>Health Status</b>	<b>Good or Better Health</b>	391	11.3%	(9.7-12.9)	374	12.4%	(10.5-14.4)	371	11.8%	(10.1-13.5)	2208	64.5%	(61.9-67.0)
	<b>Fair or Poor Health</b>	56	8.8%	(5.3-12.3)	90	13.5%	(9.5-17.4)	248	32.5%	(27.3-37.6)	337	45.2%	(39.6-50.8)

### Table 4: Poor Physical or Mental Health

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities?		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	255	10.8%	(8.8-12.8)	277	11.9%	(9.9-13.8)	432	18.9%	(16.4-21.4)	1337	58.4%	(55.3-61.6)
<b>Gender</b>	<b>Male</b>	86	11.2%	(7.7-14.7)	84	10.6%	(7.5-13.7)	158	18.1%	(14.0-22.2)	506	60.1%	(54.9-65.3)
	<b>Female</b>	169	10.5%	(8.2-12.7)	193	12.9%	(10.3-15.4)	274	19.5%	(16.5-22.6)	831	57.1%	(53.3-60.9)
<b>Race</b>	<b>White/Non-Hisp</b>	198	11.1%	(9.0-13.2)	197	11.2%	(9.2-13.3)	290	19.2%	(16.1-22.2)	978	58.5%	(54.9-62.1)
	<b>Black or Af.Am./Non-Hisp</b>	5	15.4%	(1.5-29.4)	8	13.1%	(2.1-24.0)	12	15.6%	(5.8-25.4)	37	55.9%	(40.0-71.8)
	<b>Other Race/Non-Hisp</b>	7	6.0%	(0.4-11.6)	11	17.9%	(1.2-34.5)	23	23.6%	(8.2-39.0)	45	52.5%	(34.7-70.3)
	<b>Multiracial/Non-Hisp</b>	10	7.4%	(1.2-13.5)	22	13.4%	(6.1-20.8)	52	32.4%	(22.1-42.7)	98	46.7%	(35.8-57.7)
	<b>Hispanic</b>	34	11.4%	(5.9-16.9)	38	11.8%	(6.9-16.6)	52	13.2%	(8.5-17.8)	167	63.7%	(55.9-71.4)
<b>Age</b>	<b>18-24</b>	13	6.6%	(2.0-11.3)	29	20.8%	(11.9-29.6)	14	9.3%	(3.6-14.9)	91	63.3%	(53.1-73.5)
	<b>25-34</b>	43	12.6%	(6.4-18.7)	35	6.4%	(3.6-9.3)	42	17.4%	(10.6-24.2)	175	63.6%	(55.1-72.0)
	<b>35-44</b>	66	16.1%	(11.2-21.0)	38	9.9%	(5.6-14.2)	62	17.0%	(11.7-22.4)	229	57.0%	(50.1-63.8)
	<b>45-54</b>	56	11.8%	(7.4-16.2)	59	11.4%	(7.9-14.9)	93	22.8%	(16.8-28.8)	282	54.0%	(47.5-60.5)
	<b>55-64</b>	44	7.1%	(4.1-10.1)	56	12.5%	(7.9-17.1)	103	22.2%	(16.9-27.6)	273	58.2%	(51.8-64.6)
	<b>65+</b>	33	6.9%	(3.9-9.9)	60	14.2%	(9.4-19.0)	118	24.7%	(19.3-30.0)	287	54.2%	(48.0-60.5)
<b>Education</b>	<b>Less Than H.S.</b>	10	2.3%	(0.3-4.4)	26	11.7%	(5.8-17.6)	68	22.6%	(16.0-29.1)	135	63.4%	(54.9-71.9)
	<b>H.S. or G.E.D.</b>	52	8.4%	(4.4-12.5)	74	12.7%	(8.6-16.9)	131	22.2%	(17.0-27.4)	395	56.6%	(50.6-62.7)
	<b>Some Post-H.S.</b>	88	12.5%	(8.6-16.3)	99	12.9%	(9.4-16.5)	140	18.5%	(14.1-22.9)	448	56.1%	(50.6-61.5)
	<b>College Graduate</b>	104	16.3%	(12.2-20.3)	78	9.7%	(6.9-12.5)	90	13.5%	(9.6-17.5)	354	60.5%	(54.7-66.3)
<b>Income</b>	<b>Less than \$15,000</b>	12	3.1%	(0.9-5.2)	23	11.8%	(5.0-18.7)	84	42.3%	(31.0-53.7)	94	42.8%	(30.9-54.6)
	<b>\$15,000 to 24,999</b>	25	8.9%	(1.7-16.2)	37	15.5%	(8.7-22.3)	78	26.8%	(19.0-34.7)	168	48.8%	(39.8-57.7)
	<b>\$25,000 to 34,999</b>	24	8.9%	(3.9-13.9)	26	12.3%	(5.5-19.1)	38	12.8%	(6.3-19.3)	144	66.0%	(56.1-75.9)
	<b>\$35,000 to 49,999</b>	43	15.7%	(8.9-22.6)	41	9.5%	(5.3-13.6)	49	16.7%	(10.1-23.3)	188	58.1%	(49.6-66.7)
	<b>\$50,000 to 74,999</b>	59	16.8%	(11.1-22.4)	42	11.7%	(7.1-16.3)	54	16.5%	(10.7-22.3)	222	55.0%	(47.7-62.4)
	<b>\$75,000+</b>	72	11.8%	(8.2-15.4)	68	10.1%	(7.2-13.1)	68	11.6%	(8.0-15.3)	366	66.4%	(61.1-71.7)
<b>Region of Residence</b>	<b>Clark</b>	72	10.6%	(7.8-13.4)	89	11.6%	(8.8-14.3)	144	19.5%	(16.1-23.0)	414	58.3%	(54.0-62.6)
	<b>Washoe</b>	90	12.5%	(9.7-15.4)	93	13.5%	(10.4-16.5)	114	14.5%	(11.4-17.5)	431	59.5%	(55.3-63.8)
	<b>All Other Counties</b>	88	11.6%	(9.0-14.2)	88	13.6%	(9.7-17.4)	152	18.8%	(15.5-22.0)	444	56.0%	(51.6-60.5)
<b>Health Insurance</b>	<b>Yes</b>	224	12.4%	(10.0-14.8)	218	11.2%	(9.0-13.3)	344	18.1%	(15.5-20.6)	1140	58.3%	(55.0-61.7)
	<b>No</b>	31	5.3%	(2.8-7.8)	58	14.2%	(9.4-19.1)	87	22.0%	(15.2-28.8)	191	58.5%	(50.5-66.4)
<b>Weight Status</b>	<b>Normal weight</b>	86	10.4%	(7.0-13.7)	111	13.5%	(9.9-17.1)	123	17.7%	(13.3-22.1)	488	58.4%	(53.1-63.8)
	<b>Overweight</b>	93	10.3%	(7.4-13.2)	94	12.3%	(8.7-15.8)	124	14.8%	(11.1-18.6)	477	62.6%	(57.4-67.8)
	<b>Obese</b>	70	10.8%	(7.3-14.3)	66	10.1%	(6.9-13.4)	159	25.6%	(20.5-30.7)	323	53.5%	(47.6-59.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	197	10.7%	(8.3-13.0)	217	12.0%	(9.7-14.3)	302	16.4%	(13.8-19.0)	1057	61.0%	(57.4-64.5)
	<b>At Risk</b>	58	11.3%	(7.4-15.2)	59	11.5%	(7.3-15.6)	127	26.8%	(20.9-32.8)	276	50.4%	(43.8-57.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	226	11.2%	(9.0-13.4)	235	11.1%	(9.1-13.0)	388	18.9%	(16.3-21.5)	1190	58.9%	(55.6-62.2)
	<b>At Risk</b>	25	10.6%	(5.4-15.7)	31	16.0%	(8.5-23.6)	29	21.2%	(10.9-31.5)	107	52.2%	(41.6-62.9)
<b>Health Status</b>	<b>Good or Better Health</b>	218	12.2%	(9.7-14.6)	198	11.8%	(9.5-14.1)	168	10.4%	(8.1-12.7)	1095	65.7%	(62.1-69.2)
	<b>Fair or Poor Health</b>	37	6.7%	(3.8-9.6)	79	12.2%	(8.4-16.0)	263	44.4%	(38.3-50.5)	240	36.7%	(30.7-42.7)

**Table 5: Have any health care coverage**

Do you have any kind of health care coverage?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'						
<b>Total</b>	<b>Total</b>	3502	79.2%	(76.9-81.5)	604	20.8%	(18.5-23.1)
<b>Gender</b>	<b>Male</b>	1466	77.5%	(73.9-81.1)	259	22.5%	(18.9-26.1)
	<b>Female</b>	2036	80.8%	(78.0-83.6)	345	19.2%	(16.4-22.0)
<b>Race</b>	<b>White/Non-Hisp</b>	2691	89.5%	(87.7-91.4)	286	10.5%	(8.6-12.3)
	<b>Black or Af.Am./Non-Hisp</b>	88	72.6%	(61.2-84.1)	25	27.4%	(15.9-38.8)
	<b>Other Race/Non-Hisp</b>	153	82.3%	(71.6-93.0)	27	17.7%	(7.0-28.4)
	<b>Multiracial/Non-Hisp</b>	246	82.8%	(76.3-89.3)	48	17.2%	(10.7-23.7)
	<b>Hispanic</b>	301	50.2%	(43.9-56.4)	213	49.8%	(43.6-56.1)
<b>Age</b>	<b>18-24</b>	147	60.7%	(52.0-69.5)	78	39.3%	(30.5-48.0)
	<b>25-34</b>	344	63.6%	(56.5-70.6)	140	36.4%	(29.4-43.5)
	<b>35-44</b>	557	81.3%	(77.0-85.7)	114	18.7%	(14.3-23.0)
	<b>45-54</b>	721	83.8%	(79.9-87.6)	128	16.2%	(12.4-20.1)
	<b>55-64</b>	738	87.0%	(83.7-90.3)	117	13.0%	(9.7-16.3)
	<b>65+</b>	995	97.1%	(95.7-98.5)	27	2.9%	(1.5-4.3)
<b>Education</b>	<b>Less Than H.S.</b>	229	41.8%	(34.6-49.0)	169	58.2%	(51.0-65.4)
	<b>H.S. or G.E.D.</b>	915	78.6%	(74.5-82.7)	183	21.4%	(17.3-25.5)
	<b>Some Post-H.S.</b>	1170	85.6%	(82.1-89.2)	155	14.4%	(10.8-17.9)
	<b>College Graduate</b>	1169	90.9%	(87.4-94.3)	94	9.1%	(5.7-12.6)
<b>Income</b>	<b>Less than \$15,000</b>	205	60.3%	(49.1-71.5)	82	39.7%	(28.5-50.9)
	<b>\$15,000 to 24,999</b>	351	60.4%	(53.1-67.7)	141	39.6%	(32.3-46.9)
	<b>\$25,000 to 34,999</b>	310	63.3%	(54.3-72.2)	101	36.7%	(27.8-45.7)
	<b>\$35,000 to 49,999</b>	477	77.8%	(71.8-83.9)	90	22.2%	(16.1-28.2)
	<b>\$50,000 to 74,999</b>	653	93.3%	(90.4-96.2)	46	6.7%	(3.8-9.6)
	<b>\$75,000+</b>	1084	93.6%	(91.5-95.8)	63	6.4%	(4.2-8.5)
<b>Region of Residence</b>	<b>Clark</b>	1107	80.6%	(77.6-83.7)	186	19.4%	(16.3-22.4)
	<b>Washoe</b>	1171	85.4%	(82.9-88.0)	155	14.6%	(12.0-17.1)
	<b>All Other Counties</b>	1132	81.4%	(78.5-84.3)	205	18.6%	(15.7-21.5)
<b>Health Insurance</b>	<b>Yes</b>	3502	100.0%	(100.0-100.0)	0	.	(.-)
	<b>No</b>	0	.	(.-)	604	100.0%	(100.0-100.0)
<b>Weight Status</b>	<b>Normal weight</b>	1291	80.4%	(76.8-84.1)	204	19.6%	(15.9-23.2)
	<b>Overweight</b>	1270	79.0%	(74.9-83.1)	202	21.0%	(16.9-25.1)
	<b>Obese</b>	801	78.6%	(74.0-83.2)	165	21.4%	(16.8-26.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	2838	81.6%	(79.1-84.2)	412	18.4%	(15.8-20.9)
	<b>At Risk</b>	650	70.1%	(64.8-75.3)	190	29.9%	(24.7-35.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3143	79.9%	(77.5-82.4)	518	20.1%	(17.6-22.5)
	<b>At Risk</b>	253	73.9%	(65.5-82.3)	57	26.1%	(17.7-34.5)
<b>Health Status</b>	<b>Good or Better Health</b>	2928	82.3%	(79.9-84.8)	429	17.7%	(15.2-20.1)
	<b>Fair or Poor Health</b>	568	63.8%	(57.9-69.7)	174	36.2%	(30.3-42.1)

**Table 6: Do you have one person you think of as your personal doctor or health care provider?**

Do you have one person you think of as your personal doctor or health care provider?		Yes, only one			More than one			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	2806	60.3%	(57.9-62.8)	411	9.4%	(8.2-10.7)	892	30.2%	(27.8-32.7)
<b>Gender</b>	<b>Male</b>	1084	54.3%	(50.6-58.0)	169	8.6%	(6.7-10.4)	469	37.1%	(33.4-40.9)
	<b>Female</b>	1722	66.5%	(63.4-69.5)	242	10.3%	(8.6-12.0)	423	23.2%	(20.3-26.2)
<b>Race</b>	<b>White/Non-Hisp</b>	2169	68.3%	(65.7-71.0)	315	10.7%	(9.2-12.3)	498	20.9%	(18.5-23.4)
	<b>Black or Af.Am./Non-Hisp</b>	70	51.7%	(39.6-63.9)	8	6.6%	(1.8-11.5)	34	41.6%	(29.2-54.0)
	<b>Other Race/Non-Hisp</b>	113	52.9%	(41.3-64.5)	17	10.6%	(3.4-17.8)	49	36.5%	(24.6-48.3)
	<b>Multiracial/Non-Hisp</b>	198	62.9%	(54.5-71.4)	36	11.4%	(6.2-16.6)	63	25.6%	(17.8-33.5)
	<b>Hispanic</b>	239	41.2%	(35.3-47.2)	33	5.7%	(3.1-8.3)	239	53.1%	(46.9-59.3)
<b>Age</b>	<b>18-24</b>	104	41.1%	(32.6-49.6)	19	9.0%	(4.1-13.9)	109	49.9%	(41.2-58.5)
	<b>25-34</b>	248	42.2%	(35.8-48.6)	36	6.9%	(4.0-9.8)	199	50.9%	(44.2-57.7)
	<b>35-44</b>	437	64.2%	(59.1-69.3)	43	6.1%	(3.6-8.6)	190	29.7%	(24.8-34.6)
	<b>45-54</b>	584	62.6%	(57.7-67.5)	78	10.3%	(7.5-13.1)	188	27.1%	(22.4-31.9)
	<b>55-64</b>	638	73.3%	(69.1-77.5)	107	12.8%	(9.8-15.8)	111	13.9%	(10.5-17.3)
	<b>65+</b>	795	77.8%	(74.2-81.4)	128	13.1%	(10.1-16.1)	95	9.1%	(6.6-11.6)
<b>Education</b>	<b>Less Than H.S.</b>	181	33.5%	(26.7-40.2)	25	6.9%	(3.4-10.5)	190	59.6%	(52.4-66.8)
	<b>H.S. or G.E.D.</b>	742	61.0%	(56.3-65.6)	109	8.6%	(6.3-10.9)	248	30.4%	(25.9-35.0)
	<b>Some Post-H.S.</b>	942	62.1%	(57.8-66.4)	135	11.4%	(8.9-14.0)	251	26.5%	(22.3-30.7)
	<b>College Graduate</b>	926	70.6%	(66.5-74.8)	141	9.5%	(7.4-11.6)	196	19.9%	(15.9-23.9)
<b>Income</b>	<b>Less than \$15,000</b>	170	47.2%	(36.8-57.7)	30	7.5%	(2.5-12.5)	86	45.3%	(34.3-56.3)
	<b>\$15,000 to 24,999</b>	281	45.8%	(38.8-52.8)	44	9.6%	(5.2-14.0)	166	44.6%	(37.3-52.0)
	<b>\$25,000 to 34,999</b>	287	60.4%	(51.7-69.2)	26	4.2%	(1.8-6.6)	98	35.4%	(26.4-44.3)
	<b>\$35,000 to 49,999</b>	386	59.6%	(53.1-66.2)	48	9.3%	(5.7-13.0)	132	31.0%	(24.6-37.5)
	<b>\$50,000 to 74,999</b>	510	67.7%	(62.4-73.0)	69	10.8%	(7.5-14.1)	119	21.5%	(16.6-26.3)
	<b>\$75,000+</b>	845	68.9%	(65.0-72.9)	126	10.1%	(7.9-12.4)	178	20.9%	(17.3-24.6)
<b>Region of Residence</b>	<b>Clark</b>	848	59.7%	(56.4-63.1)	147	10.6%	(8.7-12.4)	296	29.7%	(26.4-33.0)
	<b>Washoe</b>	982	70.4%	(67.3-73.5)	126	8.0%	(6.4-9.5)	220	21.7%	(18.7-24.6)
	<b>All Other Counties</b>	913	62.0%	(58.7-65.3)	130	9.0%	(7.2-10.7)	298	29.0%	(25.8-32.3)
<b>Health Insurance</b>	<b>Yes</b>	2570	69.2%	(66.8-71.6)	390	11.3%	(9.8-12.8)	529	19.5%	(17.3-21.6)
	<b>No</b>	225	27.1%	(22.0-32.2)	20	2.3%	(0.5-4.1)	357	70.6%	(65.3-75.9)
<b>Weight Status</b>	<b>Normal weight</b>	1016	61.6%	(57.6-65.5)	166	10.8%	(8.5-13.2)	315	27.6%	(23.8-31.5)
	<b>Overweight</b>	1018	59.8%	(55.6-63.9)	146	9.5%	(7.4-11.6)	309	30.7%	(26.5-34.9)
	<b>Obese</b>	656	59.6%	(54.7-64.5)	85	8.0%	(5.7-10.2)	227	32.4%	(27.5-37.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	2269	61.4%	(58.7-64.2)	343	10.3%	(8.8-11.8)	642	28.3%	(25.5-31.0)
	<b>At Risk</b>	526	56.3%	(51.0-61.5)	66	6.2%	(4.1-8.2)	247	37.5%	(32.3-42.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2536	61.2%	(58.6-63.8)	357	9.4%	(8.0-10.7)	773	29.4%	(26.8-32.0)
	<b>At Risk</b>	186	49.5%	(41.1-58.0)	40	10.8%	(6.2-15.3)	84	39.7%	(31.0-48.4)
<b>Health Status</b>	<b>Good or Better Health</b>	2343	61.9%	(59.2-64.6)	306	8.9%	(7.5-10.2)	714	29.2%	(26.5-31.9)
	<b>Fair or Poor Health</b>	461	52.6%	(47.0-58.3)	103	11.9%	(8.7-15.2)	176	35.4%	(29.5-41.3)

**Table 7: Could Not See Doctor Because of Cost**

Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	512	13.9%	(12.1-15.6)	3600	86.1%	(84.4-87.9)
<b>Gender</b>	<b>Male</b>	163	11.7%	(9.2-14.3)	1565	88.3%	(85.7-90.8)
	<b>Female</b>	349	16.1%	(13.7-18.4)	2035	83.9%	(81.6-86.3)
<b>Race</b>	<b>White/Non-Hisp</b>	297	11.0%	(9.0-12.9)	2689	89.0%	(87.1-91.0)
	<b>Black or Af.Am./Non-Hisp</b>	17	14.6%	(7.2-22.1)	95	85.4%	(77.9-92.8)
	<b>Other Race/Non-Hisp</b>	33	18.5%	(8.5-28.5)	148	81.5%	(71.5-91.5)
	<b>Multiracial/Non-Hisp</b>	52	19.3%	(12.4-26.2)	243	80.7%	(73.8-87.6)
	<b>Hispanic</b>	108	18.6%	(14.0-23.1)	402	81.4%	(76.9-86.0)
<b>Age</b>	<b>18-24</b>	34	12.1%	(6.5-17.7)	200	87.9%	(82.3-93.5)
	<b>25-34</b>	105	22.1%	(16.6-27.7)	381	77.9%	(72.3-83.4)
	<b>35-44</b>	106	15.7%	(11.7-19.6)	564	84.3%	(80.4-88.3)
	<b>45-54</b>	123	15.1%	(11.5-18.8)	727	84.9%	(81.2-88.5)
	<b>55-64</b>	98	11.3%	(8.1-14.4)	757	88.7%	(85.6-91.9)
	<b>65+</b>	46	3.6%	(2.3-5.0)	971	96.4%	(95.0-97.7)
<b>Education</b>	<b>Less Than H.S.</b>	99	26.9%	(20.1-33.7)	299	73.1%	(66.3-79.9)
	<b>H.S. or G.E.D.</b>	158	14.8%	(11.5-18.1)	943	85.2%	(81.9-88.5)
	<b>Some Post-H.S.</b>	168	14.4%	(11.3-17.5)	1157	85.6%	(82.5-88.7)
	<b>College Graduate</b>	86	6.4%	(4.2-8.5)	1179	93.6%	(91.5-95.8)
<b>Income</b>	<b>Less than \$15,000</b>	86	31.8%	(21.8-41.9)	198	68.2%	(58.1-78.2)
	<b>\$15,000 to 24,999</b>	111	25.0%	(18.7-31.3)	381	75.0%	(68.7-81.3)
	<b>\$25,000 to 34,999</b>	71	17.3%	(12.0-22.6)	340	82.7%	(77.4-88.0)
	<b>\$35,000 to 49,999</b>	80	16.1%	(11.0-21.1)	487	83.9%	(78.9-89.0)
	<b>\$50,000 to 74,999</b>	44	8.3%	(5.0-11.6)	655	91.7%	(88.4-95.0)
	<b>\$75,000+</b>	49	4.6%	(2.7-6.6)	1101	95.4%	(93.4-97.3)
<b>Region of Residence</b>	<b>Clark</b>	158	13.8%	(11.4-16.3)	1133	86.2%	(83.7-88.6)
	<b>Washoe</b>	147	12.0%	(9.8-14.2)	1185	88.0%	(85.8-90.2)
	<b>All Other Counties</b>	176	13.4%	(11.2-15.7)	1165	86.6%	(84.3-88.8)
<b>Health Insurance</b>	<b>Yes</b>	276	8.2%	(6.8-9.6)	3213	91.8%	(90.4-93.2)
	<b>No</b>	235	35.6%	(29.6-41.6)	369	64.4%	(58.4-70.4)
<b>Weight Status</b>	<b>Normal weight</b>	170	11.4%	(8.8-14.0)	1331	88.6%	(86.0-91.2)
	<b>Overweight</b>	171	13.8%	(10.9-16.8)	1304	86.2%	(83.2-89.1)
	<b>Obese</b>	145	17.3%	(13.4-21.1)	820	82.7%	(78.9-86.6)
<b>Smoking Status</b>	<b>Not At Risk</b>	321	10.4%	(8.8-12.1)	2934	89.6%	(87.9-91.2)
	<b>At Risk</b>	185	26.4%	(21.5-31.3)	656	73.6%	(68.7-78.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	446	12.8%	(11.1-14.5)	3221	87.2%	(85.5-88.9)
	<b>At Risk</b>	45	23.9%	(15.5-32.2)	266	76.1%	(67.8-84.5)
<b>Health Status</b>	<b>Good or Better Health</b>	320	10.3%	(8.6-12.0)	3048	89.7%	(88.0-91.4)
	<b>Fair or Poor Health</b>	191	31.2%	(25.6-36.7)	547	68.8%	(63.3-74.4)

**Table 8: Length of time since last routine checkup**

About how long has it been since you last visited a doctor for a routine checkup?		< 12 months ago			1 yr but < 2 yrs ago			2 yrs but < 5 yrs ago			5+ yrs or never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	2703	61.6%	(59.2-64.1)	504	13.3%	(11.7-14.9)	376	10.7%	(9.0-12.3)	494	14.4%	(12.5-16.2)
<b>Gender</b>	<b>Male</b>	1056	56.8%	(53.1-60.5)	226	13.4%	(11.0-15.8)	186	12.7%	(10.0-15.4)	248	17.1%	(14.1-20.2)
	<b>Female</b>	1647	66.6%	(63.6-69.7)	278	13.2%	(11.0-15.4)	190	8.7%	(6.8-10.5)	246	11.5%	(9.4-13.7)
<b>Race</b>	<b>White/Non-Hisp</b>	2018	65.8%	(63.2-68.5)	345	11.9%	(10.1-13.8)	259	10.2%	(8.3-12.0)	334	12.1%	(10.3-13.9)
	<b>Black or Af.Am./Non-Hisp</b>	92	77.1%	(67.1-87.1)	11	12.5%	(4.8-20.1)	5	5.7%	(0.1-11.3)	5	4.7%	(0.0-10.0)
	<b>Other Race/Non-Hisp</b>	108	61.9%	(50.1-73.7)	28	13.2%	(6.9-19.6)	19	10.4%	(2.5-18.3)	20	14.5%	(4.0-25.0)
	<b>Multiracial/Non-Hisp</b>	190	59.6%	(51.0-68.1)	39	13.4%	(7.8-19.1)	25	8.7%	(4.5-12.9)	42	18.3%	(10.8-25.8)
	<b>Hispanic</b>	275	46.4%	(40.3-52.6)	77	17.5%	(12.7-22.2)	65	14.3%	(9.4-19.2)	92	21.8%	(16.1-27.5)
<b>Age</b>	<b>18-24</b>	105	45.5%	(36.6-54.3)	42	18.9%	(12.1-25.8)	35	16.3%	(9.6-23.1)	44	19.3%	(12.3-26.3)
	<b>25-34</b>	240	48.1%	(41.4-54.8)	81	16.5%	(11.8-21.3)	68	12.5%	(7.5-17.5)	88	22.9%	(16.6-29.2)
	<b>35-44</b>	393	58.5%	(53.3-63.6)	103	14.8%	(11.0-18.5)	76	11.2%	(8.0-14.3)	99	15.6%	(11.6-19.6)
	<b>45-54</b>	539	63.1%	(58.2-67.9)	115	13.8%	(10.4-17.2)	76	10.8%	(7.2-14.3)	114	12.3%	(9.2-15.5)
	<b>55-64</b>	612	71.9%	(67.5-76.3)	83	9.1%	(6.6-11.6)	77	10.5%	(7.2-13.8)	75	8.5%	(5.8-11.2)
	<b>65+</b>	814	83.4%	(80.4-86.3)	80	6.6%	(4.6-8.5)	44	3.7%	(2.2-5.3)	74	6.3%	(4.4-8.2)
<b>Education</b>	<b>Less Than H.S.</b>	216	48.2%	(40.5-55.8)	55	16.4%	(10.6-22.2)	39	10.6%	(6.2-15.0)	85	24.9%	(17.7-32.1)
	<b>H.S. or G.E.D.</b>	716	61.8%	(57.2-66.3)	129	13.3%	(10.0-16.5)	104	9.9%	(7.1-12.7)	139	15.0%	(11.4-18.7)
	<b>Some Post-H.S.</b>	878	63.7%	(59.5-67.8)	169	12.8%	(10.0-15.5)	122	11.0%	(8.1-13.9)	144	12.6%	(9.4-15.7)
	<b>College Graduate</b>	878	65.7%	(61.4-70.0)	148	12.5%	(9.8-15.2)	111	11.4%	(7.8-14.9)	121	10.4%	(7.8-13.1)
<b>Income</b>	<b>Less than \$15,000</b>	186	55.7%	(44.7-66.8)	34	17.2%	(8.6-25.7)	16	3.9%	(1.1-6.7)	49	23.2%	(11.9-34.5)
	<b>\$15,000 to 24,999</b>	308	61.7%	(54.9-68.5)	57	12.7%	(7.7-17.6)	56	12.3%	(7.6-17.1)	68	13.3%	(8.8-17.7)
	<b>\$25,000 to 34,999</b>	273	61.5%	(52.8-70.2)	41	11.5%	(6.5-16.5)	37	12.5%	(4.8-20.2)	54	14.5%	(8.3-20.7)
	<b>\$35,000 to 49,999</b>	364	56.4%	(49.9-63.0)	72	14.9%	(10.0-19.8)	55	10.8%	(6.4-15.2)	74	17.9%	(12.4-23.4)
	<b>\$50,000 to 74,999</b>	458	65.4%	(60.3-70.6)	86	11.8%	(8.4-15.2)	64	9.9%	(6.7-13.2)	87	12.8%	(9.1-16.5)
	<b>\$75,000+</b>	786	67.6%	(63.7-71.5)	141	11.1%	(8.7-13.5)	105	10.3%	(7.7-12.9)	107	10.9%	(8.1-13.7)
<b>Region of Residence</b>	<b>Clark</b>	882	63.4%	(60.0-66.7)	143	12.4%	(10.1-14.6)	112	10.2%	(8.1-12.3)	145	14.1%	(11.4-16.7)
	<b>Washoe</b>	881	61.4%	(58.1-64.6)	177	15.4%	(12.9-17.8)	121	11.0%	(8.8-13.2)	140	12.3%	(10.0-14.6)
	<b>All Other Counties</b>	859	60.5%	(57.1-63.8)	159	12.6%	(10.4-14.8)	132	11.6%	(9.3-13.9)	177	15.4%	(12.8-18.0)
<b>Health Insurance</b>	<b>Yes</b>	2450	69.0%	(66.7-71.3)	395	11.3%	(9.7-12.8)	295	9.5%	(8.0-11.0)	325	10.2%	(8.7-11.8)
	<b>No</b>	245	33.8%	(28.0-39.6)	107	21.0%	(15.8-26.1)	80	15.5%	(10.1-20.8)	164	29.8%	(23.5-36.0)
<b>Weight Status</b>	<b>Normal weight</b>	991	61.6%	(57.6-65.5)	171	13.5%	(10.7-16.3)	135	10.4%	(8.0-12.8)	189	14.5%	(11.4-17.7)
	<b>Overweight</b>	968	62.9%	(58.8-67.0)	193	12.3%	(9.8-14.9)	136	10.4%	(7.4-13.4)	171	14.4%	(11.1-17.6)
	<b>Obese</b>	637	61.1%	(56.1-66.0)	113	13.0%	(9.7-16.4)	93	11.7%	(8.2-15.3)	112	14.2%	(10.4-17.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	2220	64.8%	(62.1-67.5)	403	12.9%	(11.1-14.7)	272	9.4%	(7.6-11.2)	336	13.0%	(10.8-15.1)
	<b>At Risk</b>	473	50.3%	(45.1-55.5)	101	15.0%	(10.9-19.0)	101	15.2%	(11.2-19.2)	156	19.5%	(15.3-23.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2426	62.6%	(60.0-65.1)	446	12.8%	(11.1-14.5)	330	10.5%	(8.8-12.3)	433	14.1%	(12.1-16.1)
	<b>At Risk</b>	188	51.6%	(43.1-60.1)	41	16.8%	(9.6-24.1)	36	12.6%	(7.3-17.9)	45	19.0%	(11.7-26.2)
<b>Health Status</b>	<b>Good or Better Health</b>	2186	61.6%	(58.9-64.3)	432	14.0%	(12.1-15.8)	319	11.0%	(9.1-12.8)	397	13.5%	(11.5-15.5)
	<b>Fair or Poor Health</b>	512	61.6%	(55.8-67.4)	72	10.3%	(6.7-13.9)	57	9.6%	(6.0-13.1)	96	18.6%	(13.3-23.8)

**Table 9: Exercise in Past 30 Days**

During the past month, other than your regular job, did you participate in any physical activities or exercises?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3149	75.6%	(73.5-77.6)	968	24.4%	(22.4-26.5)
<b>Gender</b>	<b>Male</b>	1359	77.2%	(74.0-80.4)	371	22.8%	(19.6-26.0)
	<b>Female</b>	1790	73.9%	(71.2-76.6)	597	26.1%	(23.4-28.8)
<b>Race</b>	<b>White/Non-Hisp</b>	2369	80.4%	(78.3-82.5)	614	19.6%	(17.5-21.7)
	<b>Black or Af.Am./Non-Hisp</b>	82	76.0%	(66.7-85.2)	30	24.0%	(14.8-33.3)
	<b>Other Race/Non-Hisp</b>	130	64.7%	(53.3-76.1)	52	35.3%	(23.9-46.7)
	<b>Multiracial/Non-Hisp</b>	210	69.7%	(62.0-77.5)	87	30.3%	(22.5-38.0)
	<b>Hispanic</b>	335	66.8%	(60.8-72.7)	180	33.2%	(27.3-39.2)
<b>Age</b>	<b>18-24</b>	190	78.6%	(71.1-86.0)	44	21.4%	(14.0-28.9)
	<b>25-34</b>	396	79.4%	(73.6-85.2)	89	20.6%	(14.8-26.4)
	<b>35-44</b>	541	77.1%	(72.6-81.6)	131	22.9%	(18.4-27.4)
	<b>45-54</b>	652	73.4%	(68.9-78.0)	197	26.6%	(22.0-31.1)
	<b>55-64</b>	668	75.2%	(70.9-79.4)	188	24.8%	(20.6-29.1)
	<b>65+</b>	702	69.4%	(65.6-73.3)	319	30.6%	(26.7-34.4)
<b>Education</b>	<b>Less Than H.S.</b>	220	59.7%	(52.4-67.1)	181	40.3%	(32.9-47.6)
	<b>H.S. or G.E.D.</b>	779	69.8%	(65.6-74.1)	322	30.2%	(25.9-34.4)
	<b>Some Post-H.S.</b>	1054	79.4%	(76.0-82.8)	273	20.6%	(17.2-24.0)
	<b>College Graduate</b>	1080	84.7%	(81.8-87.6)	185	15.3%	(12.4-18.2)
<b>Income</b>	<b>Less than \$15,000</b>	154	54.2%	(43.6-64.9)	133	45.8%	(35.1-56.4)
	<b>\$15,000 to 24,999</b>	319	64.5%	(57.9-71.0)	173	35.5%	(29.0-42.1)
	<b>\$25,000 to 34,999</b>	293	72.6%	(65.4-79.8)	118	27.4%	(20.2-34.6)
	<b>\$35,000 to 49,999</b>	441	75.2%	(69.8-80.7)	127	24.8%	(19.3-30.2)
	<b>\$50,000 to 74,999</b>	567	79.0%	(74.6-83.4)	132	21.0%	(16.6-25.4)
	<b>\$75,000+</b>	1016	87.0%	(84.3-89.8)	134	13.0%	(10.2-15.7)
<b>Region of Residence</b>	<b>Clark</b>	957	74.8%	(71.9-77.7)	335	25.2%	(22.3-28.1)
	<b>Washoe</b>	1100	83.9%	(81.5-86.3)	232	16.1%	(13.7-18.5)
	<b>All Other Counties</b>	1010	75.9%	(73.1-78.7)	332	24.1%	(21.3-26.9)
<b>Health Insurance</b>	<b>Yes</b>	2738	78.5%	(76.5-80.5)	757	21.5%	(19.5-23.5)
	<b>No</b>	398	64.5%	(58.2-70.8)	205	35.5%	(29.2-41.8)
<b>Weight Status</b>	<b>Normal weight</b>	1214	79.2%	(75.9-82.5)	289	20.8%	(17.5-24.1)
	<b>Overweight</b>	1166	77.9%	(74.5-81.3)	309	22.1%	(18.7-25.5)
	<b>Obese</b>	652	67.8%	(63.3-72.3)	315	32.2%	(27.7-36.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	2579	77.3%	(75.0-79.6)	683	22.7%	(20.4-25.0)
	<b>At Risk</b>	561	69.5%	(64.9-74.2)	278	30.5%	(25.8-35.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2821	76.0%	(73.8-78.2)	850	24.0%	(21.8-26.2)
	<b>At Risk</b>	243	80.8%	(74.8-86.8)	68	19.2%	(13.2-25.2)
<b>Health Status</b>	<b>Good or Better Health</b>	2754	80.3%	(78.1-82.4)	617	19.7%	(17.6-21.9)
	<b>Fair or Poor Health</b>	391	53.5%	(47.9-59.1)	348	46.5%	(40.9-52.1)

### Table 10: Ever Told Blood Pressure High

Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure?		Yes			Yes, but female during pregnancy			No			No, pre-hypertensive		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	1345	27.0%	(25.1-29.0)	50	1.2%	(0.7-1.7)	2689	71.2%	(69.2-73.3)	33	0.5%	(0.2-0.8)
<b>Gender</b>	<b>Male</b>	617	28.6%	(25.6-31.7)	0	.	(-.)	1092	70.7%	(67.6-73.8)	18	0.7%	(0.1-1.2)
	<b>Female</b>	728	25.4%	(22.9-27.8)	50	2.4%	(1.5-3.4)	1597	71.8%	(69.2-74.4)	15	0.4%	(0.2-0.6)
<b>Race</b>	<b>White/Non-Hisp</b>	1015	30.4%	(28.0-32.8)	35	1.1%	(0.6-1.6)	1905	67.7%	(65.3-70.2)	31	0.8%	(0.3-1.3)
	<b>Black or Af.Am./Non-Hisp</b>	49	31.8%	(21.6-42.0)	1	0.3%	(0.0-1.0)	62	67.8%	(57.6-78.0)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	53	19.1%	(9.9-28.3)	1	0.1%	(0.0-0.3)	126	80.8%	(71.6-90.0)	0	.	(-.)
	<b>Multiracial/Non-Hisp</b>	115	36.4%	(28.3-44.4)	6	1.9%	(0.1-3.7)	176	61.7%	(53.6-69.8)	0	.	(-.)
	<b>Hispanic</b>	103	14.7%	(10.9-18.6)	7	1.8%	(0.2-3.5)	402	83.3%	(79.2-87.4)	2	0.2%	(0.0-0.4)
<b>Age</b>	<b>18-24</b>	13	6.0%	(1.8-10.3)	3	1.0%	(0.0-2.3)	218	93.0%	(88.6-97.4)	0	.	(-.)
	<b>25-34</b>	47	9.4%	(5.7-13.1)	12	2.1%	(0.3-3.9)	425	88.4%	(84.4-92.4)	1	0.1%	(0.0-0.3)
	<b>35-44</b>	106	19.1%	(14.6-23.6)	15	2.0%	(0.6-3.4)	548	78.8%	(74.2-83.3)	2	0.1%	(0.0-0.3)
	<b>45-54</b>	238	30.4%	(25.8-35.1)	13	0.9%	(0.3-1.6)	590	67.5%	(62.8-72.2)	9	1.1%	(0.0-2.5)
	<b>55-64</b>	358	43.6%	(38.8-48.3)	2	0.2%	(0.0-0.6)	484	55.3%	(50.5-60.1)	11	0.9%	(0.3-1.5)
	<b>65+</b>	583	55.9%	(51.7-60.1)	5	0.4%	(0.0-0.9)	424	42.7%	(38.5-46.9)	10	0.9%	(0.2-1.7)
<b>Education</b>	<b>Less Than H.S.</b>	125	23.6%	(17.5-29.7)	4	1.7%	(0.0-4.0)	271	74.5%	(68.2-80.9)	2	0.2%	(0.0-0.4)
	<b>H.S. or G.E.D.</b>	397	30.1%	(26.3-33.9)	15	1.1%	(0.3-1.9)	680	68.0%	(64.0-71.9)	8	0.8%	(0.0-1.8)
	<b>Some Post-H.S.</b>	426	26.7%	(23.3-30.2)	18	1.4%	(0.6-2.3)	870	71.2%	(67.7-74.8)	14	0.6%	(0.3-1.0)
	<b>College Graduate</b>	391	26.2%	(22.8-29.7)	13	0.9%	(0.2-1.5)	851	72.5%	(69.1-76.0)	9	0.4%	(0.0-0.7)
<b>Income</b>	<b>Less than \$15,000</b>	119	34.0%	(24.5-43.6)	5	0.9%	(0.0-1.8)	162	64.6%	(55.0-74.3)	2	0.4%	(0.0-1.1)
	<b>\$15,000 to 24,999</b>	193	28.9%	(23.3-34.5)	5	1.9%	(0.0-4.1)	291	68.0%	(62.0-74.0)	3	1.2%	(0.0-3.3)
	<b>\$25,000 to 34,999</b>	152	25.8%	(19.7-32.0)	9	2.8%	(0.1-5.4)	247	71.1%	(64.6-77.7)	3	0.3%	(0.0-0.6)
	<b>\$35,000 to 49,999</b>	171	25.7%	(20.6-30.8)	5	0.3%	(0.0-0.6)	386	73.5%	(68.4-78.7)	6	0.4%	(0.1-0.8)
	<b>\$50,000 to 74,999</b>	213	26.8%	(22.2-31.4)	10	1.1%	(0.2-2.0)	471	71.7%	(67.1-76.4)	4	0.4%	(0.0-0.8)
	<b>\$75,000+</b>	308	25.8%	(22.2-29.5)	14	1.3%	(0.4-2.3)	817	72.2%	(68.5-75.9)	12	0.6%	(0.2-1.0)
<b>Region of Residence</b>	<b>Clark</b>	430	27.7%	(25.0-30.5)	16	1.2%	(0.5-1.8)	840	70.7%	(67.9-73.5)	6	0.4%	(0.0-0.8)
	<b>Washoe</b>	398	24.6%	(22.1-27.2)	14	0.9%	(0.4-1.5)	905	73.6%	(71.0-76.2)	15	0.9%	(0.4-1.4)
	<b>All Other Counties</b>	480	29.4%	(26.7-32.2)	16	1.2%	(0.5-1.9)	835	68.3%	(65.4-71.2)	12	1.1%	(0.4-1.7)
<b>Health Insurance</b>	<b>Yes</b>	1206	29.7%	(27.5-31.8)	40	1.0%	(0.6-1.5)	2219	68.6%	(66.5-70.8)	30	0.6%	(0.3-1.0)
	<b>No</b>	136	17.3%	(12.8-21.8)	10	2.0%	(0.3-3.6)	454	80.6%	(75.9-85.3)	3	0.1%	(0.0-0.3)
<b>Weight Status</b>	<b>Normal weight</b>	335	16.4%	(14.0-18.9)	20	0.9%	(0.4-1.4)	1137	82.4%	(79.9-84.9)	8	0.3%	(0.0-0.5)
	<b>Overweight</b>	497	27.8%	(24.5-31.2)	18	1.2%	(0.3-2.1)	946	70.4%	(66.9-73.8)	16	0.6%	(0.2-1.0)
	<b>Obese</b>	453	41.4%	(36.8-46.1)	9	1.2%	(0.2-2.1)	498	56.5%	(51.8-61.2)	8	0.9%	(0.0-1.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	1080	27.1%	(24.9-29.4)	34	1.2%	(0.6-1.7)	2119	71.1%	(68.8-73.4)	28	0.6%	(0.2-1.0)
	<b>At Risk</b>	256	26.1%	(21.9-30.3)	16	1.4%	(0.5-2.3)	564	72.3%	(68.0-76.6)	4	0.2%	(0.0-0.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1194	26.8%	(24.7-28.8)	48	1.3%	(0.8-1.9)	2398	71.3%	(69.2-73.5)	29	0.5%	(0.2-0.9)
	<b>At Risk</b>	103	27.4%	(20.4-34.4)	0	.	(-.)	208	72.5%	(65.6-79.5)	1	0.1%	(0.0-0.2)
<b>Health Status</b>	<b>Good or Better Health</b>	956	23.2%	(21.1-25.2)	42	1.2%	(0.7-1.7)	2344	75.1%	(73.0-77.2)	27	0.6%	(0.2-0.9)
	<b>Fair or Poor Health</b>	387	45.7%	(40.2-51.2)	8	1.3%	(0.0-2.6)	341	52.5%	(47.0-58.1)	6	0.4%	(0.0-0.9)

**Table 11: Currently Taking Blood Pressure Medication**

Are you currently taking medicine for your high blood pressure?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1042	68.8%	(64.7-72.9)	303	31.2%	(27.1-35.3)
<b>Gender</b>	<b>Male</b>	453	65.5%	(59.5-71.4)	164	34.5%	(28.6-40.5)
	<b>Female</b>	589	72.7%	(67.1-78.2)	139	27.3%	(21.8-32.9)
<b>Race</b>	<b>White/Non-Hisp</b>	817	72.8%	(68.2-77.4)	198	27.2%	(22.6-31.8)
	<b>Black or Af.Am./Non-Hisp</b>	45	83.2%	(67.9-98.5)	4	16.8%	(1.5-32.1)
	<b>Other Race/Non-Hisp</b>	34	74.2%	(56.4-92.0)	19	25.8%	(8.0-43.6)
	<b>Multiracial/Non-Hisp</b>	77	57.9%	(44.0-71.8)	38	42.1%	(28.2-56.0)
	<b>Hispanic</b>	61	45.0%	(31.9-58.1)	42	55.0%	(41.9-68.1)
<b>Age</b>	<b>18-24</b>	2	6.8%	(0.0-16.9)	11	93.2%	(83.1-100.0)
	<b>25-34</b>	12	33.3%	(11.8-54.9)	35	66.7%	(45.1-88.2)
	<b>35-44</b>	44	37.8%	(25.0-50.5)	62	62.2%	(49.5-75.0)
	<b>45-54</b>	159	65.6%	(56.3-75.0)	79	34.4%	(25.0-43.7)
	<b>55-64</b>	294	79.3%	(72.9-85.6)	64	20.7%	(14.4-27.1)
	<b>65+</b>	531	89.5%	(85.5-93.4)	52	10.5%	(6.6-14.5)
<b>Education</b>	<b>Less Than H.S.</b>	90	57.9%	(43.3-72.5)	35	42.1%	(27.5-56.7)
	<b>H.S. or G.E.D.</b>	313	69.8%	(62.7-77.0)	84	30.2%	(23.0-37.3)
	<b>Some Post-H.S.</b>	322	69.4%	(61.9-76.9)	104	30.6%	(23.1-38.1)
	<b>College Graduate</b>	312	71.8%	(64.5-79.0)	79	28.2%	(21.0-35.5)
<b>Income</b>	<b>Less than \$15,000</b>	88	66.0%	(50.4-81.6)	31	34.0%	(18.4-49.6)
	<b>\$15,000 to 24,999</b>	156	73.8%	(63.4-84.1)	37	26.2%	(15.9-36.6)
	<b>\$25,000 to 34,999</b>	125	75.3%	(63.2-87.4)	27	24.7%	(12.6-36.8)
	<b>\$35,000 to 49,999</b>	138	72.8%	(62.1-83.5)	33	27.2%	(16.5-37.9)
	<b>\$50,000 to 74,999</b>	165	68.8%	(58.9-78.7)	48	31.2%	(21.3-41.1)
	<b>\$75,000+</b>	222	64.5%	(56.3-72.8)	86	35.5%	(27.2-43.7)
<b>Region of Residence</b>	<b>Clark</b>	333	69.8%	(64.3-75.3)	97	30.2%	(24.7-35.7)
	<b>Washoe</b>	308	70.6%	(64.8-76.4)	90	29.4%	(23.6-35.2)
	<b>All Other Counties</b>	377	73.4%	(68.5-78.3)	103	26.6%	(21.7-31.5)
<b>Health Insurance</b>	<b>Yes</b>	967	72.8%	(68.7-76.9)	239	27.2%	(23.1-31.3)
	<b>No</b>	74	43.3%	(29.8-56.8)	62	56.7%	(43.2-70.2)
<b>Weight Status</b>	<b>Normal weight</b>	271	75.1%	(67.4-82.8)	64	24.9%	(17.2-32.6)
	<b>Overweight</b>	371	64.7%	(57.9-71.6)	126	35.3%	(28.4-42.1)
	<b>Obese</b>	355	70.4%	(63.5-77.3)	98	29.6%	(22.7-36.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	857	70.6%	(65.9-75.2)	223	29.4%	(24.8-34.1)
	<b>At Risk</b>	178	61.9%	(52.9-70.8)	78	38.1%	(29.2-47.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	937	70.0%	(65.7-74.3)	257	30.0%	(25.7-34.3)
	<b>At Risk</b>	70	60.6%	(46.1-75.2)	33	39.4%	(24.8-53.9)
<b>Health Status</b>	<b>Good or Better Health</b>	727	66.8%	(61.9-71.7)	229	33.2%	(28.3-38.1)
	<b>Fair or Poor Health</b>	314	73.8%	(66.4-81.2)	73	26.2%	(18.8-33.6)

**Table 12: Ever Had Blood Cholesterol Checked**

Have you EVER had your blood cholesterol checked?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3296	74.6%	(72.3-76.9)	711	25.4%	(23.1-27.7)
<b>Gender</b>	<b>Male</b>	1349	71.5%	(67.9-75.1)	330	28.5%	(24.9-32.1)
	<b>Female</b>	1947	77.7%	(74.8-80.6)	381	22.3%	(19.4-25.2)
<b>Race</b>	<b>White/Non-Hisp</b>	2522	83.7%	(81.5-85.9)	378	16.3%	(14.1-18.5)
	<b>Black or Af.Am./Non-Hisp</b>	76	63.9%	(51.5-76.3)	33	36.1%	(23.7-48.5)
	<b>Other Race/Non-Hisp</b>	131	62.0%	(50.0-74.0)	48	38.0%	(26.0-50.0)
	<b>Multiracial/Non-Hisp</b>	240	75.7%	(67.0-84.3)	47	24.3%	(15.7-33.0)
	<b>Hispanic</b>	304	54.9%	(48.6-61.2)	201	45.1%	(38.8-51.4)
<b>Age</b>	<b>18-24</b>	76	31.2%	(23.0-39.5)	138	68.8%	(60.5-77.0)
	<b>25-34</b>	264	59.2%	(52.4-66.0)	197	40.8%	(34.0-47.6)
	<b>35-44</b>	498	75.9%	(71.3-80.5)	155	24.1%	(19.5-28.7)
	<b>45-54</b>	725	85.3%	(81.6-89.1)	111	14.7%	(10.9-18.4)
	<b>55-64</b>	783	91.1%	(88.0-94.2)	60	8.9%	(5.8-12.0)
	<b>65+</b>	950	95.0%	(93.1-96.9)	50	5.0%	(3.1-6.9)
<b>Education</b>	<b>Less Than H.S.</b>	227	48.4%	(40.7-56.1)	158	51.6%	(43.9-59.3)
	<b>H.S. or G.E.D.</b>	832	68.3%	(63.7-72.9)	231	31.7%	(27.1-36.3)
	<b>Some Post-H.S.</b>	1092	78.3%	(74.3-82.3)	198	21.7%	(17.7-25.7)
	<b>College Graduate</b>	1128	88.8%	(86.1-91.5)	118	11.2%	(8.5-13.9)
<b>Income</b>	<b>Less than \$15,000</b>	216	57.5%	(46.2-68.9)	65	42.5%	(31.1-53.8)
	<b>\$15,000 to 24,999</b>	351	64.8%	(57.6-72.1)	129	35.2%	(27.9-42.4)
	<b>\$25,000 to 34,999</b>	315	72.7%	(65.2-80.1)	79	27.3%	(19.9-34.8)
	<b>\$35,000 to 49,999</b>	442	66.8%	(60.1-73.5)	110	33.2%	(26.5-39.9)
	<b>\$50,000 to 74,999</b>	570	79.5%	(74.5-84.5)	108	20.5%	(15.5-25.5)
	<b>\$75,000+</b>	1008	85.4%	(82.1-88.7)	128	14.6%	(11.3-17.9)
<b>Region of Residence</b>	<b>Clark</b>	1052	75.7%	(72.4-78.9)	212	24.3%	(21.1-27.6)
	<b>Washoe</b>	1075	76.4%	(73.3-79.4)	219	23.6%	(20.6-26.7)
	<b>All Other Counties</b>	1083	74.3%	(70.9-77.7)	222	25.7%	(22.3-29.1)
<b>Health Insurance</b>	<b>Yes</b>	2968	82.6%	(80.5-84.7)	442	17.4%	(15.3-19.5)
	<b>No</b>	319	44.2%	(37.7-50.8)	260	55.8%	(49.2-62.3)
<b>Weight Status</b>	<b>Normal weight</b>	1165	70.4%	(66.4-74.5)	291	29.6%	(25.5-33.6)
	<b>Overweight</b>	1188	75.9%	(72.0-79.7)	248	24.1%	(20.3-28.0)
	<b>Obese</b>	815	78.8%	(74.3-83.2)	133	21.2%	(16.8-25.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	2678	77.6%	(75.0-80.1)	500	22.4%	(19.9-25.0)
	<b>At Risk</b>	604	63.5%	(58.1-68.8)	210	36.5%	(31.2-41.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2965	75.5%	(73.0-77.9)	612	24.5%	(22.1-27.0)
	<b>At Risk</b>	225	63.9%	(55.1-72.8)	74	36.1%	(27.2-44.9)
<b>Health Status</b>	<b>Good or Better Health</b>	2692	75.0%	(72.4-77.5)	592	25.0%	(22.5-27.6)
	<b>Fair or Poor Health</b>	600	72.9%	(67.1-78.7)	117	27.1%	(21.3-32.9)

### Table 13: How Long since Cholesterol Checked

About how long has it been since you last had your blood cholesterol checked?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <5 yrs ago			5+ yrs ago		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	2430	72.9%	(70.4-75.4)	409	13.5%	(11.6-15.4)	263	8.4%	(6.9-9.9)	158	5.1%	(3.7-6.6)
<b>Gender</b>	<b>Male</b>	1014	73.1%	(69.1-77.1)	145	12.4%	(9.4-15.4)	112	8.7%	(6.5-11.0)	66	5.8%	(3.1-8.4)
	<b>Female</b>	1416	72.8%	(69.7-75.8)	264	14.6%	(12.2-17.0)	151	8.1%	(6.1-10.1)	92	4.5%	(3.3-5.7)
<b>Race</b>	<b>White/Non-Hisp</b>	1872	74.8%	(72.3-77.4)	307	12.5%	(10.5-14.5)	201	8.2%	(6.5-9.8)	116	4.5%	(3.4-5.6)
	<b>Black or Af.Am./Non-Hisp</b>	68	86.7%	(77.3-96.0)	4	7.0%	(0.0-14.4)	4	6.3%	(0.0-12.7)	0	.	(-.-)
	<b>Other Race/Non-Hisp</b>	91	70.6%	(58.6-82.6)	19	14.4%	(5.3-23.4)	12	10.6%	(1.2-19.9)	7	4.5%	(0.7-8.2)
	<b>Multiracial/Non-Hisp</b>	166	64.6%	(55.6-73.7)	28	14.2%	(7.3-21.1)	22	9.1%	(4.6-13.7)	21	12.0%	(4.9-19.2)
	<b>Hispanic</b>	212	65.1%	(56.3-73.9)	51	19.6%	(12.6-26.5)	24	9.4%	(4.4-14.4)	12	5.9%	(0.0-12.7)
<b>Age</b>	<b>18-24</b>	49	67.5%	(52.3-82.7)	13	17.6%	(5.6-29.6)	7	11.8%	(0.0-23.8)	5	3.1%	(0.2-6.1)
	<b>25-34</b>	145	57.2%	(47.8-66.5)	65	27.6%	(19.4-35.8)	33	7.0%	(3.6-10.4)	15	8.2%	(0.6-15.9)
	<b>35-44</b>	310	65.3%	(59.5-71.1)	75	13.3%	(9.3-17.4)	71	14.6%	(10.2-19.0)	39	6.8%	(3.9-9.7)
	<b>45-54</b>	502	73.3%	(68.8-77.7)	106	12.8%	(9.4-16.3)	67	8.6%	(5.7-11.6)	44	5.3%	(3.3-7.2)
	<b>55-64</b>	626	80.9%	(76.9-85.0)	78	8.2%	(5.8-10.6)	49	7.4%	(4.4-10.5)	26	3.4%	(1.4-5.5)
	<b>65+</b>	798	86.1%	(83.2-89.0)	72	8.0%	(5.6-10.3)	36	3.0%	(1.7-4.3)	29	3.0%	(1.6-4.3)
<b>Education</b>	<b>Less Than H.S.</b>	160	72.6%	(63.5-81.6)	34	13.2%	(7.1-19.2)	17	10.6%	(3.2-18.0)	10	3.7%	(0.4-7.0)
	<b>H.S. or G.E.D.</b>	621	74.7%	(69.9-79.5)	105	15.0%	(10.7-19.3)	63	7.4%	(4.9-10.0)	33	2.8%	(1.4-4.3)
	<b>Some Post-H.S.</b>	799	72.7%	(68.5-76.8)	132	12.1%	(9.1-15.1)	87	8.9%	(6.0-11.9)	59	6.3%	(4.2-8.3)
	<b>College Graduate</b>	836	71.6%	(67.1-76.1)	136	14.0%	(10.7-17.3)	96	8.3%	(6.0-10.5)	55	6.1%	(2.7-9.6)
<b>Income</b>	<b>Less than \$15,000</b>	157	73.4%	(61.9-84.9)	27	13.5%	(5.1-21.9)	11	8.9%	(0.0-18.7)	16	4.2%	(1.5-6.9)
	<b>\$15,000 to 24,999</b>	255	69.4%	(60.3-78.5)	39	15.2%	(7.1-23.4)	38	12.3%	(6.0-18.6)	14	3.0%	(0.2-5.9)
	<b>\$25,000 to 34,999</b>	237	74.5%	(64.3-84.8)	40	11.9%	(6.6-17.2)	19	4.1%	(1.7-6.6)	15	9.4%	(0.0-19.7)
	<b>\$35,000 to 49,999</b>	333	71.0%	(64.0-78.0)	47	16.1%	(9.8-22.4)	42	8.4%	(4.7-12.2)	16	4.5%	(1.4-7.6)
	<b>\$50,000 to 74,999</b>	420	75.6%	(70.7-80.6)	79	11.7%	(8.1-15.2)	38	7.0%	(3.9-10.0)	29	5.7%	(3.2-8.3)
	<b>\$75,000+</b>	728	71.9%	(67.9-75.9)	137	13.8%	(10.7-16.9)	89	9.3%	(6.6-11.9)	52	5.1%	(3.2-7.0)
<b>Region of Residence</b>	<b>Clark</b>	805	74.5%	(71.2-77.8)	118	13.5%	(10.8-16.2)	74	8.2%	(6.1-10.3)	44	3.9%	(2.6-5.2)
	<b>Washoe</b>	790	71.5%	(68.2-74.7)	141	14.1%	(11.7-16.6)	79	8.9%	(6.7-11.1)	56	5.5%	(3.9-7.1)
	<b>All Other Counties</b>	774	70.5%	(67.3-73.8)	139	14.0%	(11.5-16.5)	106	10.4%	(8.2-12.5)	50	5.1%	(3.5-6.6)
<b>Health Insurance</b>	<b>Yes</b>	2253	75.7%	(73.3-78.1)	354	12.8%	(10.9-14.7)	212	7.6%	(6.1-9.1)	118	3.8%	(2.9-4.8)
	<b>No</b>	174	52.8%	(43.1-62.5)	52	18.6%	(11.5-25.7)	50	14.2%	(8.2-20.3)	39	14.4%	(5.1-23.7)
<b>Weight Status</b>	<b>Normal weight</b>	822	68.2%	(64.0-72.4)	157	15.6%	(12.1-19.0)	110	10.5%	(7.9-13.2)	61	5.7%	(3.7-7.7)
	<b>Overweight</b>	884	74.0%	(69.8-78.3)	145	11.9%	(9.3-14.6)	83	7.9%	(5.3-10.5)	63	6.2%	(2.9-9.4)
	<b>Obese</b>	633	79.4%	(75.3-83.6)	87	10.9%	(7.5-14.2)	60	6.2%	(3.8-8.7)	31	3.5%	(1.9-5.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2015	73.8%	(71.0-76.6)	312	12.8%	(10.7-14.9)	209	8.6%	(6.9-10.3)	114	4.8%	(3.1-6.5)
	<b>At Risk</b>	404	68.9%	(63.4-74.5)	96	16.9%	(12.2-21.7)	53	7.6%	(4.8-10.3)	43	6.5%	(3.7-9.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2191	72.8%	(70.2-75.5)	362	13.6%	(11.6-15.6)	240	8.6%	(7.0-10.1)	143	5.0%	(3.5-6.6)
	<b>At Risk</b>	162	68.8%	(58.6-79.0)	32	13.8%	(7.2-20.3)	18	9.5%	(1.4-17.6)	12	8.0%	(1.5-14.4)
<b>Health Status</b>	<b>Good or Better Health</b>	1936	71.1%	(68.3-73.9)	365	14.8%	(12.6-17.0)	229	8.6%	(7.0-10.2)	137	5.5%	(3.8-7.2)
	<b>Fair or Poor Health</b>	491	82.1%	(77.1-87.1)	44	7.3%	(4.3-10.3)	34	7.7%	(3.6-11.7)	20	2.9%	(1.0-4.8)

**Table 14: Ever Told Blood Cholesterol High**

Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1341	37.1%	(34.6-39.5)	1916	62.9%	(60.5-65.4)
<b>Gender</b>	<b>Male</b>	601	39.5%	(35.7-43.4)	733	60.5%	(56.6-64.3)
	<b>Female</b>	740	34.8%	(31.7-37.8)	1183	65.2%	(62.2-68.3)
<b>Race</b>	<b>White/Non-Hisp</b>	1050	39.9%	(37.1-42.7)	1439	60.1%	(57.3-62.9)
	<b>Black or Af.Am./Non-Hisp</b>	34	38.3%	(25.1-51.5)	41	61.7%	(48.5-74.9)
	<b>Other Race/Non-Hisp</b>	45	31.0%	(19.5-42.6)	85	69.0%	(57.4-80.5)
	<b>Multiracial/Non-Hisp</b>	97	30.9%	(23.1-38.7)	143	69.1%	(61.3-76.9)
	<b>Hispanic</b>	103	28.7%	(21.8-35.7)	198	71.3%	(64.3-78.2)
<b>Age</b>	<b>18-24</b>	3	4.7%	(0.0-10.3)	72	95.3%	(89.7-100.0)
	<b>25-34</b>	49	14.4%	(8.5-20.4)	212	85.6%	(79.6-91.5)
	<b>35-44</b>	140	31.0%	(25.2-36.9)	354	69.0%	(63.1-74.8)
	<b>45-54</b>	265	38.1%	(33.1-43.2)	452	61.9%	(56.8-66.9)
	<b>55-64</b>	382	48.6%	(43.6-53.6)	395	51.4%	(46.4-56.4)
	<b>65+</b>	502	56.6%	(52.3-60.9)	431	43.4%	(39.1-47.7)
<b>Education</b>	<b>Less Than H.S.</b>	103	41.1%	(31.4-50.9)	118	58.9%	(49.1-68.6)
	<b>H.S. or G.E.D.</b>	359	40.2%	(35.2-45.2)	461	59.8%	(54.8-64.8)
	<b>Some Post-H.S.</b>	435	36.8%	(32.6-41.0)	646	63.2%	(59.0-67.4)
	<b>College Graduate</b>	440	34.5%	(30.4-38.5)	679	65.5%	(61.5-69.6)
<b>Income</b>	<b>Less than \$15,000</b>	112	46.9%	(35.1-58.7)	97	53.1%	(41.3-64.9)
	<b>\$15,000 to 24,999</b>	164	42.0%	(34.0-50.1)	183	58.0%	(49.9-66.0)
	<b>\$25,000 to 34,999</b>	130	33.9%	(25.3-42.4)	181	66.1%	(57.6-74.7)
	<b>\$35,000 to 49,999</b>	179	36.0%	(29.5-42.4)	259	64.0%	(57.6-70.5)
	<b>\$50,000 to 74,999</b>	221	38.0%	(32.3-43.7)	344	62.0%	(56.3-67.7)
	<b>\$75,000+</b>	379	36.2%	(31.9-40.4)	623	63.8%	(59.6-68.1)
<b>Region of Residence</b>	<b>Clark</b>	442	37.4%	(34.0-40.7)	599	62.6%	(59.3-66.0)
	<b>Washoe</b>	423	37.2%	(33.8-40.6)	641	62.8%	(59.4-66.2)
	<b>All Other Counties</b>	448	39.4%	(36.0-42.8)	621	60.6%	(57.2-64.0)
<b>Health Insurance</b>	<b>Yes</b>	1230	38.8%	(36.3-41.4)	1707	61.2%	(58.6-63.7)
	<b>No</b>	110	25.0%	(17.9-32.1)	202	75.0%	(67.9-82.1)
<b>Weight Status</b>	<b>Normal weight</b>	371	28.4%	(24.7-32.0)	776	71.6%	(68.0-75.3)
	<b>Overweight</b>	513	39.8%	(35.6-44.0)	664	60.2%	(56.0-64.4)
	<b>Obese</b>	406	45.1%	(40.0-50.2)	400	54.9%	(49.8-60.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	1071	35.8%	(33.1-38.4)	1575	64.2%	(61.6-66.9)
	<b>At Risk</b>	265	42.9%	(37.1-48.7)	333	57.1%	(51.3-62.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1195	36.4%	(33.8-38.9)	1734	63.6%	(61.1-66.2)
	<b>At Risk</b>	103	46.3%	(36.3-56.3)	119	53.7%	(43.7-63.7)
<b>Health Status</b>	<b>Good or Better Health</b>	1002	33.8%	(31.2-36.4)	1664	66.2%	(63.6-68.8)
	<b>Fair or Poor Health</b>	338	53.6%	(47.5-59.6)	249	46.4%	(40.4-52.5)

**Table 15: Ever Diagnosed with Heart Attack**

Has a doctor, nurse, or other health professional ever told you that you had a heart attack?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	203	4.2%	(3.2-5.1)	3903	95.8%	(94.9-96.8)
<b>Gender</b>	<b>Male</b>	122	5.8%	(4.1-7.4)	1600	94.2%	(92.6-95.9)
	<b>Female</b>	81	2.5%	(1.7-3.3)	2303	97.5%	(96.7-98.3)
<b>Race</b>	<b>White/Non-Hisp</b>	148	4.6%	(3.4-5.8)	2831	95.4%	(94.2-96.6)
	<b>Black or Af.Am./Non-Hisp</b>	5	3.3%	(0.0-6.9)	107	96.7%	(93.1-100.0)
	<b>Other Race/Non-Hisp</b>	10	3.1%	(0.4-5.8)	171	96.9%	(94.2-99.6)
	<b>Multiracial/Non-Hisp</b>	23	5.6%	(2.2-9.1)	272	94.4%	(90.9-97.8)
	<b>Hispanic</b>	15	2.9%	(0.8-5.0)	498	97.1%	(95.0-99.2)
<b>Age</b>	<b>18-24</b>	1	0.2%	(0.0-0.5)	233	99.8%	(99.5-100.0)
	<b>25-34</b>	3	1.2%	(0.0-3.0)	482	98.8%	(97.0-100.0)
	<b>35-44</b>	9	0.8%	(0.2-1.4)	662	99.2%	(98.6-99.8)
	<b>45-54</b>	26	5.9%	(2.8-9.1)	820	94.1%	(90.9-97.2)
	<b>55-64</b>	42	6.0%	(3.3-8.7)	810	94.0%	(91.3-96.7)
	<b>65+</b>	122	11.6%	(8.9-14.3)	896	88.4%	(85.7-91.1)
<b>Education</b>	<b>Less Than H.S.</b>	29	6.0%	(2.5-9.4)	367	94.0%	(90.6-97.5)
	<b>H.S. or G.E.D.</b>	67	5.2%	(3.3-7.1)	1033	94.8%	(92.9-96.7)
	<b>Some Post-H.S.</b>	58	3.9%	(2.2-5.6)	1266	96.1%	(94.4-97.8)
	<b>College Graduate</b>	47	2.6%	(1.5-3.7)	1216	97.4%	(96.3-98.5)
<b>Income</b>	<b>Less than \$15,000</b>	29	6.1%	(2.6-9.7)	256	93.9%	(90.3-97.4)
	<b>\$15,000 to 24,999</b>	35	5.9%	(3.0-8.7)	454	94.1%	(91.3-97.0)
	<b>\$25,000 to 34,999</b>	29	5.1%	(1.5-8.7)	382	94.9%	(91.3-98.5)
	<b>\$35,000 to 49,999</b>	26	3.6%	(1.8-5.4)	540	96.4%	(94.6-98.2)
	<b>\$50,000 to 74,999</b>	23	3.4%	(1.4-5.4)	676	96.6%	(94.6-98.6)
	<b>\$75,000+</b>	31	3.0%	(1.4-4.6)	1118	97.0%	(95.4-98.6)
<b>Region of Residence</b>	<b>Clark</b>	60	3.9%	(2.7-5.0)	1231	96.1%	(95.0-97.3)
	<b>Washoe</b>	67	4.1%	(3.0-5.2)	1260	95.9%	(94.8-97.0)
	<b>All Other Counties</b>	71	4.6%	(3.4-5.8)	1267	95.4%	(94.2-96.6)
<b>Health Insurance</b>	<b>Yes</b>	183	4.4%	(3.4-5.3)	3307	95.6%	(94.7-96.6)
	<b>No</b>	20	3.4%	(0.8-5.9)	578	96.6%	(94.1-99.2)
<b>Weight Status</b>	<b>Normal weight</b>	66	3.4%	(2.3-4.6)	1436	96.6%	(95.4-97.7)
	<b>Overweight</b>	76	4.2%	(2.7-5.7)	1391	95.8%	(94.3-97.3)
	<b>Obese</b>	53	5.6%	(3.1-8.2)	912	94.4%	(91.8-96.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	139	3.5%	(2.5-4.4)	3112	96.5%	(95.6-97.5)
	<b>At Risk</b>	63	6.5%	(4.1-9.0)	776	93.5%	(91.0-95.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	182	4.0%	(3.1-4.9)	3478	96.0%	(95.1-96.9)
	<b>At Risk</b>	12	2.6%	(0.8-4.5)	298	97.4%	(95.5-99.2)
<b>Health Status</b>	<b>Good or Better Health</b>	113	2.7%	(1.9-3.5)	3249	97.3%	(96.5-98.1)
	<b>Fair or Poor Health</b>	90	11.2%	(7.6-14.9)	647	88.8%	(85.1-92.4)

**Table 16: Outpatient rehab after heart attack hospital stay**

After you left the hospital following your heart attack did you go to any kind of outpatient rehabilitation?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	61	31.6%	(20.7-42.6)	133	68.4%	(57.4-79.3)
<b>Gender</b>	<b>Male</b>	43	36.8%	(22.2-51.4)	71	63.2%	(48.6-77.8)
	<b>Female</b>	18	19.7%	(7.0-32.4)	62	80.3%	(67.6-93.0)
<b>Race</b>	<b>White/Non-Hisp</b>	43	25.7%	(14.9-36.6)	98	74.3%	(63.4-85.1)
	<b>Black or Af.Am./Non-Hisp</b>	1	21.8%	(0.0-62.7)	3	78.2%	(37.3-100.0)
	<b>Other Race/Non-Hisp</b>	4	44.8%	(1.2-88.5)	6	55.2%	(11.5-98.8)
	<b>Multiracial/Non-Hisp</b>	5	30.0%	(0.0-65.4)	17	70.0%	(34.6-100.0)
	<b>Hispanic</b>	8	57.6%	(22.8-92.4)	7	42.4%	(7.6-77.2)
<b>Age</b>	<b>18-24</b>	1	100.0%	(100.0-100.0)	0	.	(-.-)
	<b>25-34</b>	1	80.8%	(43.2-100.0)	2	19.2%	(0.0-56.8)
	<b>35-44</b>	1	9.0%	(0.0-27.0)	8	91.0%	(73.0-100.0)
	<b>45-54</b>	7	20.3%	(0.0-40.9)	17	79.7%	(59.1-100.0)
	<b>55-64</b>	11	22.5%	(2.2-42.8)	31	77.5%	(57.2-97.8)
	<b>65+</b>	40	37.7%	(25.2-50.2)	75	62.3%	(49.8-74.8)
<b>Education</b>	<b>Less Than H.S.</b>	9	39.2%	(7.8-70.7)	19	60.8%	(29.3-92.2)
	<b>H.S. or G.E.D.</b>	24	36.1%	(18.3-53.9)	41	63.9%	(46.1-81.7)
	<b>Some Post-H.S.</b>	16	24.1%	(6.2-41.9)	41	75.9%	(58.1-93.8)
	<b>College Graduate</b>	12	26.2%	(8.4-44.1)	32	73.8%	(55.9-91.6)
<b>Income</b>	<b>Less than \$15,000</b>	6	19.7%	(0.0-41.2)	23	80.3%	(58.8-100.0)
	<b>\$15,000 to 24,999</b>	8	30.9%	(5.2-56.7)	25	69.1%	(43.3-94.8)
	<b>\$25,000 to 34,999</b>	11	64.5%	(35.8-93.2)	17	35.5%	(6.8-64.2)
	<b>\$35,000 to 49,999</b>	8	33.4%	(9.2-57.6)	18	66.6%	(42.4-90.8)
	<b>\$50,000 to 74,999</b>	13	54.1%	(24.1-84.2)	10	45.9%	(15.8-75.9)
	<b>\$75,000+</b>	9	11.4%	(2.3-20.5)	22	88.6%	(79.5-97.7)
<b>Region of Residence</b>	<b>Clark</b>	17	29.2%	(15.5-42.9)	41	70.8%	(57.1-84.5)
	<b>Washoe</b>	20	31.2%	(18.0-44.3)	43	68.8%	(55.7-82.0)
	<b>All Other Counties</b>	22	29.9%	(17.9-41.9)	47	70.1%	(58.1-82.1)
<b>Health Insurance</b>	<b>Yes</b>	56	30.7%	(20.4-41.0)	118	69.3%	(59.0-79.6)
	<b>No</b>	5	36.3%	(0.0-76.2)	15	63.7%	(23.8-100.0)
<b>Weight Status</b>	<b>Normal weight</b>	16	21.6%	(7.9-35.3)	48	78.4%	(64.7-92.1)
	<b>Overweight</b>	27	42.8%	(23.6-62.0)	46	57.2%	(38.0-76.4)
	<b>Obese</b>	18	29.5%	(9.0-50.0)	34	70.5%	(50.0-91.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	44	37.7%	(23.0-52.5)	88	62.3%	(47.5-77.0)
	<b>At Risk</b>	17	20.9%	(8.2-33.6)	44	79.1%	(66.4-91.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	54	27.7%	(18.0-37.4)	122	72.3%	(62.6-82.0)
	<b>At Risk</b>	3	15.9%	(0.0-37.2)	9	84.1%	(62.8-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	33	33.5%	(17.8-49.2)	75	66.5%	(50.8-82.2)
	<b>Fair or Poor Health</b>	28	29.5%	(15.3-43.7)	58	70.5%	(56.3-84.7)

**Table 17: Ever Diagnosed with Angina or Coronary Heart Disease**

Has a doctor, nurse, or other health professional ever told you that you had angina or coronary heart disease?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	213	4.4%	(3.5-5.2)	3867	95.6%	(94.8-96.5)
<b>Gender</b>	<b>Male</b>	122	5.6%	(4.2-7.0)	1590	94.4%	(93.0-95.8)
	<b>Female</b>	91	3.1%	(2.3-4.0)	2277	96.9%	(96.0-97.7)
<b>Race</b>	<b>White/Non-Hisp</b>	160	5.1%	(3.9-6.2)	2804	94.9%	(93.8-96.1)
	<b>Black or Af.Am./Non-Hisp</b>	7	3.8%	(0.6-7.0)	105	96.2%	(93.0-99.4)
	<b>Other Race/Non-Hisp</b>	9	2.2%	(0.2-4.3)	170	97.8%	(95.7-99.8)
	<b>Multiracial/Non-Hisp</b>	19	5.5%	(1.9-9.1)	270	94.5%	(90.9-98.1)
	<b>Hispanic</b>	15	2.7%	(1.0-4.3)	494	97.3%	(95.7-99.0)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	232	100.0%	(100.0-100.0)
	<b>25-34</b>	5	0.7%	(0.1-1.4)	480	99.3%	(98.6-99.9)
	<b>35-44</b>	7	0.7%	(0.0-1.4)	662	99.3%	(98.6-100.0)
	<b>45-54</b>	28	4.8%	(2.1-7.6)	816	95.2%	(92.4-97.9)
	<b>55-64</b>	54	8.0%	(5.1-10.9)	789	92.0%	(89.1-94.9)
	<b>65+</b>	119	13.2%	(10.3-16.0)	888	86.8%	(84.0-89.7)
<b>Education</b>	<b>Less Than H.S.</b>	21	5.1%	(2.4-7.8)	376	94.9%	(92.2-97.6)
	<b>H.S. or G.E.D.</b>	65	4.1%	(2.8-5.4)	1020	95.9%	(94.6-97.2)
	<b>Some Post-H.S.</b>	67	5.1%	(3.2-7.0)	1253	94.9%	(93.0-96.8)
	<b>College Graduate</b>	60	3.6%	(2.4-4.8)	1196	96.4%	(95.2-97.6)
<b>Income</b>	<b>Less than \$15,000</b>	23	7.1%	(3.0-11.2)	257	92.9%	(88.8-97.0)
	<b>\$15,000 to 24,999</b>	37	6.6%	(3.6-9.7)	448	93.4%	(90.3-96.4)
	<b>\$25,000 to 34,999</b>	27	4.1%	(1.8-6.4)	380	95.9%	(93.6-98.2)
	<b>\$35,000 to 49,999</b>	25	3.3%	(1.6-4.9)	538	96.7%	(95.1-98.4)
	<b>\$50,000 to 74,999</b>	32	4.3%	(2.4-6.2)	666	95.7%	(93.8-97.6)
	<b>\$75,000+</b>	41	3.3%	(2.0-4.6)	1104	96.7%	(95.4-98.0)
<b>Region of Residence</b>	<b>Clark</b>	76	4.4%	(3.3-5.5)	1206	95.6%	(94.5-96.7)
	<b>Washoe</b>	62	3.6%	(2.6-4.7)	1256	96.4%	(95.3-97.4)
	<b>All Other Counties</b>	70	4.7%	(3.4-6.0)	1262	95.3%	(94.0-96.6)
<b>Health Insurance</b>	<b>Yes</b>	191	4.8%	(3.9-5.7)	3276	95.2%	(94.3-96.1)
	<b>No</b>	22	3.0%	(0.9-5.1)	573	97.0%	(94.9-99.1)
<b>Weight Status</b>	<b>Normal weight</b>	59	3.0%	(2.0-4.0)	1433	97.0%	(96.0-98.0)
	<b>Overweight</b>	84	4.2%	(2.9-5.4)	1380	95.8%	(94.6-97.1)
	<b>Obese</b>	64	7.0%	(4.5-9.6)	889	93.0%	(90.4-95.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	162	4.2%	(3.2-5.1)	3071	95.8%	(94.9-96.8)
	<b>At Risk</b>	50	5.0%	(3.1-6.9)	783	95.0%	(93.1-96.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	194	4.5%	(3.6-5.4)	3444	95.5%	(94.6-96.4)
	<b>At Risk</b>	13	3.2%	(1.0-5.4)	294	96.8%	(94.6-99.0)
<b>Health Status</b>	<b>Good or Better Health</b>	120	2.8%	(2.1-3.4)	3232	97.2%	(96.6-97.9)
	<b>Fair or Poor Health</b>	92	12.1%	(8.5-15.7)	629	87.9%	(84.3-91.5)

**Table 18: Ever Diagnosed with a Stroke**

Has a doctor, nurse, or other health professional ever told you that you had a stroke?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	138	2.4%	(1.8-3.0)	3966	97.6%	(97.0-98.2)
<b>Gender</b>	<b>Male</b>	54	2.3%	(1.4-3.2)	1671	97.7%	(96.8-98.6)
	<b>Female</b>	84	2.6%	(1.8-3.4)	2295	97.4%	(96.6-98.2)
<b>Race</b>	<b>White/Non-Hisp</b>	103	2.9%	(2.1-3.7)	2873	97.1%	(96.3-97.9)
	<b>Black or Af.Am./Non-Hisp</b>	6	2.3%	(0.0-4.6)	107	97.7%	(95.4-100.0)
	<b>Other Race/Non-Hisp</b>	6	2.1%	(0.0-4.4)	172	97.9%	(95.6-100.0)
	<b>Multiracial/Non-Hisp</b>	12	2.5%	(0.0-5.1)	284	97.5%	(94.9-100.0)
	<b>Hispanic</b>	10	1.3%	(0.2-2.3)	503	98.7%	(97.7-99.8)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	233	100.0%	(100.0-100.0)
	<b>25-34</b>	2	0.4%	(0.0-1.2)	483	99.6%	(98.8-100.0)
	<b>35-44</b>	6	0.7%	(0.0-1.3)	665	99.3%	(98.7-100.0)
	<b>45-54</b>	32	4.1%	(2.0-6.2)	814	95.9%	(93.8-98.0)
	<b>55-64</b>	25	3.7%	(1.7-5.7)	827	96.3%	(94.3-98.3)
	<b>65+</b>	73	6.0%	(4.2-7.7)	944	94.0%	(92.3-95.8)
<b>Education</b>	<b>Less Than H.S.</b>	18	3.2%	(1.2-5.2)	379	96.8%	(94.8-98.8)
	<b>H.S. or G.E.D.</b>	48	2.8%	(1.7-3.9)	1048	97.2%	(96.1-98.3)
	<b>Some Post-H.S.</b>	47	2.7%	(1.6-3.8)	1278	97.3%	(96.2-98.4)
	<b>College Graduate</b>	25	1.5%	(0.5-2.5)	1238	98.5%	(97.5-99.5)
<b>Income</b>	<b>Less than \$15,000</b>	27	5.1%	(2.1-8.2)	259	94.9%	(91.8-97.9)
	<b>\$15,000 to 24,999</b>	25	4.4%	(1.8-7.0)	466	95.6%	(93.0-98.2)
	<b>\$25,000 to 34,999</b>	18	3.5%	(1.3-5.6)	391	96.5%	(94.4-98.7)
	<b>\$35,000 to 49,999</b>	15	2.3%	(0.7-4.0)	552	97.7%	(96.0-99.3)
	<b>\$50,000 to 74,999</b>	11	1.0%	(0.1-1.9)	686	99.0%	(98.1-99.9)
	<b>\$75,000+</b>	18	1.2%	(0.3-2.1)	1129	98.8%	(97.9-99.7)
<b>Region of Residence</b>	<b>Clark</b>	44	2.5%	(1.6-3.4)	1247	97.5%	(96.6-98.4)
	<b>Washoe</b>	43	2.4%	(1.6-3.1)	1284	97.6%	(96.9-98.4)
	<b>All Other Counties</b>	48	2.7%	(1.9-3.5)	1287	97.3%	(96.5-98.1)
<b>Health Insurance</b>	<b>Yes</b>	122	2.6%	(1.9-3.3)	3364	97.4%	(96.7-98.1)
	<b>No</b>	15	1.7%	(0.6-2.8)	585	98.3%	(97.2-99.4)
<b>Weight Status</b>	<b>Normal weight</b>	42	1.9%	(1.1-2.8)	1456	98.1%	(97.2-98.9)
	<b>Overweight</b>	53	2.6%	(1.6-3.7)	1417	97.4%	(96.3-98.4)
	<b>Obese</b>	39	3.1%	(1.7-4.5)	924	96.9%	(95.5-98.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	97	2.1%	(1.5-2.7)	3156	97.9%	(97.3-98.5)
	<b>At Risk</b>	40	3.7%	(2.0-5.4)	795	96.3%	(94.6-98.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	128	2.5%	(1.9-3.1)	3531	97.5%	(96.9-98.1)
	<b>At Risk</b>	5	0.9%	(0.0-1.7)	304	99.1%	(98.3-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	72	1.6%	(1.1-2.1)	3287	98.4%	(97.9-98.9)
	<b>Fair or Poor Health</b>	66	6.5%	(4.2-8.9)	672	93.5%	(91.1-95.8)

**Table 19: Outpatient rehab after hospital stay for stroke**

After you left the hospital following your stroke did you go to any kind of outpatient rehabilitation?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	36	24.7%	(14.9-34.5)	93	75.3%	(65.5-85.1)
<b>Gender</b>	<b>Male</b>	17	25.0%	(10.6-39.4)	32	75.0%	(60.6-89.4)
	<b>Female</b>	19	24.4%	(11.1-37.7)	61	75.6%	(62.3-88.9)
<b>Race</b>	<b>White/Non-Hisp</b>	31	30.7%	(17.9-43.4)	65	69.3%	(56.6-82.1)
	<b>Black or Af.Am./Non-Hisp</b>	1	23.5%	(0.0-65.5)	5	76.5%	(34.5-100.0)
	<b>Other Race/Non-Hisp</b>	1	6.1%	(0.0-19.4)	5	93.9%	(80.6-100.0)
	<b>Multiracial/Non-Hisp</b>	1	5.0%	(0.0-16.0)	9	95.0%	(84.0-100.0)
	<b>Hispanic</b>	2	9.5%	(0.0-24.2)	8	90.5%	(75.8-100.0)
<b>Age</b>	<b>25-34</b>	0	.	(-.)	2	100.0%	(100.0-100.0)
	<b>35-44</b>	2	56.6%	(12.0-100.0)	4	43.4%	(0.0-88.0)
	<b>45-54</b>	4	6.2%	(0.0-13.2)	26	93.8%	(86.8-100.0)
	<b>55-64</b>	10	32.1%	(8.4-55.8)	14	67.9%	(44.2-91.6)
	<b>65+</b>	20	32.3%	(17.8-46.8)	47	67.7%	(53.2-82.2)
<b>Education</b>	<b>Less Than H.S.</b>	3	18.0%	(0.0-41.3)	14	82.0%	(58.7-100.0)
	<b>H.S. or G.E.D.</b>	11	22.5%	(7.4-37.6)	34	77.5%	(62.4-92.6)
	<b>Some Post-H.S.</b>	14	27.8%	(10.8-44.8)	31	72.2%	(55.2-89.2)
	<b>College Graduate</b>	8	29.7%	(2.6-56.7)	14	70.3%	(43.3-97.4)
<b>Income</b>	<b>Less than \$15,000</b>	4	20.5%	(0.0-42.7)	20	79.5%	(57.3-100.0)
	<b>\$15,000 to 24,999</b>	9	23.5%	(3.5-43.5)	14	76.5%	(56.5-96.5)
	<b>\$25,000 to 34,999</b>	3	9.9%	(0.0-21.9)	13	90.1%	(78.1-100.0)
	<b>\$35,000 to 49,999</b>	2	18.3%	(0.0-44.8)	13	81.7%	(55.2-100.0)
	<b>\$50,000 to 74,999</b>	2	19.7%	(0.0-48.1)	8	80.3%	(51.9-100.0)
	<b>\$75,000+</b>	7	21.6%	(0.5-42.7)	11	78.4%	(57.3-99.5)
<b>Region of Residence</b>	<b>Clark</b>	13	23.6%	(10.0-37.2)	28	76.4%	(62.8-90.0)
	<b>Washoe</b>	14	36.7%	(20.1-53.4)	25	63.3%	(46.6-79.9)
	<b>All Other Counties</b>	9	25.0%	(10.0-40.0)	37	75.0%	(60.0-90.0)
<b>Health Insurance</b>	<b>Yes</b>	28	21.5%	(11.8-31.1)	86	78.5%	(68.9-88.2)
	<b>No</b>	7	42.5%	(8.5-76.5)	7	57.5%	(23.5-91.5)
<b>Weight Status</b>	<b>Normal weight</b>	9	16.6%	(3.8-29.4)	31	83.4%	(70.6-96.2)
	<b>Overweight</b>	14	23.0%	(7.3-38.7)	35	77.0%	(61.3-92.7)
	<b>Obese</b>	13	35.8%	(14.2-57.4)	24	64.2%	(42.6-85.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	31	31.7%	(19.0-44.4)	59	68.3%	(55.6-81.0)
	<b>At Risk</b>	5	11.0%	(0.0-24.2)	34	89.0%	(75.8-100.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	34	25.3%	(15.0-35.6)	86	74.7%	(64.4-85.0)
	<b>At Risk</b>	0	.	(-.)	5	100.0%	(100.0-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	17	25.8%	(11.9-39.6)	53	74.2%	(60.4-88.1)
	<b>Fair or Poor Health</b>	19	23.3%	(9.7-37.0)	40	76.7%	(63.0-90.3)

**Table 20: Take Aspirin Daily or Every Other Day**

Do you take aspirin daily or every other day?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1212	25.0%	(23.1-27.0)	2722	75.0%	(73.0-76.9)
<b>Gender</b>	<b>Male</b>	578	28.1%	(25.0-31.1)	1069	71.9%	(68.9-75.0)
	<b>Female</b>	634	21.9%	(19.6-24.3)	1653	78.1%	(75.7-80.4)
<b>Race</b>	<b>White/Non-Hisp</b>	967	29.3%	(26.9-31.7)	1920	70.7%	(68.3-73.1)
	<b>Black or Af.Am./Non-Hisp</b>	34	26.8%	(16.7-36.8)	64	73.2%	(63.2-83.3)
	<b>Other Race/Non-Hisp</b>	43	19.1%	(10.0-28.2)	127	80.9%	(71.8-90.0)
	<b>Multiracial/Non-Hisp</b>	89	28.8%	(21.0-36.6)	202	71.2%	(63.4-79.0)
	<b>Hispanic</b>	72	12.3%	(8.5-16.2)	390	87.7%	(83.8-91.5)
<b>Age</b>	<b>18-24</b>	19	7.1%	(3.1-11.2)	207	92.9%	(88.8-96.9)
	<b>25-34</b>	39	9.1%	(4.8-13.4)	418	90.9%	(86.6-95.2)
	<b>35-44</b>	71	13.6%	(9.7-17.5)	560	86.4%	(82.5-90.3)
	<b>45-54</b>	225	28.5%	(23.9-33.1)	582	71.5%	(66.9-76.1)
	<b>55-64</b>	348	44.0%	(39.2-48.8)	481	56.0%	(51.2-60.8)
	<b>65+</b>	510	51.4%	(47.1-55.7)	474	48.6%	(44.3-52.9)
<b>Education</b>	<b>Less Than H.S.</b>	94	17.8%	(12.0-23.6)	268	82.2%	(76.4-88.0)
	<b>H.S. or G.E.D.</b>	351	27.3%	(23.4-31.1)	702	72.7%	(68.9-76.6)
	<b>Some Post-H.S.</b>	396	26.3%	(23.0-29.7)	886	73.7%	(70.3-77.0)
	<b>College Graduate</b>	370	25.0%	(21.6-28.4)	860	75.0%	(71.6-78.4)
<b>Income</b>	<b>Less than \$15,000</b>	96	29.2%	(19.8-38.6)	172	70.8%	(61.4-80.2)
	<b>\$15,000 to 24,999</b>	149	21.0%	(15.9-26.1)	323	79.0%	(73.9-84.1)
	<b>\$25,000 to 34,999</b>	146	28.8%	(21.8-35.7)	244	71.2%	(64.3-78.2)
	<b>\$35,000 to 49,999</b>	156	22.2%	(17.3-27.1)	391	77.8%	(72.9-82.7)
	<b>\$50,000 to 74,999</b>	201	25.6%	(21.1-30.1)	482	74.4%	(69.9-78.9)
	<b>\$75,000+</b>	311	25.9%	(22.4-29.4)	811	74.1%	(70.6-77.6)
<b>Region of Residence</b>	<b>Clark</b>	384	25.3%	(22.6-28.0)	853	74.7%	(72.0-77.4)
	<b>Washoe</b>	384	25.2%	(22.5-27.8)	905	74.8%	(72.2-77.5)
	<b>All Other Counties</b>	424	27.8%	(24.9-30.6)	879	72.2%	(69.4-75.1)
<b>Health Insurance</b>	<b>Yes</b>	1091	27.2%	(25.1-29.3)	2255	72.8%	(70.7-74.9)
	<b>No</b>	120	17.1%	(12.4-21.8)	449	82.9%	(78.2-87.6)
<b>Weight Status</b>	<b>Normal weight</b>	384	20.1%	(17.1-23.0)	1066	79.9%	(77.0-82.9)
	<b>Overweight</b>	447	26.8%	(23.4-30.1)	961	73.2%	(69.9-76.6)
	<b>Obese</b>	345	30.4%	(26.3-34.6)	599	69.6%	(65.4-73.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	953	24.7%	(22.5-26.8)	2163	75.3%	(73.2-77.5)
	<b>At Risk</b>	254	26.3%	(21.9-30.7)	550	73.7%	(69.3-78.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1109	24.9%	(22.9-26.9)	2448	75.1%	(73.1-77.1)
	<b>At Risk</b>	82	23.8%	(17.0-30.7)	218	76.2%	(69.3-83.0)
<b>Health Status</b>	<b>Good or Better Health</b>	944	23.7%	(21.6-25.8)	2283	76.3%	(74.2-78.4)
	<b>Fair or Poor Health</b>	267	31.6%	(26.5-36.7)	434	68.4%	(63.3-73.5)

**Table 21: Health Makes Taking Aspirin Unsafe**

Do you have a health problem or condition that makes taking aspirin unsafe for you?		Yes, not stomach related			Yes, stomach problems			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	197	5.5%	(4.4-6.6)	167	5.1%	(3.9-6.3)	2342	89.4%	(87.8-91.0)
<b>Gender</b>	<b>Male</b>	60	4.3%	(2.7-5.8)	39	3.2%	(1.4-4.9)	965	92.6%	(90.3-94.8)
	<b>Female</b>	137	6.7%	(5.1-8.2)	128	7.0%	(5.3-8.7)	1377	86.3%	(84.1-88.6)
<b>Race</b>	<b>White/Non-Hisp</b>	143	6.8%	(5.3-8.3)	130	5.5%	(4.2-6.8)	1634	87.7%	(85.8-89.7)
	<b>Black or Af.Am./Non-Hisp</b>	1	0.1%	(0.0-0.3)	3	2.5%	(0.0-5.9)	61	97.4%	(94.0-100.0)
	<b>Other Race/Non-Hisp</b>	12	5.8%	(0.5-11.1)	8	10.9%	(0.0-22.5)	107	83.3%	(71.2-95.4)
	<b>Multiracial/Non-Hisp</b>	25	8.0%	(3.8-12.3)	14	8.8%	(3.4-14.3)	161	83.1%	(76.4-89.9)
	<b>Hispanic</b>	12	2.1%	(0.4-3.7)	11	2.4%	(0.3-4.6)	365	95.5%	(92.8-98.2)
<b>Age</b>	<b>18-24</b>	8	1.5%	(0.4-2.7)	3	1.3%	(0.0-2.9)	197	97.2%	(95.2-99.2)
	<b>25-34</b>	20	4.1%	(1.8-6.4)	10	3.8%	(0.6-7.0)	386	92.1%	(88.2-96.0)
	<b>35-44</b>	22	4.6%	(2.1-7.2)	23	3.3%	(1.1-5.5)	512	92.1%	(88.8-95.4)
	<b>45-54</b>	25	3.7%	(1.9-5.5)	39	8.1%	(4.9-11.3)	517	88.2%	(84.6-91.8)
	<b>55-64</b>	41	7.7%	(4.4-10.9)	38	8.1%	(4.8-11.4)	397	84.3%	(79.8-88.7)
	<b>65+</b>	81	17.4%	(12.7-22.1)	54	9.9%	(6.4-13.3)	333	72.7%	(67.3-78.2)
<b>Education</b>	<b>Less Than H.S.</b>	14	4.3%	(1.5-7.1)	14	5.5%	(0.3-10.7)	236	90.2%	(84.5-95.9)
	<b>H.S. or G.E.D.</b>	55	5.9%	(3.7-8.0)	45	4.8%	(2.9-6.8)	603	89.3%	(86.4-92.2)
	<b>Some Post-H.S.</b>	70	5.6%	(3.6-7.5)	62	6.3%	(4.1-8.6)	748	88.1%	(85.2-91.0)
	<b>College Graduate</b>	58	5.7%	(3.7-7.7)	45	4.0%	(2.5-5.5)	750	90.3%	(87.8-92.8)
<b>Income</b>	<b>Less than \$15,000</b>	21	6.1%	(2.1-10.0)	17	10.9%	(0.4-21.4)	133	83.0%	(72.2-93.8)
	<b>\$15,000 to 24,999</b>	36	8.8%	(5.0-12.6)	21	4.9%	(1.1-8.7)	265	86.3%	(81.1-91.5)
	<b>\$25,000 to 34,999</b>	18	4.5%	(1.5-7.5)	21	6.1%	(2.4-9.7)	200	89.4%	(84.7-94.2)
	<b>\$35,000 to 49,999</b>	34	8.4%	(4.6-12.3)	31	7.1%	(3.7-10.5)	324	84.4%	(79.4-89.5)
	<b>\$50,000 to 74,999</b>	21	3.6%	(1.7-5.6)	26	5.1%	(2.5-7.8)	433	91.2%	(88.0-94.5)
	<b>\$75,000+</b>	37	4.2%	(2.3-6.1)	34	3.1%	(1.7-4.6)	737	92.7%	(90.3-95.0)
<b>Region of Residence</b>	<b>Clark</b>	60	5.3%	(3.8-6.8)	58	5.3%	(3.7-7.0)	733	89.4%	(87.1-91.6)
	<b>Washoe</b>	70	6.8%	(4.9-8.8)	53	4.4%	(3.0-5.7)	777	88.8%	(86.4-91.1)
	<b>All Other Counties</b>	65	6.7%	(4.7-8.6)	52	4.6%	(3.3-5.9)	753	88.7%	(86.4-91.0)
<b>Health Insurance</b>	<b>Yes</b>	170	5.9%	(4.7-7.2)	148	5.3%	(4.1-6.5)	1928	88.7%	(87.0-90.5)
	<b>No</b>	24	3.7%	(1.8-5.7)	19	4.5%	(1.0-8.0)	399	91.7%	(87.8-95.7)
<b>Weight Status</b>	<b>Normal weight</b>	82	6.4%	(4.5-8.2)	55	4.0%	(2.5-5.4)	927	89.7%	(87.4-92.0)
	<b>Overweight</b>	59	4.5%	(2.8-6.2)	66	6.6%	(4.1-9.0)	831	88.9%	(86.0-91.8)
	<b>Obese</b>	47	5.8%	(3.3-8.2)	40	4.4%	(2.4-6.5)	506	89.8%	(86.6-93.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	151	5.2%	(4.0-6.4)	120	4.4%	(3.1-5.7)	1879	90.3%	(88.6-92.1)
	<b>At Risk</b>	46	6.6%	(4.0-9.1)	47	7.7%	(4.8-10.7)	454	85.7%	(81.9-89.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	182	5.5%	(4.3-6.6)	158	5.4%	(4.1-6.8)	2094	89.1%	(87.4-90.8)
	<b>At Risk</b>	11	5.0%	(1.2-8.8)	4	1.4%	(0.0-3.2)	201	93.6%	(89.4-97.8)
<b>Health Status</b>	<b>Good or Better Health</b>	119	3.9%	(2.9-4.8)	118	4.1%	(3.1-5.2)	2038	92.0%	(90.6-93.4)
	<b>Fair or Poor Health</b>	77	14.6%	(10.0-19.2)	49	10.7%	(5.5-15.9)	299	74.7%	(68.3-81.1)

**Table 22: Ever Told Had Asthma**

Have you ever been told by a doctor, nurse, or other health professional that you had asthma?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	541	13.4%	(11.7-15.1)	3569	86.6%	(84.9-88.3)
<b>Gender</b>	<b>Male</b>	180	10.5%	(8.3-12.7)	1548	89.5%	(87.3-91.7)
	<b>Female</b>	361	16.3%	(13.8-18.9)	2021	83.7%	(81.1-86.2)
<b>Race</b>	<b>White/Non-Hisp</b>	387	13.5%	(11.6-15.5)	2592	86.5%	(84.5-88.4)
	<b>Black or Af.Am./Non-Hisp</b>	15	12.5%	(4.5-20.5)	97	87.5%	(79.5-95.5)
	<b>Other Race/Non-Hisp</b>	25	18.4%	(7.9-29.0)	157	81.6%	(71.0-92.1)
	<b>Multiracial/Non-Hisp</b>	62	21.9%	(14.1-29.7)	233	78.1%	(70.3-85.9)
	<b>Hispanic</b>	46	9.2%	(5.7-12.6)	468	90.8%	(87.4-94.3)
<b>Age</b>	<b>18-24</b>	43	22.0%	(14.3-29.6)	189	78.0%	(70.4-85.7)
	<b>25-34</b>	70	12.5%	(8.2-16.8)	415	87.5%	(83.2-91.8)
	<b>35-44</b>	86	10.9%	(7.8-14.1)	584	89.1%	(85.9-92.2)
	<b>45-54</b>	121	14.7%	(11.2-18.3)	730	85.3%	(81.7-88.8)
	<b>55-64</b>	102	11.1%	(8.2-14.1)	750	88.9%	(85.9-91.8)
	<b>65+</b>	119	11.4%	(8.8-14.1)	901	88.6%	(85.9-91.2)
<b>Education</b>	<b>Less Than H.S.</b>	47	12.5%	(7.8-17.3)	354	87.5%	(82.7-92.2)
	<b>H.S. or G.E.D.</b>	149	14.1%	(10.6-17.6)	949	85.9%	(82.4-89.4)
	<b>Some Post-H.S.</b>	178	14.1%	(11.0-17.3)	1149	85.9%	(82.7-89.0)
	<b>College Graduate</b>	164	11.9%	(9.4-14.4)	1098	88.1%	(85.6-90.6)
<b>Income</b>	<b>Less than \$15,000</b>	55	20.6%	(12.0-29.2)	232	79.4%	(70.8-88.0)
	<b>\$15,000 to 24,999</b>	61	10.2%	(6.3-14.0)	430	89.8%	(86.0-93.7)
	<b>\$25,000 to 34,999</b>	65	12.8%	(8.4-17.3)	347	87.2%	(82.7-91.6)
	<b>\$35,000 to 49,999</b>	73	16.9%	(11.2-22.6)	493	83.1%	(77.4-88.8)
	<b>\$50,000 to 74,999</b>	91	11.8%	(8.6-15.0)	608	88.2%	(85.0-91.4)
	<b>\$75,000+</b>	134	11.8%	(9.0-14.6)	1014	88.2%	(85.4-91.0)
<b>Region of Residence</b>	<b>Clark</b>	168	13.6%	(11.3-16.0)	1120	86.4%	(84.0-88.7)
	<b>Washoe</b>	177	13.5%	(11.4-15.7)	1154	86.5%	(84.3-88.6)
	<b>All Other Counties</b>	185	13.7%	(11.4-15.9)	1155	86.3%	(84.1-88.6)
<b>Health Insurance</b>	<b>Yes</b>	457	13.2%	(11.4-14.9)	3032	86.8%	(85.1-88.6)
	<b>No</b>	80	13.6%	(9.2-18.1)	523	86.4%	(81.9-90.8)
<b>Weight Status</b>	<b>Normal weight</b>	178	13.2%	(10.4-16.1)	1319	86.8%	(83.9-89.6)
	<b>Overweight</b>	190	12.6%	(10.0-15.2)	1284	87.4%	(84.8-90.0)
	<b>Obese</b>	157	15.3%	(11.7-18.9)	809	84.7%	(81.1-88.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	422	12.9%	(11.1-14.8)	2833	87.1%	(85.2-88.9)
	<b>At Risk</b>	117	15.1%	(11.1-19.2)	722	84.9%	(80.8-88.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	488	13.4%	(11.7-15.2)	3177	86.6%	(84.8-88.3)
	<b>At Risk</b>	44	13.5%	(7.6-19.3)	266	86.5%	(80.7-92.4)
<b>Health Status</b>	<b>Good or Better Health</b>	406	12.7%	(10.8-14.5)	2959	87.3%	(85.5-89.2)
	<b>Fair or Poor Health</b>	135	17.0%	(12.7-21.3)	603	83.0%	(78.7-87.3)

**Table 23: Still Have Asthma**

Do you still have asthma?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	317	54.8%	(47.7-62.0)	191	45.2%	(38.0-52.3)
<b>Gender</b>	<b>Male</b>	77	43.7%	(32.2-55.2)	86	56.3%	(44.8-67.8)
	<b>Female</b>	240	62.2%	(53.1-71.2)	105	37.8%	(28.8-46.9)
<b>Race</b>	<b>White/Non-Hisp</b>	232	58.9%	(50.5-67.2)	131	41.1%	(32.8-49.5)
	<b>Black or Af.Am./Non-Hisp</b>	9	54.0%	(19.1-88.9)	6	46.0%	(11.1-80.9)
	<b>Other Race/Non-Hisp</b>	11	44.1%	(10.8-77.4)	11	55.9%	(22.6-89.2)
	<b>Multiracial/Non-Hisp</b>	41	65.6%	(46.2-85.1)	19	34.4%	(14.9-53.8)
	<b>Hispanic</b>	24	37.3%	(19.0-55.7)	18	62.7%	(44.3-81.0)
<b>Age</b>	<b>18-24</b>	20	39.2%	(19.3-59.2)	18	60.8%	(40.8-80.7)
	<b>25-34</b>	31	44.8%	(26.0-63.5)	36	55.2%	(36.5-74.0)
	<b>35-44</b>	49	50.8%	(35.0-66.5)	32	49.2%	(33.5-65.0)
	<b>45-54</b>	84	69.3%	(56.7-81.8)	34	30.7%	(18.2-43.3)
	<b>55-64</b>	65	62.2%	(46.8-77.6)	30	37.8%	(22.4-53.2)
	<b>65+</b>	68	67.4%	(56.1-78.6)	41	32.6%	(21.4-43.9)
<b>Education</b>	<b>Less Than H.S.</b>	29	54.9%	(33.2-76.6)	14	45.1%	(23.4-66.8)
	<b>H.S. or G.E.D.</b>	93	56.2%	(42.0-70.4)	50	43.8%	(29.6-58.0)
	<b>Some Post-H.S.</b>	104	48.1%	(36.0-60.3)	63	51.9%	(39.7-64.0)
	<b>College Graduate</b>	90	63.7%	(53.1-74.4)	63	36.3%	(25.6-46.9)
<b>Income</b>	<b>Less than \$15,000</b>	44	71.2%	(47.0-95.4)	8	28.8%	(4.6-53.0)
	<b>\$15,000 to 24,999</b>	36	57.0%	(35.2-78.7)	19	43.0%	(21.3-64.8)
	<b>\$25,000 to 34,999</b>	40	54.7%	(35.9-73.4)	23	45.3%	(26.6-64.1)
	<b>\$35,000 to 49,999</b>	40	49.9%	(30.2-69.5)	31	50.1%	(30.5-69.8)
	<b>\$50,000 to 74,999</b>	50	60.8%	(46.6-74.9)	36	39.2%	(25.1-53.4)
	<b>\$75,000+</b>	72	52.2%	(39.5-64.9)	53	47.8%	(35.1-60.5)
<b>Region of Residence</b>	<b>Clark</b>	100	56.6%	(46.7-66.4)	60	43.4%	(33.6-53.3)
	<b>Washoe</b>	101	55.8%	(46.8-64.8)	67	44.2%	(35.2-53.2)
	<b>All Other Counties</b>	112	63.3%	(54.3-72.3)	57	36.7%	(27.7-45.7)
<b>Health Insurance</b>	<b>Yes</b>	275	58.7%	(51.1-66.3)	153	41.3%	(33.7-48.9)
	<b>No</b>	41	43.8%	(26.1-61.4)	35	56.2%	(38.6-73.9)
<b>Weight Status</b>	<b>Normal weight</b>	116	60.5%	(48.5-72.6)	56	39.5%	(27.4-51.5)
	<b>Overweight</b>	92	47.5%	(36.0-58.9)	80	52.5%	(41.1-64.0)
	<b>Obese</b>	97	59.0%	(45.3-72.8)	51	41.0%	(27.2-54.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	247	56.9%	(49.0-64.8)	148	43.1%	(35.2-51.0)
	<b>At Risk</b>	68	48.4%	(33.2-63.6)	43	51.6%	(36.4-66.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	290	55.5%	(48.1-62.9)	170	44.5%	(37.1-51.9)
	<b>At Risk</b>	21	64.1%	(41.7-86.5)	18	35.9%	(13.5-58.3)
<b>Health Status</b>	<b>Good or Better Health</b>	224	53.4%	(45.3-61.4)	158	46.6%	(38.6-54.7)
	<b>Fair or Poor Health</b>	93	60.3%	(45.1-75.5)	33	39.7%	(24.5-54.9)

**Table 24: Flu shot past 12 months**

During the past 12 months, have you had a flu shot?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1524	30.6%	(28.5-32.7)	2586	69.4%	(67.3-71.5)
<b>Gender</b>	<b>Male</b>	598	29.7%	(26.5-32.9)	1126	70.3%	(67.1-73.5)
	<b>Female</b>	926	31.6%	(28.9-34.3)	1460	68.4%	(65.7-71.1)
<b>Race</b>	<b>White/Non-Hisp</b>	1197	34.3%	(31.8-36.7)	1783	65.7%	(63.3-68.2)
	<b>Black or Af.Am./Non-Hisp</b>	40	36.2%	(24.3-48.1)	71	63.8%	(51.9-75.7)
	<b>Other Race/Non-Hisp</b>	65	27.7%	(18.6-36.8)	117	72.3%	(63.2-81.4)
	<b>Multiracial/Non-Hisp</b>	99	26.3%	(19.5-33.2)	195	73.7%	(66.8-80.5)
	<b>Hispanic</b>	112	21.5%	(16.1-26.9)	403	78.5%	(73.1-83.9)
<b>Age</b>	<b>18-24</b>	52	24.1%	(16.6-31.7)	175	75.9%	(68.3-83.4)
	<b>25-34</b>	109	21.9%	(16.0-27.7)	377	78.1%	(72.3-84.0)
	<b>35-44</b>	147	19.5%	(15.5-23.6)	523	80.5%	(76.4-84.5)
	<b>45-54</b>	243	25.5%	(21.4-29.6)	604	74.5%	(70.4-78.6)
	<b>55-64</b>	325	35.4%	(30.9-40.0)	530	64.6%	(60.0-69.1)
	<b>65+</b>	648	61.9%	(57.8-66.1)	377	38.1%	(33.9-42.2)
<b>Education</b>	<b>Less Than H.S.</b>	102	19.7%	(13.8-25.6)	298	80.3%	(74.4-86.2)
	<b>H.S. or G.E.D.</b>	412	33.6%	(29.2-38.0)	687	66.4%	(62.0-70.8)
	<b>Some Post-H.S.</b>	476	29.5%	(26.0-33.1)	850	70.5%	(66.9-74.0)
	<b>College Graduate</b>	523	34.3%	(30.5-38.0)	739	65.7%	(62.0-69.5)
<b>Income</b>	<b>Less than \$15,000</b>	106	27.5%	(19.2-35.7)	180	72.5%	(64.3-80.8)
	<b>\$15,000 to 24,999</b>	183	29.5%	(22.7-36.2)	311	70.5%	(63.8-77.3)
	<b>\$25,000 to 34,999</b>	142	29.9%	(22.3-37.5)	269	70.1%	(62.5-77.7)
	<b>\$35,000 to 49,999</b>	201	28.6%	(23.2-34.0)	364	71.4%	(66.0-76.8)
	<b>\$50,000 to 74,999</b>	258	32.8%	(27.7-37.9)	440	67.2%	(62.1-72.3)
	<b>\$75,000+</b>	412	30.9%	(27.2-34.6)	734	69.1%	(65.4-72.8)
<b>Region of Residence</b>	<b>Clark</b>	424	28.6%	(25.7-31.5)	865	71.4%	(68.5-74.3)
	<b>Washoe</b>	535	34.8%	(31.9-37.7)	795	65.2%	(62.3-68.1)
	<b>All Other Counties</b>	518	36.0%	(32.7-39.2)	822	64.0%	(60.8-67.3)
<b>Health Insurance</b>	<b>Yes</b>	1405	34.0%	(31.7-36.3)	2085	66.0%	(63.7-68.3)
	<b>No</b>	112	17.3%	(12.4-22.2)	489	82.7%	(77.8-87.6)
<b>Weight Status</b>	<b>Normal weight</b>	548	30.2%	(26.7-33.6)	951	69.8%	(66.4-73.3)
	<b>Overweight</b>	558	31.0%	(27.6-34.5)	915	69.0%	(65.5-72.4)
	<b>Obese</b>	356	30.1%	(25.8-34.4)	609	69.9%	(65.6-74.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	1297	33.0%	(30.6-35.4)	1962	67.0%	(64.6-69.4)
	<b>At Risk</b>	220	21.7%	(17.7-25.8)	615	78.3%	(74.2-82.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1390	31.3%	(29.0-33.5)	2274	68.7%	(66.5-71.0)
	<b>At Risk</b>	91	21.1%	(15.1-27.1)	219	78.9%	(72.9-84.9)
<b>Health Status</b>	<b>Good or Better Health</b>	1186	29.6%	(27.3-32.0)	2173	70.4%	(68.0-72.7)
	<b>Fair or Poor Health</b>	336	35.4%	(30.4-40.4)	408	64.6%	(59.6-69.6)

**Table 25: Flu spray past 12 months**

During the past 12 months, have you had a flu vaccine that was sprayed in your nose?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	50	1.8%	(1.1-2.6)	4056	98.2%	(97.4-98.9)
<b>Gender</b>	<b>Male</b>	31	2.7%	(1.4-4.0)	1694	97.3%	(96.0-98.6)
	<b>Female</b>	19	0.9%	(0.3-1.6)	2362	99.1%	(98.4-99.7)
<b>Race</b>	<b>White/Non-Hisp</b>	17	0.7%	(0.2-1.2)	2961	99.3%	(98.8-99.8)
	<b>Black or Af.Am./Non-Hisp</b>	3	2.1%	(0.0-4.8)	110	97.9%	(95.2-100.0)
	<b>Other Race/Non-Hisp</b>	7	6.2%	(0.0-13.5)	175	93.8%	(86.5-100.0)
	<b>Multiracial/Non-Hisp</b>	6	2.5%	(0.0-6.0)	291	97.5%	(94.0-100.0)
	<b>Hispanic</b>	17	3.6%	(1.5-5.7)	492	96.4%	(94.3-98.5)
<b>Age</b>	<b>18-24</b>	3	1.0%	(0.0-2.2)	229	99.0%	(97.8-100.0)
	<b>25-34</b>	7	2.8%	(0.3-5.4)	478	97.2%	(94.6-99.7)
	<b>35-44</b>	10	2.7%	(0.6-4.8)	661	97.3%	(95.2-99.4)
	<b>45-54</b>	13	1.7%	(0.5-2.9)	836	98.3%	(97.1-99.5)
	<b>55-64</b>	7	0.9%	(0.0-1.8)	844	99.1%	(98.2-100.0)
	<b>65+</b>	10	1.0%	(0.0-2.0)	1008	99.0%	(98.0-100.0)
<b>Education</b>	<b>Less Than H.S.</b>	10	3.2%	(0.7-5.6)	386	96.8%	(94.4-99.3)
	<b>H.S. or G.E.D.</b>	16	2.3%	(0.6-4.1)	1085	97.7%	(95.9-99.4)
	<b>Some Post-H.S.</b>	10	0.7%	(0.0-1.4)	1312	99.3%	(98.6-100.0)
	<b>College Graduate</b>	14	1.8%	(0.5-3.2)	1250	98.2%	(96.8-99.5)
<b>Income</b>	<b>Less than \$15,000</b>	8	5.1%	(0.5-9.7)	278	94.9%	(90.3-99.5)
	<b>\$15,000 to 24,999</b>	7	1.7%	(0.1-3.3)	484	98.3%	(96.7-99.9)
	<b>\$25,000 to 34,999</b>	7	1.4%	(0.2-2.7)	404	98.6%	(97.3-99.8)
	<b>\$35,000 to 49,999</b>	6	3.7%	(0.1-7.3)	560	96.3%	(92.7-99.9)
	<b>\$50,000 to 74,999</b>	7	0.6%	(0.0-1.4)	689	99.4%	(98.6-100.0)
	<b>\$75,000+</b>	8	0.7%	(0.0-1.5)	1141	99.3%	(98.5-100.0)
<b>Region of Residence</b>	<b>Clark</b>	21	1.9%	(0.9-2.8)	1272	98.1%	(97.2-99.1)
	<b>Washoe</b>	11	0.9%	(0.3-1.5)	1320	99.1%	(98.5-99.7)
	<b>All Other Counties</b>	14	0.9%	(0.4-1.5)	1321	99.1%	(98.5-99.6)
<b>Health Insurance</b>	<b>Yes</b>	40	1.6%	(0.9-2.3)	3448	98.4%	(97.7-99.1)
	<b>No</b>	9	2.8%	(0.4-5.1)	591	97.2%	(94.9-99.6)
<b>Weight Status</b>	<b>Normal weight</b>	16	2.2%	(0.7-3.7)	1480	97.8%	(96.3-99.3)
	<b>Overweight</b>	16	1.2%	(0.4-2.0)	1457	98.8%	(98.0-99.6)
	<b>Obese</b>	15	1.2%	(0.4-2.0)	951	98.8%	(98.0-99.6)
<b>Smoking Status</b>	<b>Not At Risk</b>	45	2.1%	(1.2-2.9)	3205	97.9%	(97.1-98.8)
	<b>At Risk</b>	5	1.0%	(0.0-2.3)	835	99.0%	(97.7-100.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	46	1.8%	(1.0-2.5)	3616	98.2%	(97.5-99.0)
	<b>At Risk</b>	2	1.0%	(0.0-2.7)	308	99.0%	(97.3-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	35	1.4%	(0.8-2.1)	3321	98.6%	(97.9-99.2)
	<b>Fair or Poor Health</b>	15	3.6%	(0.9-6.4)	728	96.4%	(93.6-99.1)

**Table 26: Pneumonia shot ever**

Have you ever had a pneumonia shot?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1218	26.9%	(24.8-28.9)	2510	73.1%	(71.1-75.2)
<b>Gender</b>	<b>Male</b>	481	26.4%	(23.2-29.7)	1032	73.6%	(70.3-76.8)
	<b>Female</b>	737	27.3%	(24.7-29.8)	1478	72.7%	(70.2-75.3)
<b>Race</b>	<b>White/Non-Hisp</b>	972	30.5%	(28.1-32.9)	1754	69.5%	(67.1-71.9)
	<b>Black or Af.Am./Non-Hisp</b>	33	26.9%	(16.1-37.7)	68	73.1%	(62.3-83.9)
	<b>Other Race/Non-Hisp</b>	41	23.0%	(13.9-32.0)	113	77.0%	(68.0-86.1)
	<b>Multiracial/Non-Hisp</b>	85	29.3%	(21.7-36.9)	180	70.7%	(63.1-78.3)
	<b>Hispanic</b>	77	16.2%	(11.2-21.2)	378	83.8%	(78.8-88.8)
<b>Age</b>	<b>18-24</b>	31	16.6%	(9.4-23.8)	135	83.4%	(76.2-90.6)
	<b>25-34</b>	49	14.6%	(9.0-20.1)	350	85.4%	(79.9-91.0)
	<b>35-44</b>	68	12.8%	(9.0-16.6)	514	87.2%	(83.4-91.0)
	<b>45-54</b>	156	21.1%	(17.0-25.3)	633	78.9%	(74.7-83.0)
	<b>55-64</b>	229	28.1%	(23.6-32.5)	572	71.9%	(67.5-76.4)
	<b>65+</b>	685	66.7%	(62.5-70.9)	306	33.3%	(29.1-37.5)
<b>Education</b>	<b>Less Than H.S.</b>	85	18.1%	(12.0-24.3)	278	81.9%	(75.7-88.0)
	<b>H.S. or G.E.D.</b>	353	29.1%	(25.0-33.1)	638	70.9%	(66.9-75.0)
	<b>Some Post-H.S.</b>	415	29.1%	(25.4-32.8)	783	70.9%	(67.2-74.6)
	<b>College Graduate</b>	361	27.2%	(23.6-30.9)	794	72.8%	(69.1-76.4)
<b>Income</b>	<b>Less than \$15,000</b>	115	36.3%	(25.6-46.9)	149	63.7%	(53.1-74.4)
	<b>\$15,000 to 24,999</b>	186	26.9%	(21.5-32.4)	275	73.1%	(67.6-78.5)
	<b>\$25,000 to 34,999</b>	138	27.0%	(20.1-33.8)	242	73.0%	(66.2-79.9)
	<b>\$35,000 to 49,999</b>	149	27.6%	(21.9-33.3)	345	72.4%	(66.7-78.1)
	<b>\$50,000 to 74,999</b>	192	28.1%	(23.1-33.1)	447	71.9%	(66.9-76.9)
	<b>\$75,000+</b>	250	22.6%	(19.0-26.1)	783	77.4%	(73.9-81.0)
<b>Region of Residence</b>	<b>Clark</b>	376	26.9%	(24.0-29.8)	778	73.1%	(70.2-76.0)
	<b>Washoe</b>	396	27.8%	(25.0-30.7)	810	72.2%	(69.3-75.0)
	<b>All Other Counties</b>	418	31.0%	(27.6-34.3)	811	69.0%	(65.7-72.4)
<b>Health Insurance</b>	<b>Yes</b>	1119	29.5%	(27.3-31.7)	2072	70.5%	(68.3-72.7)
	<b>No</b>	95	16.6%	(11.5-21.7)	429	83.4%	(78.3-88.5)
<b>Weight Status</b>	<b>Normal weight</b>	458	29.1%	(25.6-32.7)	900	70.9%	(67.3-74.4)
	<b>Overweight</b>	442	26.1%	(22.7-29.6)	911	73.9%	(70.4-77.3)
	<b>Obese</b>	269	25.6%	(21.5-29.7)	588	74.4%	(70.3-78.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	993	27.3%	(25.0-29.6)	1966	72.7%	(70.4-75.0)
	<b>At Risk</b>	219	25.1%	(20.7-29.6)	536	74.9%	(70.4-79.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1102	27.4%	(25.2-29.6)	2223	72.6%	(70.4-74.8)
	<b>At Risk</b>	87	24.3%	(17.5-31.0)	195	75.7%	(69.0-82.5)
<b>Health Status</b>	<b>Good or Better Health</b>	897	24.9%	(22.6-27.1)	2127	75.1%	(72.9-77.4)
	<b>Fair or Poor Health</b>	319	35.9%	(30.6-41.1)	380	64.1%	(58.9-69.4)

**Table 27: Ever had Hepatitis B vaccine**

Have you EVER received the hepatitis B vaccine?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1112	37.4%	(34.8-39.9)	2390	62.6%	(60.1-65.2)
<b>Gender</b>	<b>Male</b>	465	36.3%	(32.5-40.1)	1000	63.7%	(59.9-67.5)
	<b>Female</b>	647	38.5%	(35.1-41.9)	1390	61.5%	(58.1-64.9)
<b>Race</b>	<b>White/Non-Hisp</b>	741	34.1%	(31.2-37.0)	1815	65.9%	(63.0-68.8)
	<b>Black or Af.Am./Non-Hisp</b>	39	44.1%	(31.0-57.2)	59	55.9%	(42.8-69.0)
	<b>Other Race/Non-Hisp</b>	58	49.0%	(36.4-61.5)	95	51.0%	(38.5-63.6)
	<b>Multiracial/Non-Hisp</b>	93	41.6%	(32.2-51.0)	164	58.4%	(49.0-67.8)
	<b>Hispanic</b>	174	41.0%	(34.2-47.9)	238	59.0%	(52.1-65.8)
<b>Age</b>	<b>18-24</b>	129	64.6%	(55.4-73.9)	56	35.4%	(26.1-44.6)
	<b>25-34</b>	196	48.6%	(40.8-56.5)	170	51.4%	(43.5-59.2)
	<b>35-44</b>	215	41.5%	(35.6-47.5)	292	58.5%	(52.5-64.4)
	<b>45-54</b>	239	34.2%	(29.2-39.2)	513	65.8%	(60.8-70.8)
	<b>55-64</b>	209	25.8%	(21.5-30.1)	558	74.2%	(69.9-78.5)
	<b>65+</b>	124	15.4%	(11.9-18.8)	801	84.6%	(81.2-88.1)
<b>Education</b>	<b>Less Than H.S.</b>	104	37.8%	(29.9-45.7)	245	62.2%	(54.3-70.1)
	<b>H.S. or G.E.D.</b>	234	32.3%	(27.4-37.2)	697	67.7%	(62.8-72.6)
	<b>Some Post-H.S.</b>	361	38.9%	(34.3-43.4)	772	61.1%	(56.6-65.7)
	<b>College Graduate</b>	408	40.7%	(36.1-45.2)	661	59.3%	(54.8-63.9)
<b>Income</b>	<b>Less than \$15,000</b>	62	34.4%	(23.7-45.0)	190	65.6%	(55.0-76.3)
	<b>\$15,000 to 24,999</b>	115	38.7%	(30.9-46.5)	321	61.3%	(53.5-69.1)
	<b>\$25,000 to 34,999</b>	109	34.9%	(26.2-43.5)	243	65.1%	(56.5-73.8)
	<b>\$35,000 to 49,999</b>	134	32.1%	(25.0-39.2)	331	67.9%	(60.8-75.0)
	<b>\$50,000 to 74,999</b>	192	35.5%	(29.6-41.5)	390	64.5%	(58.5-70.4)
	<b>\$75,000+</b>	376	41.8%	(37.3-46.3)	608	58.2%	(53.7-62.7)
<b>Region of Residence</b>	<b>Clark</b>	346	37.4%	(33.8-41.0)	740	62.6%	(59.0-66.2)
	<b>Washoe</b>	375	40.9%	(37.3-44.5)	759	59.1%	(55.5-62.7)
	<b>All Other Counties</b>	346	36.2%	(32.4-39.9)	803	63.8%	(60.1-67.6)
<b>Health Insurance</b>	<b>Yes</b>	930	37.6%	(34.9-40.4)	2046	62.4%	(59.6-65.1)
	<b>No</b>	176	35.9%	(29.3-42.6)	333	64.1%	(57.4-70.7)
<b>Weight Status</b>	<b>Normal weight</b>	414	40.2%	(35.9-44.6)	851	59.8%	(55.4-64.1)
	<b>Overweight</b>	395	35.5%	(31.3-39.6)	880	64.5%	(60.4-68.7)
	<b>Obese</b>	263	36.5%	(31.3-41.7)	561	63.5%	(58.3-68.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	904	38.2%	(35.3-41.1)	1853	61.8%	(58.9-64.7)
	<b>At Risk</b>	205	34.4%	(28.7-40.0)	526	65.6%	(60.0-71.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1020	38.5%	(35.7-41.2)	2115	61.5%	(58.8-64.3)
	<b>At Risk</b>	62	25.4%	(17.2-33.7)	195	74.6%	(66.3-82.8)
<b>Health Status</b>	<b>Good or Better Health</b>	947	39.2%	(36.3-42.1)	1903	60.8%	(57.9-63.7)
	<b>Fair or Poor Health</b>	163	28.7%	(23.3-34.1)	483	71.3%	(65.9-76.7)

**Table 28: Any high risk situations apply**

Do you have hemophilia and have received clotting factor concentrate: OR You have had sex with a man who has had sex with other men: OR You have taken street drugs by needle: OR You traded sex for money or drugs, even just one time?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	238	7.1%	(5.8-8.5)	3863	92.9%	(91.5-94.2)
<b>Gender</b>	<b>Male</b>	124	9.0%	(6.7-11.2)	1601	91.0%	(88.8-93.3)
	<b>Female</b>	114	5.2%	(3.8-6.7)	2262	94.8%	(93.3-96.2)
<b>Race</b>	<b>White/Non-Hisp</b>	152	5.5%	(4.2-6.8)	2822	94.5%	(93.2-95.8)
	<b>Black or Af.Am./Non-Hisp</b>	10	17.1%	(6.3-27.8)	103	82.9%	(72.2-93.7)
	<b>Other Race/Non-Hisp</b>	10	8.2%	(0.4-16.0)	171	91.8%	(84.0-99.6)
	<b>Multiracial/Non-Hisp</b>	26	11.7%	(5.5-18.0)	269	88.3%	(82.0-94.5)
	<b>Hispanic</b>	40	7.5%	(4.6-10.5)	471	92.5%	(89.5-95.4)
<b>Age</b>	<b>18-24</b>	40	15.2%	(9.6-20.9)	194	84.8%	(79.1-90.4)
	<b>25-34</b>	52	11.7%	(7.2-16.2)	433	88.3%	(83.8-92.8)
	<b>35-44</b>	44	6.4%	(3.8-9.0)	627	93.6%	(91.0-96.2)
	<b>45-54</b>	61	6.6%	(4.2-9.0)	782	93.4%	(91.0-95.8)
	<b>55-64</b>	28	1.9%	(1.0-2.9)	825	98.1%	(97.1-99.0)
	<b>65+</b>	13	1.5%	(0.4-2.6)	1002	98.5%	(97.4-99.6)
<b>Education</b>	<b>Less Than H.S.</b>	25	7.7%	(3.8-11.7)	374	92.3%	(88.3-96.2)
	<b>H.S. or G.E.D.</b>	67	7.6%	(4.9-10.3)	1031	92.4%	(89.7-95.1)
	<b>Some Post-H.S.</b>	87	8.9%	(6.2-11.6)	1236	91.1%	(88.4-93.8)
	<b>College Graduate</b>	58	4.2%	(2.6-5.8)	1202	95.8%	(94.2-97.4)
<b>Income</b>	<b>Less than \$15,000</b>	25	11.7%	(4.9-18.4)	257	88.3%	(81.6-95.1)
	<b>\$15,000 to 24,999</b>	30	7.7%	(3.5-11.9)	461	92.3%	(88.1-96.5)
	<b>\$25,000 to 34,999</b>	29	8.1%	(3.9-12.3)	382	91.9%	(87.7-96.1)
	<b>\$35,000 to 49,999</b>	31	9.1%	(4.4-13.9)	535	90.9%	(86.1-95.6)
	<b>\$50,000 to 74,999</b>	42	5.1%	(3.1-7.1)	657	94.9%	(92.9-96.9)
	<b>\$75,000+</b>	59	5.6%	(3.7-7.5)	1090	94.4%	(92.5-96.3)
<b>Region of Residence</b>	<b>Clark</b>	78	7.3%	(5.4-9.2)	1211	92.7%	(90.8-94.6)
	<b>Washoe</b>	85	7.6%	(5.7-9.6)	1242	92.4%	(90.4-94.3)
	<b>All Other Counties</b>	66	5.9%	(4.2-7.6)	1272	94.1%	(92.4-95.8)
<b>Health Insurance</b>	<b>Yes</b>	174	5.8%	(4.6-7.1)	3309	94.2%	(92.9-95.4)
	<b>No</b>	64	12.3%	(8.0-16.6)	535	87.7%	(83.4-92.0)
<b>Weight Status</b>	<b>Normal weight</b>	96	10.0%	(7.2-12.8)	1398	90.0%	(87.2-92.8)
	<b>Overweight</b>	82	5.6%	(3.7-7.4)	1389	94.4%	(92.6-96.3)
	<b>Obese</b>	56	5.6%	(3.5-7.7)	911	94.4%	(92.3-96.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	145	4.9%	(3.7-6.2)	3107	95.1%	(93.8-96.3)
	<b>At Risk</b>	92	15.1%	(10.9-19.4)	745	84.9%	(80.6-89.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	185	5.8%	(4.6-7.0)	3475	94.2%	(93.0-95.4)
	<b>At Risk</b>	44	20.2%	(12.5-27.9)	267	79.8%	(72.1-87.5)
<b>Health Status</b>	<b>Good or Better Health</b>	191	6.6%	(5.2-8.0)	3166	93.4%	(92.0-94.8)
	<b>Fair or Poor Health</b>	46	9.3%	(5.5-13.1)	692	90.7%	(86.9-94.5)

**Table 29: Adults who are current smokers**

Adults who are current smokers		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'						
<b>Total</b>	<b>Total</b>	841	21.5%	(19.5-23.4)	3268	78.5%	(76.6-80.5)
<b>Gender</b>	<b>Male</b>	377	23.4%	(20.3-26.4)	1347	76.6%	(73.6-79.7)
	<b>Female</b>	464	19.5%	(17.1-21.9)	1921	80.5%	(78.1-82.9)
<b>Race</b>	<b>White/Non-Hisp</b>	600	21.1%	(18.8-23.3)	2380	78.9%	(76.7-81.2)
	<b>Black or Af.Am./Non-Hisp</b>	25	26.0%	(15.0-37.0)	88	74.0%	(63.0-85.0)
	<b>Other Race/Non-Hisp</b>	34	12.8%	(6.7-18.8)	148	87.2%	(81.2-93.3)
	<b>Multiracial/Non-Hisp</b>	88	34.0%	(25.7-42.2)	207	66.0%	(57.8-74.3)
	<b>Hispanic</b>	88	19.1%	(14.3-23.9)	424	80.9%	(76.1-85.7)
<b>Age</b>	<b>18-24</b>	51	21.3%	(14.4-28.1)	183	78.7%	(71.9-85.6)
	<b>25-34</b>	106	21.2%	(15.7-26.7)	378	78.8%	(73.3-84.3)
	<b>35-44</b>	128	20.3%	(16.0-24.6)	544	79.7%	(75.4-84.0)
	<b>45-54</b>	212	27.0%	(22.5-31.5)	635	73.0%	(68.5-77.5)
	<b>55-64</b>	171	20.4%	(16.5-24.3)	683	79.6%	(75.7-83.5)
	<b>65+</b>	173	18.0%	(14.6-21.3)	845	82.0%	(78.7-85.4)
<b>Education</b>	<b>Less Than H.S.</b>	105	28.4%	(21.5-35.3)	295	71.6%	(64.7-78.5)
	<b>H.S. or G.E.D.</b>	292	26.9%	(22.9-31.0)	811	73.1%	(69.0-77.1)
	<b>Some Post-H.S.</b>	303	23.3%	(19.8-26.8)	1021	76.7%	(73.2-80.2)
	<b>College Graduate</b>	139	11.2%	(8.7-13.7)	1121	88.8%	(86.3-91.3)
<b>Income</b>	<b>Less than \$15,000</b>	87	30.5%	(21.3-39.7)	198	69.5%	(60.3-78.7)
	<b>\$15,000 to 24,999</b>	135	26.4%	(20.3-32.5)	357	73.6%	(67.5-79.7)
	<b>\$25,000 to 34,999</b>	105	25.3%	(18.3-32.3)	305	74.7%	(67.7-81.7)
	<b>\$35,000 to 49,999</b>	129	24.4%	(18.7-30.1)	436	75.6%	(69.9-81.3)
	<b>\$50,000 to 74,999</b>	121	18.4%	(14.2-22.6)	578	81.6%	(77.4-85.8)
	<b>\$75,000+</b>	158	14.9%	(12.0-17.8)	989	85.1%	(82.2-88.0)
<b>Region of Residence</b>	<b>Clark</b>	1016	77.9%	(75.1-80.6)	277	22.1%	(19.4-24.9)
	<b>Washoe</b>	1080	79.5%	(76.8-82.3)	248	20.5%	(17.7-23.2)
	<b>All Other Counties</b>	1045	77.6%	(74.7-80.5)	293	22.4%	(19.5-25.3)
<b>Health Insurance</b>	<b>Yes</b>	2838	80.9%	(79.0-82.9)	650	19.1%	(17.1-21.0)
	<b>No</b>	412	69.1%	(63.2-74.9)	190	30.9%	(25.1-36.8)
<b>Weight Status</b>	<b>Normal weight</b>	1118	73.2%	(69.7-76.7)	382	26.8%	(23.3-30.3)
	<b>Overweight</b>	1196	81.1%	(78.1-84.0)	276	18.9%	(16.0-21.9)
	<b>Obese</b>	807	81.0%	(76.8-85.2)	158	19.0%	(14.8-23.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	3268	100.0%	(100.0-100.0)	0	.	(-.)
	<b>At Risk</b>	0	.	(-.)	841	100.0%	(100.0-100.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2993	81.4%	(79.5-83.4)	671	18.6%	(16.6-20.5)
	<b>At Risk</b>	178	47.8%	(39.4-56.1)	132	52.2%	(43.9-60.6)
<b>Health Status</b>	<b>Good or Better Health</b>	2738	80.3%	(78.2-82.4)	628	19.7%	(17.6-21.8)
	<b>Fair or Poor Health</b>	525	70.0%	(64.7-75.2)	211	30.0%	(24.8-35.3)

**Table 30: Stopped Smoking in past 12 months**

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	429	56.2%	(51.1-61.3)	406	43.8%	(38.7-48.9)
<b>Gender</b>	<b>Male</b>	183	53.8%	(46.3-61.3)	191	46.2%	(38.7-53.7)
	<b>Female</b>	246	59.2%	(52.6-65.7)	215	40.8%	(34.3-47.4)
<b>Race</b>	<b>White/Non-Hisp</b>	287	47.7%	(41.5-53.9)	309	52.3%	(46.1-58.5)
	<b>Black or Af.Am./Non-Hisp</b>	17	62.3%	(36.6-87.9)	8	37.7%	(12.1-63.4)
	<b>Other Race/Non-Hisp</b>	14	50.3%	(26.3-74.2)	20	49.7%	(25.8-73.7)
	<b>Multiracial/Non-Hisp</b>	45	63.1%	(49.0-77.1)	42	36.9%	(22.9-51.0)
	<b>Hispanic</b>	61	75.5%	(63.4-87.6)	26	24.5%	(12.4-36.6)
<b>Age</b>	<b>18-24</b>	43	89.1%	(80.5-97.8)	8	10.9%	(2.2-19.5)
	<b>25-34</b>	70	66.4%	(52.0-80.9)	34	33.6%	(19.1-48.0)
	<b>35-44</b>	73	58.3%	(46.6-69.9)	54	41.7%	(30.1-53.4)
	<b>45-54</b>	107	48.8%	(38.8-58.7)	104	51.2%	(41.3-61.2)
	<b>55-64</b>	76	42.5%	(31.9-53.1)	95	57.5%	(46.9-68.1)
	<b>65+</b>	60	35.3%	(25.3-45.3)	111	64.7%	(54.7-74.7)
<b>Education</b>	<b>Less Than H.S.</b>	61	66.2%	(52.1-80.3)	43	33.8%	(19.7-47.9)
	<b>H.S. or G.E.D.</b>	153	56.0%	(47.4-64.7)	137	44.0%	(35.3-52.6)
	<b>Some Post-H.S.</b>	142	53.6%	(45.1-62.0)	159	46.4%	(38.0-54.9)
	<b>College Graduate</b>	72	50.1%	(38.3-61.9)	66	49.9%	(38.1-61.7)
<b>Income</b>	<b>Less than \$15,000</b>	53	74.9%	(63.5-86.4)	34	25.1%	(13.6-36.5)
	<b>\$15,000 to 24,999</b>	77	58.7%	(45.4-72.0)	58	41.3%	(28.0-54.6)
	<b>\$25,000 to 34,999</b>	44	54.1%	(38.5-69.7)	60	45.9%	(30.3-61.5)
	<b>\$35,000 to 49,999</b>	63	57.5%	(44.3-70.7)	62	42.5%	(29.3-55.7)
	<b>\$50,000 to 74,999</b>	59	56.7%	(44.6-68.9)	62	43.3%	(31.1-55.4)
	<b>\$75,000+</b>	84	45.9%	(35.6-56.3)	74	54.1%	(43.7-64.4)
<b>Region of Residence</b>	<b>Clark</b>	141	55.0%	(47.9-62.1)	136	45.0%	(37.9-52.1)
	<b>Washoe</b>	143	61.0%	(53.5-68.4)	103	39.0%	(31.6-46.5)
	<b>All Other Counties</b>	132	51.9%	(44.3-59.5)	157	48.1%	(40.5-55.7)
<b>Health Insurance</b>	<b>Yes</b>	316	53.1%	(47.4-58.7)	330	46.9%	(41.3-52.6)
	<b>No</b>	112	63.5%	(52.7-74.4)	76	36.5%	(25.6-47.3)
<b>Weight Status</b>	<b>Normal weight</b>	184	56.1%	(48.4-63.8)	194	43.9%	(36.2-51.6)
	<b>Overweight</b>	144	56.9%	(48.8-65.1)	130	43.1%	(34.9-51.2)
	<b>Obese</b>	88	54.0%	(41.4-66.6)	70	46.0%	(33.4-58.6)
<b>Smoking Status</b>	<b>At Risk</b>	429	56.2%	(51.1-61.3)	406	43.8%	(38.7-48.9)
<b>Heavy Drinking Status</b>	<b>At Risk</b>	50	50.9%	(38.4-63.4)	80	49.1%	(36.6-61.6)
	<b>Not At Risk</b>	356	56.6%	(50.9-62.4)	311	43.4%	(37.6-49.1)
<b>Health Status</b>	<b>Good or Better Health</b>	309	55.6%	(49.7-61.5)	314	44.4%	(38.5-50.3)
	<b>Fair or Poor Health</b>	120	58.6%	(48.3-69.0)	90	41.4%	(31.0-51.7)

**Table 31: Activity Limitation Due to Health Problems**

Are you limited in any way in any activities because of physical, mental, or emotional problems?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	930	18.8%	(17.1-20.5)	3095	81.2%	(79.5-82.9)
<b>Gender</b>	<b>Male</b>	357	15.9%	(13.5-18.3)	1335	84.1%	(81.7-86.5)
	<b>Female</b>	573	21.7%	(19.3-24.2)	1760	78.3%	(75.8-80.7)
<b>Race</b>	<b>White/Non-Hisp</b>	726	22.4%	(20.2-24.7)	2204	77.6%	(75.3-79.8)
	<b>Black or Af.Am./Non-Hisp</b>	24	14.5%	(7.7-21.2)	86	85.5%	(78.8-92.3)
	<b>Other Race/Non-Hisp</b>	27	6.1%	(3.0-9.3)	149	93.9%	(90.7-97.0)
	<b>Multiracial/Non-Hisp</b>	93	32.2%	(24.2-40.1)	196	67.8%	(59.9-75.8)
	<b>Hispanic</b>	54	8.1%	(5.2-11.0)	439	91.9%	(89.0-94.8)
<b>Age</b>	<b>18-24</b>	25	9.3%	(4.6-14.0)	206	90.7%	(86.0-95.4)
	<b>25-34</b>	56	10.3%	(6.6-14.0)	421	89.7%	(86.0-93.4)
	<b>35-44</b>	89	13.7%	(9.9-17.4)	566	86.3%	(82.6-90.1)
	<b>45-54</b>	185	21.7%	(17.5-25.8)	642	78.3%	(74.2-82.5)
	<b>55-64</b>	246	27.2%	(23.1-31.3)	592	72.8%	(68.7-76.9)
	<b>65+</b>	329	32.3%	(28.3-36.3)	668	67.7%	(63.7-71.7)
<b>Education</b>	<b>Less Than H.S.</b>	74	15.9%	(10.9-21.0)	309	84.1%	(79.0-89.1)
	<b>H.S. or G.E.D.</b>	260	20.5%	(16.9-24.0)	817	79.5%	(76.0-83.1)
	<b>Some Post-H.S.</b>	338	19.9%	(17.0-22.9)	970	80.1%	(77.1-83.0)
	<b>College Graduate</b>	255	17.3%	(14.4-20.3)	991	82.7%	(79.7-85.6)
<b>Income</b>	<b>Less than \$15,000</b>	126	38.3%	(28.3-48.3)	153	61.7%	(51.7-71.7)
	<b>\$15,000 to 24,999</b>	154	26.8%	(20.9-32.6)	330	73.2%	(67.4-79.1)
	<b>\$25,000 to 34,999</b>	108	17.6%	(12.7-22.5)	294	82.4%	(77.5-87.3)
	<b>\$35,000 to 49,999</b>	123	17.3%	(13.1-21.5)	432	82.7%	(78.5-86.9)
	<b>\$50,000 to 74,999</b>	110	13.8%	(10.5-17.1)	577	86.2%	(82.9-89.5)
	<b>\$75,000+</b>	191	14.4%	(11.6-17.2)	952	85.6%	(82.8-88.4)
<b>Region of Residence</b>	<b>Clark</b>	282	18.1%	(15.8-20.5)	989	81.9%	(79.5-84.2)
	<b>Washoe</b>	287	18.3%	(15.9-20.6)	1026	81.7%	(79.4-84.1)
	<b>All Other Counties</b>	342	24.6%	(21.5-27.6)	980	75.4%	(72.4-78.5)
<b>Health Insurance</b>	<b>Yes</b>	801	19.6%	(17.7-21.4)	2621	80.4%	(78.6-82.3)
	<b>No</b>	127	15.9%	(11.7-20.1)	457	84.1%	(79.9-88.3)
<b>Weight Status</b>	<b>Normal weight</b>	302	16.4%	(13.7-19.1)	1177	83.6%	(80.9-86.3)
	<b>Overweight</b>	291	15.9%	(13.3-18.5)	1153	84.1%	(81.5-86.7)
	<b>Obese</b>	304	27.1%	(23.0-31.1)	654	72.9%	(68.9-77.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	688	16.6%	(14.9-18.4)	2504	83.4%	(81.6-85.1)
	<b>At Risk</b>	236	26.4%	(21.8-31.0)	582	73.6%	(69.0-78.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	850	18.4%	(16.7-20.1)	2787	81.6%	(79.9-83.3)
	<b>At Risk</b>	64	23.5%	(15.5-31.5)	243	76.5%	(68.5-84.5)
<b>Health Status</b>	<b>Good or Better Health</b>	522	13.2%	(11.5-14.8)	2773	86.8%	(85.2-88.5)
	<b>Fair or Poor Health</b>	405	46.1%	(40.5-51.6)	318	53.9%	(48.4-59.5)

### Table 32: Health Problems Requiring Special Equipment

Do you now have any health problem that requires you to use special equipment?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	324	5.9%	(5.0-6.8)	3720	94.1%	(93.2-95.0)
<b>Gender</b>	<b>Male</b>	119	5.0%	(3.7-6.2)	1583	95.0%	(93.8-96.3)
	<b>Female</b>	205	6.9%	(5.7-8.2)	2137	93.1%	(91.8-94.3)
<b>Race</b>	<b>White/Non-Hisp</b>	243	6.9%	(5.7-8.0)	2704	93.1%	(92.0-94.3)
	<b>Black or Af.Am./Non-Hisp</b>	8	4.2%	(0.8-7.6)	102	95.8%	(92.4-99.2)
	<b>Other Race/Non-Hisp</b>	18	3.7%	(1.3-6.1)	157	96.3%	(93.9-98.7)
	<b>Multiracial/Non-Hisp</b>	37	12.0%	(6.9-17.1)	256	88.0%	(82.9-93.1)
	<b>Hispanic</b>	15	1.9%	(0.7-3.2)	477	98.1%	(96.8-99.3)
<b>Age</b>	<b>18-24</b>	1	0.2%	(0.0-0.7)	230	99.8%	(99.3-100.0)
	<b>25-34</b>	2	0.1%	(0.0-0.3)	474	99.9%	(99.7-100.0)
	<b>35-44</b>	16	2.2%	(0.8-3.6)	640	97.8%	(96.4-99.2)
	<b>45-54</b>	53	7.5%	(4.7-10.2)	777	92.5%	(89.8-95.3)
	<b>55-64</b>	73	8.2%	(5.7-10.6)	769	91.8%	(89.4-94.3)
	<b>65+</b>	179	18.4%	(15.1-21.7)	830	81.6%	(78.3-84.9)
	<b>Education</b>	<b>Less Than H.S.</b>	29	5.0%	(2.6-7.4)	356	95.0%
<b>H.S. or G.E.D.</b>		111	7.1%	(5.3-8.9)	974	92.9%	(91.1-94.7)
<b>Some Post-H.S.</b>		106	6.2%	(4.5-7.9)	1207	93.8%	(92.1-95.5)
<b>College Graduate</b>		77	5.0%	(3.5-6.6)	1172	95.0%	(93.4-96.5)
<b>Income</b>	<b>Less than \$15,000</b>	64	15.0%	(9.4-20.7)	219	85.0%	(79.3-90.6)
	<b>\$15,000 to 24,999</b>	62	9.9%	(6.5-13.3)	426	90.1%	(86.7-93.5)
	<b>\$25,000 to 34,999</b>	34	4.8%	(2.6-7.0)	369	95.2%	(93.0-97.4)
	<b>\$35,000 to 49,999</b>	39	6.0%	(3.4-8.6)	518	94.0%	(91.4-96.6)
	<b>\$50,000 to 74,999</b>	36	5.5%	(3.2-7.8)	657	94.5%	(92.2-96.8)
	<b>\$75,000+</b>	39	2.7%	(1.5-3.8)	1105	97.3%	(96.2-98.5)
<b>Region of Residence</b>	<b>Clark</b>	108	5.9%	(4.6-7.1)	1172	94.1%	(92.9-95.4)
	<b>Washoe</b>	93	5.4%	(4.2-6.6)	1227	94.6%	(93.4-95.8)
	<b>All Other Counties</b>	110	7.2%	(5.7-8.7)	1217	92.8%	(91.3-94.3)
<b>Health Insurance</b>	<b>Yes</b>	289	6.7%	(5.6-7.7)	3148	93.3%	(92.3-94.4)
	<b>No</b>	33	3.0%	(1.6-4.4)	556	97.0%	(95.6-98.4)
<b>Weight Status</b>	<b>Normal weight</b>	103	4.4%	(3.3-5.5)	1382	95.6%	(94.5-96.7)
	<b>Overweight</b>	93	4.5%	(3.2-5.7)	1362	95.5%	(94.3-96.8)
	<b>Obese</b>	112	10.7%	(8.1-13.3)	849	89.3%	(86.7-91.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	248	5.7%	(4.7-6.6)	2955	94.3%	(93.4-95.3)
	<b>At Risk</b>	74	6.9%	(4.7-9.1)	752	93.1%	(90.9-95.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	304	6.1%	(5.1-7.0)	3348	93.9%	(93.0-94.9)
	<b>At Risk</b>	14	3.7%	(1.0-6.4)	296	96.3%	(93.6-99.0)
<b>Health Status</b>	<b>Good or Better Health</b>	137	3.0%	(2.3-3.7)	3173	97.0%	(96.3-97.7)
	<b>Fair or Poor Health</b>	186	20.1%	(16.3-24.0)	541	79.9%	(76.0-83.7)

**Table 33: Had Pain, Aching, Stiffness, Swelling**

During the past 30 days, have you had any symptoms of pain, aching, or stiffness in or around a joint not including back or neck?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1800	38.9%	(36.6-41.2)	2235	61.1%	(58.8-63.4)
<b>Gender</b>	<b>Male</b>	712	36.4%	(32.9-39.9)	985	63.6%	(60.1-67.1)
	<b>Female</b>	1088	41.5%	(38.5-44.5)	1250	58.5%	(55.5-61.5)
<b>Race</b>	<b>White/Non-Hisp</b>	1369	43.7%	(41.0-46.3)	1569	56.3%	(53.7-59.0)
	<b>Black or Af.Am./Non-Hisp</b>	45	36.8%	(25.1-48.5)	64	63.2%	(51.5-74.9)
	<b>Other Race/Non-Hisp</b>	70	24.2%	(16.1-32.3)	106	75.8%	(67.7-83.9)
	<b>Multiracial/Non-Hisp</b>	156	49.9%	(41.2-58.5)	138	50.1%	(41.5-58.8)
	<b>Hispanic</b>	146	25.2%	(19.6-30.9)	345	74.8%	(69.1-80.4)
<b>Age</b>	<b>18-24</b>	61	20.6%	(14.1-27.1)	170	79.4%	(72.9-85.9)
	<b>25-34</b>	151	32.5%	(25.9-39.1)	322	67.5%	(60.9-74.1)
	<b>35-44</b>	239	33.8%	(28.9-38.7)	415	66.2%	(61.3-71.1)
	<b>45-54</b>	393	45.1%	(40.2-50.0)	439	54.9%	(50.0-59.8)
	<b>55-64</b>	442	50.1%	(45.3-54.9)	398	49.9%	(45.1-54.7)
	<b>65+</b>	514	50.2%	(45.9-54.5)	491	49.8%	(45.5-54.1)
<b>Education</b>	<b>Less Than H.S.</b>	149	27.1%	(20.6-33.6)	235	72.9%	(66.4-79.4)
	<b>H.S. or G.E.D.</b>	481	37.3%	(33.0-41.5)	604	62.7%	(58.5-67.0)
	<b>Some Post-H.S.</b>	616	41.9%	(37.9-46.0)	690	58.1%	(54.0-62.1)
	<b>College Graduate</b>	549	43.0%	(38.8-47.3)	699	57.0%	(52.7-61.2)
<b>Income</b>	<b>Less than \$15,000</b>	153	44.6%	(34.2-55.0)	131	55.4%	(45.0-65.8)
	<b>\$15,000 to 24,999</b>	210	37.2%	(30.5-43.8)	275	62.8%	(56.2-69.5)
	<b>\$25,000 to 34,999</b>	177	38.0%	(29.6-46.3)	223	62.0%	(53.7-70.4)
	<b>\$35,000 to 49,999</b>	255	40.3%	(34.2-46.5)	303	59.7%	(53.5-65.8)
	<b>\$50,000 to 74,999</b>	325	42.6%	(37.2-48.0)	366	57.4%	(52.0-62.8)
	<b>\$75,000+</b>	465	36.5%	(32.6-40.4)	678	63.5%	(59.6-67.4)
<b>Region of Residence</b>	<b>Clark</b>	564	39.3%	(36.2-42.5)	711	60.7%	(57.5-63.8)
	<b>Washoe</b>	574	39.4%	(36.3-42.5)	743	60.6%	(57.5-63.7)
	<b>All Other Counties</b>	635	44.3%	(41.0-47.6)	691	55.7%	(52.4-59.0)
<b>Health Insurance</b>	<b>Yes</b>	1567	40.7%	(38.3-43.1)	1863	59.3%	(56.9-61.7)
	<b>No</b>	230	32.7%	(26.4-38.9)	356	67.3%	(61.1-73.6)
<b>Weight Status</b>	<b>Normal weight</b>	549	32.7%	(29.1-36.4)	929	67.3%	(63.6-70.9)
	<b>Overweight</b>	654	40.4%	(36.4-44.3)	798	59.6%	(55.7-63.6)
	<b>Obese</b>	533	47.7%	(42.9-52.5)	429	52.3%	(47.5-57.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	1401	37.5%	(35.0-40.1)	1796	62.5%	(59.9-65.0)
	<b>At Risk</b>	391	43.9%	(38.7-49.0)	432	56.1%	(51.0-61.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1602	37.9%	(35.5-40.3)	2043	62.1%	(59.7-64.5)
	<b>At Risk</b>	163	52.6%	(44.4-60.9)	146	47.4%	(39.1-55.6)
<b>Health Status</b>	<b>Good or Better Health</b>	1350	36.0%	(33.6-38.5)	1954	64.0%	(61.5-66.4)
	<b>Fair or Poor Health</b>	447	53.2%	(47.4-58.9)	277	46.8%	(41.1-52.6)

**Table 34: Joint Symptoms Three Months Old**

Did your joint symptoms first begin more than 3 months ago?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1518	82.2%	(79.4-85.1)	266	17.8%	(14.9-20.6)
<b>Gender</b>	<b>Male</b>	594	81.3%	(76.7-85.9)	111	18.7%	(14.1-23.3)
	<b>Female</b>	924	83.1%	(79.6-86.5)	155	16.9%	(13.5-20.4)
<b>Race</b>	<b>White/Non-Hisp</b>	1174	83.9%	(80.8-86.9)	185	16.1%	(13.1-19.2)
	<b>Black or Af.Am./Non-Hisp</b>	28	55.6%	(35.6-75.7)	16	44.4%	(24.3-64.4)
	<b>Other Race/Non-Hisp</b>	58	83.9%	(71.9-95.9)	12	16.1%	(4.1-28.1)
	<b>Multiracial/Non-Hisp</b>	127	84.1%	(76.0-92.3)	27	15.9%	(7.7-24.0)
	<b>Hispanic</b>	118	80.7%	(71.5-89.8)	26	19.3%	(10.2-28.5)
<b>Age</b>	<b>18-24</b>	42	68.1%	(52.8-83.5)	19	31.9%	(16.5-47.2)
	<b>25-34</b>	112	75.1%	(64.5-85.6)	36	24.9%	(14.4-35.5)
	<b>35-44</b>	196	76.6%	(68.9-84.3)	43	23.4%	(15.7-31.1)
	<b>45-54</b>	327	85.9%	(81.6-90.2)	66	14.1%	(9.8-18.4)
	<b>55-64</b>	384	87.2%	(82.9-91.5)	52	12.8%	(8.5-17.1)
	<b>65+</b>	457	89.0%	(85.1-93.0)	50	11.0%	(7.0-14.9)
<b>Education</b>	<b>Less Than H.S.</b>	131	84.2%	(73.0-95.3)	17	15.8%	(4.7-27.0)
	<b>H.S. or G.E.D.</b>	398	81.8%	(76.5-87.2)	79	18.2%	(12.8-23.5)
	<b>Some Post-H.S.</b>	527	83.4%	(78.6-88.2)	83	16.6%	(11.8-21.4)
	<b>College Graduate</b>	458	80.7%	(75.7-85.7)	87	19.3%	(14.3-24.3)
<b>Income</b>	<b>Less than \$15,000</b>	142	95.7%	(92.5-99.0)	10	4.3%	(1.0-7.5)
	<b>\$15,000 to 24,999</b>	186	87.7%	(81.3-94.0)	23	12.3%	(6.0-18.7)
	<b>\$25,000 to 34,999</b>	148	80.5%	(70.5-90.5)	26	19.5%	(9.5-29.5)
	<b>\$35,000 to 49,999</b>	208	76.0%	(67.1-84.9)	45	24.0%	(15.1-32.9)
	<b>\$50,000 to 74,999</b>	269	78.2%	(71.1-85.3)	55	21.8%	(14.7-28.9)
	<b>\$75,000+</b>	400	86.1%	(81.6-90.6)	62	13.9%	(9.4-18.4)
<b>Region of Residence</b>	<b>Clark</b>	460	80.7%	(76.7-84.7)	100	19.3%	(15.3-23.3)
	<b>Washoe</b>	492	84.1%	(80.1-88.1)	77	15.9%	(11.9-19.9)
	<b>All Other Counties</b>	542	84.8%	(81.2-88.4)	86	15.2%	(11.6-18.8)
<b>Health Insurance</b>	<b>Yes</b>	1331	82.8%	(79.9-85.7)	223	17.2%	(14.3-20.1)
	<b>No</b>	186	80.2%	(71.7-88.7)	41	19.8%	(11.3-28.3)
<b>Weight Status</b>	<b>Normal weight</b>	450	79.8%	(74.2-85.4)	94	20.2%	(14.6-25.8)
	<b>Overweight</b>	551	81.6%	(76.8-86.4)	97	18.4%	(13.6-23.2)
	<b>Obese</b>	459	85.0%	(80.6-89.5)	69	15.0%	(10.5-19.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	1176	81.7%	(78.5-84.9)	213	18.3%	(15.1-21.5)
	<b>At Risk</b>	334	83.7%	(77.6-89.8)	53	16.3%	(10.2-22.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1359	82.8%	(79.8-85.7)	230	17.2%	(14.3-20.2)
	<b>At Risk</b>	131	80.0%	(71.3-88.7)	31	20.0%	(11.3-28.7)
<b>Health Status</b>	<b>Good or Better Health</b>	1122	81.6%	(78.3-84.9)	217	18.4%	(15.1-21.7)
	<b>Fair or Poor Health</b>	394	84.7%	(79.3-90.2)	48	15.3%	(9.8-20.7)

**Table 35: Treated For Joint Symptoms**

Have you ever seen a doctor or other health professional for these joint symptoms?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1116	74.0%	(70.6-77.5)	397	26.0%	(22.5-29.4)
<b>Gender</b>	<b>Male</b>	438	73.9%	(68.4-79.3)	155	26.1%	(20.7-31.6)
	<b>Female</b>	678	74.2%	(69.8-78.5)	242	25.8%	(21.5-30.2)
<b>Race</b>	<b>White/Non-Hisp</b>	874	75.3%	(71.5-79.0)	295	24.7%	(21.0-28.5)
	<b>Black or Af.Am./Non-Hisp</b>	21	79.5%	(61.7-97.2)	7	20.5%	(2.8-38.3)
	<b>Other Race/Non-Hisp</b>	44	73.6%	(56.4-90.9)	14	26.4%	(9.1-43.6)
	<b>Multiracial/Non-Hisp</b>	98	78.8%	(68.1-89.4)	29	21.2%	(10.6-31.9)
	<b>Hispanic</b>	69	61.8%	(48.0-75.6)	49	38.2%	(24.4-52.0)
<b>Age</b>	<b>18-24</b>	26	57.7%	(36.2-79.2)	16	42.3%	(20.8-63.8)
	<b>25-34</b>	71	75.8%	(65.0-86.5)	41	24.2%	(13.5-35.0)
	<b>35-44</b>	131	67.9%	(58.7-77.1)	65	32.1%	(22.9-41.3)
	<b>45-54</b>	226	69.2%	(61.5-76.8)	99	30.8%	(23.2-38.5)
	<b>55-64</b>	297	77.5%	(71.5-83.6)	85	22.5%	(16.4-28.5)
	<b>65+</b>	365	83.2%	(78.7-87.8)	91	16.8%	(12.2-21.3)
<b>Education</b>	<b>Less Than H.S.</b>	76	57.1%	(43.1-71.1)	55	42.9%	(28.9-56.9)
	<b>H.S. or G.E.D.</b>	291	76.4%	(70.3-82.5)	107	23.6%	(17.5-29.7)
	<b>Some Post-H.S.</b>	401	74.8%	(68.8-80.7)	123	25.2%	(19.3-31.2)
	<b>College Graduate</b>	345	76.5%	(70.5-82.5)	111	23.5%	(17.5-29.5)
<b>Income</b>	<b>Less than \$15,000</b>	103	74.6%	(63.9-85.3)	39	25.4%	(14.7-36.1)
	<b>\$15,000 to 24,999</b>	137	75.2%	(66.0-84.4)	49	24.8%	(15.6-34.0)
	<b>\$25,000 to 34,999</b>	111	74.2%	(61.8-86.5)	37	25.8%	(13.5-38.2)
	<b>\$35,000 to 49,999</b>	152	75.8%	(67.6-84.0)	56	24.2%	(16.0-32.4)
	<b>\$50,000 to 74,999</b>	186	69.7%	(61.5-78.0)	80	30.3%	(22.0-38.5)
	<b>\$75,000+</b>	302	76.0%	(69.8-82.1)	98	24.0%	(17.9-30.2)
<b>Region of Residence</b>	<b>Clark</b>	346	74.1%	(69.2-79.0)	112	25.9%	(21.0-30.8)
	<b>Washoe</b>	361	73.2%	(68.5-77.8)	129	26.8%	(22.2-31.5)
	<b>All Other Counties</b>	392	71.5%	(66.9-76.1)	149	28.5%	(23.9-33.1)
<b>Health Insurance</b>	<b>Yes</b>	1007	76.5%	(73.1-80.0)	320	23.5%	(20.0-26.9)
	<b>No</b>	108	61.4%	(49.3-73.6)	77	38.6%	(26.4-50.7)
<b>Weight Status</b>	<b>Normal weight</b>	321	70.0%	(63.0-77.1)	126	30.0%	(22.9-37.0)
	<b>Overweight</b>	405	74.3%	(68.8-79.8)	146	25.7%	(20.2-31.2)
	<b>Obese</b>	346	76.5%	(70.7-82.4)	111	23.5%	(17.6-29.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	876	76.1%	(72.4-79.8)	296	23.9%	(20.2-27.6)
	<b>At Risk</b>	235	67.9%	(60.0-75.9)	98	32.1%	(24.1-40.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1011	74.5%	(70.9-78.2)	344	25.5%	(21.8-29.1)
	<b>At Risk</b>	85	65.7%	(53.3-78.0)	45	34.3%	(22.0-46.7)
<b>Health Status</b>	<b>Good or Better Health</b>	803	73.9%	(70.1-77.8)	316	26.1%	(22.2-29.9)
	<b>Fair or Poor Health</b>	311	74.3%	(66.7-82.0)	81	25.7%	(18.0-33.3)

**Table 36: Told Have Arthritis**

Have you ever been told by a doctor or other health professional that you have some form of arthritis?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1309	25.2%	(23.3-27.0)	2711	74.8%	(73.0-76.7)
<b>Gender</b>	<b>Male</b>	460	20.5%	(17.9-23.1)	1227	79.5%	(76.9-82.1)
	<b>Female</b>	849	30.0%	(27.4-32.6)	1484	70.0%	(67.4-72.6)
<b>Race</b>	<b>White/Non-Hisp</b>	1044	30.6%	(28.2-33.0)	1881	69.4%	(67.0-71.8)
	<b>Black or Af.Am./Non-Hisp</b>	30	22.3%	(12.4-32.2)	80	77.7%	(67.8-87.6)
	<b>Other Race/Non-Hisp</b>	47	17.3%	(10.2-24.4)	127	82.7%	(75.6-89.8)
	<b>Multiracial/Non-Hisp</b>	112	33.2%	(25.4-40.9)	181	66.8%	(59.1-74.6)
	<b>Hispanic</b>	64	8.9%	(6.0-11.8)	427	91.1%	(88.2-94.0)
<b>Age</b>	<b>18-24</b>	8	2.7%	(0.6-4.9)	221	97.3%	(95.1-99.4)
	<b>25-34</b>	46	11.0%	(6.8-15.1)	428	89.0%	(84.9-93.2)
	<b>35-44</b>	112	16.2%	(12.3-20.0)	542	83.8%	(80.0-87.7)
	<b>45-54</b>	239	28.6%	(24.1-33.0)	587	71.4%	(67.0-75.9)
	<b>55-64</b>	365	40.2%	(35.5-44.8)	471	59.8%	(55.2-64.5)
	<b>65+</b>	539	54.0%	(49.7-58.2)	462	46.0%	(41.8-50.3)
<b>Education</b>	<b>Less Than H.S.</b>	90	14.8%	(10.0-19.6)	292	85.2%	(80.4-90.0)
	<b>H.S. or G.E.D.</b>	373	27.5%	(23.7-31.3)	705	72.5%	(68.7-76.3)
	<b>Some Post-H.S.</b>	448	27.9%	(24.4-31.4)	856	72.1%	(68.6-75.6)
	<b>College Graduate</b>	393	25.0%	(21.8-28.3)	851	75.0%	(71.7-78.2)
<b>Income</b>	<b>Less than \$15,000</b>	127	35.0%	(25.5-44.4)	154	65.0%	(55.6-74.5)
	<b>\$15,000 to 24,999</b>	176	25.0%	(19.8-30.2)	309	75.0%	(69.8-80.2)
	<b>\$25,000 to 34,999</b>	155	26.6%	(20.1-33.1)	246	73.4%	(66.9-79.9)
	<b>\$35,000 to 49,999</b>	186	27.4%	(22.1-32.7)	371	72.6%	(67.3-77.9)
	<b>\$50,000 to 74,999</b>	198	24.7%	(20.2-29.2)	493	75.3%	(70.8-79.8)
	<b>\$75,000+</b>	309	23.5%	(20.2-26.8)	826	76.5%	(73.2-79.8)
<b>Region of Residence</b>	<b>Clark</b>	421	25.9%	(23.3-28.6)	847	74.1%	(71.4-76.7)
	<b>Washoe</b>	410	24.6%	(22.1-27.2)	900	75.4%	(72.8-77.9)
	<b>All Other Counties</b>	461	28.4%	(25.7-31.2)	864	71.6%	(68.8-74.3)
<b>Health Insurance</b>	<b>Yes</b>	1179	28.5%	(26.4-30.6)	2236	71.5%	(69.4-73.6)
	<b>No</b>	127	12.8%	(9.2-16.3)	459	87.2%	(83.7-90.8)
<b>Weight Status</b>	<b>Normal weight</b>	426	21.1%	(18.4-23.9)	1050	78.9%	(76.1-81.6)
	<b>Overweight</b>	446	22.6%	(19.8-25.5)	1001	77.4%	(74.5-80.2)
	<b>Obese</b>	391	35.4%	(30.9-39.9)	568	64.6%	(60.1-69.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	1041	24.7%	(22.6-26.7)	2147	75.3%	(73.3-77.4)
	<b>At Risk</b>	264	27.0%	(22.5-31.4)	553	73.0%	(68.6-77.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1202	25.9%	(23.9-27.9)	2431	74.1%	(72.1-76.1)
	<b>At Risk</b>	81	19.2%	(13.3-25.0)	224	80.8%	(75.0-86.7)
<b>Health Status</b>	<b>Good or Better Health</b>	944	21.9%	(20.0-23.8)	2348	78.1%	(76.2-80.0)
	<b>Fair or Poor Health</b>	364	41.3%	(35.9-46.7)	358	58.7%	(53.3-64.1)

**Table 37: Limited Because of Joint Symptoms**

Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	618	30.8%	(27.8-33.9)	1307	69.2%	(66.1-72.2)
<b>Gender</b>	<b>Male</b>	208	26.2%	(21.5-30.9)	540	73.8%	(69.1-78.5)
	<b>Female</b>	410	34.8%	(30.8-38.8)	767	65.2%	(61.2-69.2)
<b>Race</b>	<b>White/Non-Hisp</b>	485	32.5%	(29.0-36.0)	1013	67.5%	(64.0-71.0)
	<b>Black or Af.Am./Non-Hisp</b>	16	28.4%	(12.0-44.8)	27	71.6%	(55.2-88.0)
	<b>Other Race/Non-Hisp</b>	22	22.9%	(10.7-35.0)	50	77.1%	(65.0-89.3)
	<b>Multiracial/Non-Hisp</b>	56	43.5%	(31.8-55.2)	98	56.5%	(44.8-68.2)
	<b>Hispanic</b>	32	15.0%	(7.9-22.2)	111	85.0%	(77.8-92.1)
<b>Age</b>	<b>18-24</b>	9	20.6%	(5.6-35.7)	33	79.4%	(64.3-94.4)
	<b>25-34</b>	23	16.3%	(7.5-25.1)	101	83.7%	(74.9-92.5)
	<b>35-44</b>	57	23.3%	(15.8-30.9)	177	76.7%	(69.1-84.2)
	<b>45-54</b>	126	33.5%	(26.7-40.4)	279	66.5%	(59.6-73.3)
	<b>55-64</b>	172	33.5%	(27.7-39.4)	319	66.5%	(60.6-72.3)
	<b>65+</b>	231	40.9%	(35.4-46.3)	398	59.1%	(53.7-64.6)
<b>Education</b>	<b>Less Than H.S.</b>	47	24.6%	(15.0-34.1)	113	75.4%	(65.9-85.0)
	<b>H.S. or G.E.D.</b>	179	38.6%	(32.2-45.0)	343	61.4%	(55.0-67.8)
	<b>Some Post-H.S.</b>	217	29.6%	(24.5-34.6)	447	70.4%	(65.4-75.5)
	<b>College Graduate</b>	174	27.2%	(22.1-32.4)	400	72.8%	(67.6-77.9)
<b>Income</b>	<b>Less than \$15,000</b>	90	54.7%	(41.4-67.9)	83	45.3%	(32.1-58.6)
	<b>\$15,000 to 24,999</b>	90	43.0%	(33.3-52.7)	150	57.0%	(47.3-66.7)
	<b>\$25,000 to 34,999</b>	70	25.1%	(16.0-34.2)	129	74.9%	(65.8-84.0)
	<b>\$35,000 to 49,999</b>	84	29.0%	(21.4-36.7)	178	71.0%	(63.3-78.6)
	<b>\$50,000 to 74,999</b>	76	25.0%	(18.3-31.6)	256	75.0%	(68.4-81.7)
	<b>\$75,000+</b>	130	24.9%	(19.6-30.2)	371	75.1%	(69.8-80.4)
<b>Region of Residence</b>	<b>Clark</b>	206	32.4%	(28.0-36.7)	393	67.6%	(63.3-72.0)
	<b>Washoe</b>	183	28.0%	(23.9-32.1)	435	72.0%	(67.9-76.1)
	<b>All Other Counties</b>	219	30.6%	(26.6-34.6)	458	69.4%	(65.4-73.4)
<b>Health Insurance</b>	<b>Yes</b>	543	31.9%	(28.6-35.1)	1156	68.1%	(64.9-71.4)
	<b>No</b>	74	25.0%	(16.5-33.6)	149	75.0%	(66.4-83.5)
<b>Weight Status</b>	<b>Normal weight</b>	179	26.7%	(21.5-31.9)	436	73.3%	(68.1-78.5)
	<b>Overweight</b>	191	26.9%	(22.0-31.7)	499	73.1%	(68.3-78.0)
	<b>Obese</b>	221	39.7%	(33.6-45.8)	333	60.3%	(54.2-66.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	452	27.9%	(24.6-31.1)	1058	72.1%	(68.9-75.4)
	<b>At Risk</b>	164	40.5%	(33.2-47.7)	243	59.5%	(52.3-66.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	557	30.2%	(27.0-33.4)	1177	69.8%	(66.6-73.0)
	<b>At Risk</b>	46	37.6%	(25.6-49.6)	102	62.4%	(50.4-74.4)
<b>Health Status</b>	<b>Good or Better Health</b>	355	23.6%	(20.4-26.8)	1100	76.4%	(73.2-79.6)
	<b>Fair or Poor Health</b>	263	54.6%	(47.6-61.5)	205	45.4%	(38.5-52.4)

**Table 38: How Often Do You Drink Fruit Juices**

How often do you drink fruit juices such as orange, grapefruit, or tomato?		1 or more/day			1 or more/week			1 or more/month			1 or more/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	1286	32.9%	(30.6-35.2)	1440	38.5%	(36.1-40.9)	637	15.3%	(13.6-17.0)	625	13.3%	(11.8-14.8)
<b>Gender</b>	<b>Male</b>	607	36.0%	(32.4-39.6)	657	41.0%	(37.4-44.6)	235	13.8%	(11.4-16.2)	180	9.2%	(7.2-11.2)
	<b>Female</b>	679	29.7%	(26.8-32.5)	783	36.0%	(32.9-39.0)	402	16.9%	(14.6-19.2)	445	17.5%	(15.2-19.7)
<b>Race</b>	<b>White/Non-Hisp</b>	920	31.6%	(29.1-34.2)	1025	37.2%	(34.5-39.9)	485	16.4%	(14.4-18.4)	479	14.7%	(12.9-16.6)
	<b>Black or Af.Am./Non-Hisp</b>	42	35.9%	(23.8-48.0)	29	32.2%	(20.1-44.3)	19	21.8%	(10.7-32.9)	12	10.1%	(3.5-16.6)
	<b>Other Race/Non-Hisp</b>	63	31.0%	(20.4-41.7)	64	46.2%	(34.1-58.4)	21	9.9%	(4.3-15.5)	24	12.9%	(4.4-21.3)
	<b>Multiracial/Non-Hisp</b>	83	33.3%	(24.9-41.6)	105	32.9%	(25.1-40.7)	53	18.1%	(11.5-24.8)	49	15.8%	(9.0-22.5)
	<b>Hispanic</b>	167	35.6%	(29.2-42.0)	208	44.1%	(37.8-50.5)	55	10.8%	(7.0-14.7)	58	9.4%	(6.3-12.5)
<b>Age</b>	<b>18-24</b>	78	31.3%	(23.3-39.3)	102	44.6%	(35.9-53.3)	31	16.9%	(9.8-24.0)	17	7.2%	(2.3-12.0)
	<b>25-34</b>	142	35.9%	(29.0-42.8)	214	44.2%	(37.4-51.0)	65	11.7%	(7.9-15.5)	53	8.2%	(5.3-11.1)
	<b>35-44</b>	178	28.2%	(23.3-33.1)	265	41.7%	(36.4-47.0)	113	16.3%	(12.5-20.1)	96	13.8%	(10.3-17.3)
	<b>45-54</b>	227	27.1%	(22.7-31.4)	298	37.7%	(32.8-42.6)	155	18.3%	(14.6-22.0)	139	16.9%	(13.0-20.8)
	<b>55-64</b>	258	31.8%	(27.3-36.4)	278	34.8%	(30.1-39.5)	137	14.9%	(11.7-18.2)	161	18.4%	(14.8-22.1)
	<b>65+</b>	403	44.4%	(40.0-48.7)	283	26.8%	(23.1-30.5)	136	14.2%	(11.2-17.2)	159	14.6%	(11.6-17.7)
<b>Education</b>	<b>Less Than H.S.</b>	138	41.6%	(33.7-49.5)	137	37.0%	(29.5-44.6)	47	10.7%	(6.5-14.9)	57	10.6%	(6.6-14.7)
	<b>H.S. or G.E.D.</b>	328	29.7%	(25.7-33.8)	374	38.8%	(34.1-43.4)	174	15.3%	(12.2-18.4)	194	16.2%	(12.9-19.5)
	<b>Some Post-H.S.</b>	409	31.5%	(27.7-35.4)	474	38.8%	(34.6-42.9)	204	16.5%	(13.2-19.8)	205	13.2%	(10.5-15.9)
	<b>College Graduate</b>	407	33.1%	(28.9-37.3)	450	38.7%	(34.5-42.8)	211	16.4%	(13.4-19.3)	169	11.9%	(9.5-14.2)
<b>Income</b>	<b>Less than \$15,000</b>	96	39.7%	(28.5-50.9)	90	33.3%	(22.9-43.7)	42	16.2%	(8.9-23.6)	48	10.7%	(6.3-15.1)
	<b>\$15,000 to 24,999</b>	166	34.0%	(27.4-40.7)	173	39.4%	(32.3-46.6)	66	13.3%	(8.4-18.1)	72	13.3%	(8.6-18.0)
	<b>\$25,000 to 34,999</b>	133	35.9%	(27.1-44.7)	150	41.4%	(33.2-49.6)	58	12.5%	(8.1-16.9)	59	10.2%	(6.5-14.0)
	<b>\$35,000 to 49,999</b>	183	35.6%	(29.2-42.1)	202	40.3%	(33.8-46.7)	88	12.4%	(8.8-16.0)	80	11.7%	(8.0-15.4)
	<b>\$50,000 to 74,999</b>	219	33.5%	(28.3-38.7)	238	35.9%	(30.6-41.3)	111	15.2%	(11.2-19.2)	119	15.3%	(11.5-19.1)
	<b>\$75,000+</b>	318	28.2%	(24.5-32.0)	442	40.0%	(35.9-44.1)	201	18.2%	(15.0-21.4)	171	13.6%	(10.8-16.4)
<b>Region of Residence</b>	<b>Clark</b>	407	32.2%	(29.1-35.4)	460	39.4%	(36.1-42.7)	199	15.3%	(13.0-17.7)	185	13.0%	(10.9-15.1)
	<b>Washoe</b>	420	32.0%	(29.0-35.0)	483	38.6%	(35.5-41.8)	209	16.2%	(13.8-18.5)	194	13.2%	(11.1-15.3)
	<b>All Other Counties</b>	418	33.3%	(30.0-36.6)	460	37.1%	(33.8-40.4)	214	15.3%	(13.1-17.5)	224	14.4%	(12.3-16.4)
<b>Health Insurance</b>	<b>Yes</b>	1093	31.7%	(29.3-34.0)	1203	38.4%	(35.9-40.9)	553	15.8%	(14.0-17.5)	536	14.2%	(12.5-15.9)
	<b>No</b>	187	37.7%	(31.1-44.4)	233	39.2%	(32.8-45.5)	81	13.5%	(9.0-18.0)	83	9.6%	(6.6-12.6)
<b>Weight Status</b>	<b>Normal weight</b>	487	33.4%	(29.6-37.1)	496	37.0%	(33.1-40.8)	235	15.8%	(12.7-18.8)	240	13.9%	(11.4-16.4)
	<b>Overweight</b>	486	35.2%	(31.2-39.3)	538	40.2%	(36.2-44.3)	225	14.3%	(11.7-16.9)	189	10.2%	(8.1-12.3)
	<b>Obese</b>	272	28.7%	(24.2-33.2)	359	38.7%	(33.9-43.4)	160	16.3%	(12.9-19.6)	165	16.4%	(12.9-19.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	1020	32.3%	(29.7-34.9)	1156	39.4%	(36.7-42.1)	498	15.1%	(13.2-17.0)	484	13.1%	(11.5-14.8)
	<b>At Risk</b>	261	35.0%	(29.9-40.1)	281	35.3%	(30.3-40.3)	136	16.1%	(12.3-19.8)	138	13.6%	(10.2-17.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1177	33.5%	(31.1-36.0)	1300	38.1%	(35.6-40.6)	569	15.2%	(13.4-17.0)	561	13.2%	(11.7-14.8)
	<b>At Risk</b>	82	23.9%	(17.4-30.4)	110	42.7%	(34.2-51.2)	59	20.4%	(13.6-27.1)	53	13.1%	(8.2-17.9)
<b>Health Status</b>	<b>Good or Better Health</b>	1040	32.7%	(30.2-35.3)	1210	39.2%	(36.6-41.8)	530	15.5%	(13.7-17.4)	491	12.5%	(10.9-14.1)
	<b>Fair or Poor Health</b>	244	33.4%	(28.1-38.8)	229	35.5%	(29.8-41.2)	105	14.2%	(10.4-18.0)	133	16.8%	(12.7-20.9)

**Table 39: How Often Do You Eat Fruit?**

Not counting juice, how often do you eat fruit?		1 or more/day			1 or more/week			1 or more/month			1 or more/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	1856	43.1%	(40.7-45.5)	1588	42.1%	(39.6-44.5)	395	11.7%	(10.1-13.3)	136	3.2%	(2.4-3.9)
<b>Gender</b>	<b>Male</b>	651	37.2%	(33.6-40.8)	739	45.5%	(41.8-49.1)	216	13.9%	(11.4-16.5)	63	3.4%	(2.3-4.5)
	<b>Female</b>	1205	49.2%	(46.1-52.3)	849	38.6%	(35.5-41.6)	179	9.3%	(7.4-11.3)	73	2.9%	(1.9-3.9)
<b>Race</b>	<b>White/Non-Hisp</b>	1364	43.7%	(41.0-46.4)	1140	41.0%	(38.2-43.7)	303	12.4%	(10.5-14.3)	93	3.0%	(2.1-3.8)
	<b>Black or Af.Am./Non-Hisp</b>	35	26.1%	(16.1-36.2)	43	39.9%	(27.9-51.9)	20	26.0%	(13.8-38.1)	8	8.0%	(1.7-14.3)
	<b>Other Race/Non-Hisp</b>	89	39.8%	(28.8-50.7)	65	53.5%	(41.7-65.2)	11	6.0%	(0.7-11.3)	4	0.7%	(0.0-1.5)
	<b>Multiracial/Non-Hisp</b>	129	38.1%	(29.9-46.2)	122	43.1%	(34.5-51.6)	28	14.5%	(7.1-22.0)	13	4.3%	(0.8-7.8)
	<b>Hispanic</b>	225	47.5%	(41.0-54.0)	209	43.3%	(36.9-49.6)	31	6.5%	(3.7-9.4)	16	2.7%	(1.1-4.4)
<b>Age</b>	<b>18-24</b>	86	38.1%	(29.5-46.8)	99	42.1%	(33.5-50.8)	33	16.7%	(10.2-23.2)	9	3.1%	(0.5-5.6)
	<b>25-34</b>	193	40.7%	(33.9-47.6)	222	47.7%	(40.7-54.6)	40	9.3%	(5.4-13.3)	12	2.3%	(0.7-3.9)
	<b>35-44</b>	264	35.9%	(30.9-40.9)	289	47.1%	(41.8-52.5)	74	13.6%	(9.8-17.5)	21	3.3%	(1.4-5.2)
	<b>45-54</b>	365	42.6%	(37.7-47.5)	351	42.6%	(37.6-47.5)	80	11.7%	(8.4-15.1)	27	3.1%	(1.5-4.8)
	<b>55-64</b>	404	48.2%	(43.4-53.1)	311	37.5%	(32.8-42.2)	91	11.0%	(8.0-14.0)	28	3.3%	(1.7-4.9)
	<b>65+</b>	544	55.1%	(50.8-59.5)	316	32.1%	(28.0-36.2)	77	8.7%	(6.0-11.4)	39	4.1%	(2.4-5.8)
<b>Education</b>	<b>Less Than H.S.</b>	164	42.7%	(34.9-50.5)	155	41.8%	(34.0-49.6)	33	12.0%	(6.7-17.2)	22	3.5%	(1.3-5.8)
	<b>H.S. or G.E.D.</b>	457	39.2%	(34.8-43.7)	426	41.6%	(37.0-46.2)	128	14.2%	(10.9-17.5)	54	5.0%	(3.1-6.8)
	<b>Some Post-H.S.</b>	575	42.7%	(38.6-46.9)	541	43.5%	(39.3-47.7)	133	11.0%	(8.3-13.7)	37	2.8%	(1.5-4.0)
	<b>College Graduate</b>	654	47.1%	(42.9-51.4)	462	41.2%	(37.0-45.5)	101	9.9%	(7.3-12.5)	23	1.7%	(0.8-2.6)
<b>Income</b>	<b>Less than \$15,000</b>	111	33.8%	(24.0-43.5)	104	42.3%	(31.0-53.6)	36	18.4%	(10.0-26.8)	20	5.5%	(1.5-9.5)
	<b>\$15,000 to 24,999</b>	211	43.5%	(36.4-50.6)	185	39.2%	(32.0-46.3)	50	10.8%	(5.9-15.7)	31	6.5%	(3.6-9.5)
	<b>\$25,000 to 34,999</b>	190	49.5%	(40.9-58.1)	150	35.2%	(27.7-42.7)	42	13.8%	(7.9-19.8)	12	1.5%	(0.3-2.7)
	<b>\$35,000 to 49,999</b>	236	37.0%	(30.9-43.0)	251	51.9%	(45.5-58.4)	46	8.0%	(4.7-11.2)	21	3.1%	(1.3-5.0)
	<b>\$50,000 to 74,999</b>	308	43.2%	(37.8-48.6)	293	44.4%	(38.8-49.9)	70	10.5%	(7.0-14.0)	14	2.0%	(0.7-3.3)
	<b>\$75,000+</b>	551	44.4%	(40.3-48.5)	457	42.2%	(38.1-46.4)	103	11.4%	(8.5-14.2)	23	2.0%	(0.9-3.0)
<b>Region of Residence</b>	<b>Clark</b>	557	41.2%	(37.9-44.4)	500	42.9%	(39.5-46.2)	150	13.0%	(10.7-15.3)	43	3.0%	(2.0-4.0)
	<b>Washoe</b>	651	48.9%	(45.7-52.1)	501	40.1%	(36.9-43.2)	108	8.2%	(6.4-10.0)	40	2.8%	(1.8-3.8)
	<b>All Other Counties</b>	589	42.2%	(38.9-45.4)	549	43.0%	(39.6-46.3)	128	10.4%	(8.2-12.7)	47	4.4%	(2.7-6.2)
<b>Health Insurance</b>	<b>Yes</b>	1615	43.9%	(41.4-46.4)	1334	41.9%	(39.4-44.4)	326	11.3%	(9.6-13.0)	103	2.9%	(2.1-3.7)
	<b>No</b>	228	39.2%	(32.6-45.8)	251	43.3%	(36.7-49.8)	67	13.3%	(8.9-17.7)	33	4.3%	(2.2-6.3)
<b>Weight Status</b>	<b>Normal weight</b>	731	46.1%	(42.2-50.0)	557	41.3%	(37.3-45.2)	121	10.0%	(7.3-12.6)	46	2.7%	(1.7-3.7)
	<b>Overweight</b>	662	42.6%	(38.6-46.7)	578	42.3%	(38.3-46.4)	143	11.7%	(9.2-14.3)	48	3.3%	(2.0-4.7)
	<b>Obese</b>	391	38.5%	(33.8-43.2)	407	44.3%	(39.4-49.2)	118	13.8%	(10.4-17.3)	35	3.4%	(1.8-5.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	1595	46.3%	(43.6-49.0)	1202	41.1%	(38.3-43.8)	272	10.2%	(8.5-11.9)	78	2.4%	(1.7-3.1)
	<b>At Risk</b>	255	31.2%	(26.4-36.0)	381	45.8%	(40.6-51.0)	120	17.0%	(12.8-21.2)	58	6.0%	(3.8-8.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1723	44.4%	(41.9-46.9)	1422	41.5%	(39.0-44.0)	337	11.5%	(9.8-13.2)	111	2.6%	(1.9-3.3)
	<b>At Risk</b>	104	27.9%	(20.9-34.9)	125	45.2%	(36.8-53.6)	53	17.0%	(11.0-22.9)	22	9.9%	(4.5-15.3)
<b>Health Status</b>	<b>Good or Better Health</b>	1555	43.8%	(41.2-46.5)	1299	42.0%	(39.3-44.6)	308	11.3%	(9.5-13.0)	97	2.9%	(2.1-3.7)
	<b>Fair or Poor Health</b>	296	39.5%	(33.9-45.0)	288	42.9%	(37.2-48.7)	87	13.7%	(9.7-17.7)	38	3.9%	(2.3-5.5)

**Table 40: How Often Do You Eat Green Salad?**

How often do you eat green salad?		1 or more/day			1 or more/week			1 or more/month			1 or more/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	965	21.1%	(19.3-23.0)	2404	59.9%	(57.5-62.3)	452	14.3%	(12.4-16.1)	175	4.7%	(3.7-5.7)
<b>Gender</b>	<b>Male</b>	348	18.1%	(15.4-20.8)	993	58.4%	(54.8-62.0)	248	18.1%	(15.1-21.1)	87	5.3%	(3.8-6.9)
	<b>Female</b>	617	24.2%	(21.7-26.8)	1411	61.4%	(58.4-64.5)	204	10.2%	(8.2-12.3)	88	4.1%	(2.8-5.3)
<b>Race</b>	<b>White/Non-Hisp</b>	722	22.7%	(20.5-24.9)	1798	61.6%	(58.9-64.2)	292	12.1%	(10.2-14.1)	104	3.6%	(2.6-4.6)
	<b>Black or Af.Am./Non-Hisp</b>	23	15.6%	(7.9-23.3)	50	44.9%	(32.7-57.1)	26	33.5%	(20.5-46.4)	5	6.1%	(0.4-11.7)
	<b>Other Race/Non-Hisp</b>	49	29.3%	(18.9-39.7)	93	54.0%	(42.2-65.7)	24	14.2%	(6.3-22.2)	7	2.5%	(0.0-5.1)
	<b>Multiracial/Non-Hisp</b>	74	20.5%	(13.7-27.2)	172	58.7%	(50.0-67.4)	32	14.3%	(7.0-21.7)	15	6.5%	(2.2-10.8)
	<b>Hispanic</b>	92	16.6%	(12.0-21.2)	275	60.4%	(54.3-66.6)	76	15.7%	(11.3-20.2)	42	7.3%	(4.3-10.2)
<b>Age</b>	<b>18-24</b>	35	13.5%	(7.9-19.2)	130	58.9%	(50.4-67.4)	52	23.2%	(15.9-30.4)	11	4.4%	(1.3-7.5)
	<b>25-34</b>	85	16.6%	(11.7-21.4)	305	62.8%	(56.2-69.4)	60	15.3%	(10.2-20.4)	21	5.3%	(2.4-8.2)
	<b>35-44</b>	138	20.9%	(16.4-25.3)	415	61.1%	(55.8-66.4)	71	13.4%	(9.4-17.3)	26	4.7%	(2.3-7.0)
	<b>45-54</b>	194	22.6%	(18.5-26.7)	499	57.7%	(52.7-62.7)	102	16.4%	(12.2-20.6)	25	3.3%	(1.5-5.2)
	<b>55-64</b>	213	23.6%	(19.7-27.5)	510	63.0%	(58.4-67.5)	76	8.1%	(5.6-10.7)	39	5.3%	(3.1-7.4)
	<b>65+</b>	300	29.0%	(25.2-32.8)	545	55.2%	(50.9-59.5)	91	10.4%	(7.5-13.3)	53	5.4%	(3.4-7.3)
<b>Education</b>	<b>Less Than H.S.</b>	66	14.9%	(9.9-20.0)	211	57.7%	(50.1-65.3)	63	18.2%	(12.0-24.4)	38	9.2%	(5.1-13.2)
	<b>H.S. or G.E.D.</b>	233	19.7%	(16.0-23.5)	637	56.1%	(51.5-60.7)	149	18.1%	(14.4-21.9)	55	6.0%	(3.9-8.1)
	<b>Some Post-H.S.</b>	317	21.6%	(18.3-24.9)	775	61.0%	(56.8-65.1)	152	14.6%	(11.2-18.0)	48	2.8%	(1.7-4.0)
	<b>College Graduate</b>	345	24.7%	(21.3-28.1)	776	63.6%	(59.5-67.6)	87	8.4%	(6.0-10.9)	33	3.3%	(1.7-5.0)
<b>Income</b>	<b>Less than \$15,000</b>	48	13.6%	(7.7-19.5)	144	52.5%	(41.6-63.4)	46	21.6%	(11.7-31.4)	39	12.3%	(6.2-18.4)
	<b>\$15,000 to 24,999</b>	118	20.8%	(14.6-26.9)	253	51.3%	(44.1-58.5)	71	18.9%	(12.9-24.9)	37	9.1%	(5.3-12.9)
	<b>\$25,000 to 34,999</b>	93	21.1%	(15.1-27.1)	223	56.4%	(48.2-64.6)	55	15.4%	(9.4-21.5)	28	7.1%	(3.3-10.9)
	<b>\$35,000 to 49,999</b>	120	17.5%	(12.7-22.3)	350	64.1%	(57.7-70.4)	66	14.3%	(9.3-19.2)	19	4.2%	(1.4-7.0)
	<b>\$50,000 to 74,999</b>	149	19.2%	(14.9-23.4)	461	69.6%	(64.7-74.6)	68	9.6%	(6.5-12.7)	12	1.6%	(0.5-2.7)
	<b>\$75,000+</b>	318	25.7%	(22.1-29.2)	711	60.7%	(56.5-64.8)	86	11.5%	(8.4-14.6)	20	2.2%	(0.9-3.5)
<b>Region of Residence</b>	<b>Clark</b>	268	20.1%	(17.5-22.7)	759	59.6%	(56.3-62.9)	163	15.5%	(12.9-18.1)	66	4.8%	(3.4-6.1)
	<b>Washoe</b>	340	25.5%	(22.7-28.2)	786	61.2%	(58.1-64.4)	135	10.4%	(8.3-12.5)	45	2.9%	(1.9-4.0)
	<b>All Other Counties</b>	329	23.3%	(20.6-26.0)	805	59.2%	(55.8-62.6)	137	12.9%	(10.5-15.3)	48	4.6%	(2.6-6.6)
<b>Health Insurance</b>	<b>Yes</b>	843	22.6%	(20.6-24.7)	2077	61.1%	(58.6-63.5)	348	12.2%	(10.4-14.0)	129	4.1%	(3.1-5.1)
	<b>No</b>	114	15.0%	(10.8-19.2)	318	55.6%	(49.1-62.1)	103	22.1%	(16.6-27.6)	46	7.3%	(4.4-10.3)
<b>Weight Status</b>	<b>Normal weight</b>	375	23.0%	(19.8-26.2)	879	59.1%	(55.1-63.0)	153	14.4%	(11.3-17.6)	59	3.5%	(2.3-4.7)
	<b>Overweight</b>	356	20.4%	(17.5-23.3)	877	62.3%	(58.4-66.2)	151	12.4%	(9.6-15.3)	53	4.9%	(3.1-6.7)
	<b>Obese</b>	202	17.7%	(14.4-21.1)	575	61.0%	(56.3-65.7)	131	16.4%	(12.6-20.2)	46	4.9%	(2.8-7.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	823	22.9%	(20.7-25.0)	1901	60.6%	(57.9-63.2)	313	12.2%	(10.3-14.1)	129	4.4%	(3.3-5.4)
	<b>At Risk</b>	134	14.3%	(10.9-17.7)	499	57.7%	(52.4-62.9)	136	21.9%	(17.2-26.6)	46	6.1%	(3.6-8.7)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	894	21.6%	(19.6-23.6)	2178	60.7%	(58.2-63.1)	384	13.1%	(11.3-15.0)	158	4.6%	(3.5-5.6)
	<b>At Risk</b>	48	12.7%	(7.6-17.8)	182	50.6%	(42.2-59.0)	60	30.1%	(21.3-38.9)	13	6.6%	(2.4-10.9)
<b>Health Status</b>	<b>Good or Better Health</b>	811	21.8%	(19.7-23.9)	2012	60.7%	(58.1-63.3)	339	13.3%	(11.3-15.3)	115	4.2%	(3.1-5.3)
	<b>Fair or Poor Health</b>	152	18.0%	(13.9-22.0)	391	56.4%	(50.7-62.0)	112	19.1%	(14.3-23.9)	58	6.6%	(4.3-8.9)

**Table 41: How Often Do You Eat Potatoes?**

How often do you eat potatoes not including french fries, fried potatoes, or potato chips?		1 or more/day			1 or more/week			1 or more/month			1 or more/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'												
<b>Total</b>	<b>Total</b>	145	3.7%	(2.9-4.6)	2352	59.3%	(56.9-61.6)	1142	29.0%	(26.8-31.2)	346	8.0%	(6.7-9.3)
<b>Gender</b>	<b>Male</b>	71	4.4%	(2.9-5.8)	1020	59.5%	(55.9-63.2)	458	29.0%	(25.6-32.3)	124	7.1%	(5.2-9.1)
	<b>Female</b>	74	3.1%	(2.1-4.1)	1332	59.0%	(55.9-62.0)	684	29.0%	(26.2-31.7)	222	9.0%	(7.2-10.7)
<b>Race</b>	<b>White/Non-Hisp</b>	94	3.3%	(2.4-4.2)	1719	59.8%	(57.1-62.5)	850	29.4%	(26.9-31.9)	245	7.6%	(6.2-8.9)
	<b>Black or Af.Am./Non-Hisp</b>	8	8.4%	(1.1-15.7)	47	43.8%	(31.5-56.2)	37	36.7%	(24.6-48.9)	13	11.0%	(4.0-18.1)
	<b>Other Race/Non-Hisp</b>	10	3.9%	(0.5-7.2)	94	46.7%	(34.8-58.5)	45	40.4%	(28.2-52.7)	22	9.1%	(4.1-14.0)
	<b>Multiracial/Non-Hisp</b>	11	3.7%	(0.3-7.0)	171	56.5%	(47.7-65.3)	91	32.7%	(24.2-41.2)	18	7.1%	(2.0-12.2)
	<b>Hispanic</b>	21	3.9%	(1.7-6.1)	301	65.2%	(59.2-71.3)	113	21.9%	(16.9-27.0)	48	8.9%	(5.0-12.8)
<b>Age</b>	<b>18-24</b>	7	3.7%	(0.4-6.9)	106	47.9%	(39.1-56.7)	93	39.0%	(30.3-47.6)	19	9.5%	(4.4-14.6)
	<b>25-34</b>	20	4.0%	(1.6-6.3)	291	63.7%	(57.2-70.2)	124	25.6%	(19.8-31.4)	32	6.8%	(3.2-10.3)
	<b>35-44</b>	15	2.5%	(0.9-4.0)	387	61.8%	(56.7-66.9)	202	29.1%	(24.5-33.8)	43	6.6%	(3.9-9.3)
	<b>45-54</b>	21	2.3%	(0.8-3.8)	465	54.9%	(49.9-59.8)	254	33.2%	(28.5-37.9)	81	9.6%	(6.5-12.8)
	<b>55-64</b>	22	4.5%	(2.0-7.1)	504	62.1%	(57.3-66.8)	231	26.1%	(21.9-30.4)	73	7.3%	(5.0-9.5)
	<b>65+</b>	60	6.0%	(4.1-8.0)	599	61.9%	(57.7-66.0)	238	23.0%	(19.3-26.6)	98	9.1%	(6.7-11.6)
<b>Education</b>	<b>Less Than H.S.</b>	29	5.9%	(2.5-9.2)	232	63.6%	(56.1-71.1)	85	20.4%	(14.4-26.4)	35	10.2%	(5.0-15.4)
	<b>H.S. or G.E.D.</b>	51	5.1%	(3.2-6.9)	623	58.9%	(54.4-63.4)	294	27.5%	(23.4-31.7)	98	8.5%	(5.9-11.0)
	<b>Some Post-H.S.</b>	40	3.6%	(2.0-5.2)	770	56.9%	(52.6-61.1)	372	31.8%	(27.7-35.9)	105	7.7%	(5.4-10.0)
	<b>College Graduate</b>	25	1.6%	(0.8-2.5)	722	60.0%	(55.9-64.1)	388	31.5%	(27.6-35.3)	106	6.9%	(5.1-8.7)
<b>Income</b>	<b>Less than \$15,000</b>	20	6.8%	(2.6-11.0)	143	52.9%	(42.0-63.8)	77	27.8%	(18.9-36.7)	35	12.5%	(3.6-21.3)
	<b>\$15,000 to 24,999</b>	32	8.5%	(4.4-12.6)	280	56.8%	(49.6-63.9)	125	25.8%	(19.4-32.1)	45	9.0%	(5.2-12.7)
	<b>\$25,000 to 34,999</b>	14	4.0%	(1.2-6.9)	247	68.8%	(62.0-75.6)	107	20.6%	(15.1-26.0)	31	6.6%	(3.5-9.7)
	<b>\$35,000 to 49,999</b>	25	3.6%	(1.7-5.4)	333	61.6%	(55.3-67.9)	138	28.1%	(22.0-34.2)	57	6.8%	(4.0-9.5)
	<b>\$50,000 to 74,999</b>	23	4.0%	(1.5-6.5)	416	60.4%	(55.0-65.9)	198	27.0%	(22.1-31.8)	49	8.6%	(5.0-12.3)
	<b>\$75,000+</b>	18	1.7%	(0.7-2.7)	662	57.1%	(53.0-61.2)	364	34.1%	(30.1-38.1)	87	7.1%	(5.1-9.2)
<b>Region of Residence</b>	<b>Clark</b>	44	3.6%	(2.4-4.8)	722	57.9%	(54.6-61.2)	370	30.2%	(27.1-33.3)	115	8.3%	(6.5-10.2)
	<b>Washoe</b>	41	3.5%	(2.2-4.7)	728	57.9%	(54.8-61.1)	405	30.6%	(27.6-33.6)	130	8.0%	(6.5-9.5)
	<b>All Other Counties</b>	52	4.6%	(2.8-6.4)	836	64.3%	(61.1-67.5)	346	26.0%	(23.1-28.8)	83	5.1%	(3.7-6.5)
<b>Health Insurance</b>	<b>Yes</b>	115	3.5%	(2.6-4.4)	1999	59.2%	(56.7-61.7)	973	29.3%	(27.0-31.6)	298	7.9%	(6.6-9.3)
	<b>No</b>	29	4.6%	(2.2-6.9)	342	59.1%	(52.7-65.5)	165	27.9%	(22.1-33.7)	47	8.4%	(4.6-12.2)
<b>Weight Status</b>	<b>Normal weight</b>	59	3.7%	(2.3-5.2)	840	55.9%	(52.0-59.9)	439	32.6%	(28.7-36.5)	126	7.7%	(5.7-9.8)
	<b>Overweight</b>	49	3.3%	(2.0-4.7)	893	65.0%	(61.2-68.8)	382	24.8%	(21.4-28.1)	111	6.9%	(4.8-9.0)
	<b>Obese</b>	33	4.4%	(2.4-6.5)	545	56.2%	(51.4-61.0)	280	29.9%	(25.7-34.2)	89	9.5%	(6.6-12.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	101	3.3%	(2.4-4.3)	1819	57.6%	(54.9-60.3)	932	30.1%	(27.6-32.6)	296	9.0%	(7.4-10.5)
	<b>At Risk</b>	44	5.2%	(2.9-7.5)	521	65.1%	(60.1-70.1)	208	25.2%	(20.6-29.7)	49	4.5%	(2.3-6.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	132	3.7%	(2.8-4.6)	2142	59.7%	(57.2-62.2)	1008	28.3%	(26.0-30.5)	322	8.3%	(6.9-9.7)
	<b>At Risk</b>	12	5.1%	(1.4-8.7)	164	55.4%	(47.2-63.5)	112	34.9%	(27.2-42.5)	18	4.7%	(1.7-7.6)
<b>Health Status</b>	<b>Good or Better Health</b>	101	3.4%	(2.5-4.4)	1929	59.3%	(56.6-61.9)	962	29.7%	(27.3-32.2)	273	7.6%	(6.1-9.0)
	<b>Fair or Poor Health</b>	44	5.3%	(3.2-7.4)	417	59.1%	(53.5-64.6)	180	25.6%	(20.6-30.6)	72	10.0%	(6.7-13.4)

### Table 42: How Often Do You Eat Carrots?

How often do you eat carrots?		1 or more/day			1 or more/week			1 or more/month			1 or more/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'												
<b>Total</b>	<b>Total</b>	346	8.5%	(7.1-10.0)	1989	49.0%	(46.6-51.4)	1132	29.4%	(27.2-31.6)	488	13.1%	(11.4-14.7)
<b>Gender</b>	<b>Male</b>	111	6.9%	(4.8-9.0)	791	47.0%	(43.3-50.7)	535	32.1%	(28.7-35.6)	223	14.0%	(11.5-16.6)
	<b>Female</b>	235	10.3%	(8.3-12.2)	1198	51.1%	(48.0-54.3)	597	26.5%	(23.8-29.3)	265	12.1%	(10.0-14.2)
<b>Race</b>	<b>White/Non-Hisp</b>	251	7.8%	(6.4-9.3)	1470	51.7%	(48.9-54.4)	834	28.9%	(26.5-31.4)	326	11.5%	(9.7-13.4)
	<b>Black or Af.Am./Non-Hisp</b>	8	4.5%	(0.7-8.2)	30	25.8%	(15.6-36.1)	36	36.0%	(23.7-48.4)	31	33.7%	(21.9-45.6)
	<b>Other Race/Non-Hisp</b>	18	7.6%	(2.6-12.5)	73	33.9%	(22.6-45.3)	49	43.5%	(31.3-55.6)	30	15.0%	(7.7-22.3)
	<b>Multiracial/Non-Hisp</b>	18	4.5%	(1.8-7.2)	143	42.9%	(34.5-51.2)	90	37.4%	(28.5-46.3)	39	15.3%	(8.8-21.7)
	<b>Hispanic</b>	51	13.3%	(8.4-18.1)	256	52.3%	(45.8-58.7)	116	23.0%	(17.8-28.2)	59	11.5%	(7.5-15.5)
<b>Age</b>	<b>18-24</b>	15	7.4%	(2.4-12.3)	77	32.8%	(24.5-41.0)	86	39.2%	(30.5-47.9)	47	20.7%	(13.9-27.5)
	<b>25-34</b>	46	11.5%	(6.9-16.0)	233	49.3%	(42.4-56.2)	126	26.0%	(20.2-31.8)	66	13.2%	(8.4-18.0)
	<b>35-44</b>	43	7.7%	(4.4-11.1)	322	51.0%	(45.6-56.3)	195	29.9%	(25.1-34.7)	84	11.4%	(8.2-14.5)
	<b>45-54</b>	69	7.2%	(4.9-9.6)	401	51.3%	(46.3-56.3)	242	28.6%	(24.1-33.1)	102	12.8%	(9.4-16.3)
	<b>55-64</b>	71	7.0%	(4.9-9.2)	425	52.6%	(47.8-57.5)	242	28.3%	(24.0-32.7)	87	12.0%	(8.7-15.3)
	<b>65+</b>	102	9.7%	(7.2-12.2)	531	52.9%	(48.6-57.3)	241	27.0%	(23.0-31.1)	102	10.3%	(7.8-12.9)
<b>Education</b>	<b>Less Than H.S.</b>	36	11.9%	(6.3-17.4)	184	49.0%	(41.1-56.8)	88	23.8%	(17.1-30.6)	67	15.3%	(9.9-20.8)
	<b>H.S. or G.E.D.</b>	91	8.7%	(5.7-11.7)	489	42.5%	(38.0-47.1)	330	33.6%	(29.2-38.0)	153	15.1%	(11.9-18.4)
	<b>Some Post-H.S.</b>	117	7.1%	(5.3-9.0)	648	48.7%	(44.4-52.9)	355	30.3%	(26.3-34.3)	155	13.9%	(10.7-17.1)
	<b>College Graduate</b>	101	8.2%	(5.8-10.6)	661	55.4%	(51.2-59.6)	356	27.1%	(23.5-30.8)	113	9.3%	(6.9-11.6)
<b>Income</b>	<b>Less than \$15,000</b>	25	7.0%	(1.9-12.0)	132	44.6%	(33.6-55.5)	66	22.1%	(13.9-30.4)	52	26.3%	(16.0-36.7)
	<b>\$15,000 to 24,999</b>	61	16.6%	(9.9-23.2)	218	43.1%	(36.1-50.1)	128	29.2%	(22.5-35.8)	69	11.2%	(7.5-14.8)
	<b>\$25,000 to 34,999</b>	42	10.5%	(5.1-16.0)	188	49.6%	(41.0-58.1)	115	29.2%	(22.0-36.4)	52	10.7%	(6.8-14.5)
	<b>\$35,000 to 49,999</b>	42	6.6%	(3.4-9.8)	290	46.8%	(40.3-53.2)	148	29.6%	(23.6-35.6)	70	17.0%	(11.1-22.9)
	<b>\$50,000 to 74,999</b>	54	6.6%	(4.1-9.2)	345	53.3%	(47.8-58.8)	209	28.9%	(24.0-33.8)	71	11.2%	(7.7-14.8)
	<b>\$75,000+</b>	90	7.9%	(5.7-10.2)	576	51.5%	(47.3-55.6)	351	30.2%	(26.4-34.1)	110	10.4%	(7.8-12.9)
<b>Region of Residence</b>	<b>Clark</b>	96	7.5%	(5.7-9.4)	624	49.1%	(45.7-52.4)	360	30.0%	(26.9-33.1)	168	13.4%	(11.1-15.7)
	<b>Washoe</b>	115	8.7%	(6.8-10.5)	649	48.5%	(45.2-51.7)	380	30.9%	(27.9-34.0)	148	11.9%	(9.8-14.1)
	<b>All Other Counties</b>	116	8.0%	(6.2-9.8)	659	47.9%	(44.6-51.3)	375	30.5%	(27.5-33.6)	153	13.5%	(10.8-16.2)
<b>Health Insurance</b>	<b>Yes</b>	298	8.7%	(7.1-10.3)	1705	50.0%	(47.5-52.5)	967	29.3%	(27.0-31.7)	389	12.0%	(10.3-13.6)
	<b>No</b>	45	7.5%	(4.2-10.9)	276	45.7%	(39.0-52.3)	164	30.0%	(24.0-36.1)	92	16.8%	(11.9-21.7)
<b>Weight Status</b>	<b>Normal weight</b>	141	8.5%	(6.3-10.7)	729	46.9%	(42.9-50.8)	396	30.8%	(26.9-34.7)	186	13.8%	(11.1-16.6)
	<b>Overweight</b>	128	8.8%	(6.4-11.2)	721	51.8%	(47.7-55.9)	409	27.2%	(23.7-30.7)	164	12.2%	(9.5-14.9)
	<b>Obese</b>	62	5.7%	(3.6-7.8)	478	50.0%	(45.1-54.9)	292	31.1%	(26.7-35.6)	112	13.1%	(9.6-16.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	299	9.5%	(7.8-11.2)	1622	51.2%	(48.5-54.0)	894	28.3%	(25.8-30.7)	322	11.0%	(9.3-12.7)
	<b>At Risk</b>	46	5.0%	(2.7-7.2)	361	40.9%	(35.8-46.0)	233	33.5%	(28.3-38.6)	165	20.6%	(16.3-25.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	330	8.8%	(7.3-10.3)	1828	50.0%	(47.4-52.6)	1002	28.6%	(26.3-30.9)	419	12.6%	(10.9-14.4)
	<b>At Risk</b>	11	3.6%	(0.3-6.8)	128	40.6%	(32.2-49.1)	108	37.4%	(29.5-45.4)	53	18.4%	(12.0-24.7)
<b>Health Status</b>	<b>Good or Better Health</b>	282	9.1%	(7.4-10.7)	1638	49.0%	(46.3-51.7)	949	29.6%	(27.2-32.1)	372	12.3%	(10.5-14.1)
	<b>Fair or Poor Health</b>	64	6.1%	(3.9-8.3)	348	49.4%	(43.6-55.1)	182	28.5%	(23.2-33.8)	114	16.1%	(12.0-20.1)

### Table 43: How many Servings of Vegetables do you eat?

Not counting carrots, potatoes, or salad, how many servings of vegetables do you usually eat?		1+ serving/day			1+ serving/week			1+ serving/month			1+ serving/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	2725	65.2%	(62.9-67.6)	955	26.8%	(24.5-29.0)	186	5.5%	(4.3-6.6)	99	2.6%	(1.8-3.3)
<b>Gender</b>	<b>Male</b>	1043	59.6%	(55.9-63.3)	459	30.1%	(26.6-33.5)	111	7.2%	(5.2-9.1)	52	3.2%	(1.9-4.4)
	<b>Female</b>	1682	71.1%	(68.1-74.0)	496	23.3%	(20.5-26.1)	75	3.7%	(2.4-5.0)	47	1.9%	(1.1-2.8)
<b>Race</b>	<b>White/Non-Hisp</b>	2038	69.2%	(66.7-71.8)	671	24.5%	(22.1-26.8)	121	4.0%	(2.9-5.1)	62	2.3%	(1.4-3.1)
	<b>Black or Af.Am./Non-Hisp</b>	66	55.7%	(43.2-68.2)	25	26.6%	(14.9-38.2)	10	10.6%	(3.0-18.2)	4	7.1%	(0.3-13.9)
	<b>Other Race/Non-Hisp</b>	120	64.9%	(53.0-76.8)	41	25.9%	(14.8-36.9)	6	5.8%	(0.0-12.5)	5	3.4%	(0.0-7.7)
	<b>Multiracial/Non-Hisp</b>	220	71.4%	(62.9-79.9)	49	20.6%	(13.0-28.2)	15	6.6%	(1.2-12.1)	6	1.4%	(0.0-2.9)
	<b>Hispanic</b>	262	54.8%	(48.3-61.3)	163	35.2%	(28.9-41.5)	32	7.4%	(4.2-10.7)	22	2.6%	(1.1-4.1)
<b>Age</b>	<b>18-24</b>	127	52.6%	(43.8-61.4)	72	32.4%	(24.1-40.7)	19	10.1%	(4.7-15.5)	8	4.9%	(1.2-8.5)
	<b>25-34</b>	304	61.4%	(54.6-68.2)	132	31.5%	(24.9-38.1)	22	5.1%	(1.9-8.2)	9	2.0%	(0.2-3.8)
	<b>35-44</b>	438	66.8%	(61.8-71.8)	156	25.4%	(20.8-30.1)	39	6.1%	(3.6-8.7)	12	1.6%	(0.4-2.8)
	<b>45-54</b>	566	69.5%	(64.8-74.2)	189	23.5%	(19.1-27.9)	37	4.1%	(2.1-6.0)	26	3.0%	(1.4-4.6)
	<b>55-64</b>	608	72.0%	(67.4-76.5)	167	22.2%	(17.9-26.4)	31	3.8%	(1.9-5.7)	18	2.0%	(0.7-3.4)
	<b>65+</b>	682	66.7%	(62.5-70.8)	239	26.1%	(22.2-30.0)	38	4.5%	(2.5-6.5)	26	2.7%	(1.4-3.9)
<b>Education</b>	<b>Less Than H.S.</b>	197	51.9%	(44.0-59.8)	125	33.6%	(26.1-41.2)	28	9.5%	(4.7-14.3)	24	4.9%	(2.1-7.8)
	<b>H.S. or G.E.D.</b>	689	62.3%	(57.7-66.9)	287	29.5%	(25.1-33.9)	63	5.2%	(3.5-7.0)	26	3.0%	(1.4-4.5)
	<b>Some Post-H.S.</b>	905	65.8%	(61.6-70.0)	292	26.6%	(22.6-30.5)	54	5.6%	(3.2-8.0)	30	2.0%	(0.9-3.0)
	<b>College Graduate</b>	929	73.7%	(70.0-77.4)	246	21.0%	(17.6-24.5)	41	3.6%	(2.1-5.2)	19	1.7%	(0.5-2.8)
<b>Income</b>	<b>Less than \$15,000</b>	152	47.3%	(36.4-58.2)	77	34.6%	(23.3-45.9)	23	9.3%	(3.4-15.1)	22	8.9%	(3.5-14.3)
	<b>\$15,000 to 24,999</b>	310	62.6%	(55.6-69.7)	129	28.8%	(22.2-35.5)	31	6.8%	(3.1-10.4)	8	1.7%	(0.1-3.4)
	<b>\$25,000 to 34,999</b>	251	65.5%	(57.8-73.3)	113	26.5%	(19.4-33.6)	20	5.7%	(1.8-9.6)	13	2.3%	(0.3-4.3)
	<b>\$35,000 to 49,999</b>	378	61.3%	(54.8-67.9)	147	32.4%	(26.1-38.7)	15	2.8%	(0.4-5.2)	14	3.5%	(0.8-6.1)
	<b>\$50,000 to 74,999</b>	485	66.7%	(61.3-72.0)	157	27.6%	(22.4-32.7)	26	4.0%	(1.5-6.4)	14	1.8%	(0.6-3.0)
	<b>\$75,000+</b>	847	72.3%	(68.4-76.1)	225	21.8%	(18.2-25.4)	44	4.5%	(2.7-6.3)	13	1.4%	(0.3-2.5)
<b>Region of Residence</b>	<b>Clark</b>	837	63.6%	(60.3-66.9)	317	28.2%	(25.0-31.3)	59	5.4%	(3.8-7.0)	39	2.8%	(1.8-3.9)
	<b>Washoe</b>	911	69.5%	(66.5-72.6)	312	24.8%	(21.9-27.7)	51	4.2%	(2.8-5.6)	25	1.5%	(0.8-2.2)
	<b>All Other Counties</b>	912	68.3%	(64.9-71.6)	297	23.6%	(20.6-26.6)	66	5.0%	(3.6-6.5)	29	3.1%	(1.2-5.0)
<b>Health Insurance</b>	<b>Yes</b>	2362	67.4%	(65.0-69.8)	792	26.1%	(23.8-28.4)	143	4.4%	(3.3-5.5)	74	2.1%	(1.4-2.8)
	<b>No</b>	350	56.6%	(50.0-63.3)	159	29.5%	(23.2-35.8)	42	9.5%	(5.6-13.4)	25	4.4%	(2.0-6.7)
<b>Weight Status</b>	<b>Normal weight</b>	1020	64.5%	(60.5-68.5)	347	27.4%	(23.6-31.1)	66	6.4%	(4.2-8.7)	24	1.7%	(0.7-2.7)
	<b>Overweight</b>	985	66.1%	(62.2-70.0)	337	26.6%	(22.9-30.3)	67	4.5%	(2.8-6.3)	41	2.8%	(1.7-3.9)
	<b>Obese</b>	632	63.5%	(58.7-68.3)	244	27.8%	(23.2-32.4)	47	5.4%	(3.4-7.5)	22	3.3%	(1.2-5.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	2215	66.6%	(64.0-69.3)	726	26.3%	(23.8-28.9)	130	4.6%	(3.4-5.8)	72	2.4%	(1.6-3.3)
	<b>At Risk</b>	499	59.9%	(54.7-65.1)	228	28.5%	(23.8-33.3)	54	8.7%	(5.2-12.2)	26	2.8%	(1.3-4.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2486	65.5%	(63.0-68.0)	863	27.2%	(24.8-29.6)	151	4.9%	(3.7-6.0)	82	2.5%	(1.7-3.3)
	<b>At Risk</b>	191	61.7%	(53.8-69.6)	73	25.7%	(18.6-32.8)	27	8.9%	(4.8-13.0)	15	3.7%	(1.0-6.3)
<b>Health Status</b>	<b>Good or Better Health</b>	2274	67.0%	(64.4-69.6)	773	25.9%	(23.5-28.4)	141	4.8%	(3.6-6.0)	65	2.3%	(1.5-3.1)
	<b>Fair or Poor Health</b>	450	56.9%	(51.1-62.7)	179	30.3%	(24.8-35.8)	44	8.8%	(5.1-12.5)	33	4.0%	(2.0-6.0)

**Table 44: Physical Activity at Work**

When you are at work, which of the following best describes what you do?		Mostly sitting or standing			Mostly walking			Mostly heavy labor or physically demanding work		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	1419	58.4%	(55.1-61.6)	523	26.8%	(23.8-29.7)	291	14.9%	(12.4-17.3)
<b>Gender</b>	<b>Male</b>	578	50.0%	(45.5-54.6)	253	29.0%	(24.8-33.2)	221	21.0%	(17.1-24.8)
	<b>Female</b>	841	70.1%	(66.1-74.0)	270	23.6%	(19.9-27.3)	70	6.3%	(4.3-8.4)
<b>Race</b>	<b>White/Non-Hisp</b>	1095	68.1%	(64.7-71.5)	302	19.9%	(16.9-22.8)	190	12.0%	(9.7-14.4)
	<b>Black or Af.Am./Non-Hisp</b>	37	60.6%	(45.7-75.6)	18	26.2%	(13.1-39.4)	7	13.1%	(3.0-23.2)
	<b>Other Race/Non-Hisp</b>	64	56.4%	(41.6-71.2)	28	28.2%	(15.4-41.1)	12	15.4%	(2.1-28.6)
	<b>Multiracial/Non-Hisp</b>	96	58.2%	(46.7-69.7)	37	29.3%	(18.1-40.5)	24	12.5%	(5.8-19.1)
	<b>Hispanic</b>	120	34.2%	(26.3-42.1)	135	42.7%	(34.6-50.7)	54	23.1%	(15.9-30.4)
<b>Age</b>	<b>18-24</b>	70	47.8%	(36.8-58.7)	42	34.1%	(23.4-44.8)	30	18.1%	(10.7-25.5)
	<b>25-34</b>	183	51.0%	(42.7-59.3)	95	27.1%	(19.9-34.3)	58	21.9%	(14.6-29.2)
	<b>35-44</b>	345	60.6%	(54.7-66.6)	114	26.5%	(21.0-32.0)	67	12.9%	(8.7-17.0)
	<b>45-54</b>	416	63.9%	(58.5-69.2)	149	24.3%	(19.6-29.1)	84	11.8%	(8.3-15.3)
	<b>55-64</b>	313	63.7%	(57.1-70.3)	92	25.0%	(19.1-30.9)	42	11.3%	(6.5-16.2)
	<b>65+</b>	92	73.6%	(63.9-83.3)	31	21.8%	(12.5-31.1)	10	4.6%	(1.3-7.9)
<b>Education</b>	<b>Less Than H.S.</b>	52	23.7%	(14.2-33.2)	80	45.3%	(34.1-56.4)	47	31.0%	(20.3-41.8)
	<b>H.S. or G.E.D.</b>	298	49.6%	(43.1-56.0)	136	30.8%	(24.6-36.9)	91	19.7%	(14.1-25.2)
	<b>Some Post-H.S.</b>	472	63.4%	(58.0-68.8)	147	21.7%	(17.0-26.5)	107	14.8%	(11.0-18.7)
	<b>College Graduate</b>	593	73.1%	(68.4-77.7)	158	21.5%	(17.1-25.8)	46	5.5%	(3.1-7.8)
<b>Income</b>	<b>Less than \$15,000</b>	25	29.8%	(11.8-47.8)	24	45.7%	(23.8-67.6)	9	24.5%	(2.7-46.2)
	<b>\$15,000 to 24,999</b>	93	35.5%	(25.8-45.1)	71	35.0%	(24.9-45.0)	38	29.6%	(18.4-40.8)
	<b>\$25,000 to 34,999</b>	105	50.3%	(38.5-62.1)	59	29.2%	(19.3-39.1)	40	20.5%	(12.0-29.1)
	<b>\$35,000 to 49,999</b>	205	57.2%	(48.7-65.7)	79	26.8%	(19.4-34.2)	41	16.0%	(9.3-22.7)
	<b>\$50,000 to 74,999</b>	286	63.0%	(56.5-69.4)	97	23.9%	(17.9-29.8)	67	13.2%	(9.3-17.0)
	<b>\$75,000+</b>	611	69.5%	(64.9-74.1)	154	21.6%	(17.4-25.8)	77	8.9%	(6.1-11.7)
<b>Region of Residence</b>	<b>Clark</b>	453	60.1%	(55.7-64.6)	176	26.7%	(22.7-30.7)	75	13.1%	(9.8-16.5)
	<b>Washoe</b>	537	63.0%	(58.9-67.1)	155	21.8%	(18.3-25.4)	92	15.2%	(12.0-18.4)
	<b>All Other Counties</b>	411	53.2%	(48.5-58.0)	158	25.5%	(21.1-30.0)	114	21.2%	(17.1-25.3)
<b>Health Insurance</b>	<b>Yes</b>	1271	63.3%	(59.9-66.6)	408	25.0%	(22.0-28.0)	205	11.8%	(9.4-14.1)
	<b>No</b>	145	38.5%	(29.7-47.4)	111	33.8%	(25.5-42.2)	85	27.7%	(19.8-35.5)
<b>Weight Status</b>	<b>Normal weight</b>	494	59.4%	(54.1-64.7)	195	28.6%	(23.6-33.7)	99	12.0%	(8.7-15.2)
	<b>Overweight</b>	516	57.6%	(52.2-63.1)	186	24.6%	(19.9-29.4)	121	17.8%	(13.3-22.2)
	<b>Obese</b>	364	60.2%	(54.1-66.4)	124	27.6%	(21.9-33.3)	60	12.2%	(8.2-16.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	1152	59.6%	(56.0-63.3)	410	26.9%	(23.6-30.2)	202	13.5%	(10.7-16.2)
	<b>At Risk</b>	261	53.5%	(46.6-60.4)	111	26.4%	(20.3-32.5)	88	20.1%	(14.7-25.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1283	59.1%	(55.7-62.5)	473	26.8%	(23.8-29.9)	250	14.1%	(11.6-16.6)
	<b>At Risk</b>	113	54.4%	(43.9-64.9)	38	20.2%	(12.2-28.2)	35	25.4%	(15.4-35.5)
<b>Health Status</b>	<b>Good or Better Health</b>	1286	60.0%	(56.7-63.4)	459	26.7%	(23.6-29.8)	243	13.3%	(10.8-15.7)
	<b>Fair or Poor Health</b>	130	44.8%	(35.1-54.5)	64	28.0%	(19.2-36.8)	47	27.2%	(17.6-36.8)

**Table 45: Moderate Physical Activity**

In a usual week, do you do moderate activities for at least 10 minutes at a time?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3408	84.8%	(83.0-86.5)	576	15.2%	(13.5-17.0)
<b>Gender</b>	<b>Male</b>	1397	84.2%	(81.6-86.9)	272	15.8%	(13.1-18.4)
	<b>Female</b>	2011	85.3%	(83.0-87.7)	304	14.7%	(12.3-17.0)
<b>Race</b>	<b>White/Non-Hisp</b>	2527	86.8%	(85.0-88.7)	382	13.2%	(11.3-15.0)
	<b>Black or Af.Am./Non-Hisp</b>	86	83.9%	(75.1-92.7)	18	16.1%	(7.3-24.9)
	<b>Other Race/Non-Hisp</b>	143	79.6%	(68.3-91.0)	29	20.4%	(9.0-31.7)
	<b>Multiracial/Non-Hisp</b>	256	89.7%	(85.4-93.9)	37	10.3%	(6.1-14.6)
	<b>Hispanic</b>	375	78.6%	(73.4-83.8)	105	21.4%	(16.2-26.6)
<b>Age</b>	<b>18-24</b>	198	84.1%	(77.8-90.4)	29	15.9%	(9.6-22.2)
	<b>25-34</b>	422	86.5%	(81.3-91.7)	46	13.5%	(8.3-18.7)
	<b>35-44</b>	578	89.4%	(86.2-92.5)	68	10.6%	(7.5-13.8)
	<b>45-54</b>	730	85.7%	(81.8-89.5)	89	14.3%	(10.5-18.2)
	<b>55-64</b>	717	84.1%	(80.5-87.7)	114	15.9%	(12.3-19.5)
	<b>65+</b>	763	76.8%	(73.2-80.5)	230	23.2%	(19.5-26.8)
<b>Education</b>	<b>Less Than H.S.</b>	280	76.7%	(70.2-83.2)	97	23.3%	(16.8-29.8)
	<b>H.S. or G.E.D.</b>	898	81.9%	(78.0-85.7)	169	18.1%	(14.3-22.0)
	<b>Some Post-H.S.</b>	1099	86.3%	(83.6-89.0)	189	13.7%	(11.0-16.4)
	<b>College Graduate</b>	1124	89.8%	(87.2-92.3)	118	10.2%	(7.7-12.8)
<b>Income</b>	<b>Less than \$15,000</b>	199	76.9%	(68.4-85.3)	78	23.1%	(14.7-31.6)
	<b>\$15,000 to 24,999</b>	386	81.5%	(76.4-86.6)	96	18.5%	(13.4-23.6)
	<b>\$25,000 to 34,999</b>	326	78.1%	(70.7-85.4)	68	21.9%	(14.6-29.3)
	<b>\$35,000 to 49,999</b>	475	83.7%	(78.7-88.8)	77	16.3%	(11.2-21.3)
	<b>\$50,000 to 74,999</b>	611	89.7%	(86.6-92.7)	74	10.3%	(7.3-13.4)
	<b>\$75,000+</b>	1046	91.4%	(89.1-93.8)	86	8.6%	(6.2-10.9)
<b>Region of Residence</b>	<b>Clark</b>	1058	84.8%	(82.4-87.2)	197	15.2%	(12.8-17.6)
	<b>Washoe</b>	1148	88.4%	(86.2-90.5)	156	11.6%	(9.5-13.8)
	<b>All Other Counties</b>	1129	86.1%	(83.8-88.4)	182	13.9%	(11.6-16.2)
<b>Health Insurance</b>	<b>Yes</b>	2929	86.4%	(84.7-88.1)	456	13.6%	(11.9-15.3)
	<b>No</b>	466	79.4%	(74.0-84.8)	114	20.6%	(15.2-26.0)
<b>Weight Status</b>	<b>Normal weight</b>	1289	86.1%	(83.2-89.0)	181	13.9%	(11.0-16.8)
	<b>Overweight</b>	1225	82.9%	(79.8-86.0)	210	17.1%	(14.0-20.2)
	<b>Obese</b>	790	85.5%	(82.1-89.0)	151	14.5%	(11.0-17.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	2725	85.9%	(83.9-87.8)	428	14.1%	(12.2-16.1)
	<b>At Risk</b>	671	80.8%	(76.6-85.1)	145	19.2%	(14.9-23.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3084	84.5%	(82.6-86.4)	517	15.5%	(13.6-17.4)
	<b>At Risk</b>	257	87.2%	(82.1-92.2)	48	12.8%	(7.8-17.9)
<b>Health Status</b>	<b>Good or Better Health</b>	2899	87.2%	(85.4-89.0)	369	12.8%	(11.0-14.6)
	<b>Fair or Poor Health</b>	504	73.4%	(68.3-78.6)	205	26.6%	(21.4-31.7)

**Table 46: Moderate Physical Activity Days**

How many days per week do you do these moderate activities for at least 10 minutes at a time?		1-2 times			3 or more times			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	459	14.8%	(12.9-16.6)	2926	85.0%	(83.2-86.9)	10	0.2%	(0.0-0.4)
<b>Gender</b>	<b>Male</b>	199	15.7%	(12.9-18.5)	1189	84.1%	(81.3-86.9)	3	0.1%	(0.0-0.4)
	<b>Female</b>	260	13.8%	(11.5-16.1)	1737	85.9%	(83.6-88.3)	7	0.3%	(0.0-0.6)
<b>Race</b>	<b>White/Non-Hisp</b>	324	14.7%	(12.5-16.9)	2186	85.2%	(83.0-87.3)	7	0.1%	(0.0-0.3)
	<b>Black or Af.Am./Non-Hisp</b>	19	21.3%	(10.8-31.9)	66	78.7%	(68.1-89.2)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	19	12.8%	(5.1-20.5)	122	86.0%	(78.1-94.0)	1	1.2%	(0.0-3.4)
	<b>Multiracial/Non-Hisp</b>	39	14.8%	(8.6-21.0)	216	84.4%	(78.1-90.7)	1	0.8%	(0.0-2.3)
	<b>Hispanic</b>	56	13.8%	(9.2-18.3)	317	86.2%	(81.6-90.7)	1	0.0%	(0.0-0.1)
<b>Age</b>	<b>18-24</b>	21	12.2%	(5.9-18.5)	176	87.8%	(81.5-94.1)	0	.	(-.)
	<b>25-34</b>	51	10.5%	(6.8-14.2)	371	89.5%	(85.8-93.2)	0	.	(-.)
	<b>35-44</b>	80	18.3%	(13.6-23.0)	495	81.4%	(76.7-86.1)	2	0.3%	(0.0-0.9)
	<b>45-54</b>	107	16.9%	(12.8-21.0)	618	82.9%	(78.8-87.0)	2	0.3%	(0.0-0.6)
	<b>55-64</b>	90	14.4%	(10.6-18.1)	623	85.6%	(81.8-89.3)	2	0.1%	(0.0-0.2)
	<b>65+</b>	110	15.3%	(11.8-18.8)	643	84.1%	(80.5-87.7)	4	0.6%	(0.0-1.3)
<b>Education</b>	<b>Less Than H.S.</b>	49	18.1%	(11.4-24.7)	228	81.9%	(75.2-88.5)	1	0.1%	(0.0-0.2)
	<b>H.S. or G.E.D.</b>	143	16.5%	(12.9-20.1)	745	83.2%	(79.6-86.8)	5	0.3%	(0.0-0.6)
	<b>Some Post-H.S.</b>	140	14.9%	(11.6-18.2)	954	85.1%	(81.8-88.4)	2	0.0%	(0.0-0.1)
	<b>College Graduate</b>	126	11.9%	(9.2-14.6)	993	87.7%	(85.0-90.5)	2	0.4%	(0.0-0.9)
<b>Income</b>	<b>Less than \$15,000</b>	37	20.4%	(10.1-30.7)	159	79.2%	(68.9-89.6)	2	0.4%	(0.0-0.9)
	<b>\$15,000 to 24,999</b>	70	18.1%	(12.6-23.6)	313	81.8%	(76.3-87.3)	2	0.1%	(0.0-0.2)
	<b>\$25,000 to 34,999</b>	39	9.1%	(4.9-13.4)	284	90.5%	(86.2-94.8)	2	0.4%	(0.0-1.1)
	<b>\$35,000 to 49,999</b>	60	14.7%	(9.8-19.6)	413	85.2%	(80.3-90.1)	1	0.1%	(0.0-0.3)
	<b>\$50,000 to 74,999</b>	95	17.8%	(13.3-22.3)	514	82.2%	(77.7-86.7)	0	.	(-.)
	<b>\$75,000+</b>	115	14.8%	(11.5-18.0)	928	85.0%	(81.7-88.3)	1	0.2%	(0.0-0.6)
<b>Region of Residence</b>	<b>Clark</b>	174	15.9%	(13.3-18.4)	876	83.9%	(81.4-86.5)	2	0.2%	(0.0-0.4)
	<b>Washoe</b>	133	12.0%	(9.7-14.2)	1011	87.9%	(85.6-90.1)	3	0.2%	(0.0-0.4)
	<b>All Other Counties</b>	134	10.8%	(8.7-12.8)	987	88.8%	(86.7-90.9)	4	0.5%	(0.0-1.0)
<b>Health Insurance</b>	<b>Yes</b>	388	15.1%	(13.1-17.1)	2521	84.7%	(82.7-86.7)	7	0.2%	(0.0-0.4)
	<b>No</b>	68	13.2%	(8.8-17.6)	395	86.6%	(82.1-91.0)	3	0.2%	(0.0-0.6)
<b>Weight Status</b>	<b>Normal weight</b>	159	12.5%	(10.0-15.0)	1120	87.4%	(84.9-89.9)	4	0.1%	(0.0-0.2)
	<b>Overweight</b>	151	15.1%	(11.9-18.3)	1068	84.9%	(81.7-88.1)	1	0.0%	(0.0-0.0)
	<b>Obese</b>	137	18.7%	(14.5-22.9)	648	80.8%	(76.6-85.1)	4	0.5%	(0.0-1.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	350	14.1%	(12.1-16.1)	2359	85.8%	(83.8-87.7)	5	0.1%	(0.0-0.3)
	<b>At Risk</b>	108	17.4%	(13.1-21.7)	558	82.2%	(77.8-86.5)	3	0.4%	(0.0-1.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	408	14.3%	(12.4-16.1)	2654	85.5%	(83.6-87.4)	10	0.2%	(0.0-0.4)
	<b>At Risk</b>	40	20.3%	(12.4-28.2)	217	79.7%	(71.8-87.6)	0	.	(-.)
<b>Health Status</b>	<b>Good or Better Health</b>	358	13.7%	(11.8-15.6)	2528	86.2%	(84.2-88.1)	3	0.1%	(0.0-0.3)
	<b>Fair or Poor Health</b>	100	20.4%	(15.0-25.8)	395	78.8%	(73.4-84.3)	6	0.7%	(0.0-1.6)

**Table 47: Vigorous Physical Activity**

In a usual week, do you do vigorous activities for at least 10 minutes at a time?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1911	49.1%	(46.6-51.5)	2052	50.9%	(48.5-53.4)
<b>Gender</b>	<b>Male</b>	931	57.1%	(53.5-60.8)	726	42.9%	(39.2-46.5)
	<b>Female</b>	980	40.7%	(37.7-43.8)	1326	59.3%	(56.2-62.3)
<b>Race</b>	<b>White/Non-Hisp</b>	1412	49.3%	(46.6-52.1)	1486	50.7%	(47.9-53.4)
	<b>Black or Af.Am./Non-Hisp</b>	44	45.0%	(32.1-57.9)	58	55.0%	(42.1-67.9)
	<b>Other Race/Non-Hisp</b>	89	56.0%	(44.1-67.8)	80	44.0%	(32.2-55.9)
	<b>Multiracial/Non-Hisp</b>	142	52.8%	(44.2-61.3)	149	47.2%	(38.7-55.8)
	<b>Hispanic</b>	214	46.2%	(39.7-52.8)	262	53.8%	(47.2-60.3)
<b>Age</b>	<b>18-24</b>	149	59.0%	(50.3-67.7)	80	41.0%	(32.3-49.7)
	<b>25-34</b>	269	57.7%	(50.8-64.5)	195	42.3%	(35.5-49.2)
	<b>35-44</b>	375	55.0%	(49.6-60.3)	269	45.0%	(39.7-50.4)
	<b>45-54</b>	417	47.2%	(42.2-52.2)	391	52.8%	(47.8-57.8)
	<b>55-64</b>	382	41.7%	(37.0-46.3)	445	58.3%	(53.7-63.0)
	<b>65+</b>	319	31.7%	(27.8-35.7)	672	68.3%	(64.3-72.2)
<b>Education</b>	<b>Less Than H.S.</b>	132	39.9%	(31.9-47.9)	237	60.1%	(52.1-68.1)
	<b>H.S. or G.E.D.</b>	448	43.3%	(38.7-47.9)	615	56.7%	(52.1-61.3)
	<b>Some Post-H.S.</b>	645	52.1%	(47.9-56.3)	645	47.9%	(43.7-52.1)
	<b>College Graduate</b>	681	55.5%	(51.3-59.8)	550	44.5%	(40.2-48.7)
<b>Income</b>	<b>Less than \$15,000</b>	75	34.9%	(23.5-46.2)	199	65.1%	(53.8-76.5)
	<b>\$15,000 to 24,999</b>	158	35.5%	(28.4-42.5)	317	64.5%	(57.5-71.6)
	<b>\$25,000 to 34,999</b>	149	43.7%	(35.0-52.5)	242	56.3%	(47.5-65.0)
	<b>\$35,000 to 49,999</b>	252	43.9%	(37.4-50.4)	302	56.1%	(49.6-62.6)
	<b>\$50,000 to 74,999</b>	378	52.4%	(46.9-57.9)	308	47.6%	(42.1-53.1)
	<b>\$75,000+</b>	707	61.6%	(57.5-65.6)	422	38.4%	(34.4-42.5)
<b>Region of Residence</b>	<b>Clark</b>	548	47.1%	(43.7-50.4)	699	52.9%	(49.6-56.3)
	<b>Washoe</b>	684	56.4%	(53.2-59.6)	613	43.6%	(40.4-46.8)
	<b>All Other Counties</b>	642	52.4%	(49.0-55.8)	666	47.6%	(44.2-51.0)
<b>Health Insurance</b>	<b>Yes</b>	1633	49.4%	(46.9-51.9)	1739	50.6%	(48.1-53.1)
	<b>No</b>	268	47.3%	(40.6-54.1)	305	52.7%	(45.9-59.4)
<b>Weight Status</b>	<b>Normal weight</b>	798	56.1%	(52.2-60.0)	658	43.9%	(40.0-47.8)
	<b>Overweight</b>	707	49.8%	(45.7-53.9)	722	50.2%	(46.1-54.3)
	<b>Obese</b>	360	38.4%	(33.6-43.2)	582	61.6%	(56.8-66.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	1551	49.9%	(47.2-52.7)	1586	50.1%	(47.3-52.8)
	<b>At Risk</b>	355	45.9%	(40.6-51.1)	457	54.1%	(48.9-59.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1713	48.7%	(46.1-51.2)	1867	51.3%	(48.8-53.9)
	<b>At Risk</b>	161	57.7%	(49.6-65.8)	144	42.3%	(34.2-50.4)
<b>Health Status</b>	<b>Good or Better Health</b>	1740	53.7%	(51.1-56.4)	1511	46.3%	(43.6-48.9)
	<b>Fair or Poor Health</b>	170	26.5%	(20.9-32.2)	535	73.5%	(67.8-79.1)

**Table 48: Vigorous Physical Activity Days**

How many days per week do you do these vigorous activities for at least 10 minutes at a time?		1-2 times			3 or more times			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	669	36.5%	(33.1-40.0)	1227	63.3%	(59.8-66.8)	3	0.2%	(0.0-0.4)
<b>Gender</b>	<b>Male</b>	346	37.3%	(32.5-42.1)	575	62.5%	(57.6-67.3)	3	0.3%	(0.0-0.7)
	<b>Female</b>	323	35.5%	(30.7-40.3)	652	64.5%	(59.7-69.3)	0	.	(-.)
<b>Race</b>	<b>White/Non-Hisp</b>	493	36.0%	(32.2-39.9)	908	63.7%	(59.9-67.5)	3	0.3%	(0.0-0.7)
	<b>Black or Af.Am./Non-Hisp</b>	14	43.0%	(21.6-64.3)	29	57.0%	(35.7-78.4)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	30	31.0%	(15.9-46.0)	58	69.0%	(54.0-84.1)	0	.	(-.)
	<b>Multiracial/Non-Hisp</b>	53	45.6%	(32.1-59.1)	89	54.4%	(40.9-67.9)	0	.	(-.)
	<b>Hispanic</b>	77	34.0%	(25.1-42.8)	135	66.0%	(57.2-74.9)	0	.	(-.)
<b>Age</b>	<b>18-24</b>	47	38.7%	(27.2-50.2)	101	61.3%	(49.8-72.8)	0	.	(-.)
	<b>25-34</b>	92	33.4%	(25.0-41.8)	177	66.6%	(58.2-75.0)	0	.	(-.)
	<b>35-44</b>	132	39.9%	(32.9-46.9)	241	59.6%	(52.5-66.6)	1	0.5%	(0.0-1.6)
	<b>45-54</b>	145	35.2%	(28.4-41.9)	269	64.8%	(58.1-71.6)	0	.	(-.)
	<b>55-64</b>	155	41.2%	(34.4-48.1)	224	58.4%	(51.6-65.3)	2	0.3%	(0.0-0.9)
	<b>65+</b>	98	29.6%	(22.5-36.8)	215	70.4%	(63.2-77.5)	0	.	(-.)
<b>Education</b>	<b>Less Than H.S.</b>	48	31.4%	(19.4-43.5)	81	68.6%	(56.5-80.6)	0	.	(-.)
	<b>H.S. or G.E.D.</b>	160	36.1%	(29.2-42.9)	286	63.9%	(57.1-70.8)	0	.	(-.)
	<b>Some Post-H.S.</b>	229	41.6%	(35.5-47.7)	410	58.3%	(52.2-64.4)	2	0.1%	(0.0-0.3)
	<b>College Graduate</b>	231	33.8%	(28.3-39.4)	446	65.8%	(60.2-71.4)	1	0.4%	(0.0-1.1)
<b>Income</b>	<b>Less than \$15,000</b>	26	31.2%	(11.7-50.7)	49	68.8%	(49.3-88.3)	0	.	(-.)
	<b>\$15,000 to 24,999</b>	58	39.4%	(26.7-52.1)	97	60.5%	(47.8-73.2)	1	0.1%	(0.0-0.4)
	<b>\$25,000 to 34,999</b>	46	22.6%	(12.5-32.6)	101	76.2%	(65.9-86.4)	1	1.3%	(0.0-3.8)
	<b>\$35,000 to 49,999</b>	94	38.2%	(28.4-48.0)	158	61.8%	(52.0-71.6)	0	.	(-.)
	<b>\$50,000 to 74,999</b>	133	37.1%	(29.8-44.4)	243	62.7%	(55.4-70.0)	1	0.2%	(0.0-0.6)
	<b>\$75,000+</b>	244	37.4%	(32.1-42.6)	459	62.6%	(57.4-67.9)	0	.	(-.)
<b>Region of Residence</b>	<b>Clark</b>	191	38.2%	(33.2-43.2)	351	61.6%	(56.6-66.6)	1	0.2%	(0.0-0.6)
	<b>Washoe</b>	235	34.6%	(30.4-38.7)	447	65.4%	(61.3-69.6)	0	.	(-.)
	<b>All Other Counties</b>	233	36.8%	(32.2-41.5)	404	62.9%	(58.2-67.5)	2	0.3%	(0.0-0.8)
<b>Health Insurance</b>	<b>Yes</b>	574	36.9%	(33.3-40.6)	1046	62.8%	(59.2-66.5)	3	0.2%	(0.0-0.5)
	<b>No</b>	92	34.4%	(24.9-44.0)	174	65.6%	(56.0-75.1)	0	.	(-.)
<b>Weight Status</b>	<b>Normal weight</b>	256	36.8%	(31.1-42.5)	538	62.9%	(57.2-68.6)	1	0.3%	(0.0-0.9)
	<b>Overweight</b>	255	34.9%	(29.6-40.3)	447	65.0%	(59.6-70.3)	2	0.1%	(0.0-0.3)
	<b>Obese</b>	142	38.9%	(31.2-46.7)	215	61.1%	(53.3-68.8)	0	.	(-.)
<b>Smoking Status</b>	<b>Not At Risk</b>	517	34.8%	(31.0-38.6)	1021	65.0%	(61.2-68.8)	2	0.2%	(0.0-0.5)
	<b>At Risk</b>	152	43.8%	(35.8-51.8)	201	56.1%	(48.1-64.2)	1	0.1%	(0.0-0.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	596	36.3%	(32.6-39.9)	1104	63.6%	(59.9-67.2)	2	0.2%	(0.0-0.4)
	<b>At Risk</b>	62	38.7%	(27.5-49.8)	98	61.2%	(50.1-72.4)	1	0.1%	(0.0-0.4)
<b>Health Status</b>	<b>Good or Better Health</b>	612	37.1%	(33.5-40.8)	1116	62.7%	(59.1-66.3)	3	0.2%	(0.0-0.5)
	<b>Fair or Poor Health</b>	57	30.6%	(19.0-42.2)	110	69.4%	(57.8-81.0)	0	.	(-.)

**Table 49: Ever tested HIV**

Have you ever been tested for HIV?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1154	41.9%	(39.1-44.6)	1738	58.1%	(55.4-60.9)
<b>Gender</b>	<b>Male</b>	453	37.5%	(33.5-41.6)	751	62.5%	(58.4-66.5)
	<b>Female</b>	701	46.5%	(42.8-50.1)	987	53.5%	(49.9-57.2)
<b>Race</b>	<b>White/Non-Hisp</b>	768	40.0%	(36.8-43.2)	1252	60.0%	(56.8-63.2)
	<b>Black or Af.Am./Non-Hisp</b>	40	51.1%	(37.1-65.1)	41	48.9%	(34.9-62.9)
	<b>Other Race/Non-Hisp</b>	45	31.5%	(20.0-42.9)	82	68.5%	(57.1-80.0)
	<b>Multiracial/Non-Hisp</b>	110	55.1%	(45.6-64.7)	115	44.9%	(35.3-54.4)
	<b>Hispanic</b>	181	41.4%	(34.8-47.9)	243	58.6%	(52.1-65.2)
<b>Age</b>	<b>18-24</b>	66	29.4%	(21.3-37.5)	159	70.6%	(62.5-78.7)
	<b>25-34</b>	264	56.6%	(49.6-63.6)	186	43.4%	(36.4-50.4)
	<b>35-44</b>	316	49.3%	(43.9-54.8)	309	50.7%	(45.2-56.1)
	<b>45-54</b>	304	39.9%	(34.8-44.9)	483	60.1%	(55.1-65.2)
	<b>55-64</b>	204	24.7%	(20.6-28.8)	601	75.3%	(71.2-79.4)
<b>Education</b>	<b>Less Than H.S.</b>	104	41.1%	(32.3-49.8)	167	58.9%	(50.2-67.7)
	<b>H.S. or G.E.D.</b>	248	38.5%	(33.1-43.9)	481	61.5%	(56.1-66.9)
	<b>Some Post-H.S.</b>	405	44.3%	(39.4-49.2)	534	55.7%	(50.8-60.6)
	<b>College Graduate</b>	395	42.8%	(38.1-47.6)	552	57.2%	(52.4-61.9)
<b>Income</b>	<b>Less than \$15,000</b>	74	43.2%	(29.7-56.6)	87	56.8%	(43.4-70.3)
	<b>\$15,000 to 24,999</b>	122	44.6%	(36.0-53.1)	169	55.4%	(46.9-64.0)
	<b>\$25,000 to 34,999</b>	102	40.6%	(30.8-50.5)	153	59.4%	(49.5-69.2)
	<b>\$35,000 to 49,999</b>	175	46.3%	(38.5-54.0)	223	53.7%	(46.0-61.5)
	<b>\$50,000 to 74,999</b>	198	36.6%	(30.7-42.4)	363	63.4%	(57.6-69.3)
	<b>\$75,000+</b>	391	43.6%	(39.1-48.1)	570	56.4%	(51.9-60.9)
<b>Region of Residence</b>	<b>Clark</b>	394	44.2%	(40.4-48.0)	530	55.8%	(52.0-59.6)
	<b>Washoe</b>	385	39.2%	(35.6-42.8)	593	60.8%	(57.2-64.4)
	<b>All Other Counties</b>	344	37.9%	(34.1-41.8)	561	62.1%	(58.2-65.9)
<b>Health Insurance</b>	<b>Yes</b>	930	42.6%	(39.6-45.5)	1416	57.4%	(54.5-60.4)
	<b>No</b>	221	40.2%	(33.5-47.0)	309	59.8%	(53.0-66.5)
<b>Weight Status</b>	<b>Normal weight</b>	404	40.4%	(35.8-45.0)	631	59.6%	(55.0-64.2)
	<b>Overweight</b>	426	44.9%	(40.1-49.6)	578	55.1%	(50.4-59.9)
	<b>Obese</b>	289	40.4%	(35.0-45.8)	464	59.6%	(54.2-65.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	853	39.4%	(36.3-42.5)	1405	60.6%	(57.5-63.7)
	<b>At Risk</b>	296	50.6%	(44.7-56.6)	329	49.4%	(43.4-55.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1032	41.5%	(38.6-44.4)	1568	58.5%	(55.6-61.4)
	<b>At Risk</b>	101	46.0%	(36.7-55.3)	137	54.0%	(44.7-63.3)
<b>Health Status</b>	<b>Good or Better Health</b>	962	41.6%	(38.6-44.6)	1488	58.4%	(55.4-61.4)
	<b>Fair or Poor Health</b>	191	43.2%	(36.0-50.3)	247	56.8%	(49.7-64.0)

**Table 50: Was your last HIV test a rapid test?**

Was your last HIV test a rapid test where you could get your results within a couple of hours?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	50	21.7%	(15.0-28.4)	212	78.3%	(71.6-85.0)
<b>Gender</b>	<b>Male</b>	20	20.9%	(11.1-30.6)	97	79.1%	(69.4-88.9)
	<b>Female</b>	30	22.4%	(13.3-31.4)	115	77.6%	(68.6-86.7)
<b>Race</b>	<b>White/Non-Hisp</b>	18	14.0%	(6.1-21.8)	131	86.0%	(78.2-93.9)
	<b>Black or Af.Am./Non-Hisp</b>	7	35.4%	(9.1-61.6)	9	64.6%	(38.4-90.9)
	<b>Other Race/Non-Hisp</b>	1	24.7%	(0.0-66.5)	5	75.3%	(33.5-100.0)
	<b>Multiracial/Non-Hisp</b>	4	19.2%	(0.0-39.1)	23	80.8%	(60.9-100.0)
	<b>Hispanic</b>	20	30.5%	(16.4-44.5)	42	69.5%	(55.5-83.6)
<b>Age</b>	<b>18-24</b>	11	34.8%	(13.1-56.6)	19	65.2%	(43.4-86.9)
	<b>25-34</b>	11	16.7%	(6.1-27.3)	63	83.3%	(72.7-93.9)
	<b>35-44</b>	16	25.8%	(12.7-39.0)	56	74.2%	(61.0-87.3)
	<b>45-54</b>	7	16.4%	(2.4-30.4)	48	83.6%	(69.6-97.6)
	<b>55-64</b>	5	14.1%	(0.0-30.3)	26	85.9%	(69.7-100.0)
<b>Education</b>	<b>Less Than H.S.</b>	14	31.2%	(13.1-49.3)	25	68.8%	(50.7-86.9)
	<b>H.S. or G.E.D.</b>	17	34.9%	(18.8-50.9)	40	65.1%	(49.1-81.2)
	<b>Some Post-H.S.</b>	7	10.1%	(1.9-18.4)	78	89.9%	(81.6-98.1)
	<b>College Graduate</b>	12	18.2%	(6.2-30.3)	69	81.8%	(69.7-93.8)
<b>Income</b>	<b>Less than \$15,000</b>	9	57.7%	(29.7-85.6)	13	42.3%	(14.4-70.3)
	<b>\$15,000 to 24,999</b>	12	32.2%	(13.3-51.1)	27	67.8%	(48.9-86.7)
	<b>\$25,000 to 34,999</b>	6	22.9%	(3.2-42.6)	21	77.1%	(57.4-96.8)
	<b>\$35,000 to 49,999</b>	4	13.8%	(0.0-29.2)	29	86.2%	(70.8-100.0)
	<b>\$50,000 to 74,999</b>	3	9.1%	(0.0-20.7)	39	90.9%	(79.3-100.0)
	<b>\$75,000+</b>	11	15.9%	(5.1-26.6)	65	84.1%	(73.4-94.9)
<b>Region of Residence</b>	<b>Clark</b>	26	22.9%	(14.4-31.5)	87	77.1%	(68.5-85.6)
	<b>Washoe</b>	12	21.9%	(8.8-34.9)	63	78.1%	(65.1-91.2)
	<b>All Other Counties</b>	10	19.4%	(7.1-31.6)	55	80.6%	(68.4-92.9)
<b>Health Insurance</b>	<b>Yes</b>	32	17.7%	(10.6-24.8)	175	82.3%	(75.2-89.4)
	<b>No</b>	17	35.6%	(18.7-52.5)	37	64.4%	(47.5-81.3)
<b>Weight Status</b>	<b>Normal weight</b>	12	11.3%	(3.7-18.8)	76	88.7%	(81.2-96.3)
	<b>Overweight</b>	17	25.9%	(13.7-38.0)	80	74.1%	(62.0-86.3)
	<b>Obese</b>	17	27.3%	(13.7-41.0)	51	72.7%	(59.0-86.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	44	22.7%	(15.2-30.2)	151	77.3%	(69.8-84.8)
	<b>At Risk</b>	6	18.3%	(3.2-33.4)	61	81.7%	(66.6-96.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	41	19.4%	(12.7-26.2)	186	80.6%	(73.8-87.3)
	<b>At Risk</b>	6	35.7%	(10.5-60.8)	21	64.3%	(39.2-89.5)
<b>Health Status</b>	<b>Good or Better Health</b>	34	19.3%	(12.0-26.5)	176	80.7%	(73.5-88.0)
	<b>Fair or Poor Health</b>	16	34.4%	(17.3-51.6)	36	65.6%	(48.4-82.7)

**Table 51: How often get emotional support needed**

How often do you get the social and emotional support you need?		Always or usually			Sometimes			Rarely or never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	2967	75.8%	(73.6-77.9)	540	13.8%	(12.1-15.6)	397	10.4%	(8.9-11.9)
<b>Gender</b>	<b>Male</b>	1219	75.8%	(72.6-79.0)	230	14.8%	(12.0-17.6)	179	9.4%	(7.4-11.5)
	<b>Female</b>	1748	75.7%	(73.0-78.5)	310	12.9%	(10.9-14.9)	218	11.4%	(9.1-13.6)
<b>Race</b>	<b>White/Non-Hisp</b>	2303	82.2%	(80.2-84.2)	368	11.7%	(10.0-13.3)	202	6.2%	(4.9-7.4)
	<b>Black or Af.Am./Non-Hisp</b>	65	71.0%	(60.6-81.4)	18	15.1%	(7.2-23.1)	18	13.9%	(6.4-21.3)
	<b>Other Race/Non-Hisp</b>	102	62.2%	(49.5-74.9)	31	16.5%	(7.2-25.7)	29	21.3%	(9.5-33.2)
	<b>Multiracial/Non-Hisp</b>	212	76.7%	(69.2-84.3)	42	11.5%	(6.3-16.7)	34	11.7%	(5.5-18.0)
	<b>Hispanic</b>	272	62.4%	(56.1-68.8)	74	19.0%	(13.6-24.4)	111	18.6%	(13.9-23.3)
<b>Age</b>	<b>18-24</b>	175	76.8%	(69.2-84.5)	28	13.8%	(7.2-20.4)	22	9.4%	(4.6-14.2)
	<b>25-34</b>	334	72.5%	(66.1-78.8)	70	13.5%	(8.9-18.2)	52	14.0%	(8.8-19.2)
	<b>35-44</b>	471	73.3%	(68.4-78.1)	103	17.8%	(13.4-22.1)	61	8.9%	(6.0-11.9)
	<b>45-54</b>	612	77.9%	(73.9-81.9)	107	12.3%	(9.2-15.4)	82	9.8%	(6.9-12.7)
	<b>55-64</b>	639	77.9%	(73.9-81.9)	109	12.2%	(9.1-15.3)	77	9.9%	(7.0-12.8)
	<b>65+</b>	736	77.9%	(74.4-81.4)	123	12.5%	(9.7-15.3)	103	9.6%	(7.3-11.9)
<b>Education</b>	<b>Less Than H.S.</b>	185	50.6%	(42.4-58.7)	67	22.0%	(14.9-29.2)	105	27.4%	(20.6-34.2)
	<b>H.S. or G.E.D.</b>	781	73.0%	(68.6-77.3)	163	16.1%	(12.7-19.5)	102	10.9%	(7.5-14.3)
	<b>Some Post-H.S.</b>	983	79.7%	(76.3-83.0)	173	13.2%	(10.3-16.1)	111	7.1%	(5.1-9.1)
	<b>College Graduate</b>	1013	85.9%	(83.3-88.5)	136	8.6%	(6.6-10.7)	76	5.5%	(3.8-7.1)
<b>Income</b>	<b>Less than \$15,000</b>	135	46.8%	(35.5-58.2)	62	26.8%	(16.9-36.7)	64	26.4%	(16.0-36.7)
	<b>\$15,000 to 24,999</b>	279	59.5%	(52.5-66.5)	88	20.2%	(14.4-26.1)	99	20.3%	(15.1-25.5)
	<b>\$25,000 to 34,999</b>	264	69.4%	(61.6-77.2)	68	17.6%	(11.9-23.3)	48	13.0%	(6.6-19.3)
	<b>\$35,000 to 49,999</b>	413	77.2%	(71.8-82.7)	84	15.1%	(10.6-19.6)	44	7.7%	(4.0-11.4)
	<b>\$50,000 to 74,999</b>	551	81.7%	(77.6-85.8)	83	10.7%	(7.6-13.8)	48	7.5%	(4.6-10.5)
	<b>\$75,000+</b>	985	88.6%	(86.2-91.1)	95	7.5%	(5.5-9.6)	45	3.8%	(2.5-5.2)
<b>Region of Residence</b>	<b>Clark</b>	929	76.7%	(73.8-79.6)	176	14.0%	(11.6-16.4)	127	9.3%	(7.3-11.3)
	<b>Washoe</b>	987	76.6%	(73.7-79.5)	167	12.3%	(10.2-14.4)	126	11.1%	(8.8-13.4)
	<b>All Other Counties</b>	1006	77.9%	(74.8-80.9)	180	14.0%	(11.4-16.6)	105	8.1%	(6.1-10.2)
<b>Health Insurance</b>	<b>Yes</b>	2623	79.6%	(77.6-81.6)	422	12.4%	(10.8-14.0)	275	8.0%	(6.6-9.3)
	<b>No</b>	330	60.8%	(54.3-67.4)	115	19.5%	(14.1-24.9)	120	19.7%	(14.4-24.9)
<b>Weight Status</b>	<b>Normal weight</b>	1104	78.1%	(74.7-81.5)	186	11.1%	(8.5-13.6)	146	10.8%	(8.2-13.4)
	<b>Overweight</b>	1085	74.7%	(71.0-78.4)	201	16.6%	(13.3-19.8)	118	8.7%	(6.4-11.0)
	<b>Obese</b>	689	75.2%	(70.9-79.4)	136	14.0%	(10.7-17.3)	113	10.8%	(7.6-14.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	2383	76.6%	(74.2-79.0)	404	13.2%	(11.3-15.1)	299	10.2%	(8.5-11.9)
	<b>At Risk</b>	577	72.9%	(68.2-77.6)	133	16.2%	(12.3-20.1)	95	10.9%	(7.6-14.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2703	76.6%	(74.4-78.8)	472	13.0%	(11.3-14.8)	350	10.4%	(8.7-12.0)
	<b>At Risk</b>	210	69.2%	(61.6-76.8)	50	18.6%	(12.0-25.3)	41	12.2%	(7.3-17.0)
<b>Health Status</b>	<b>Good or Better Health</b>	2568	79.7%	(77.5-81.9)	389	11.6%	(9.9-13.4)	256	8.6%	(7.1-10.1)
	<b>Fair or Poor Health</b>	395	56.1%	(50.3-62.0)	150	24.7%	(19.5-29.8)	139	19.2%	(14.3-24.1)

**Table 52: Satisfaction with life**

In general, how satisfied are you with your life?		Very satisfied or satisfied			Dissatisfied			Very dissatisfied		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	3689	94.3%	(93.2-95.4)	203	4.7%	(3.7-5.7)	48	1.1%	(0.6-1.6)
<b>Gender</b>	<b>Male</b>	1550	94.4%	(92.7-96.1)	79	4.5%	(2.9-6.1)	23	1.1%	(0.5-1.7)
	<b>Female</b>	2139	94.1%	(92.7-95.5)	124	4.9%	(3.6-6.1)	25	1.1%	(0.3-1.8)
<b>Race</b>	<b>White/Non-Hisp</b>	2719	94.9%	(93.8-96.0)	139	4.0%	(3.1-5.0)	31	1.1%	(0.5-1.6)
	<b>Black or Af.Am./Non-Hisp</b>	94	94.3%	(89.4-99.1)	7	5.7%	(0.9-10.6)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	155	89.7%	(79.7-99.7)	11	9.7%	(0.0-19.7)	4	0.6%	(0.0-1.3)
	<b>Multiracial/Non-Hisp</b>	266	91.1%	(85.6-96.6)	17	5.7%	(1.8-9.5)	6	3.2%	(0.0-7.4)
	<b>Hispanic</b>	433	94.6%	(92.1-97.1)	26	4.7%	(2.3-7.2)	7	0.6%	(0.1-1.2)
<b>Age</b>	<b>18-24</b>	219	95.9%	(92.1-99.7)	7	3.4%	(0.0-7.0)	1	0.7%	(0.0-2.1)
	<b>25-34</b>	434	94.7%	(91.8-97.6)	21	3.7%	(1.4-6.1)	6	1.6%	(0.0-3.3)
	<b>35-44</b>	596	94.0%	(91.3-96.6)	36	5.5%	(2.9-8.1)	5	0.5%	(0.0-1.2)
	<b>45-54</b>	745	92.9%	(90.4-95.4)	47	5.7%	(3.5-8.0)	13	1.4%	(0.3-2.5)
	<b>55-64</b>	766	93.7%	(91.6-95.8)	46	5.0%	(3.1-6.8)	11	1.4%	(0.3-2.4)
	<b>65+</b>	929	94.8%	(92.8-96.8)	46	4.3%	(2.4-6.3)	12	0.9%	(0.3-1.4)
<b>Education</b>	<b>Less Than H.S.</b>	329	92.5%	(89.1-95.9)	26	6.0%	(2.8-9.3)	10	1.4%	(0.4-2.4)
	<b>H.S. or G.E.D.</b>	968	92.0%	(89.2-94.7)	72	6.6%	(4.0-9.2)	15	1.4%	(0.4-2.5)
	<b>Some Post-H.S.</b>	1196	94.5%	(92.8-96.3)	71	4.2%	(2.8-5.6)	15	1.3%	(0.1-2.5)
	<b>College Graduate</b>	1188	96.9%	(95.6-98.1)	34	2.8%	(1.5-4.0)	8	0.4%	(0.1-0.7)
<b>Income</b>	<b>Less than \$15,000</b>	216	85.6%	(79.0-92.2)	37	9.2%	(4.9-13.5)	12	5.2%	(0.0-10.5)
	<b>\$15,000 to 24,999</b>	405	87.1%	(82.6-91.5)	56	11.3%	(7.0-15.7)	13	1.6%	(0.6-2.7)
	<b>\$25,000 to 34,999</b>	359	94.9%	(92.0-97.7)	26	5.0%	(2.1-7.9)	2	0.1%	(0.0-0.3)
	<b>\$35,000 to 49,999</b>	518	93.5%	(89.8-97.1)	23	5.9%	(2.3-9.5)	6	0.6%	(0.0-1.3)
	<b>\$50,000 to 74,999</b>	660	97.3%	(95.9-98.7)	22	2.1%	(1.0-3.1)	3	0.7%	(0.0-1.7)
	<b>\$75,000+</b>	1098	97.6%	(96.4-98.8)	19	1.6%	(0.7-2.6)	6	0.8%	(0.0-1.5)
<b>Region of Residence</b>	<b>Clark</b>	1159	94.5%	(93.0-96.0)	67	4.6%	(3.2-5.9)	13	0.9%	(0.3-1.6)
	<b>Washoe</b>	1213	94.0%	(92.4-95.5)	61	4.4%	(3.1-5.7)	20	1.7%	(0.8-2.6)
	<b>All Other Counties</b>	1226	93.7%	(91.8-95.6)	66	4.9%	(3.5-6.3)	13	1.4%	(0.0-2.8)
<b>Health Insurance</b>	<b>Yes</b>	3169	95.1%	(94.0-96.1)	156	4.3%	(3.3-5.3)	29	0.6%	(0.3-1.0)
	<b>No</b>	502	91.0%	(87.6-94.5)	46	6.2%	(3.3-9.1)	19	2.7%	(0.8-4.7)
<b>Weight Status</b>	<b>Normal weight</b>	1374	94.9%	(93.1-96.7)	59	3.4%	(2.0-4.8)	19	1.7%	(0.5-2.8)
	<b>Overweight</b>	1345	95.4%	(93.7-97.1)	66	4.5%	(2.8-6.1)	6	0.1%	(0.0-0.3)
	<b>Obese</b>	852	91.7%	(89.3-94.2)	69	6.6%	(4.4-8.9)	19	1.6%	(0.6-2.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	2955	94.9%	(93.7-96.1)	137	4.3%	(3.2-5.5)	27	0.8%	(0.4-1.2)
	<b>At Risk</b>	723	91.8%	(89.1-94.4)	66	6.0%	(4.0-8.1)	20	2.2%	(0.5-3.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3344	94.8%	(93.7-95.9)	174	4.2%	(3.2-5.1)	41	1.0%	(0.5-1.5)
	<b>At Risk</b>	275	90.5%	(85.7-95.3)	21	7.3%	(3.1-11.6)	7	2.2%	(0.0-4.6)
<b>Health Status</b>	<b>Good or Better Health</b>	3131	96.9%	(96.0-97.7)	97	2.8%	(1.9-3.6)	12	0.4%	(0.1-0.7)
	<b>Fair or Poor Health</b>	552	81.3%	(76.8-85.9)	105	14.1%	(10.0-18.2)	36	4.6%	(2.2-7.0)

**Table 53: Diarrhea past 30 days?**

In the past 30 days, did you have diarrhea that began within the 30 day period? Diarrhea is defined as 3 or more loose stools or bowel movements in a 24-hour period.		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	711	15.6%	(13.9-17.2)	3225	84.4%	(82.8-86.1)
<b>Gender</b>	<b>Male</b>	263	14.4%	(12.0-16.8)	1380	85.6%	(83.2-88.0)
	<b>Female</b>	448	16.8%	(14.6-18.9)	1845	83.2%	(81.1-85.4)
<b>Race</b>	<b>White/Non-Hisp</b>	552	17.4%	(15.4-19.3)	2333	82.6%	(80.7-84.6)
	<b>Black or Af.Am./Non-Hisp</b>	12	12.4%	(4.6-20.2)	88	87.6%	(79.8-95.4)
	<b>Other Race/Non-Hisp</b>	26	17.3%	(7.2-27.4)	141	82.7%	(72.6-92.8)
	<b>Multiracial/Non-Hisp</b>	59	23.8%	(15.9-31.7)	231	76.2%	(68.3-84.1)
	<b>Hispanic</b>	56	7.8%	(5.1-10.5)	413	92.2%	(89.5-94.9)
<b>Age</b>	<b>18-24</b>	29	9.5%	(5.1-14.0)	198	90.5%	(86.0-94.9)
	<b>25-34</b>	87	14.5%	(10.1-18.9)	373	85.5%	(81.1-89.9)
	<b>35-44</b>	110	15.8%	(12.0-19.6)	527	84.2%	(80.4-88.0)
	<b>45-54</b>	161	17.8%	(14.1-21.5)	643	82.2%	(78.5-85.9)
	<b>55-64</b>	163	18.5%	(14.9-22.1)	665	81.5%	(77.9-85.1)
	<b>65+</b>	161	16.0%	(12.9-19.1)	819	84.0%	(80.9-87.1)
<b>Education</b>	<b>Less Than H.S.</b>	54	11.2%	(6.8-15.5)	310	88.8%	(84.5-93.2)
	<b>H.S. or G.E.D.</b>	193	15.4%	(12.3-18.5)	865	84.6%	(81.5-87.7)
	<b>Some Post-H.S.</b>	240	17.1%	(14.1-20.1)	1038	82.9%	(79.9-85.9)
	<b>College Graduate</b>	222	16.2%	(13.3-19.1)	1006	83.8%	(80.9-86.7)
<b>Income</b>	<b>Less than \$15,000</b>	51	19.8%	(11.8-27.8)	217	80.2%	(72.2-88.2)
	<b>\$15,000 to 24,999</b>	92	13.5%	(9.5-17.6)	382	86.5%	(82.4-90.5)
	<b>\$25,000 to 34,999</b>	72	13.9%	(9.3-18.6)	316	86.1%	(81.4-90.7)
	<b>\$35,000 to 49,999</b>	93	13.9%	(9.5-18.4)	455	86.1%	(81.6-90.5)
	<b>\$50,000 to 74,999</b>	124	16.4%	(12.6-20.2)	558	83.6%	(79.8-87.4)
	<b>\$75,000+</b>	189	15.8%	(12.7-18.8)	935	84.2%	(81.2-87.3)
<b>Region of Residence</b>	<b>Clark</b>	201	15.2%	(12.9-17.5)	1041	84.8%	(82.5-87.1)
	<b>Washoe</b>	231	17.6%	(15.2-20.1)	1056	82.4%	(79.9-84.8)
	<b>All Other Counties</b>	268	20.0%	(17.4-22.5)	1033	80.0%	(77.5-82.6)
<b>Health Insurance</b>	<b>Yes</b>	609	16.6%	(14.8-18.3)	2737	83.4%	(81.7-85.2)
	<b>No</b>	98	11.7%	(8.0-15.4)	473	88.3%	(84.6-92.0)
<b>Weight Status</b>	<b>Normal weight</b>	216	14.9%	(12.0-17.8)	1233	85.1%	(82.2-88.0)
	<b>Overweight</b>	270	15.3%	(12.7-17.8)	1143	84.7%	(82.2-87.3)
	<b>Obese</b>	196	17.1%	(13.9-20.4)	747	82.9%	(79.6-86.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	517	14.3%	(12.5-16.0)	2602	85.7%	(84.0-87.5)
	<b>At Risk</b>	194	20.5%	(16.5-24.5)	610	79.5%	(75.5-83.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	603	14.5%	(12.8-16.1)	2959	85.5%	(83.9-87.2)
	<b>At Risk</b>	91	29.9%	(22.4-37.4)	210	70.1%	(62.6-77.6)
<b>Health Status</b>	<b>Good or Better Health</b>	532	14.0%	(12.4-15.7)	2699	86.0%	(84.3-87.6)
	<b>Fair or Poor Health</b>	179	23.2%	(18.5-28.0)	519	76.8%	(72.0-81.5)

**Table 54: Visit health professional for this diarrheal disease?**

Did you visit a doctor, nurse or other health professional for this diarrheal illness?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	103	13.1%	(9.8-16.5)	607	86.9%	(83.5-90.2)
<b>Gender</b>	<b>Male</b>	30	8.8%	(4.6-13.1)	232	91.2%	(86.9-95.4)
	<b>Female</b>	73	16.9%	(11.9-21.8)	375	83.1%	(78.2-88.1)
<b>Race</b>	<b>White/Non-Hisp</b>	77	12.9%	(9.3-16.5)	475	87.1%	(83.5-90.7)
	<b>Black or Af.Am./Non-Hisp</b>	0	.	(.-.)	11	100.0%	(100.0-100.0)
	<b>Other Race/Non-Hisp</b>	5	5.2%	(0.0-10.8)	21	94.8%	(89.2-100.0)
	<b>Multiracial/Non-Hisp</b>	11	21.2%	(6.1-36.2)	48	78.8%	(63.8-93.9)
	<b>Hispanic</b>	8	14.0%	(2.4-25.6)	48	86.0%	(74.4-97.6)
<b>Age</b>	<b>18-24</b>	2	11.3%	(0.0-26.3)	27	88.7%	(73.7-100.0)
	<b>25-34</b>	11	12.1%	(3.5-20.6)	76	87.9%	(79.4-96.5)
	<b>35-44</b>	10	7.4%	(1.2-13.6)	100	92.6%	(86.4-98.8)
	<b>45-54</b>	20	11.9%	(4.7-19.2)	141	88.1%	(80.8-95.3)
	<b>55-64</b>	24	17.7%	(9.5-26.0)	139	82.3%	(74.0-90.5)
	<b>65+</b>	36	19.3%	(11.9-26.6)	124	80.7%	(73.4-88.1)
<b>Education</b>	<b>Less Than H.S.</b>	11	13.8%	(3.4-24.2)	43	86.2%	(75.8-96.6)
	<b>H.S. or G.E.D.</b>	22	10.7%	(5.1-16.3)	170	89.3%	(83.7-94.9)
	<b>Some Post-H.S.</b>	36	14.8%	(8.1-21.4)	204	85.2%	(78.6-91.9)
	<b>College Graduate</b>	34	13.4%	(7.7-19.1)	188	86.6%	(80.9-92.3)
<b>Income</b>	<b>Less than \$15,000</b>	11	15.2%	(3.2-27.2)	40	84.8%	(72.8-96.8)
	<b>\$15,000 to 24,999</b>	15	21.6%	(7.6-35.5)	77	78.4%	(64.5-92.4)
	<b>\$25,000 to 34,999</b>	6	14.0%	(0.5-27.5)	66	86.0%	(72.5-99.5)
	<b>\$35,000 to 49,999</b>	16	13.0%	(4.3-21.8)	77	87.0%	(78.2-95.7)
	<b>\$50,000 to 74,999</b>	14	10.9%	(4.1-17.6)	110	89.1%	(82.4-95.9)
	<b>\$75,000+</b>	27	12.9%	(6.9-18.9)	162	87.1%	(81.1-93.1)
<b>Region of Residence</b>	<b>Clark</b>	34	13.7%	(8.8-18.6)	166	86.3%	(81.4-91.2)
	<b>Washoe</b>	37	14.9%	(9.7-20.2)	194	85.1%	(79.8-90.3)
	<b>All Other Counties</b>	31	10.0%	(6.2-13.8)	237	90.0%	(86.2-93.8)
<b>Health Insurance</b>	<b>Yes</b>	91	14.2%	(10.4-18.0)	517	85.8%	(82.0-89.6)
	<b>No</b>	10	5.8%	(1.6-9.9)	88	94.2%	(90.1-98.4)
<b>Weight Status</b>	<b>Normal weight</b>	38	16.5%	(9.8-23.2)	178	83.5%	(76.8-90.2)
	<b>Overweight</b>	33	10.7%	(6.2-15.2)	237	89.3%	(84.8-93.8)
	<b>Obese</b>	26	12.7%	(6.0-19.4)	169	87.3%	(80.6-94.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	76	13.0%	(9.1-16.9)	440	87.0%	(83.1-90.9)
	<b>At Risk</b>	27	13.5%	(6.9-20.0)	167	86.5%	(80.0-93.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	90	13.2%	(9.6-16.7)	512	86.8%	(83.3-90.4)
	<b>At Risk</b>	8	6.9%	(1.2-12.5)	83	93.1%	(87.5-98.8)
<b>Health Status</b>	<b>Good or Better Health</b>	61	10.8%	(7.3-14.2)	470	89.2%	(85.8-92.7)
	<b>Fair or Poor Health</b>	42	20.2%	(11.8-28.6)	137	79.8%	(71.4-88.2)

**Table 55: Give stool sample to health professional?**

When you visited your health care professional, did you provide a stool sample for testing?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	43	46.3%	(32.5-60.1)	59	53.7%	(39.9-67.5)
<b>Gender</b>	<b>Male</b>	15	55.8%	(31.6-80.0)	15	44.2%	(20.0-68.4)
	<b>Female</b>	28	41.9%	(25.6-58.3)	44	58.1%	(41.7-74.4)
<b>Race</b>	<b>White/Non-Hisp</b>	31	48.3%	(32.8-63.8)	45	51.7%	(36.2-67.2)
	<b>Other Race/Non-Hisp</b>	0	.	(-.-)	5	100.0%	(100.0-100.0)
	<b>Multiracial/Non-Hisp</b>	7	58.4%	(19.3-97.4)	4	41.6%	(2.6-80.7)
	<b>Hispanic</b>	5	26.9%	(0.0-56.0)	3	73.1%	(44.0-100.0)
<b>Age</b>	<b>18-24</b>	0	.	(-.-)	2	100.0%	(100.0-100.0)
	<b>25-34</b>	3	26.5%	(0.0-57.9)	8	73.5%	(42.1-100.0)
	<b>35-44</b>	5	69.8%	(32.1-100.0)	5	30.2%	(0.0-67.9)
	<b>45-54</b>	6	47.8%	(12.3-83.2)	13	52.2%	(16.8-87.7)
	<b>55-64</b>	11	49.8%	(24.8-74.9)	13	50.2%	(25.1-75.2)
	<b>65+</b>	18	56.9%	(36.9-77.0)	18	43.1%	(23.0-63.1)
<b>Education</b>	<b>Less Than H.S.</b>	7	55.8%	(17.1-94.4)	4	44.2%	(5.6-82.9)
	<b>H.S. or G.E.D.</b>	12	59.6%	(32.9-86.2)	10	40.4%	(13.8-67.1)
	<b>Some Post-H.S.</b>	12	38.8%	(13.6-64.1)	24	61.2%	(35.9-86.4)
	<b>College Graduate</b>	12	42.7%	(19.1-66.3)	21	57.3%	(33.7-80.9)
<b>Income</b>	<b>Less than \$15,000</b>	6	60.2%	(19.2-100.0)	5	39.8%	(0.0-80.8)
	<b>\$15,000 to 24,999</b>	10	87.5%	(74.1-100.0)	5	12.5%	(0.0-25.9)
	<b>\$25,000 to 34,999</b>	1	7.6%	(0.0-24.2)	5	92.4%	(75.8-100.0)
	<b>\$35,000 to 49,999</b>	4	27.8%	(0.0-63.3)	12	72.2%	(36.7-100.0)
	<b>\$50,000 to 74,999</b>	6	32.8%	(4.0-61.6)	8	67.2%	(38.4-96.0)
	<b>\$75,000+</b>	11	47.1%	(22.9-71.2)	15	52.9%	(28.8-77.1)
<b>Region of Residence</b>	<b>Clark</b>	17	50.7%	(31.2-70.2)	16	49.3%	(29.8-68.8)
	<b>Washoe</b>	14	34.5%	(17.0-52.1)	23	65.5%	(47.9-83.0)
	<b>All Other Counties</b>	12	43.5%	(22.6-64.4)	19	56.5%	(35.6-77.4)
<b>Health Insurance</b>	<b>Yes</b>	38	45.1%	(30.4-59.9)	53	54.9%	(40.1-69.6)
	<b>No</b>	4	47.0%	(10.2-83.7)	5	53.0%	(16.3-89.8)
<b>Weight Status</b>	<b>Normal weight</b>	15	40.1%	(20.1-60.1)	23	59.9%	(39.9-79.9)
	<b>Overweight</b>	14	46.5%	(23.6-69.4)	18	53.5%	(30.6-76.4)
	<b>Obese</b>	12	57.7%	(29.8-85.5)	14	42.3%	(14.5-70.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	30	49.3%	(33.2-65.3)	45	50.7%	(34.7-66.8)
	<b>At Risk</b>	13	39.1%	(14.5-63.6)	14	60.9%	(36.4-85.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	36	40.7%	(27.0-54.4)	54	59.3%	(45.6-73.0)
	<b>At Risk</b>	3	56.3%	(15.7-96.9)	5	43.7%	(3.1-84.3)
<b>Health Status</b>	<b>Good or Better Health</b>	26	43.2%	(26.9-59.6)	34	56.8%	(40.4-73.1)
	<b>Fair or Poor Health</b>	17	51.2%	(28.1-74.2)	25	48.8%	(25.8-71.9)

**Table 56: Ever Told by Doctor You Have Diabetes**

Have you ever been told by a doctor that you have diabetes?		Yes			Yes, but female during pregnancy			No			No, pre-diabetes		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	403	8.0%	(6.9-9.2)	43	1.2%	(0.6-1.7)	3630	90.1%	(88.8-91.4)	45	0.7%	(0.4-1.1)
<b>Gender</b>	<b>Male</b>	181	8.2%	(6.4-10.0)	0	.	(-.)	1529	90.9%	(89.1-92.8)	20	0.9%	(0.2-1.5)
	<b>Female</b>	222	7.9%	(6.5-9.3)	43	2.4%	(1.3-3.4)	2101	89.2%	(87.5-91.0)	25	0.5%	(0.3-0.8)
<b>Race</b>	<b>White/Non-Hisp</b>	295	8.9%	(7.4-10.4)	27	0.6%	(0.3-1.0)	2632	89.7%	(88.2-91.3)	34	0.8%	(0.4-1.1)
	<b>Black or Af.Am./Non-Hisp</b>	15	10.7%	(4.5-16.9)	0	.	(-.)	97	89.3%	(83.1-95.5)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	19	7.5%	(2.7-12.2)	2	2.4%	(0.0-5.9)	157	89.3%	(83.5-95.2)	4	0.8%	(0.0-1.6)
	<b>Multiracial/Non-Hisp</b>	38	10.6%	(5.9-15.3)	2	2.6%	(0.0-6.7)	252	85.7%	(79.7-91.7)	5	1.1%	(0.0-2.3)
	<b>Hispanic</b>	33	4.4%	(2.4-6.5)	11	2.0%	(0.6-3.5)	468	92.9%	(90.1-95.6)	2	0.7%	(0.0-1.9)
<b>Age</b>	<b>18-24</b>	1	0.2%	(0.0-0.7)	0	.	(-.)	233	99.8%	(99.3-100.0)	0	.	(-.)
	<b>25-34</b>	10	1.8%	(0.3-3.2)	15	2.6%	(0.6-4.6)	459	94.9%	(92.1-97.6)	2	0.7%	(0.0-2.1)
	<b>35-44</b>	25	4.6%	(2.2-7.1)	17	2.0%	(0.7-3.3)	628	93.2%	(90.5-95.9)	2	0.2%	(0.0-0.4)
	<b>45-54</b>	57	8.8%	(5.4-12.1)	7	0.6%	(0.0-1.2)	776	90.2%	(86.8-93.6)	9	0.4%	(0.1-0.7)
	<b>55-64</b>	126	14.0%	(10.9-17.2)	2	0.7%	(0.0-1.7)	714	83.6%	(80.2-87.0)	14	1.6%	(0.5-2.7)
	<b>65+</b>	184	19.9%	(16.5-23.3)	2	0.2%	(0.0-0.6)	820	78.4%	(74.9-81.9)	18	1.5%	(0.4-2.5)
<b>Education</b>	<b>Less Than H.S.</b>	34	5.3%	(2.7-7.9)	5	1.6%	(0.0-3.2)	355	92.8%	(89.7-95.9)	7	0.4%	(0.1-0.7)
	<b>H.S. or G.E.D.</b>	114	9.3%	(6.9-11.6)	11	1.1%	(0.3-2.0)	967	88.5%	(85.8-91.2)	11	1.1%	(0.0-2.2)
	<b>Some Post-H.S.</b>	142	9.3%	(7.0-11.6)	18	1.7%	(0.5-3.0)	1153	88.2%	(85.6-90.8)	16	0.8%	(0.3-1.3)
	<b>College Graduate</b>	111	7.0%	(5.2-8.8)	9	0.4%	(0.0-0.9)	1134	92.2%	(90.3-94.0)	11	0.4%	(0.1-0.7)
<b>Income</b>	<b>Less than \$15,000</b>	49	10.6%	(5.5-15.7)	3	2.5%	(0.0-6.9)	228	86.2%	(79.7-92.7)	7	0.8%	(0.1-1.4)
	<b>\$15,000 to 24,999</b>	67	10.6%	(7.2-14.1)	5	2.1%	(0.0-4.1)	412	86.3%	(82.2-90.3)	9	1.1%	(0.1-2.0)
	<b>\$25,000 to 34,999</b>	42	7.2%	(4.1-10.4)	4	0.9%	(0.0-1.9)	361	91.0%	(87.6-94.5)	5	0.9%	(0.0-1.9)
	<b>\$35,000 to 49,999</b>	48	6.5%	(3.9-9.2)	7	1.2%	(0.0-2.4)	508	90.7%	(87.1-94.2)	4	1.6%	(0.0-3.8)
	<b>\$50,000 to 74,999</b>	55	7.3%	(4.8-9.8)	9	1.6%	(0.2-3.1)	624	90.2%	(87.3-93.1)	12	0.8%	(0.3-1.4)
	<b>\$75,000+</b>	83	7.8%	(5.6-10.1)	14	0.9%	(0.3-1.5)	1049	91.1%	(88.8-93.5)	5	0.1%	(0.0-0.3)
<b>Region of Residence</b>	<b>Clark</b>	141	8.4%	(6.8-9.9)	14	1.3%	(0.5-2.0)	1132	89.7%	(88.0-91.5)	8	0.6%	(0.1-1.1)
	<b>Washoe</b>	110	6.2%	(4.9-7.6)	10	0.8%	(0.3-1.3)	1194	92.0%	(90.5-93.5)	17	1.0%	(0.5-1.5)
	<b>All Other Counties</b>	135	7.8%	(6.3-9.3)	17	1.2%	(0.6-1.8)	1173	90.0%	(88.3-91.7)	19	1.0%	(0.5-1.5)
<b>Health Insurance</b>	<b>Yes</b>	363	9.0%	(7.7-10.2)	34	1.0%	(0.6-1.5)	3062	89.2%	(87.7-90.6)	41	0.9%	(0.4-1.3)
	<b>No</b>	38	4.6%	(2.3-7.0)	9	1.7%	(0.0-3.5)	551	93.5%	(90.6-96.4)	4	0.1%	(0.0-0.3)
<b>Weight Status</b>	<b>Normal weight</b>	67	3.4%	(2.3-4.6)	14	0.9%	(0.0-1.8)	1411	95.3%	(93.8-96.8)	10	0.3%	(0.1-0.6)
	<b>Overweight</b>	127	6.7%	(5.1-8.3)	19	1.4%	(0.5-2.2)	1314	91.3%	(89.5-93.2)	18	0.6%	(0.2-1.0)
	<b>Obese</b>	183	16.5%	(13.1-19.9)	7	0.9%	(0.1-1.8)	762	81.0%	(77.4-84.7)	16	1.6%	(0.3-2.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	330	8.5%	(7.2-9.8)	36	1.2%	(0.6-1.7)	2866	89.6%	(88.1-91.0)	32	0.8%	(0.3-1.2)
	<b>At Risk</b>	71	6.4%	(4.2-8.6)	6	1.1%	(0.0-2.6)	751	92.0%	(89.4-94.6)	13	0.5%	(0.1-0.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	381	8.6%	(7.3-9.8)	42	1.3%	(0.7-1.9)	3208	89.4%	(88.0-90.8)	43	0.8%	(0.4-1.2)
	<b>At Risk</b>	12	2.2%	(0.7-3.7)	1	0.1%	(0.0-0.3)	296	97.4%	(95.9-99.0)	2	0.3%	(0.0-0.6)
<b>Health Status</b>	<b>Good or Better Health</b>	227	5.8%	(4.8-6.9)	37	1.1%	(0.6-1.6)	3081	92.4%	(91.2-93.6)	27	0.6%	(0.2-1.0)
	<b>Fair or Poor Health</b>	174	18.4%	(14.4-22.4)	6	1.4%	(0.0-3.3)	544	79.0%	(74.7-83.3)	18	1.1%	(0.3-1.9)

**Table 57: Now Taking Insulin**

Are you now taking insulin?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	83	20.5%	(14.8-26.2)	318	79.5%	(73.8-85.2)
<b>Gender</b>	<b>Male</b>	33	17.2%	(9.2-25.2)	147	82.8%	(74.8-90.8)
	<b>Female</b>	50	24.1%	(16.0-32.1)	171	75.9%	(67.9-84.0)
<b>Race</b>	<b>White/Non-Hisp</b>	62	21.4%	(14.4-28.4)	232	78.6%	(71.6-85.6)
	<b>Black or Af.Am./Non-Hisp</b>	3	21.4%	(0.0-47.0)	11	78.6%	(53.0-100.0)
	<b>Other Race/Non-Hisp</b>	4	30.3%	(1.1-59.6)	15	69.7%	(40.4-98.9)
	<b>Multiracial/Non-Hisp</b>	8	21.2%	(2.6-39.8)	30	78.8%	(60.2-97.4)
	<b>Hispanic</b>	4	9.5%	(0.0-21.1)	29	90.5%	(78.9-100.0)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	6	48.0%	(7.3-88.8)	4	52.0%	(11.2-92.7)
	<b>35-44</b>	6	25.1%	(0.0-50.1)	19	74.9%	(49.9-100.0)
	<b>45-54</b>	16	19.9%	(6.2-33.6)	39	80.1%	(66.4-93.8)
	<b>55-64</b>	29	26.7%	(16.0-37.4)	97	73.3%	(62.6-84.0)
	<b>65+</b>	26	12.6%	(6.5-18.8)	158	87.4%	(81.2-93.5)
<b>Education</b>	<b>Less Than H.S.</b>	7	19.8%	(2.0-37.6)	27	80.2%	(62.4-98.0)
	<b>H.S. or G.E.D.</b>	22	21.8%	(11.1-32.6)	92	78.2%	(67.4-88.9)
	<b>Some Post-H.S.</b>	27	14.9%	(7.2-22.6)	115	85.1%	(77.4-92.8)
	<b>College Graduate</b>	27	27.3%	(14.4-40.2)	82	72.7%	(59.8-85.6)
<b>Income</b>	<b>Less than \$15,000</b>	11	9.7%	(2.3-17.1)	38	90.3%	(82.9-97.7)
	<b>\$15,000 to 24,999</b>	14	25.9%	(11.6-40.3)	52	74.1%	(59.7-88.4)
	<b>\$25,000 to 34,999</b>	7	8.5%	(0.0-17.3)	35	91.5%	(82.7-100.0)
	<b>\$35,000 to 49,999</b>	12	33.3%	(12.1-54.4)	36	66.7%	(45.6-87.9)
	<b>\$50,000 to 74,999</b>	13	30.3%	(13.3-47.2)	42	69.7%	(52.8-86.7)
	<b>\$75,000+</b>	14	15.9%	(4.8-26.9)	69	84.1%	(73.1-95.2)
<b>Region of Residence</b>	<b>Clark</b>	26	19.7%	(12.0-27.4)	113	80.3%	(72.6-88.0)
	<b>Washoe</b>	20	19.0%	(10.7-27.3)	90	81.0%	(72.7-89.3)
	<b>All Other Counties</b>	32	27.6%	(18.1-37.2)	103	72.4%	(62.8-81.9)
<b>Health Insurance</b>	<b>Yes</b>	76	22.2%	(16.0-28.5)	285	77.8%	(71.5-84.0)
	<b>No</b>	7	8.8%	(0.0-19.4)	31	91.2%	(80.6-100.0)
<b>Weight Status</b>	<b>Normal weight</b>	16	23.3%	(9.8-36.9)	50	76.7%	(63.1-90.2)
	<b>Overweight</b>	19	16.9%	(6.4-27.5)	108	83.1%	(72.5-93.6)
	<b>Obese</b>	42	22.5%	(13.9-31.0)	140	77.5%	(69.0-86.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	70	21.6%	(15.1-28.1)	258	78.4%	(71.9-84.9)
	<b>At Risk</b>	13	15.8%	(5.0-26.6)	58	84.2%	(73.4-95.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	77	20.1%	(14.2-26.0)	303	79.9%	(74.0-85.8)
	<b>At Risk</b>	4	46.0%	(12.0-79.9)	8	54.0%	(20.1-88.0)
<b>Health Status</b>	<b>Good or Better Health</b>	39	19.0%	(11.4-26.6)	188	81.0%	(73.4-88.6)
	<b>Fair or Poor Health</b>	43	22.1%	(13.6-30.6)	129	77.9%	(69.4-86.4)

**Table 58: Now Taking Diabetes Pills**

Are you taking diabetes pills?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	296	73.5%	(66.7-80.2)	106	26.5%	(19.8-33.3)
<b>Gender</b>	<b>Male</b>	145	80.2%	(70.5-89.9)	36	19.8%	(10.1-29.5)
	<b>Female</b>	151	66.3%	(57.0-75.6)	70	33.7%	(24.4-43.0)
<b>Race</b>	<b>White/Non-Hisp</b>	214	72.3%	(64.0-80.6)	80	27.7%	(19.4-36.0)
	<b>Black or Af.Am./Non-Hisp</b>	13	92.7%	(82.1-100.0)	2	7.3%	(0.0-17.9)
	<b>Other Race/Non-Hisp</b>	15	73.3%	(45.7-100.0)	4	26.7%	(0.0-54.3)
	<b>Multiracial/Non-Hisp</b>	25	72.1%	(52.4-91.7)	13	27.9%	(8.3-47.6)
	<b>Hispanic</b>	26	69.2%	(45.6-92.8)	7	30.8%	(7.2-54.4)
<b>Age</b>	<b>18-24</b>	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	6	77.9%	(49.0-100.0)	4	22.1%	(0.0-51.0)
	<b>35-44</b>	14	61.5%	(34.3-88.6)	11	38.5%	(11.4-65.7)
	<b>45-54</b>	41	64.5%	(43.4-85.7)	15	35.5%	(14.3-56.6)
	<b>55-64</b>	88	72.7%	(62.5-83.0)	38	27.3%	(17.0-37.5)
	<b>65+</b>	147	82.2%	(75.3-89.1)	37	17.8%	(10.9-24.7)
<b>Education</b>	<b>Less Than H.S.</b>	24	55.0%	(29.4-80.6)	10	45.0%	(19.4-70.6)
	<b>H.S. or G.E.D.</b>	85	79.0%	(68.7-89.3)	29	21.0%	(10.7-31.3)
	<b>Some Post-H.S.</b>	113	74.8%	(61.6-87.9)	29	25.2%	(12.1-38.4)
	<b>College Graduate</b>	73	71.2%	(60.2-82.1)	37	28.8%	(17.9-39.8)
<b>Income</b>	<b>Less than \$15,000</b>	33	60.7%	(34.4-87.0)	16	39.3%	(13.0-65.6)
	<b>\$15,000 to 24,999</b>	49	78.5%	(66.5-90.4)	17	21.5%	(9.6-33.5)
	<b>\$25,000 to 34,999</b>	34	86.7%	(75.0-98.3)	8	13.3%	(1.7-25.0)
	<b>\$35,000 to 49,999</b>	36	75.2%	(55.4-95.1)	12	24.8%	(4.9-44.6)
	<b>\$50,000 to 74,999</b>	41	71.6%	(55.9-87.3)	14	28.4%	(12.7-44.1)
	<b>\$75,000+</b>	61	78.5%	(67.4-89.7)	22	21.5%	(10.3-32.6)
<b>Region of Residence</b>	<b>Clark</b>	105	77.3%	(69.7-84.8)	35	22.7%	(15.2-30.3)
	<b>Washoe</b>	80	73.9%	(64.6-83.1)	30	26.1%	(16.9-35.4)
	<b>All Other Counties</b>	98	72.2%	(63.2-81.2)	37	27.8%	(18.8-36.8)
<b>Health Insurance</b>	<b>Yes</b>	270	74.5%	(68.0-81.1)	92	25.5%	(18.9-32.0)
	<b>No</b>	24	65.0%	(36.6-93.3)	14	35.0%	(6.7-63.4)
<b>Weight Status</b>	<b>Normal weight</b>	43	60.2%	(44.0-76.5)	24	39.8%	(23.5-56.0)
	<b>Overweight</b>	98	81.6%	(73.2-90.1)	29	18.4%	(9.9-26.8)
	<b>Obese</b>	139	76.1%	(65.7-86.6)	43	23.9%	(13.4-34.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	238	70.9%	(63.1-78.6)	91	29.1%	(21.4-36.9)
	<b>At Risk</b>	57	85.9%	(75.8-96.0)	14	14.1%	(4.0-24.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	281	73.2%	(66.1-80.3)	99	26.8%	(19.7-33.9)
	<b>At Risk</b>	8	65.6%	(34.9-96.4)	4	34.4%	(3.6-65.1)
<b>Health Status</b>	<b>Good or Better Health</b>	169	72.6%	(64.1-81.2)	58	27.4%	(18.8-35.9)
	<b>Fair or Poor Health</b>	126	75.4%	(64.1-86.7)	47	24.6%	(13.3-35.9)

**Table 59: How Often Check Blood for Glucose**

About how often do you check your blood for glucose or sugar? DO NOT include times when checked by a health professional.		1+ times/day			1+ times/week			1+ times/month			1+ times/year or Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	238	58.0%	(50.5-65.5)	82	18.7%	(13.3-24.2)	30	8.2%	(3.7-12.6)	50	15.1%	(8.5-21.7)
<b>Gender</b>	<b>Male</b>	102	56.9%	(45.4-68.3)	41	17.5%	(9.9-25.1)	15	9.4%	(1.8-17.0)	21	16.3%	(5.9-26.7)
	<b>Female</b>	136	59.2%	(49.7-68.7)	41	20.0%	(12.3-27.8)	15	6.9%	(2.7-11.0)	29	13.9%	(6.0-21.8)
<b>Race</b>	<b>White/Non-Hisp</b>	175	58.4%	(49.5-67.3)	59	18.5%	(12.1-24.9)	23	9.8%	(3.6-16.0)	36	13.3%	(5.7-21.0)
	<b>Black or Af.Am./Non-Hisp</b>	10	66.1%	(36.9-95.3)	4	28.2%	(0.0-56.8)	1	5.7%	(0.0-17.0)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	12	54.3%	(21.4-87.3)	3	8.3%	(0.0-19.2)	1	2.9%	(0.0-8.9)	3	34.4%	(0.0-69.5)
	<b>Multiracial/Non-Hisp</b>	22	70.0%	(50.6-89.4)	8	23.0%	(4.6-41.4)	3	4.2%	(0.0-10.1)	4	2.8%	(0.0-5.8)
	<b>Hispanic</b>	16	42.3%	(20.4-64.1)	8	15.7%	(0.0-31.6)	2	6.2%	(0.0-14.9)	7	35.8%	(11.2-60.4)
<b>Age</b>	<b>18-24</b>	0	.	(-.)	1	100.0%	(100.0-100.0)	0	.	(-.)	0	.	(-.)
	<b>25-34</b>	7	67.5%	(22.6-100.0)	1	29.7%	(0.0-75.2)	0	.	(-.)	1	2.8%	(0.0-8.6)
	<b>35-44</b>	13	46.7%	(19.5-73.8)	5	14.1%	(0.0-29.3)	0	.	(-.)	7	39.2%	(11.4-67.1)
	<b>45-54</b>	35	60.2%	(38.3-82.1)	12	10.0%	(0.7-19.3)	6	14.1%	(0.0-31.3)	3	15.7%	(0.0-36.6)
	<b>55-64</b>	73	58.1%	(45.9-70.3)	24	17.0%	(7.8-26.1)	9	8.5%	(2.1-14.8)	20	16.4%	(6.1-26.8)
	<b>65+</b>	110	60.0%	(50.3-69.7)	39	24.1%	(14.9-33.2)	15	8.1%	(3.2-13.0)	19	7.8%	(3.4-12.2)
<b>Education</b>	<b>Less Than H.S.</b>	24	60.9%	(34.3-87.4)	5	8.8%	(0.0-19.6)	2	8.1%	(0.0-19.4)	3	22.2%	(0.0-50.5)
	<b>H.S. or G.E.D.</b>	73	63.0%	(49.3-76.7)	22	18.8%	(8.8-28.8)	6	9.2%	(0.0-20.6)	12	9.0%	(1.3-16.7)
	<b>Some Post-H.S.</b>	79	52.2%	(39.1-65.3)	39	26.8%	(15.9-37.6)	11	7.2%	(1.8-12.5)	13	13.8%	(0.7-27.0)
	<b>College Graduate</b>	62	59.7%	(46.6-72.8)	16	11.3%	(2.9-19.8)	11	8.3%	(2.6-14.1)	20	20.6%	(8.8-32.4)
<b>Income</b>	<b>Less than \$15,000</b>	31	57.6%	(31.9-83.3)	10	17.1%	(2.9-31.3)	4	3.2%	(0.0-6.8)	4	22.1%	(0.0-51.2)
	<b>\$15,000 to 24,999</b>	39	68.5%	(54.4-82.7)	8	6.3%	(1.0-11.6)	8	12.9%	(3.2-22.6)	11	12.3%	(2.1-22.5)
	<b>\$25,000 to 34,999</b>	25	51.8%	(29.2-74.3)	8	25.5%	(3.7-47.2)	3	5.2%	(0.0-11.2)	5	17.6%	(0.0-38.1)
	<b>\$35,000 to 49,999</b>	28	69.4%	(51.7-87.2)	14	26.5%	(9.1-43.9)	1	0.6%	(0.0-1.7)	5	3.5%	(0.0-7.3)
	<b>\$50,000 to 74,999</b>	31	66.9%	(51.6-82.2)	12	19.2%	(6.4-31.9)	4	7.5%	(0.0-16.6)	7	6.4%	(1.1-11.7)
	<b>\$75,000+</b>	46	50.3%	(35.6-64.9)	20	23.0%	(10.4-35.7)	8	12.0%	(0.0-24.2)	9	14.7%	(3.4-26.0)
<b>Region of Residence</b>	<b>Clark</b>	88	60.6%	(51.0-70.1)	23	18.6%	(11.1-26.1)	12	8.8%	(2.5-15.1)	15	12.0%	(5.4-18.6)
	<b>Washoe</b>	59	57.6%	(47.2-67.9)	25	21.4%	(12.9-29.9)	11	9.0%	(3.3-14.7)	15	12.0%	(5.7-18.4)
	<b>All Other Counties</b>	82	61.7%	(52.1-71.3)	31	22.2%	(13.9-30.6)	5	5.9%	(0.8-10.9)	17	10.2%	(5.1-15.3)
<b>Health Insurance</b>	<b>Yes</b>	216	59.7%	(52.1-67.3)	74	18.6%	(13.0-24.3)	28	8.9%	(4.0-13.8)	42	12.8%	(6.9-18.7)
	<b>No</b>	20	45.0%	(20.0-70.0)	8	20.0%	(0.9-39.1)	2	3.0%	(0.0-8.3)	8	31.9%	(2.6-61.3)
<b>Weight Status</b>	<b>Normal weight</b>	39	53.5%	(36.8-70.3)	15	27.5%	(11.5-43.4)	5	6.4%	(0.0-12.8)	8	12.7%	(0.4-24.9)
	<b>Overweight</b>	70	55.0%	(42.7-67.3)	30	24.8%	(13.7-35.8)	13	9.7%	(3.5-15.9)	13	10.5%	(2.1-18.9)
	<b>Obese</b>	114	63.5%	(51.8-75.2)	33	13.3%	(6.8-19.9)	12	8.8%	(0.8-16.9)	22	14.3%	(3.9-24.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	190	57.2%	(49.0-65.4)	66	18.7%	(12.6-24.8)	26	7.3%	(3.9-10.6)	45	16.8%	(9.2-24.5)
	<b>At Risk</b>	47	61.5%	(42.6-80.4)	16	19.3%	(6.8-31.7)	3	12.1%	(0.0-31.1)	5	7.2%	(0.0-16.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	224	57.0%	(49.3-64.7)	79	19.5%	(13.7-25.2)	30	8.6%	(4.0-13.2)	45	14.9%	(8.1-21.8)
	<b>At Risk</b>	7	68.2%	(39.1-97.3)	3	13.9%	(0.0-32.5)	0	.	(-.)	2	17.9%	(0.0-42.2)
<b>Health Status</b>	<b>Good or Better Health</b>	128	54.4%	(45.0-63.8)	51	24.0%	(15.9-32.1)	17	6.0%	(2.5-9.4)	29	15.6%	(7.5-23.8)
	<b>Fair or Poor Health</b>	110	64.1%	(51.6-76.5)	30	11.0%	(5.5-16.5)	12	10.5%	(1.2-19.8)	21	14.5%	(3.2-25.7)

### Table 60: How Often Check Feet for Sores or Irritations

About how often do you check your feet for any sores or irritations?		1+ times/day			1+ times/week			1+ times/month			1+ times/year or Never/No feet		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	238	59.1%	(51.8-66.5)	75	16.1%	(11.3-20.9)	28	7.1%	(3.8-10.5)	54	17.7%	(10.9-24.4)
<b>Gender</b>	<b>Male</b>	105	60.8%	(49.3-72.3)	35	15.2%	(8.5-22.0)	5	1.0%	(0.0-2.0)	31	22.9%	(11.5-34.4)
	<b>Female</b>	133	57.4%	(48.2-66.6)	40	17.0%	(10.3-23.6)	23	13.6%	(7.1-20.0)	23	12.1%	(5.9-18.4)
<b>Race</b>	<b>White/Non-Hisp</b>	172	53.8%	(44.8-62.7)	58	17.8%	(11.9-23.8)	20	7.2%	(3.3-11.1)	40	21.2%	(12.0-30.3)
	<b>Black or Af.Am./Non-Hisp</b>	9	62.2%	(34.2-90.2)	3	18.6%	(0.0-39.5)	1	12.2%	(0.0-34.4)	2	7.0%	(0.0-18.6)
	<b>Other Race/Non-Hisp</b>	8	59.0%	(22.6-95.4)	3	10.0%	(0.0-23.2)	2	7.9%	(0.0-21.0)	3	23.2%	(0.0-56.0)
	<b>Multiracial/Non-Hisp</b>	26	76.0%	(58.5-93.4)	4	6.6%	(0.0-15.2)	4	7.4%	(0.0-16.1)	4	10.1%	(0.0-23.8)
	<b>Hispanic</b>	21	72.2%	(53.4-90.9)	6	14.1%	(0.0-29.9)	1	3.6%	(0.0-10.6)	5	10.1%	(0.2-20.0)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	0	.	(.-)	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	4	29.8%	(0.0-63.6)	2	24.6%	(0.0-61.7)	0	.	(.-)	4	45.6%	(4.4-86.8)
	<b>35-44</b>	17	69.8%	(46.7-92.9)	4	8.3%	(0.0-18.2)	1	1.5%	(0.0-4.4)	3	20.4%	(0.0-41.7)
	<b>45-54</b>	34	54.6%	(33.4-75.8)	13	16.3%	(3.8-28.7)	5	7.2%	(0.0-15.3)	4	21.9%	(0.0-45.4)
	<b>55-64</b>	78	61.5%	(49.5-73.4)	24	16.1%	(8.0-24.1)	11	12.7%	(3.6-21.7)	11	9.8%	(2.2-17.4)
	<b>65+</b>	105	60.6%	(51.1-70.0)	32	17.6%	(10.3-24.9)	11	6.0%	(1.7-10.3)	31	15.8%	(9.2-22.4)
<b>Education</b>	<b>Less Than H.S.</b>	21	69.8%	(49.6-90.0)	4	8.7%	(0.0-20.3)	2	5.5%	(0.0-15.0)	6	16.0%	(1.8-30.2)
	<b>H.S. or G.E.D.</b>	67	50.4%	(37.0-63.8)	19	14.4%	(6.9-21.9)	7	9.1%	(1.4-16.9)	20	26.1%	(12.3-39.9)
	<b>Some Post-H.S.</b>	82	55.5%	(42.3-68.7)	27	19.0%	(9.4-28.5)	14	8.4%	(3.1-13.7)	17	17.1%	(4.0-30.3)
	<b>College Graduate</b>	67	71.5%	(60.5-82.5)	25	17.2%	(8.4-26.0)	5	3.5%	(0.0-7.3)	10	7.8%	(1.8-13.8)
<b>Income</b>	<b>Less than \$15,000</b>	32	65.7%	(44.5-86.8)	9	15.5%	(1.7-29.2)	3	5.4%	(0.0-11.8)	5	13.5%	(0.0-29.5)
	<b>\$15,000 to 24,999</b>	35	63.1%	(48.0-78.1)	13	16.3%	(6.1-26.5)	5	9.1%	(0.5-17.6)	11	11.6%	(3.3-19.8)
	<b>\$25,000 to 34,999</b>	24	60.9%	(40.4-81.4)	9	13.6%	(2.3-24.9)	2	3.2%	(0.0-8.1)	7	22.4%	(4.0-40.8)
	<b>\$35,000 to 49,999</b>	30	62.0%	(41.7-82.3)	6	9.6%	(0.0-20.3)	3	11.4%	(0.0-25.0)	7	17.0%	(0.3-33.7)
	<b>\$50,000 to 74,999</b>	29	51.4%	(33.3-69.5)	14	21.3%	(7.8-34.8)	7	14.8%	(0.6-28.9)	4	12.5%	(0.0-28.6)
	<b>\$75,000+</b>	55	63.6%	(49.0-78.2)	14	16.9%	(6.0-27.7)	6	5.9%	(0.4-11.4)	7	13.7%	(0.5-26.8)
<b>Region of Residence</b>	<b>Clark</b>	80	60.6%	(51.2-70.0)	28	17.2%	(10.6-23.9)	12	7.1%	(2.7-11.5)	16	15.0%	(7.1-23.0)
	<b>Washoe</b>	63	61.5%	(51.1-71.8)	22	18.0%	(10.3-25.8)	8	8.2%	(2.3-14.0)	15	12.3%	(5.5-19.2)
	<b>All Other Counties</b>	87	62.4%	(52.6-72.1)	24	17.7%	(10.5-24.9)	7	5.9%	(1.3-10.4)	16	14.0%	(6.3-21.7)
<b>Health Insurance</b>	<b>Yes</b>	216	61.1%	(53.7-68.5)	67	16.4%	(11.4-21.5)	25	7.2%	(3.7-10.8)	47	15.3%	(9.1-21.5)
	<b>No</b>	21	45.2%	(20.1-70.2)	7	13.1%	(0.0-28.7)	3	6.6%	(0.0-17.1)	7	35.2%	(6.3-64.1)
<b>Weight Status</b>	<b>Normal weight</b>	40	56.9%	(40.6-73.2)	12	20.3%	(7.1-33.4)	6	7.0%	(1.1-12.9)	9	15.8%	(2.9-28.7)
	<b>Overweight</b>	73	61.3%	(49.5-73.1)	24	17.4%	(8.5-26.3)	9	7.7%	(1.7-13.6)	19	13.6%	(5.7-21.5)
	<b>Obese</b>	110	56.8%	(45.1-68.4)	33	15.2%	(8.3-22.0)	13	7.7%	(2.2-13.2)	22	20.3%	(8.4-32.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	194	60.2%	(52.2-68.2)	62	16.4%	(10.9-21.8)	23	6.8%	(3.2-10.4)	44	16.6%	(9.5-23.7)
	<b>At Risk</b>	42	53.2%	(34.8-71.6)	13	15.0%	(5.0-25.1)	5	8.8%	(0.0-17.7)	10	22.9%	(3.3-42.6)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	228	58.9%	(51.3-66.5)	70	15.8%	(10.9-20.6)	26	7.0%	(3.6-10.5)	51	18.3%	(11.2-25.4)
	<b>At Risk</b>	6	57.4%	(25.1-89.8)	3	19.1%	(0.0-42.8)	1	12.1%	(0.0-34.4)	2	11.4%	(0.0-29.2)
<b>Health Status</b>	<b>Good or Better Health</b>	132	63.6%	(54.7-72.5)	45	17.3%	(10.8-23.7)	20	8.1%	(3.7-12.5)	26	11.1%	(4.8-17.3)
	<b>Fair or Poor Health</b>	106	53.1%	(41.0-65.2)	29	14.4%	(7.6-21.1)	8	5.8%	(0.6-10.9)	27	26.7%	(13.7-39.7)

### Table 61: Ever Had Feet Sores or Irritations Lasting More Than Four Weeks

Have you ever had any sores or irritations on your feet that took more than four weeks to heal?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	46	11.6%	(6.8-16.4)	355	88.4%	(83.6-93.2)
<b>Gender</b>	<b>Male</b>	20	9.3%	(3.4-15.1)	160	90.7%	(84.9-96.6)
	<b>Female</b>	26	14.1%	(6.4-21.9)	195	85.9%	(78.1-93.6)
<b>Race</b>	<b>White/Non-Hisp</b>	32	9.2%	(5.2-13.3)	262	90.8%	(86.7-94.8)
	<b>Black or Af.Am./Non-Hisp</b>	0	.	(-.)	15	100.0%	(100.0-100.0)
	<b>Other Race/Non-Hisp</b>	4	15.9%	(0.0-37.1)	15	84.1%	(62.9-100.0)
	<b>Multiracial/Non-Hisp</b>	3	14.3%	(0.0-35.7)	34	85.7%	(64.3-100.0)
	<b>Hispanic</b>	7	27.7%	(4.0-51.3)	26	72.3%	(48.7-96.0)
<b>Age</b>	<b>18-24</b>	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	4	21.0%	(0.0-49.5)	6	79.0%	(50.5-100.0)
	<b>35-44</b>	4	17.6%	(0.0-41.4)	21	82.4%	(58.6-100.0)
	<b>45-54</b>	9	15.2%	(1.5-28.9)	47	84.8%	(71.1-98.5)
	<b>55-64</b>	16	12.0%	(4.6-19.3)	109	88.0%	(80.7-95.4)
	<b>65+</b>	13	6.9%	(2.2-11.5)	171	93.1%	(88.5-97.8)
<b>Education</b>	<b>Less Than H.S.</b>	4	22.7%	(0.0-50.8)	30	77.3%	(49.2-100.0)
	<b>H.S. or G.E.D.</b>	13	8.0%	(2.2-13.7)	101	92.0%	(86.3-97.8)
	<b>Some Post-H.S.</b>	17	12.6%	(3.9-21.3)	125	87.4%	(78.7-96.1)
	<b>College Graduate</b>	12	11.0%	(3.6-18.4)	97	89.0%	(81.6-96.4)
<b>Income</b>	<b>Less than \$15,000</b>	9	28.2%	(0.4-56.0)	40	71.8%	(44.0-99.6)
	<b>\$15,000 to 24,999</b>	8	16.8%	(1.2-32.4)	58	83.2%	(67.6-98.8)
	<b>\$25,000 to 34,999</b>	2	4.7%	(0.0-12.5)	40	95.3%	(87.5-100.0)
	<b>\$35,000 to 49,999</b>	4	3.5%	(0.0-7.1)	44	96.5%	(92.9-100.0)
	<b>\$50,000 to 74,999</b>	8	13.0%	(2.2-23.8)	47	87.0%	(76.2-97.8)
	<b>\$75,000+</b>	8	11.6%	(2.9-20.2)	75	88.4%	(79.8-97.1)
<b>Region of Residence</b>	<b>Clark</b>	13	9.7%	(4.2-15.2)	127	90.3%	(84.8-95.8)
	<b>Washoe</b>	16	15.0%	(7.5-22.4)	93	85.0%	(77.6-92.5)
	<b>All Other Counties</b>	15	11.0%	(5.3-16.6)	120	89.0%	(83.4-94.7)
<b>Health Insurance</b>	<b>Yes</b>	40	11.9%	(6.6-17.2)	322	88.1%	(82.8-93.4)
	<b>No</b>	5	9.4%	(0.0-20.3)	32	90.6%	(79.7-100.0)
<b>Weight Status</b>	<b>Normal weight</b>	4	4.4%	(0.0-10.3)	63	95.6%	(89.7-100.0)
	<b>Overweight</b>	17	12.8%	(5.1-20.5)	110	87.2%	(79.5-94.9)
	<b>Obese</b>	23	11.2%	(4.8-17.6)	158	88.8%	(82.4-95.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	37	12.8%	(7.1-18.5)	291	87.2%	(81.5-92.9)
	<b>At Risk</b>	9	6.0%	(1.5-10.6)	62	94.0%	(89.4-98.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	42	10.2%	(5.7-14.7)	337	89.8%	(85.3-94.3)
	<b>At Risk</b>	2	31.6%	(0.0-66.3)	10	68.4%	(33.7-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	18	9.6%	(3.3-15.9)	208	90.4%	(84.1-96.7)
	<b>Fair or Poor Health</b>	28	14.9%	(7.1-22.6)	145	85.1%	(77.4-92.9)

**Table 62: Times Seen Health Professional for Diabetes**

About how many times in the past 12 months have you seen a health professional for your diabetes?		1-5 times			6-11 times			12+ times			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	273	70.4%	(63.2-77.5)	29	6.8%	(3.9-9.8)	28	6.6%	(2.5-10.8)	60	16.2%	(9.9-22.4)
<b>Gender</b>	<b>Male</b>	132	69.5%	(58.1-80.8)	9	5.0%	(1.4-8.5)	10	8.5%	(1.1-15.9)	27	17.1%	(7.0-27.1)
	<b>Female</b>	141	71.4%	(63.2-79.6)	20	8.9%	(4.2-13.7)	18	4.5%	(1.9-7.1)	33	15.2%	(8.4-22.0)
<b>Race</b>	<b>White/Non-Hisp</b>	211	72.6%	(63.7-81.5)	15	4.6%	(1.7-7.6)	20	6.3%	(1.4-11.2)	43	16.5%	(8.4-24.6)
	<b>Black or Af.Am./Non-Hisp</b>	10	85.0%	(67.3-100.0)	2	11.3%	(0.0-27.0)	1	3.8%	(0.0-11.3)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	13	65.4%	(32.0-98.8)	0	.	(-.)	1	2.2%	(0.0-6.6)	3	32.5%	(0.0-65.7)
	<b>Multiracial/Non-Hisp</b>	19	50.6%	(28.1-73.1)	6	9.3%	(0.2-18.3)	5	18.5%	(0.0-40.3)	8	21.6%	(4.1-39.0)
	<b>Hispanic</b>	17	68.5%	(49.0-88.0)	6	17.5%	(2.6-32.3)	1	1.0%	(0.0-2.9)	6	13.1%	(0.6-25.6)
<b>Age</b>	<b>18-24</b>	1	100.0%	(100.0-100.0)	0	.	(-.)	0	.	(-.)	0	.	(-.)
	<b>25-34</b>	7	66.9%	(20.8-100.0)	0	.	(-.)	0	.	(-.)	2	33.1%	(0.0-79.2)
	<b>35-44</b>	17	67.6%	(41.6-93.6)	1	1.1%	(0.0-3.3)	3	14.7%	(0.0-36.8)	4	16.5%	(0.0-35.6)
	<b>45-54</b>	40	70.3%	(47.5-93.1)	4	4.1%	(0.0-8.6)	4	8.6%	(0.0-21.3)	5	17.0%	(0.0-39.0)
	<b>55-64</b>	82	65.5%	(54.3-76.7)	13	15.9%	(7.0-24.8)	8	3.4%	(1.0-5.8)	22	15.3%	(7.2-23.3)
	<b>65+</b>	126	74.6%	(66.2-83.0)	11	4.6%	(1.3-8.0)	13	6.0%	(1.3-10.6)	27	14.8%	(7.7-21.8)
<b>Education</b>	<b>Less Than H.S.</b>	21	72.3%	(52.2-92.4)	1	3.6%	(0.0-10.6)	3	2.2%	(0.0-5.0)	6	21.9%	(3.5-40.3)
	<b>H.S. or G.E.D.</b>	71	75.8%	(64.8-86.8)	10	6.9%	(1.5-12.2)	12	4.1%	(0.9-7.3)	17	13.2%	(3.5-22.9)
	<b>Some Post-H.S.</b>	103	66.7%	(52.8-80.7)	10	6.5%	(1.5-11.6)	6	6.9%	(0.0-14.6)	20	19.9%	(6.4-33.4)
	<b>College Graduate</b>	78	69.1%	(55.9-82.2)	7	7.0%	(1.4-12.7)	7	11.1%	(0.0-22.8)	16	12.8%	(4.7-20.9)
<b>Income</b>	<b>Less than \$15,000</b>	32	73.6%	(55.6-91.6)	4	6.8%	(0.0-14.8)	5	4.5%	(0.0-9.4)	6	15.1%	(0.4-29.8)
	<b>\$15,000 to 24,999</b>	43	68.1%	(51.3-85.0)	5	7.6%	(0.0-16.0)	3	9.5%	(0.0-24.7)	13	14.7%	(4.7-24.7)
	<b>\$25,000 to 34,999</b>	28	72.5%	(54.2-90.8)	4	10.1%	(0.0-21.1)	3	2.9%	(0.0-6.8)	6	14.5%	(0.0-30.7)
	<b>\$35,000 to 49,999</b>	35	81.9%	(66.3-97.5)	3	5.4%	(0.0-13.2)	2	1.6%	(0.0-4.0)	6	11.1%	(0.0-25.0)
	<b>\$50,000 to 74,999</b>	41	68.2%	(50.5-85.8)	5	8.6%	(0.1-17.1)	1	3.0%	(0.0-8.9)	8	20.2%	(3.3-37.2)
	<b>\$75,000+</b>	62	75.8%	(62.7-88.9)	3	3.5%	(0.0-7.9)	6	10.6%	(0.0-21.3)	11	10.1%	(2.0-18.2)
<b>Region of Residence</b>	<b>Clark</b>	97	72.6%	(63.8-81.3)	13	6.9%	(3.0-10.8)	5	6.3%	(0.4-12.2)	19	14.2%	(7.5-20.9)
	<b>Washoe</b>	74	71.1%	(61.6-80.7)	6	5.0%	(0.9-9.1)	12	11.3%	(4.6-18.0)	16	12.6%	(5.7-19.4)
	<b>All Other Counties</b>	95	72.2%	(63.6-80.8)	7	5.6%	(0.9-10.2)	10	5.5%	(1.9-9.1)	22	16.8%	(9.6-24.0)
<b>Health Insurance</b>	<b>Yes</b>	245	71.4%	(64.4-78.3)	28	7.7%	(4.4-11.1)	27	7.5%	(2.8-12.2)	50	13.4%	(8.3-18.6)
	<b>No</b>	27	63.4%	(34.8-91.9)	1	0.9%	(0.0-2.6)	0	.	(-.)	10	35.7%	(7.0-64.5)
<b>Weight Status</b>	<b>Normal weight</b>	47	75.0%	(60.1-89.8)	2	2.7%	(0.0-7.1)	6	2.5%	(0.3-4.7)	9	19.8%	(5.1-34.5)
	<b>Overweight</b>	84	67.5%	(55.3-79.7)	10	6.8%	(1.6-12.0)	8	10.0%	(0.0-20.1)	21	15.7%	(7.1-24.3)
	<b>Obese</b>	127	71.6%	(60.5-82.7)	15	7.4%	(3.0-11.8)	12	5.9%	(0.4-11.4)	26	15.1%	(4.7-25.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	220	67.7%	(59.5-75.9)	22	5.7%	(2.9-8.6)	22	7.4%	(2.4-12.4)	54	19.1%	(11.8-26.5)
	<b>At Risk</b>	52	82.9%	(72.1-93.6)	7	12.1%	(2.1-22.0)	6	2.9%	(0.2-5.6)	5	2.2%	(0.1-4.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	265	71.9%	(64.7-79.1)	25	6.2%	(3.3-9.2)	25	5.3%	(1.7-8.9)	56	16.6%	(10.1-23.1)
	<b>At Risk</b>	6	74.9%	(50.7-99.1)	1	6.9%	(0.0-20.3)	1	2.5%	(0.0-7.7)	3	15.7%	(0.0-34.5)
<b>Health Status</b>	<b>Good or Better Health</b>	159	72.5%	(64.0-80.9)	14	5.4%	(2.1-8.6)	11	5.3%	(0.0-10.6)	39	16.9%	(9.9-23.8)
	<b>Fair or Poor Health</b>	113	67.9%	(55.3-80.4)	15	9.2%	(3.7-14.8)	17	8.7%	(1.8-15.6)	20	14.2%	(2.4-26.1)

### Table 63: Times Checked for Glycosylated Hemoglobin

A test for 'A one C' measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a health professional checked you for 'A one C'?		1-5 times			6-11 times			12+ times			None/Never heard of test		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	281	74.9%	(67.7-82.1)	6	2.7%	(0.0-5.7)	3	0.2%	(0.0-0.5)	72	22.1%	(15.2-29.0)
<b>Gender</b>	<b>Male</b>	126	70.7%	(59.4-82.1)	1	2.4%	(0.0-7.2)	1	0.2%	(0.0-0.5)	38	26.7%	(15.7-37.6)
	<b>Female</b>	155	79.9%	(72.4-87.5)	5	3.0%	(0.0-6.5)	2	0.3%	(0.0-0.8)	34	16.7%	(9.8-23.7)
<b>Race</b>	<b>White/Non-Hisp</b>	216	76.3%	(67.4-85.2)	3	1.2%	(0.0-3.1)	1	0.1%	(0.0-0.4)	50	22.4%	(13.6-31.2)
	<b>Black or Af.Am./Non-Hisp</b>	10	74.6%	(48.4-100.0)	0	.	(-.)	0	.	(-.)	3	25.4%	(0.0-51.6)
	<b>Other Race/Non-Hisp</b>	10	59.4%	(25.5-93.3)	0	.	(-.)	1	2.1%	(0.0-6.4)	5	38.5%	(4.9-72.1)
	<b>Multiracial/Non-Hisp</b>	22	64.5%	(38.8-90.3)	1	14.3%	(0.0-39.2)	1	0.7%	(0.0-2.0)	8	20.5%	(1.9-39.1)
	<b>Hispanic</b>	21	81.6%	(66.3-96.8)	2	5.0%	(0.0-13.2)	0	.	(-.)	5	13.4%	(0.6-26.3)
<b>Age</b>	<b>18-24</b>	0	.	(-.)	0	.	(-.)	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	6	65.9%	(18.6-100.0)	0	.	(-.)	0	.	(-.)	2	34.1%	(0.0-81.4)
	<b>35-44</b>	16	81.9%	(64.6-99.2)	0	.	(-.)	0	.	(-.)	8	18.1%	(0.8-35.4)
	<b>45-54</b>	42	69.8%	(47.2-92.3)	2	8.8%	(0.0-21.6)	0	.	(-.)	8	21.5%	(0.0-42.9)
	<b>55-64</b>	99	78.5%	(68.0-89.0)	2	0.7%	(0.0-1.7)	2	0.7%	(0.0-1.7)	18	20.1%	(9.6-30.6)
	<b>65+</b>	118	74.6%	(65.2-84.0)	2	2.0%	(0.0-5.6)	1	0.2%	(0.0-0.5)	35	23.2%	(14.2-32.2)
<b>Education</b>	<b>Less Than H.S.</b>	16	65.0%	(41.5-88.5)	2	6.1%	(0.0-16.9)	0	.	(-.)	9	29.0%	(7.7-50.3)
	<b>H.S. or G.E.D.</b>	76	76.8%	(64.9-88.8)	2	2.6%	(0.0-7.0)	2	0.5%	(0.0-1.2)	21	20.1%	(8.6-31.5)
	<b>Some Post-H.S.</b>	101	67.8%	(53.2-82.5)	2	4.0%	(0.0-11.4)	0	.	(-.)	27	28.1%	(14.0-42.3)
	<b>College Graduate</b>	88	86.4%	(77.6-95.2)	0	.	(-.)	1	0.4%	(0.0-1.1)	14	13.2%	(4.5-22.0)
<b>Income</b>	<b>Less than \$15,000</b>	28	64.9%	(42.2-87.6)	2	1.2%	(0.0-3.1)	1	0.7%	(0.0-2.1)	14	33.1%	(10.8-55.5)
	<b>\$15,000 to 24,999</b>	42	71.4%	(52.9-89.8)	2	13.1%	(0.0-31.0)	0	.	(-.)	12	15.6%	(4.7-26.4)
	<b>\$25,000 to 34,999</b>	31	71.6%	(49.1-94.0)	0	.	(-.)	0	.	(-.)	6	28.4%	(6.0-50.9)
	<b>\$35,000 to 49,999</b>	36	80.5%	(63.0-98.0)	0	.	(-.)	0	.	(-.)	9	19.5%	(2.0-37.0)
	<b>\$50,000 to 74,999</b>	45	71.0%	(51.9-90.2)	0	.	(-.)	0	.	(-.)	7	29.0%	(9.8-48.1)
	<b>\$75,000+</b>	66	91.0%	(84.6-97.5)	1	2.3%	(0.0-6.7)	1	0.3%	(0.0-0.9)	10	6.4%	(1.7-11.1)
<b>Region of Residence</b>	<b>Clark</b>	100	77.7%	(69.4-85.9)	2	2.6%	(0.0-6.5)	0	.	(-.)	25	19.7%	(12.0-27.4)
	<b>Washoe</b>	78	80.5%	(71.9-89.1)	1	1.0%	(0.0-2.9)	1	0.8%	(0.0-2.3)	18	17.8%	(9.4-26.1)
	<b>All Other Counties</b>	97	75.9%	(66.6-85.1)	2	0.9%	(0.0-2.1)	2	1.2%	(0.0-2.9)	24	22.1%	(12.8-31.3)
<b>Health Insurance</b>	<b>Yes</b>	264	79.2%	(72.6-85.7)	4	2.9%	(0.0-6.3)	2	0.2%	(0.0-0.4)	55	17.8%	(11.8-23.7)
	<b>No</b>	17	46.2%	(19.2-73.3)	2	1.5%	(0.0-3.7)	0	.	(-.)	16	52.3%	(24.9-79.6)
<b>Weight Status</b>	<b>Normal weight</b>	48	86.9%	(76.1-97.7)	1	0.3%	(0.0-0.8)	2	1.0%	(0.0-2.5)	8	11.8%	(1.1-22.5)
	<b>Overweight</b>	86	71.8%	(59.8-83.7)	2	3.9%	(0.0-9.2)	1	0.3%	(0.0-0.9)	21	24.1%	(12.8-35.3)
	<b>Obese</b>	134	74.7%	(63.2-86.3)	3	3.0%	(0.0-8.1)	0	.	(-.)	34	22.3%	(11.2-33.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	235	73.7%	(65.6-81.9)	3	2.2%	(0.0-5.4)	2	0.2%	(0.0-0.5)	60	23.8%	(16.0-31.6)
	<b>At Risk</b>	45	80.8%	(67.6-94.0)	3	5.4%	(0.0-13.8)	1	0.4%	(0.0-1.2)	12	13.4%	(2.6-24.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	269	76.4%	(69.2-83.5)	4	1.3%	(0.0-3.0)	3	0.3%	(0.0-0.6)	69	22.1%	(15.0-29.1)
	<b>At Risk</b>	10	97.1%	(91.3-100.0)	0	.	(-.)	0	.	(-.)	1	2.9%	(0.0-8.7)
<b>Health Status</b>	<b>Good or Better Health</b>	167	80.2%	(72.6-87.8)	1	1.1%	(0.0-3.3)	1	0.2%	(0.0-0.5)	38	18.5%	(11.1-25.9)
	<b>Fair or Poor Health</b>	112	66.1%	(52.7-79.6)	5	5.3%	(0.0-12.3)	2	0.4%	(0.0-1.0)	34	28.2%	(15.1-41.2)

**Table 64: Times Feet Check for Sores/irritations**

About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?		1-5 times			6-11 times			12+ times			None/Never heard of test		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	220	55.7%	(48.2-63.2)	12	3.6%	(1.3-6.0)	13	3.5%	(0.1-7.0)	147	37.1%	(29.8-44.5)
<b>Gender</b>	<b>Male</b>	109	55.6%	(44.2-67.0)	4	2.5%	(0.0-5.3)	4	5.2%	(0.0-11.7)	60	36.6%	(25.2-48.1)
	<b>Female</b>	111	55.8%	(46.4-65.2)	8	4.8%	(0.9-8.7)	9	1.7%	(0.5-2.9)	87	37.6%	(28.6-46.7)
<b>Race</b>	<b>White/Non-Hisp</b>	157	53.6%	(44.5-62.6)	7	3.3%	(0.5-6.1)	11	3.7%	(0.0-8.1)	114	39.4%	(30.3-48.4)
	<b>Black or Af.Am./Non-Hisp</b>	10	78.5%	(57.8-99.2)	2	10.8%	(0.0-25.8)	0	.	(-.)	2	10.8%	(0.0-25.8)
	<b>Other Race/Non-Hisp</b>	9	36.7%	(6.6-66.7)	1	1.5%	(0.0-4.6)	0	.	(-.)	7	61.8%	(31.4-92.3)
	<b>Multiracial/Non-Hisp</b>	25	63.7%	(41.7-85.8)	1	1.2%	(0.0-3.6)	2	10.1%	(0.0-26.8)	10	25.0%	(6.9-43.1)
	<b>Hispanic</b>	17	54.4%	(30.7-78.0)	1	4.6%	(0.0-13.5)	0	.	(-.)	13	41.1%	(18.0-64.1)
<b>Age</b>	<b>18-24</b>	1	100.0%	(100.0-100.0)	0	.	(-.)	0	.	(-.)	0	.	(-.)
	<b>25-34</b>	5	38.2%	(0.0-78.8)	0	.	(-.)	0	.	(-.)	4	61.8%	(21.2-100.0)
	<b>35-44</b>	13	47.7%	(19.4-76.1)	0	.	(-.)	2	15.3%	(0.0-38.6)	9	37.0%	(10.4-63.7)
	<b>45-54</b>	37	58.8%	(36.4-81.2)	0	.	(-.)	1	5.0%	(0.0-14.5)	16	36.3%	(13.2-59.3)
	<b>55-64</b>	66	51.7%	(39.5-63.9)	7	9.1%	(1.8-16.4)	5	1.9%	(0.1-3.8)	47	37.3%	(25.4-49.1)
	<b>65+</b>	98	60.5%	(51.1-69.8)	5	3.2%	(0.0-6.5)	5	0.9%	(0.0-1.8)	71	35.4%	(26.3-44.5)
<b>Education</b>	<b>Less Than H.S.</b>	16	63.7%	(42.1-85.4)	2	5.8%	(0.0-13.9)	2	1.5%	(0.0-3.9)	12	29.0%	(9.5-48.5)
	<b>H.S. or G.E.D.</b>	55	52.8%	(38.9-66.6)	1	1.4%	(0.0-4.1)	4	0.9%	(0.0-1.9)	50	44.9%	(31.0-58.9)
	<b>Some Post-H.S.</b>	84	55.0%	(41.6-68.3)	6	5.1%	(0.0-10.2)	2	3.2%	(0.0-8.6)	48	36.7%	(23.3-50.2)
	<b>College Graduate</b>	64	56.8%	(43.1-70.5)	3	3.6%	(0.0-8.0)	5	8.1%	(0.0-19.3)	36	31.5%	(19.2-43.7)
<b>Income</b>	<b>Less than \$15,000</b>	25	73.5%	(55.8-91.3)	1	0.8%	(0.0-2.5)	2	2.7%	(0.0-7.1)	16	23.0%	(6.5-39.5)
	<b>\$15,000 to 24,999</b>	31	58.4%	(42.6-74.2)	1	1.6%	(0.0-4.7)	4	2.3%	(0.0-4.7)	30	37.7%	(22.3-53.1)
	<b>\$25,000 to 34,999</b>	22	49.1%	(27.3-71.0)	2	4.6%	(0.0-12.7)	1	0.4%	(0.0-1.2)	17	45.9%	(24.4-67.5)
	<b>\$35,000 to 49,999</b>	25	61.1%	(40.1-82.1)	1	1.2%	(0.0-3.7)	2	9.5%	(0.0-26.1)	18	28.2%	(10.8-45.6)
	<b>\$50,000 to 74,999</b>	39	66.2%	(48.4-83.9)	3	8.5%	(0.0-17.7)	0	.	(-.)	13	25.4%	(8.1-42.6)
	<b>\$75,000+</b>	43	45.3%	(30.7-59.9)	3	4.3%	(0.0-9.7)	2	6.0%	(0.0-15.8)	34	44.4%	(29.7-59.0)
<b>Region of Residence</b>	<b>Clark</b>	77	56.3%	(46.6-66.0)	7	4.5%	(1.1-7.9)	2	3.6%	(0.0-8.6)	49	35.6%	(26.3-45.0)
	<b>Washoe</b>	69	64.1%	(53.9-74.2)	2	3.0%	(0.0-7.2)	6	6.7%	(1.1-12.3)	33	26.3%	(17.4-35.2)
	<b>All Other Counties</b>	69	54.4%	(44.5-64.4)	3	1.8%	(0.0-4.1)	5	2.1%	(0.1-4.2)	56	41.6%	(31.8-51.4)
<b>Health Insurance</b>	<b>Yes</b>	201	58.4%	(50.7-66.0)	11	3.5%	(1.1-5.9)	13	4.1%	(0.1-8.0)	127	34.1%	(26.8-41.4)
	<b>No</b>	17	36.2%	(13.7-58.7)	1	4.7%	(0.0-13.8)	0	.	(-.)	20	59.1%	(35.3-83.0)
<b>Weight Status</b>	<b>Normal weight</b>	38	64.4%	(48.8-80.0)	0	.	(-.)	3	0.9%	(0.0-1.9)	24	34.7%	(19.1-50.3)
	<b>Overweight</b>	65	47.4%	(35.2-59.6)	4	4.6%	(0.0-9.7)	5	6.4%	(0.0-15.5)	52	41.6%	(29.3-53.8)
	<b>Obese</b>	105	57.4%	(45.7-69.2)	7	3.7%	(0.4-7.1)	4	2.8%	(0.0-6.7)	61	36.1%	(24.2-47.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	184	57.2%	(49.0-65.4)	8	3.3%	(0.7-5.9)	11	4.0%	(0.0-8.2)	117	35.5%	(27.5-43.5)
	<b>At Risk</b>	36	49.5%	(31.4-67.6)	4	5.4%	(0.0-11.4)	2	1.2%	(0.0-3.2)	28	43.9%	(25.2-62.7)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	204	54.1%	(46.4-61.7)	12	3.8%	(1.3-6.3)	13	3.7%	(0.1-7.3)	143	38.4%	(30.8-46.0)
	<b>At Risk</b>	10	91.1%	(78.1-100.0)	0	.	(-.)	0	.	(-.)	2	8.9%	(0.0-21.9)
<b>Health Status</b>	<b>Good or Better Health</b>	136	61.6%	(52.3-70.9)	3	1.7%	(0.0-3.9)	6	4.4%	(0.0-10.0)	78	32.3%	(23.6-41.0)
	<b>Fair or Poor Health</b>	83	47.0%	(34.9-59.1)	9	6.8%	(1.8-11.8)	7	2.2%	(0.3-4.0)	68	44.1%	(31.4-56.7)

**Table 65: Last Eye Exam Where Pupils Were Dilated**

When was the last time you had an eye exam in which the pupils were dilated?		<1 month ago			1-12 months ago			1-2 years ago			2+ years ago/Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	94	24.8%	(18.4-31.2)	164	42.1%	(35.0-49.2)	62	14.7%	(9.7-19.7)	76	18.4%	(11.9-24.8)
<b>Gender</b>	<b>Male</b>	45	24.9%	(15.7-34.1)	73	40.0%	(29.3-50.6)	29	16.3%	(8.1-24.4)	32	18.9%	(8.2-29.6)
	<b>Female</b>	49	24.7%	(15.8-33.6)	91	44.5%	(35.2-53.8)	33	13.0%	(7.4-18.7)	44	17.8%	(10.6-25.0)
<b>Race</b>	<b>White/Non-Hisp</b>	72	24.4%	(17.2-31.7)	113	41.1%	(32.6-49.6)	45	12.7%	(7.8-17.6)	60	21.8%	(13.1-30.5)
	<b>Black or Af.Am./Non-Hisp</b>	3	12.7%	(0.0-29.4)	10	76.8%	(54.6-99.0)	2	10.5%	(0.0-25.9)	0	.	(-.)
	<b>Other Race/Non-Hisp</b>	3	16.0%	(0.0-36.7)	9	36.0%	(5.9-66.2)	3	29.5%	(0.0-66.9)	3	18.5%	(0.0-42.6)
	<b>Multiracial/Non-Hisp</b>	8	22.5%	(2.9-42.1)	18	48.4%	(25.4-71.4)	8	24.8%	(2.5-47.1)	4	4.3%	(0.0-9.8)
	<b>Hispanic</b>	8	39.5%	(15.0-64.0)	11	23.1%	(6.7-39.6)	4	14.6%	(0.0-30.1)	9	22.8%	(4.5-41.0)
<b>Age</b>	<b>18-24</b>	0	.	(-.)	0	.	(-.)	0	.	(-.)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	2	40.8%	(0.0-82.7)	4	29.9%	(0.0-63.8)	0	.	(-.)	4	29.3%	(0.0-66.5)
	<b>35-44</b>	6	30.5%	(3.9-57.0)	7	28.1%	(3.4-52.8)	4	25.5%	(2.4-48.6)	8	15.9%	(0.0-32.7)
	<b>45-54</b>	11	22.2%	(6.6-37.8)	25	32.8%	(16.4-49.2)	7	14.4%	(0.5-28.3)	13	30.6%	(8.2-53.1)
	<b>55-64</b>	25	22.2%	(11.6-32.7)	48	38.0%	(26.3-49.6)	26	19.4%	(10.5-28.3)	26	20.5%	(10.6-30.4)
	<b>65+</b>	50	24.6%	(16.6-32.5)	80	56.1%	(46.6-65.6)	25	10.2%	(4.9-15.4)	24	9.1%	(4.5-13.8)
<b>Education</b>	<b>Less Than H.S.</b>	13	46.3%	(20.5-72.2)	10	26.0%	(5.0-47.0)	3	8.8%	(0.0-20.3)	7	18.8%	(2.6-35.0)
	<b>H.S. or G.E.D.</b>	22	20.9%	(9.9-32.0)	48	44.8%	(31.7-57.9)	17	10.9%	(3.5-18.3)	24	23.4%	(10.6-36.2)
	<b>Some Post-H.S.</b>	29	26.9%	(15.4-38.4)	59	38.0%	(26.1-49.8)	27	16.9%	(7.7-26.1)	26	18.2%	(5.3-31.1)
	<b>College Graduate</b>	29	18.8%	(10.2-27.4)	46	49.9%	(36.4-63.4)	15	18.9%	(7.5-30.3)	19	12.4%	(5.3-19.4)
<b>Income</b>	<b>Less than \$15,000</b>	9	36.1%	(7.7-64.4)	18	32.5%	(11.3-53.7)	7	15.4%	(0.3-30.5)	13	16.0%	(4.1-27.9)
	<b>\$15,000 to 24,999</b>	12	15.4%	(5.3-25.5)	27	39.7%	(23.4-56.1)	13	26.0%	(8.7-43.2)	13	18.9%	(6.4-31.3)
	<b>\$25,000 to 34,999</b>	13	33.5%	(12.4-54.7)	14	34.4%	(14.2-54.6)	8	15.7%	(1.9-29.4)	7	16.4%	(0.0-33.6)
	<b>\$35,000 to 49,999</b>	14	37.3%	(16.9-57.8)	22	49.3%	(29.0-69.6)	6	8.9%	(0.0-20.5)	6	4.5%	(0.1-8.9)
	<b>\$50,000 to 74,999</b>	13	24.7%	(7.9-41.5)	23	46.0%	(28.4-63.7)	10	14.1%	(3.6-24.6)	9	15.2%	(3.0-27.3)
	<b>\$75,000+</b>	24	23.4%	(11.9-34.8)	34	43.4%	(28.5-58.2)	11	13.6%	(3.4-23.8)	14	19.7%	(5.9-33.4)
<b>Region of Residence</b>	<b>Clark</b>	33	24.5%	(16.3-32.7)	67	45.9%	(36.5-55.4)	20	15.4%	(8.4-22.4)	17	14.2%	(6.8-21.7)
	<b>Washoe</b>	32	30.9%	(20.9-40.9)	44	38.3%	(28.1-48.5)	16	17.2%	(7.3-27.2)	17	13.5%	(6.5-20.6)
	<b>All Other Counties</b>	26	18.6%	(11.3-25.9)	46	32.9%	(23.3-42.4)	26	17.2%	(10.6-23.8)	37	31.3%	(21.8-40.9)
<b>Health Insurance</b>	<b>Yes</b>	84	25.8%	(18.9-32.8)	156	45.1%	(37.5-52.6)	55	14.6%	(9.3-19.9)	61	14.5%	(8.9-20.2)
	<b>No</b>	8	15.5%	(0.8-30.3)	8	22.2%	(3.9-40.5)	7	16.1%	(0.0-32.3)	15	46.2%	(19.6-72.7)
<b>Weight Status</b>	<b>Normal weight</b>	19	23.1%	(10.2-36.0)	33	57.3%	(41.2-73.3)	8	8.6%	(0.7-16.5)	7	11.0%	(0.0-23.0)
	<b>Overweight</b>	28	20.3%	(11.4-29.3)	51	42.0%	(29.6-54.3)	23	19.0%	(8.9-29.1)	24	18.7%	(9.1-28.3)
	<b>Obese</b>	42	27.2%	(17.2-37.2)	71	37.2%	(26.7-47.7)	28	14.5%	(7.1-22.0)	38	21.1%	(9.9-32.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	76	25.6%	(18.3-32.8)	133	39.7%	(32.0-47.4)	55	17.1%	(11.2-23.1)	59	17.6%	(10.7-24.4)
	<b>At Risk</b>	17	20.0%	(7.7-32.3)	31	54.4%	(36.3-72.5)	7	3.4%	(0.5-6.3)	16	22.2%	(3.5-40.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	88	25.2%	(18.5-31.9)	153	41.8%	(34.5-49.1)	59	13.8%	(9.0-18.5)	74	19.2%	(12.4-26.0)
	<b>At Risk</b>	2	15.0%	(0.0-35.5)	7	60.3%	(26.6-94.0)	2	22.2%	(0.0-55.4)	1	2.5%	(0.0-7.6)
<b>Health Status</b>	<b>Good or Better Health</b>	55	27.6%	(18.6-36.6)	95	42.2%	(33.0-51.4)	36	16.0%	(9.4-22.6)	38	14.1%	(8.0-20.3)
	<b>Fair or Poor Health</b>	37	19.5%	(11.5-27.5)	69	42.5%	(31.0-54.0)	26	12.9%	(5.2-20.6)	38	25.1%	(12.2-38.0)

**Table 66: Ever Told Diabetes Has Affected Eyes**

Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	77	19.6%	(13.6-25.6)	321	80.4%	(74.4-86.4)
<b>Gender</b>	<b>Male</b>	40	21.4%	(12.8-30.1)	137	78.6%	(69.9-87.2)
	<b>Female</b>	37	17.7%	(9.4-26.1)	184	82.3%	(73.9-90.6)
<b>Race</b>	<b>White/Non-Hisp</b>	50	14.7%	(9.2-20.3)	243	85.3%	(79.7-90.8)
	<b>Black or Af.Am./Non-Hisp</b>	5	49.9%	(18.6-81.2)	9	50.1%	(18.8-81.4)
	<b>Other Race/Non-Hisp</b>	6	24.2%	(0.4-48.0)	13	75.8%	(52.0-99.6)
	<b>Multiracial/Non-Hisp</b>	7	25.6%	(3.4-47.8)	30	74.4%	(52.2-96.6)
	<b>Hispanic</b>	8	23.2%	(0.3-46.0)	25	76.8%	(54.0-99.7)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	1	100.0%	(100.0-100.0)
	<b>25-34</b>	2	25.4%	(0.0-58.3)	8	74.6%	(41.7-100.0)
	<b>35-44</b>	6	27.5%	(0.4-54.7)	18	72.5%	(45.3-99.6)
	<b>45-54</b>	13	16.6%	(4.2-29.1)	43	83.4%	(70.9-95.8)
	<b>55-64</b>	26	16.7%	(8.0-25.3)	100	83.3%	(74.7-92.0)
	<b>65+</b>	30	20.2%	(11.2-29.2)	151	79.8%	(70.8-88.8)
<b>Education</b>	<b>Less Than H.S.</b>	9	43.1%	(16.6-69.5)	25	56.9%	(30.5-83.4)
	<b>H.S. or G.E.D.</b>	22	26.0%	(13.8-38.1)	90	74.0%	(61.9-86.2)
	<b>Some Post-H.S.</b>	28	14.9%	(6.9-22.9)	111	85.1%	(77.1-93.1)
	<b>College Graduate</b>	18	9.6%	(3.9-15.2)	93	90.4%	(84.8-96.1)
<b>Income</b>	<b>Less than \$15,000</b>	11	31.2%	(2.4-59.9)	37	68.8%	(40.1-97.6)
	<b>\$15,000 to 24,999</b>	12	24.0%	(9.3-38.7)	53	76.0%	(61.3-90.7)
	<b>\$25,000 to 34,999</b>	8	9.4%	(1.7-17.1)	34	90.6%	(82.9-98.3)
	<b>\$35,000 to 49,999</b>	11	30.5%	(9.8-51.1)	37	69.5%	(48.9-90.2)
	<b>\$50,000 to 74,999</b>	15	27.4%	(11.4-43.5)	40	72.6%	(56.5-88.6)
	<b>\$75,000+</b>	9	13.2%	(2.9-23.4)	73	86.8%	(76.6-97.1)
<b>Region of Residence</b>	<b>Clark</b>	20	17.2%	(9.7-24.7)	119	82.8%	(75.3-90.3)
	<b>Washoe</b>	28	26.6%	(17.3-35.9)	81	73.4%	(64.1-82.7)
	<b>All Other Counties</b>	27	22.8%	(13.5-32.0)	106	77.2%	(68.0-86.5)
<b>Health Insurance</b>	<b>Yes</b>	67	20.5%	(14.0-27.1)	292	79.5%	(72.9-86.0)
	<b>No</b>	8	10.5%	(0.2-20.8)	29	89.5%	(79.2-99.8)
<b>Weight Status</b>	<b>Normal weight</b>	10	17.8%	(3.1-32.6)	57	82.2%	(67.4-96.9)
	<b>Overweight</b>	25	16.8%	(8.4-25.1)	102	83.2%	(74.9-91.6)
	<b>Obese</b>	39	20.2%	(11.6-28.7)	139	79.8%	(71.3-88.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	65	20.7%	(13.8-27.5)	260	79.3%	(72.5-86.2)
	<b>At Risk</b>	12	14.8%	(3.8-25.9)	59	85.2%	(74.1-96.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	73	19.8%	(13.6-26.1)	304	80.2%	(73.9-86.4)
	<b>At Risk</b>	3	23.2%	(0.0-49.9)	9	76.8%	(50.1-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	44	19.8%	(11.7-28.0)	183	80.2%	(72.0-88.3)
	<b>Fair or Poor Health</b>	33	19.5%	(10.9-28.1)	136	80.5%	(71.9-89.1)

**Table 67: Ever Taken Class in Managing Diabetes**

Have you ever taken a course or class in how to manage your diabetes yourself?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	232	59.3%	(52.0-66.6)	168	40.7%	(33.4-48.0)
<b>Gender</b>	<b>Male</b>	104	55.9%	(44.7-67.1)	77	44.1%	(32.9-55.3)
	<b>Female</b>	128	63.0%	(53.9-72.0)	91	37.0%	(28.0-46.1)
<b>Race</b>	<b>White/Non-Hisp</b>	172	60.8%	(52.1-69.5)	121	39.2%	(30.5-47.9)
	<b>Black or Af.Am./Non-Hisp</b>	10	64.8%	(35.5-94.1)	5	35.2%	(5.9-64.5)
	<b>Other Race/Non-Hisp</b>	10	41.4%	(11.6-71.3)	9	58.6%	(28.7-88.4)
	<b>Multiracial/Non-Hisp</b>	24	62.4%	(39.5-85.3)	14	37.6%	(14.7-60.5)
	<b>Hispanic</b>	15	53.0%	(29.1-76.9)	17	47.0%	(23.1-70.9)
<b>Age</b>	<b>18-24</b>	1	100.0%	(100.0-100.0)	0	.	(.-)
	<b>25-34</b>	7	81.0%	(53.0-100.0)	3	19.0%	(0.0-47.0)
	<b>35-44</b>	13	35.7%	(12.0-59.5)	12	64.3%	(40.5-88.0)
	<b>45-54</b>	34	59.4%	(38.1-80.7)	20	40.6%	(19.3-61.9)
	<b>55-64</b>	83	69.0%	(58.1-79.8)	43	31.0%	(20.2-41.9)
	<b>65+</b>	94	57.3%	(47.7-66.8)	90	42.7%	(33.2-52.3)
<b>Education</b>	<b>Less Than H.S.</b>	19	55.3%	(29.7-80.9)	15	44.7%	(19.1-70.3)
	<b>H.S. or G.E.D.</b>	51	49.5%	(36.1-62.9)	62	50.5%	(37.1-63.9)
	<b>Some Post-H.S.</b>	84	62.6%	(50.6-74.7)	58	37.4%	(25.3-49.4)
	<b>College Graduate</b>	78	69.7%	(56.1-83.3)	31	30.3%	(16.7-43.9)
<b>Income</b>	<b>Less than \$15,000</b>	26	51.1%	(26.7-75.4)	23	48.9%	(24.6-73.3)
	<b>\$15,000 to 24,999</b>	36	60.2%	(43.0-77.3)	29	39.8%	(22.7-57.0)
	<b>\$25,000 to 34,999</b>	27	74.4%	(58.5-90.3)	15	25.6%	(9.7-41.5)
	<b>\$35,000 to 49,999</b>	29	64.3%	(44.8-83.8)	19	35.7%	(16.2-55.2)
	<b>\$50,000 to 74,999</b>	37	61.3%	(44.2-78.4)	18	38.7%	(21.6-55.8)
	<b>\$75,000+</b>	47	52.7%	(37.3-68.1)	36	47.3%	(31.9-62.7)
<b>Region of Residence</b>	<b>Clark</b>	86	60.3%	(50.7-69.9)	52	39.7%	(30.1-49.3)
	<b>Washoe</b>	68	66.6%	(57.1-76.2)	42	33.4%	(23.8-42.9)
	<b>All Other Counties</b>	70	53.4%	(43.5-63.2)	65	46.6%	(36.8-56.5)
<b>Health Insurance</b>	<b>Yes</b>	214	59.7%	(52.0-67.3)	147	40.3%	(32.7-48.0)
	<b>No</b>	16	55.6%	(30.7-80.5)	21	44.4%	(19.5-69.3)
<b>Weight Status</b>	<b>Normal weight</b>	39	63.0%	(46.6-79.4)	27	37.0%	(20.6-53.4)
	<b>Overweight</b>	69	56.4%	(44.0-68.7)	58	43.6%	(31.3-56.0)
	<b>Obese</b>	112	64.4%	(53.6-75.1)	70	35.6%	(24.9-46.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	189	58.3%	(50.3-66.2)	138	41.7%	(33.8-49.7)
	<b>At Risk</b>	42	63.8%	(45.1-82.4)	29	36.2%	(17.6-54.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	221	60.0%	(52.5-67.5)	157	40.0%	(32.5-47.5)
	<b>At Risk</b>	6	62.7%	(32.5-92.9)	6	37.3%	(7.1-67.5)
<b>Health Status</b>	<b>Good or Better Health</b>	134	61.2%	(51.9-70.5)	91	38.8%	(29.5-48.1)
	<b>Fair or Poor Health</b>	97	57.0%	(45.2-68.8)	76	43.0%	(31.2-54.8)

### Table 68: Have You Ever Had a Mammogram

Have you ever had a mammogram?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Gender</b>	Female	1688	62.5%	(59.3-65.8)	601	37.5%	(34.2-40.7)
<b>Race</b>	White/Non-Hisp	1337	70.6%	(67.1-74.2)	377	29.4%	(25.8-32.9)
	Black or Af.Am./Non-Hisp	36	57.1%	(38.6-75.5)	12	42.9%	(24.5-61.4)
	Other Race/Non-Hisp	61	52.3%	(37.5-67.1)	36	47.7%	(32.9-62.5)
	Multiracial/Non-Hisp	118	59.3%	(47.0-71.6)	47	40.7%	(28.4-53.0)
	Hispanic	127	42.1%	(33.7-50.6)	126	57.9%	(49.4-66.3)
<b>Age</b>	18-24	18	11.9%	(4.3-19.4)	103	88.1%	(80.6-95.7)
	25-34	52	18.4%	(10.9-25.9)	234	81.6%	(74.1-89.1)
	35-44	207	56.5%	(49.1-63.9)	159	43.5%	(36.1-50.9)
	45-54	424	89.6%	(85.5-93.6)	44	10.4%	(6.4-14.5)
	55-64	451	95.3%	(92.8-97.9)	28	4.7%	(2.1-7.2)
	65+	536	94.6%	(92.3-96.9)	33	5.4%	(3.1-7.7)
<b>Education</b>	Less Than H.S.	105	41.1%	(31.2-51.1)	94	58.9%	(48.9-68.8)
	H.S. or G.E.D.	500	66.3%	(60.4-72.3)	159	33.7%	(27.7-39.6)
	Some Post-H.S.	586	64.5%	(58.8-70.2)	203	35.5%	(29.8-41.2)
	College Graduate	493	66.0%	(60.2-71.9)	143	34.0%	(28.1-39.8)
<b>Income</b>	Less than \$15,000	130	61.2%	(48.3-74.2)	52	38.8%	(25.8-51.7)
	\$15,000 to 24,999	229	64.6%	(55.8-73.4)	78	35.4%	(26.6-44.2)
	\$25,000 to 34,999	165	60.6%	(50.3-70.8)	62	39.4%	(29.2-49.7)
	\$35,000 to 49,999	225	57.8%	(48.9-66.8)	88	42.2%	(33.2-51.1)
	\$50,000 to 74,999	263	60.6%	(52.9-68.2)	115	39.4%	(31.8-47.1)
	\$75,000+	441	70.5%	(64.7-76.3)	128	29.5%	(23.7-35.3)
<b>Region of Residence</b>	Clark	532	62.4%	(57.9-66.9)	187	37.6%	(33.1-42.1)
	Washoe	553	66.8%	(62.5-71.1)	180	33.2%	(28.9-37.5)
	All Other Counties	572	65.7%	(61.6-69.8)	201	34.3%	(30.2-38.4)
<b>Health Insurance</b>	Yes	1521	67.9%	(64.6-71.3)	430	32.1%	(28.7-35.4)
	No	163	41.4%	(32.8-50.0)	163	58.6%	(50.0-67.2)
<b>Weight Status</b>	Normal weight	712	61.4%	(56.6-66.2)	282	38.6%	(33.8-43.4)
	Overweight	504	60.2%	(54.2-66.2)	169	39.8%	(33.8-45.8)
	Obese	389	65.7%	(58.7-72.7)	123	34.3%	(27.3-41.3)
<b>Smoking Status</b>	Not At Risk	1370	62.7%	(59.1-66.3)	464	37.3%	(33.7-40.9)
	At Risk	313	61.8%	(54.5-69.1)	135	38.2%	(30.9-45.5)
<b>Heavy Drinking Status</b>	Not At Risk	1538	61.9%	(58.5-65.3)	558	38.1%	(34.7-41.5)
	At Risk	117	66.2%	(54.2-78.3)	36	33.8%	(21.7-45.8)
<b>Health Status</b>	Good or Better Health	1349	60.8%	(57.2-64.4)	503	39.2%	(35.6-42.8)
	Fair or Poor Health	337	70.8%	(63.9-77.7)	98	29.2%	(22.3-36.1)

### Table 69: How Long since Last Mammogram

How long has it been since you had your last mammogram?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <3 yrs ago			3+ years ago		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Gender</b>	<b>Female</b>	1079	61.4%	(57.8-65.0)	266	17.2%	(14.5-19.9)	104	6.5%	(4.7-8.3)	237	14.9%	(11.8-18.0)
<b>Race</b>	<b>White/Non-Hisp</b>	863	63.5%	(59.7-67.3)	212	18.4%	(15.2-21.6)	75	5.7%	(3.8-7.5)	185	12.5%	(9.9-15.1)
	<b>Black or Af.Am./Non-Hisp</b>	30	86.4%	(73.8-99.1)	4	11.9%	(0.0-24.4)	1	1.0%	(0.0-2.8)	1	0.7%	(0.0-2.1)
	<b>Other Race/Non-Hisp</b>	34	55.9%	(38.5-73.2)	8	15.8%	(1.4-30.2)	8	10.8%	(2.5-19.2)	11	17.5%	(3.7-31.3)
	<b>Multiracial/Non-Hisp</b>	78	59.6%	(45.5-73.8)	19	18.7%	(9.1-28.4)	5	5.2%	(0.0-12.2)	16	16.4%	(3.6-29.2)
	<b>Hispanic</b>	69	47.3%	(34.4-60.1)	20	11.8%	(5.3-18.4)	15	11.8%	(4.3-19.3)	23	29.1%	(15.3-42.9)
<b>Age</b>	<b>18-24</b>	13	81.3%	(63.1-99.5)	4	14.2%	(0.0-29.6)	1	4.5%	(0.0-13.3)	0	.	(-.)
	<b>25-34</b>	20	29.6%	(11.5-47.8)	12	14.6%	(3.5-25.6)	4	4.7%	(0.0-10.3)	15	51.1%	(27.9-74.4)
	<b>35-44</b>	106	51.0%	(40.8-61.1)	48	22.6%	(14.5-30.7)	24	13.0%	(6.0-20.0)	29	13.4%	(5.6-21.3)
	<b>45-54</b>	279	62.8%	(56.1-69.6)	71	19.6%	(13.8-25.5)	23	5.6%	(2.5-8.6)	51	12.0%	(7.4-16.6)
	<b>55-64</b>	311	69.3%	(63.3-75.4)	58	13.8%	(9.2-18.4)	22	4.9%	(1.9-7.9)	60	11.9%	(7.7-16.2)
	<b>65+</b>	350	64.9%	(59.3-70.5)	73	14.9%	(10.7-19.0)	30	5.0%	(2.6-7.4)	82	15.2%	(10.8-19.7)
<b>Education</b>	<b>Less Than H.S.</b>	42	39.4%	(24.4-54.4)	20	11.9%	(5.3-18.4)	16	16.8%	(5.6-27.9)	26	32.0%	(16.8-47.2)
	<b>H.S. or G.E.D.</b>	319	60.7%	(53.8-67.6)	76	15.6%	(11.1-20.1)	32	6.7%	(3.5-9.9)	73	16.9%	(10.4-23.5)
	<b>Some Post-H.S.</b>	364	59.9%	(53.9-65.8)	103	21.6%	(16.3-26.8)	39	7.3%	(4.1-10.4)	80	11.3%	(7.4-15.2)
	<b>College Graduate</b>	350	70.3%	(64.2-76.4)	67	15.2%	(10.5-19.8)	17	2.4%	(0.7-4.0)	58	12.2%	(7.4-17.0)
<b>Income</b>	<b>Less than \$15,000</b>	64	47.9%	(31.6-64.2)	22	11.3%	(4.9-17.8)	11	7.8%	(1.9-13.6)	33	33.0%	(15.7-50.3)
	<b>\$15,000 to 24,999</b>	124	55.4%	(45.9-64.9)	35	15.1%	(9.2-21.0)	19	12.2%	(4.6-19.9)	51	17.3%	(10.6-23.9)
	<b>\$25,000 to 34,999</b>	102	55.7%	(41.9-69.5)	18	13.4%	(5.1-21.7)	15	8.1%	(3.0-13.3)	30	22.7%	(7.2-38.2)
	<b>\$35,000 to 49,999</b>	157	70.1%	(61.4-78.8)	33	11.9%	(6.7-17.1)	11	5.0%	(0.9-9.2)	24	12.9%	(5.5-20.3)
	<b>\$50,000 to 74,999</b>	180	62.3%	(53.2-71.4)	40	17.0%	(10.4-23.6)	13	5.9%	(0.9-11.0)	29	14.8%	(7.0-22.5)
	<b>\$75,000+</b>	294	63.4%	(56.9-69.8)	85	23.3%	(17.3-29.4)	20	5.1%	(2.2-7.9)	42	8.2%	(4.9-11.5)
<b>Region of Residence</b>	<b>Clark</b>	349	62.2%	(57.1-67.3)	87	17.2%	(13.4-21.0)	30	6.1%	(3.7-8.4)	66	14.5%	(10.2-18.8)
	<b>Washoe</b>	368	64.0%	(59.3-68.6)	91	19.7%	(15.7-23.7)	24	4.3%	(2.3-6.2)	69	12.0%	(9.0-15.1)
	<b>All Other Counties</b>	346	59.7%	(55.2-64.3)	84	14.3%	(11.1-17.4)	46	8.9%	(6.0-11.7)	95	17.1%	(13.6-20.7)
<b>Health Insurance</b>	<b>Yes</b>	1011	64.6%	(61.0-68.1)	237	17.1%	(14.3-19.9)	85	5.9%	(4.1-7.6)	187	12.4%	(9.8-15.0)
	<b>No</b>	67	39.7%	(27.1-52.4)	29	17.8%	(9.1-26.5)	18	10.5%	(3.2-17.9)	49	31.9%	(17.8-46.1)
<b>Weight Status</b>	<b>Normal weight</b>	451	61.7%	(56.4-67.0)	112	15.8%	(12.0-19.7)	48	8.2%	(5.1-11.3)	99	14.2%	(10.2-18.3)
	<b>Overweight</b>	345	67.7%	(61.5-74.0)	71	15.2%	(10.9-19.5)	21	2.9%	(0.9-4.8)	67	14.2%	(8.8-19.6)
	<b>Obese</b>	228	56.3%	(48.2-64.3)	69	20.8%	(14.4-27.2)	28	5.3%	(2.6-8.1)	64	17.6%	(9.8-25.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	912	63.4%	(59.4-67.4)	213	17.5%	(14.5-20.5)	75	5.5%	(3.7-7.3)	168	13.6%	(10.2-16.9)
	<b>At Risk</b>	164	52.9%	(44.7-61.1)	52	16.0%	(10.4-21.5)	29	10.7%	(5.3-16.1)	68	20.4%	(13.0-27.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	978	60.4%	(56.6-64.2)	247	17.7%	(14.9-20.6)	95	6.7%	(4.8-8.6)	216	15.2%	(11.9-18.5)
	<b>At Risk</b>	79	72.5%	(61.8-83.3)	15	10.9%	(3.6-18.1)	7	5.1%	(0.0-10.6)	16	11.5%	(3.9-19.0)
<b>Health Status</b>	<b>Good or Better Health</b>	892	63.6%	(59.5-67.6)	210	16.3%	(13.4-19.2)	81	6.1%	(4.2-8.0)	164	14.0%	(10.6-17.4)
	<b>Fair or Poor Health</b>	186	52.7%	(44.8-60.6)	56	20.7%	(14.1-27.3)	23	8.2%	(3.7-12.6)	72	18.4%	(11.5-25.3)

**Table 70: Ever Had Breast Physical Exam by Doctor**

Have you ever had a clinical breast exam?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Gender</b>	<b>Female</b>	2078	88.4%	(86.1-90.7)	206	11.6%	(9.3-13.9)
<b>Race</b>	<b>White/Non-Hisp</b>	1611	93.9%	(92.2-95.5)	102	6.1%	(4.5-7.8)
	<b>Black or Af.Am./Non-Hisp</b>	45	92.5%	(80.0-100.0)	3	7.5%	(0.0-20.0)
	<b>Other Race/Non-Hisp</b>	67	62.5%	(47.2-77.8)	30	37.5%	(22.2-52.8)
	<b>Multiracial/Non-Hisp</b>	146	87.9%	(78.3-97.5)	16	12.1%	(2.5-21.7)
	<b>Hispanic</b>	199	77.3%	(70.1-84.5)	53	22.7%	(15.5-29.9)
<b>Age</b>	<b>18-24</b>	81	61.2%	(48.6-73.7)	41	38.8%	(26.3-51.4)
	<b>25-34</b>	260	91.6%	(87.7-95.5)	24	8.4%	(4.5-12.3)
	<b>35-44</b>	332	90.3%	(85.9-94.8)	32	9.7%	(5.2-14.1)
	<b>45-54</b>	444	94.3%	(91.2-97.4)	24	5.7%	(2.6-8.8)
	<b>55-64</b>	457	96.4%	(94.4-98.5)	21	3.6%	(1.5-5.6)
	<b>65+</b>	504	88.7%	(85.2-92.1)	64	11.3%	(7.9-14.8)
<b>Education</b>	<b>Less Than H.S.</b>	145	72.6%	(63.4-81.8)	52	27.4%	(18.2-36.6)
	<b>H.S. or G.E.D.</b>	582	84.6%	(79.8-89.3)	77	15.4%	(10.7-20.2)
	<b>Some Post-H.S.</b>	740	91.9%	(88.3-95.6)	47	8.1%	(4.4-11.7)
	<b>College Graduate</b>	606	95.7%	(93.3-98.1)	29	4.3%	(1.9-6.7)
<b>Income</b>	<b>Less than \$15,000</b>	140	66.6%	(53.1-80.2)	42	33.4%	(19.8-46.9)
	<b>\$15,000 to 24,999</b>	256	79.5%	(72.3-86.6)	49	20.5%	(13.4-27.7)
	<b>\$25,000 to 34,999</b>	204	88.2%	(81.5-94.8)	21	11.8%	(5.2-18.5)
	<b>\$35,000 to 49,999</b>	291	93.3%	(88.9-97.6)	21	6.7%	(2.4-11.1)
	<b>\$50,000 to 74,999</b>	360	92.9%	(87.8-98.0)	17	7.1%	(2.0-12.2)
	<b>\$75,000+</b>	551	96.2%	(94.2-98.1)	19	3.8%	(1.9-5.8)
<b>Region of Residence</b>	<b>Clark</b>	660	89.5%	(86.4-92.6)	58	10.5%	(7.4-13.6)
	<b>Washoe</b>	669	87.7%	(84.2-91.1)	61	12.3%	(8.9-15.8)
	<b>All Other Counties</b>	704	89.9%	(87.2-92.6)	68	10.1%	(7.4-12.8)
<b>Health Insurance</b>	<b>Yes</b>	1809	90.6%	(88.3-92.8)	141	9.4%	(7.2-11.7)
	<b>No</b>	264	81.2%	(74.5-87.9)	58	18.8%	(12.1-25.5)
<b>Weight Status</b>	<b>Normal weight</b>	884	85.2%	(81.3-89.1)	108	14.8%	(10.9-18.7)
	<b>Overweight</b>	618	90.9%	(87.2-94.6)	52	9.1%	(5.4-12.8)
	<b>Obese</b>	474	91.0%	(86.8-95.1)	38	9.0%	(4.9-13.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	1668	88.1%	(85.5-90.8)	161	11.9%	(9.2-14.5)
	<b>At Risk</b>	404	89.5%	(85.1-93.9)	44	10.5%	(6.1-14.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1897	88.2%	(85.8-90.6)	192	11.8%	(9.4-14.2)
	<b>At Risk</b>	141	92.9%	(87.7-98.1)	12	7.1%	(1.9-12.3)
<b>Health Status</b>	<b>Good or Better Health</b>	1698	89.1%	(86.7-91.6)	151	10.9%	(8.4-13.3)
	<b>Fair or Poor Health</b>	378	84.9%	(79.1-90.7)	55	15.1%	(9.3-20.9)

### Table 71: How Long since Last Breast Physical Exam

How long has it been since your last breast exam?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <3 yrs ago			3+ years ago		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Gender</b>	<b>Female</b>	1345	64.9%	(61.7-68.1)	341	16.9%	(14.5-19.3)	128	6.1%	(4.6-7.5)	251	12.1%	(9.6-14.6)
<b>Race</b>	<b>White/Non-Hisp</b>	1039	66.3%	(62.8-69.8)	260	15.7%	(13.2-18.3)	93	5.6%	(4.0-7.2)	209	12.4%	(9.8-15.0)
	<b>Black or Af.Am./Non-Hisp</b>	35	74.0%	(57.9-90.1)	6	18.5%	(4.2-32.9)	1	1.2%	(0.0-3.5)	3	6.3%	(0.0-15.7)
	<b>Other Race/Non-Hisp</b>	40	61.6%	(46.2-77.0)	11	15.9%	(4.7-27.1)	4	6.1%	(0.0-12.2)	12	16.5%	(4.1-28.8)
	<b>Multiracial/Non-Hisp</b>	95	57.6%	(45.2-69.9)	24	19.1%	(10.4-27.8)	12	9.5%	(2.3-16.7)	13	13.8%	(3.6-23.9)
	<b>Hispanic</b>	130	61.8%	(51.9-71.6)	37	19.8%	(12.1-27.5)	18	7.5%	(3.5-11.6)	13	10.9%	(2.7-19.2)
<b>Age</b>	<b>18-24</b>	51	60.2%	(44.5-75.9)	21	24.6%	(11.5-37.6)	5	3.2%	(0.2-6.2)	4	12.0%	(0.0-25.0)
	<b>25-34</b>	175	63.5%	(54.6-72.4)	52	20.1%	(13.4-26.9)	14	6.5%	(2.6-10.4)	19	9.9%	(2.3-17.4)
	<b>35-44</b>	230	70.4%	(63.4-77.5)	59	15.2%	(10.0-20.5)	21	5.6%	(2.6-8.6)	22	8.8%	(3.9-13.7)
	<b>45-54</b>	307	67.2%	(60.8-73.6)	72	15.7%	(11.1-20.4)	21	6.0%	(2.3-9.8)	44	11.0%	(6.6-15.4)
	<b>55-64</b>	298	66.2%	(60.1-72.2)	63	15.9%	(11.3-20.5)	31	5.5%	(2.8-8.2)	64	12.4%	(8.1-16.8)
	<b>65+</b>	284	58.5%	(52.6-64.5)	74	13.5%	(9.6-17.3)	36	8.3%	(4.8-11.9)	98	19.6%	(14.7-24.6)
<b>Education</b>	<b>Less Than H.S.</b>	75	53.4%	(41.3-65.4)	25	20.5%	(11.0-29.9)	16	9.2%	(3.6-14.7)	27	17.0%	(7.7-26.2)
	<b>H.S. or G.E.D.</b>	353	61.2%	(54.9-67.5)	93	13.9%	(10.2-17.7)	46	9.5%	(5.9-13.1)	84	15.4%	(9.7-21.0)
	<b>Some Post-H.S.</b>	475	64.7%	(59.2-70.2)	127	17.9%	(13.6-22.2)	41	4.9%	(2.7-7.1)	95	12.5%	(8.2-16.9)
	<b>College Graduate</b>	440	73.1%	(68.0-78.2)	95	17.2%	(12.7-21.7)	24	2.9%	(1.2-4.5)	45	6.8%	(4.2-9.3)
<b>Income</b>	<b>Less than \$15,000</b>	77	59.7%	(45.5-74.0)	16	11.5%	(4.6-18.5)	10	5.9%	(1.2-10.6)	35	22.9%	(9.0-36.7)
	<b>\$15,000 to 24,999</b>	130	53.6%	(44.1-63.0)	49	22.1%	(14.6-29.6)	20	6.8%	(2.4-11.2)	55	17.6%	(10.6-24.5)
	<b>\$25,000 to 34,999</b>	123	51.4%	(40.1-62.7)	36	22.2%	(12.8-31.6)	20	10.6%	(4.5-16.6)	24	15.8%	(4.1-27.5)
	<b>\$35,000 to 49,999</b>	189	66.4%	(57.5-75.3)	45	12.6%	(7.7-17.5)	21	6.7%	(2.7-10.7)	34	14.3%	(6.0-22.6)
	<b>\$50,000 to 74,999</b>	253	69.2%	(62.3-76.2)	68	17.4%	(11.8-23.0)	15	4.6%	(1.7-7.5)	24	8.8%	(4.3-13.3)
	<b>\$75,000+</b>	409	73.3%	(68.0-78.6)	80	14.7%	(10.5-18.9)	23	4.2%	(1.7-6.7)	38	7.8%	(4.6-11.0)
<b>Region of Residence</b>	<b>Clark</b>	431	64.6%	(60.2-69.1)	109	16.9%	(13.5-20.3)	40	6.0%	(4.0-8.0)	78	12.5%	(9.0-16.0)
	<b>Washoe</b>	463	69.5%	(65.5-73.5)	105	17.2%	(13.8-20.6)	29	4.4%	(2.6-6.2)	67	8.9%	(6.6-11.3)
	<b>All Other Counties</b>	423	60.6%	(56.4-64.7)	121	18.2%	(14.9-21.4)	55	8.4%	(5.9-10.9)	101	12.9%	(10.2-15.7)
<b>Health Insurance</b>	<b>Yes</b>	1223	69.2%	(66.1-72.3)	285	15.8%	(13.4-18.3)	102	5.5%	(4.0-7.0)	188	9.5%	(7.6-11.4)
	<b>No</b>	122	45.3%	(35.7-55.0)	54	21.2%	(13.6-28.8)	25	8.7%	(4.2-13.2)	63	24.7%	(14.8-34.7)
<b>Weight Status</b>	<b>Normal weight</b>	592	66.8%	(62.1-71.4)	133	16.0%	(12.4-19.5)	55	6.3%	(4.1-8.5)	101	11.0%	(7.7-14.3)
	<b>Overweight</b>	411	67.2%	(61.5-72.8)	101	16.2%	(11.8-20.6)	32	5.7%	(2.8-8.6)	69	10.9%	(7.2-14.6)
	<b>Obese</b>	278	58.6%	(51.2-66.0)	90	19.2%	(13.9-24.5)	35	6.4%	(3.5-9.3)	67	15.8%	(8.8-22.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	1108	67.5%	(64.0-71.0)	276	17.6%	(14.8-20.4)	98	5.7%	(4.1-7.2)	173	9.2%	(6.9-11.5)
	<b>At Risk</b>	233	54.5%	(46.9-62.1)	64	14.0%	(9.6-18.3)	29	7.6%	(3.9-11.4)	78	23.9%	(16.3-31.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1227	64.6%	(61.3-68.0)	313	17.1%	(14.5-19.6)	117	6.1%	(4.6-7.7)	229	12.1%	(9.5-14.8)
	<b>At Risk</b>	93	69.1%	(58.6-79.6)	25	14.9%	(7.5-22.3)	9	5.4%	(1.0-9.9)	13	10.6%	(3.3-18.0)
<b>Health Status</b>	<b>Good or Better Health</b>	1123	66.3%	(62.8-69.9)	290	17.4%	(14.6-20.1)	101	5.2%	(3.8-6.6)	176	11.1%	(8.4-13.8)
	<b>Fair or Poor Health</b>	221	57.9%	(50.5-65.3)	51	14.4%	(9.7-19.1)	27	10.5%	(5.6-15.4)	74	17.2%	(10.9-23.5)

**Table 72: Ever Had a Pap Test**

A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Gender</b>	<b>Female</b>	2193	94.3%	(92.5-96.1)	93	5.7%	(3.9-7.5)
<b>Race</b>	<b>White/Non-Hisp</b>	1665	96.5%	(95.1-98.0)	49	3.5%	(2.0-4.9)
	<b>Black or Af.Am./Non-Hisp</b>	42	88.1%	(74.3-100.0)	5	11.9%	(0.0-25.7)
	<b>Other Race/Non-Hisp</b>	81	76.0%	(60.5-91.5)	16	24.0%	(8.5-39.5)
	<b>Multiracial/Non-Hisp</b>	156	89.6%	(80.1-99.1)	9	10.4%	(0.9-19.9)
	<b>Hispanic</b>	239	94.9%	(90.7-99.1)	12	5.1%	(0.9-9.3)
<b>Age</b>	<b>18-24</b>	86	69.9%	(58.2-81.5)	36	30.1%	(18.5-41.8)
	<b>25-34</b>	282	99.1%	(97.9-100.0)	3	0.9%	(0.0-2.1)
	<b>35-44</b>	355	97.4%	(94.9-100.0)	9	2.6%	(0.0-5.1)
	<b>45-54</b>	457	98.0%	(96.4-99.6)	11	2.0%	(0.4-3.6)
	<b>55-64</b>	472	98.6%	(96.7-100.0)	6	1.4%	(0.0-3.3)
	<b>65+</b>	541	95.2%	(92.9-97.6)	28	4.8%	(2.4-7.1)
<b>Education</b>	<b>Less Than H.S.</b>	181	95.8%	(93.2-98.3)	16	4.2%	(1.7-6.8)
	<b>H.S. or G.E.D.</b>	621	91.2%	(87.1-95.4)	37	8.8%	(4.6-12.9)
	<b>Some Post-H.S.</b>	768	94.6%	(91.1-98.0)	21	5.4%	(2.0-8.9)
	<b>College Graduate</b>	618	96.9%	(94.7-99.0)	18	3.1%	(1.0-5.3)
<b>Income</b>	<b>Less than \$15,000</b>	160	85.4%	(74.8-95.9)	19	14.6%	(4.1-25.2)
	<b>\$15,000 to 24,999</b>	287	91.9%	(86.3-97.5)	19	8.1%	(2.5-13.7)
	<b>\$25,000 to 34,999</b>	217	94.8%	(90.1-99.6)	10	5.2%	(0.4-9.9)
	<b>\$35,000 to 49,999</b>	302	95.8%	(91.7-99.8)	10	4.2%	(0.2-8.3)
	<b>\$50,000 to 74,999</b>	367	94.5%	(89.8-99.2)	11	5.5%	(0.8-10.2)
	<b>\$75,000+</b>	561	98.5%	(97.5-99.6)	9	1.5%	(0.4-2.5)
<b>Region of Residence</b>	<b>Clark</b>	693	94.5%	(92.0-97.1)	25	5.5%	(2.9-8.0)
	<b>Washoe</b>	699	93.8%	(91.4-96.1)	34	6.2%	(3.9-8.6)
	<b>All Other Counties</b>	746	95.3%	(93.1-97.4)	26	4.7%	(2.6-6.9)
<b>Health Insurance</b>	<b>Yes</b>	1884	95.0%	(93.0-96.9)	66	5.0%	(3.1-7.0)
	<b>No</b>	302	93.4%	(89.1-97.7)	22	6.6%	(2.3-10.9)
<b>Weight Status</b>	<b>Normal weight</b>	932	90.3%	(86.8-93.9)	61	9.7%	(6.1-13.2)
	<b>Overweight</b>	658	97.8%	(96.0-99.6)	13	2.2%	(0.4-4.0)
	<b>Obese</b>	499	96.8%	(93.9-99.8)	13	3.2%	(0.2-6.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	1749	93.9%	(91.8-96.0)	82	6.1%	(4.0-8.2)
	<b>At Risk</b>	438	96.1%	(93.1-99.2)	10	3.9%	(0.8-6.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2000	93.9%	(92.0-95.8)	91	6.1%	(4.2-8.0)
	<b>At Risk</b>	151	99.6%	(99.0-100.0)	2	0.4%	(0.0-1.0)
<b>Health Status</b>	<b>Good or Better Health</b>	1770	93.7%	(91.6-95.9)	79	6.3%	(4.1-8.4)
	<b>Fair or Poor Health</b>	421	97.0%	(95.0-99.1)	14	3.0%	(0.9-5.0)

### Table 73: How Long Since Last Pap Test

How long has it been since you had your last Pap test?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <3 yrs ago			3+ years ago		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Gender</b>	<b>Female</b>	1176	59.4%	(56.3-62.5)	375	17.0%	(14.5-19.4)	137	5.7%	(4.4-7.0)	492	17.9%	(15.6-20.2)
<b>Race</b>	<b>White/Non-Hisp</b>	854	56.4%	(52.8-59.9)	291	17.3%	(14.7-19.9)	100	5.5%	(3.9-7.0)	410	20.8%	(18.0-23.7)
	<b>Black or Af.Am./Non-Hisp</b>	26	60.2%	(42.3-78.1)	10	29.2%	(12.1-46.3)	2	3.2%	(0.0-7.7)	4	7.4%	(0.0-15.2)
	<b>Other Race/Non-Hisp</b>	45	63.1%	(49.3-76.9)	14	13.4%	(4.2-22.5)	4	5.8%	(0.0-12.4)	17	17.7%	(6.8-28.6)
	<b>Multiracial/Non-Hisp</b>	85	55.9%	(44.0-67.9)	26	17.1%	(9.2-25.1)	9	5.9%	(0.5-11.4)	35	21.0%	(10.6-31.3)
	<b>Hispanic</b>	162	69.1%	(60.8-77.5)	31	14.6%	(7.1-22.1)	22	6.7%	(3.2-10.1)	24	9.6%	(5.0-14.3)
<b>Age</b>	<b>18-24</b>	65	77.3%	(64.0-90.5)	17	15.7%	(5.5-25.9)	1	0.5%	(0.0-1.5)	3	6.5%	(0.0-16.8)
	<b>25-34</b>	200	70.0%	(61.7-78.2)	50	19.4%	(11.8-27.1)	18	6.9%	(3.2-10.7)	14	3.6%	(0.0-7.2)
	<b>35-44</b>	227	66.5%	(59.5-73.5)	71	16.9%	(11.6-22.3)	21	6.4%	(2.9-9.9)	36	10.2%	(5.6-14.8)
	<b>45-54</b>	282	65.4%	(59.2-71.5)	77	13.6%	(9.5-17.7)	25	4.1%	(1.9-6.2)	71	16.9%	(11.7-22.2)
	<b>55-64</b>	242	49.9%	(43.7-56.2)	79	20.2%	(14.9-25.5)	35	7.4%	(4.0-10.8)	113	22.5%	(17.2-27.8)
	<b>65+</b>	160	32.1%	(26.7-37.5)	81	15.6%	(11.5-19.8)	37	6.5%	(3.5-9.4)	255	45.8%	(40.1-51.6)
<b>Education</b>	<b>Less Than H.S.</b>	95	62.4%	(52.5-72.3)	21	10.6%	(4.0-17.3)	19	10.6%	(5.0-16.1)	45	16.4%	(9.3-23.5)
	<b>H.S. or G.E.D.</b>	298	53.1%	(47.1-59.2)	109	18.3%	(13.0-23.5)	38	4.9%	(2.7-7.1)	172	23.8%	(19.0-28.5)
	<b>Some Post-H.S.</b>	402	58.5%	(53.1-63.9)	142	17.9%	(13.9-22.0)	50	5.9%	(3.5-8.3)	170	17.6%	(13.3-21.9)
	<b>College Graduate</b>	378	65.8%	(60.5-71.0)	102	17.2%	(12.8-21.6)	30	4.0%	(2.1-5.9)	104	13.0%	(9.7-16.3)
<b>Income</b>	<b>Less than \$15,000</b>	52	43.2%	(28.9-57.4)	26	11.0%	(5.2-16.8)	13	9.2%	(2.4-16.1)	69	36.6%	(23.6-49.6)
	<b>\$15,000 to 24,999</b>	116	51.7%	(43.0-60.4)	46	16.3%	(10.3-22.2)	26	8.0%	(3.7-12.2)	98	24.1%	(17.7-30.5)
	<b>\$25,000 to 34,999</b>	101	51.3%	(40.5-62.1)	35	24.4%	(12.6-36.1)	19	8.7%	(3.4-14.1)	59	15.6%	(10.1-21.2)
	<b>\$35,000 to 49,999</b>	165	57.7%	(48.9-66.5)	54	13.5%	(8.7-18.3)	14	4.4%	(1.0-7.8)	68	24.4%	(15.9-33.0)
	<b>\$50,000 to 74,999</b>	219	63.1%	(56.0-70.3)	73	18.7%	(12.9-24.4)	20	4.2%	(1.8-6.7)	53	14.0%	(8.9-19.1)
	<b>\$75,000+</b>	379	70.4%	(65.2-75.6)	89	15.3%	(11.2-19.4)	27	3.5%	(1.7-5.4)	66	10.8%	(7.4-14.3)
<b>Region of Residence</b>	<b>Clark</b>	389	60.3%	(55.9-64.6)	116	16.6%	(13.1-20.0)	41	5.6%	(3.8-7.5)	146	17.5%	(14.3-20.8)
	<b>Washoe</b>	397	59.6%	(55.4-63.8)	125	18.8%	(15.4-22.2)	40	5.2%	(3.5-6.9)	134	16.4%	(13.4-19.4)
	<b>All Other Counties</b>	356	51.7%	(47.5-55.8)	127	17.3%	(14.2-20.4)	53	7.2%	(5.1-9.4)	202	23.8%	(20.5-27.2)
<b>Health Insurance</b>	<b>Yes</b>	1038	61.7%	(58.6-64.8)	319	16.2%	(13.8-18.5)	108	4.6%	(3.4-5.8)	411	17.5%	(15.2-19.8)
	<b>No</b>	137	49.9%	(40.8-59.0)	53	20.0%	(11.7-28.2)	29	10.3%	(5.5-15.0)	81	19.8%	(12.6-27.1)
<b>Weight Status</b>	<b>Normal weight</b>	534	62.5%	(58.0-67.1)	143	15.9%	(12.5-19.3)	52	5.5%	(3.4-7.5)	195	16.1%	(12.8-19.4)
	<b>Overweight</b>	360	63.3%	(57.9-68.7)	105	13.8%	(10.0-17.6)	40	5.1%	(2.9-7.3)	150	17.8%	(13.9-21.8)
	<b>Obese</b>	224	47.5%	(40.6-54.4)	106	22.3%	(15.9-28.8)	40	7.6%	(4.4-10.7)	127	22.6%	(16.8-28.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	969	62.2%	(58.8-65.5)	307	17.7%	(14.9-20.6)	104	5.2%	(3.8-6.6)	357	14.9%	(12.8-17.0)
	<b>At Risk</b>	203	48.4%	(41.2-55.6)	68	14.0%	(9.6-18.4)	33	7.7%	(4.1-11.3)	134	29.8%	(22.7-36.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1071	59.2%	(55.9-62.4)	339	17.0%	(14.4-19.6)	123	5.8%	(4.4-7.2)	456	18.1%	(15.6-20.5)
	<b>At Risk</b>	80	59.2%	(48.2-70.2)	31	18.6%	(10.7-26.6)	12	4.2%	(1.5-6.9)	26	17.9%	(9.4-26.5)
<b>Health Status</b>	<b>Good or Better Health</b>	996	61.7%	(58.2-65.1)	316	17.4%	(14.6-20.2)	110	5.2%	(3.8-6.5)	338	15.7%	(13.3-18.2)
	<b>Fair or Poor Health</b>	179	49.2%	(42.0-56.4)	59	14.9%	(10.2-19.7)	27	8.0%	(4.1-12.0)	153	27.8%	(21.5-34.1)

### Table 74: Had Hysterectomy

Have you had a hysterectomy? A hysterectomy is an operation to remove the uterus.		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Gender</b>	<b>Female</b>	666	22.4%	(20.2-24.7)	1579	77.6%	(75.3-79.8)
<b>Race</b>	<b>White/Non-Hisp</b>	547	26.9%	(24.0-29.8)	1150	73.1%	(70.2-76.0)
	<b>Black or Af.Am./Non-Hisp</b>	16	27.9%	(12.7-43.1)	30	72.1%	(56.9-87.3)
	<b>Other Race/Non-Hisp</b>	17	14.2%	(5.6-22.7)	77	85.8%	(77.3-94.4)
	<b>Multiracial/Non-Hisp</b>	52	22.8%	(14.2-31.4)	107	77.2%	(68.6-85.8)
	<b>Hispanic</b>	30	8.4%	(4.5-12.3)	208	91.6%	(87.7-95.5)
<b>Age</b>	<b>18-24</b>	0	.	(.-)	114	100.0%	(100.0-100.0)
	<b>25-34</b>	5	1.1%	(0.0-2.5)	257	98.9%	(97.5-100.0)
	<b>35-44</b>	41	8.7%	(5.0-12.5)	315	91.3%	(87.5-95.0)
	<b>45-54</b>	112	25.5%	(19.8-31.3)	356	74.5%	(68.7-80.2)
	<b>55-64</b>	207	42.7%	(36.6-48.9)	271	57.3%	(51.1-63.4)
	<b>65+</b>	301	51.6%	(46.0-57.2)	266	48.4%	(42.8-54.0)
<b>Education</b>	<b>Less Than H.S.</b>	41	11.1%	(6.3-15.9)	152	88.9%	(84.1-93.7)
	<b>H.S. or G.E.D.</b>	228	26.7%	(22.2-31.3)	421	73.3%	(68.7-77.8)
	<b>Some Post-H.S.</b>	234	24.4%	(20.2-28.5)	544	75.6%	(71.5-79.8)
	<b>College Graduate</b>	161	20.5%	(16.3-24.7)	458	79.5%	(75.3-83.7)
<b>Income</b>	<b>Less than \$15,000</b>	65	23.9%	(15.0-32.9)	112	76.1%	(67.1-85.0)
	<b>\$15,000 to 24,999</b>	115	29.1%	(22.4-35.9)	189	70.9%	(64.1-77.6)
	<b>\$25,000 to 34,999</b>	70	20.4%	(13.5-27.4)	153	79.6%	(72.6-86.5)
	<b>\$35,000 to 49,999</b>	90	25.3%	(18.7-32.0)	213	74.7%	(68.0-81.3)
	<b>\$50,000 to 74,999</b>	95	20.2%	(14.9-25.5)	276	79.8%	(74.5-85.1)
	<b>\$75,000+</b>	134	20.0%	(15.6-24.5)	426	80.0%	(75.5-84.4)
<b>Region of Residence</b>	<b>Clark</b>	200	21.7%	(18.6-24.9)	502	78.3%	(75.1-81.4)
	<b>Washoe</b>	212	23.4%	(20.2-26.6)	513	76.6%	(73.4-79.8)
	<b>All Other Counties</b>	243	27.5%	(24.0-30.9)	515	72.5%	(69.1-76.0)
<b>Health Insurance</b>	<b>Yes</b>	621	26.1%	(23.4-28.7)	1298	73.9%	(71.3-76.6)
	<b>No</b>	44	7.6%	(4.4-10.8)	270	92.4%	(89.2-95.6)
<b>Weight Status</b>	<b>Normal weight</b>	255	19.3%	(16.2-22.4)	723	80.7%	(77.6-83.8)
	<b>Overweight</b>	218	24.4%	(20.0-28.8)	443	75.6%	(71.2-80.0)
	<b>Obese</b>	160	26.9%	(21.3-32.5)	339	73.1%	(67.5-78.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	534	22.2%	(19.7-24.7)	1259	77.8%	(75.3-80.3)
	<b>At Risk</b>	131	23.3%	(18.0-28.7)	315	76.7%	(71.3-82.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	620	22.8%	(20.3-25.2)	1432	77.2%	(74.8-79.7)
	<b>At Risk</b>	32	15.0%	(8.5-21.5)	120	85.0%	(78.5-91.5)
<b>Health Status</b>	<b>Good or Better Health</b>	500	20.5%	(18.1-22.9)	1315	79.5%	(77.1-81.9)
	<b>Fair or Poor Health</b>	165	31.4%	(25.3-37.5)	263	68.6%	(62.5-74.7)

**Table 75: How often feel nervous past 30 days**

About how often during the past 30 days did you feel nervous?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	209	5.1%	(4.1-6.1)	1975	49.6%	(47.2-52.1)	1743	45.3%	(42.9-47.7)
<b>Gender</b>	<b>Male</b>	67	3.4%	(2.1-4.7)	755	45.6%	(41.9-49.2)	822	51.0%	(47.3-54.7)
	<b>Female</b>	142	6.7%	(5.2-8.3)	1220	53.8%	(50.7-57.0)	921	39.4%	(36.4-42.5)
<b>Race</b>	<b>White/Non-Hisp</b>	138	4.4%	(3.4-5.5)	1497	52.1%	(49.3-54.8)	1246	43.5%	(40.8-46.2)
	<b>Black or Af.Am./Non-Hisp</b>	2	2.0%	(0.0-4.9)	36	38.7%	(26.2-51.2)	61	59.3%	(46.7-71.8)
	<b>Other Race/Non-Hisp</b>	8	2.6%	(0.0-5.1)	69	47.7%	(35.4-60.0)	92	49.7%	(37.5-61.9)
	<b>Multiracial/Non-Hisp</b>	26	11.4%	(5.5-17.2)	139	50.0%	(41.4-58.7)	125	38.6%	(30.5-46.7)
	<b>Hispanic</b>	33	5.8%	(2.9-8.7)	221	45.7%	(39.2-52.2)	209	48.5%	(41.9-55.0)
<b>Age</b>	<b>18-24</b>	10	3.2%	(0.7-5.8)	139	64.2%	(55.7-72.6)	78	32.6%	(24.3-40.9)
	<b>25-34</b>	32	6.2%	(3.1-9.3)	245	49.5%	(42.5-56.5)	179	44.2%	(37.2-51.2)
	<b>35-44</b>	42	6.8%	(4.0-9.6)	347	49.9%	(44.5-55.3)	244	43.3%	(37.8-48.7)
	<b>45-54</b>	48	5.2%	(3.1-7.3)	419	47.1%	(42.1-52.1)	337	47.7%	(42.6-52.7)
	<b>55-64</b>	36	4.3%	(2.5-6.2)	402	46.1%	(41.3-50.8)	390	49.6%	(44.8-54.4)
	<b>65+</b>	41	3.4%	(2.0-4.8)	423	44.3%	(39.9-48.6)	515	52.3%	(48.0-56.7)
<b>Education</b>	<b>Less Than H.S.</b>	35	9.8%	(5.3-14.4)	163	43.3%	(35.4-51.2)	162	46.9%	(38.9-55.0)
	<b>H.S. or G.E.D.</b>	62	5.2%	(3.2-7.1)	533	50.3%	(45.6-54.9)	460	44.5%	(39.9-49.2)
	<b>Some Post-H.S.</b>	64	5.0%	(3.3-6.8)	661	51.2%	(47.0-55.5)	553	43.7%	(39.5-47.9)
	<b>College Graduate</b>	46	2.8%	(1.8-3.9)	614	50.2%	(45.9-54.5)	567	47.0%	(42.7-51.3)
<b>Income</b>	<b>Less than \$15,000</b>	40	14.3%	(7.4-21.3)	123	52.5%	(41.5-63.5)	104	33.2%	(22.7-43.7)
	<b>\$15,000 to 24,999</b>	33	6.1%	(3.2-9.0)	222	46.0%	(38.7-53.3)	215	47.9%	(40.6-55.1)
	<b>\$25,000 to 34,999</b>	21	5.5%	(1.4-9.6)	206	53.9%	(45.4-62.4)	163	40.5%	(32.3-48.8)
	<b>\$35,000 to 49,999</b>	29	5.2%	(2.5-7.9)	275	48.3%	(41.7-54.8)	243	46.5%	(40.0-53.1)
	<b>\$50,000 to 74,999</b>	24	4.7%	(2.2-7.2)	340	44.8%	(39.4-50.3)	317	50.4%	(44.9-56.0)
	<b>\$75,000+</b>	32	2.2%	(1.2-3.2)	584	52.4%	(48.3-56.6)	503	45.4%	(41.2-49.6)
<b>Region of Residence</b>	<b>Clark</b>	63	4.6%	(3.3-5.9)	580	48.0%	(44.7-51.4)	595	47.4%	(44.0-50.8)
	<b>Washoe</b>	71	5.1%	(3.7-6.4)	692	56.1%	(52.9-59.3)	525	38.8%	(35.7-42.0)
	<b>All Other Counties</b>	66	5.1%	(3.6-6.6)	661	50.8%	(47.4-54.2)	568	44.1%	(40.7-47.5)
<b>Health Insurance</b>	<b>Yes</b>	159	5.0%	(3.9-6.1)	1683	49.9%	(47.3-52.4)	1499	45.2%	(42.6-47.7)
	<b>No</b>	50	5.6%	(3.1-8.0)	281	48.4%	(41.7-55.1)	236	46.0%	(39.3-52.7)
<b>Weight Status</b>	<b>Normal weight</b>	80	5.8%	(4.0-7.6)	736	49.8%	(45.8-53.8)	631	44.4%	(40.4-48.4)
	<b>Overweight</b>	66	4.1%	(2.5-5.7)	709	51.2%	(47.1-55.3)	633	44.8%	(40.7-48.8)
	<b>Obese</b>	50	4.6%	(2.8-6.4)	474	48.0%	(43.1-52.9)	417	47.4%	(42.5-52.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	138	3.8%	(2.8-4.7)	1563	50.2%	(47.4-52.9)	1410	46.0%	(43.3-48.8)
	<b>At Risk</b>	71	9.9%	(6.7-13.0)	402	47.4%	(42.1-52.7)	330	42.7%	(37.4-48.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	182	4.6%	(3.6-5.5)	1779	49.4%	(46.8-52.0)	1590	46.0%	(43.5-48.6)
	<b>At Risk</b>	23	10.8%	(5.0-16.5)	156	53.1%	(44.6-61.5)	120	36.1%	(28.0-44.2)
<b>Health Status</b>	<b>Good or Better Health</b>	116	4.0%	(2.9-5.1)	1606	49.4%	(46.7-52.1)	1499	46.6%	(43.9-49.3)
	<b>Fair or Poor Health</b>	93	10.5%	(7.7-13.3)	366	51.0%	(45.2-56.8)	240	38.5%	(32.7-44.3)

**Table 76: How often feel hopeless past 30 days**

During the past 30 days, about how often did you feel hopeless?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	98	2.7%	(1.8-3.5)	794	21.3%	(19.3-23.4)	3031	76.0%	(73.8-78.1)
<b>Gender</b>	<b>Male</b>	39	2.7%	(1.3-4.1)	266	17.0%	(14.1-19.9)	1337	80.3%	(77.2-83.4)
	<b>Female</b>	59	2.6%	(1.6-3.6)	528	25.8%	(22.9-28.7)	1694	71.6%	(68.6-74.5)
<b>Race</b>	<b>White/Non-Hisp</b>	54	1.7%	(1.1-2.3)	550	19.7%	(17.4-22.0)	2278	78.6%	(76.3-80.9)
	<b>Black or Af.Am./Non-Hisp</b>	3	3.3%	(0.0-7.2)	19	22.4%	(12.0-32.9)	77	74.2%	(63.3-85.1)
	<b>Other Race/Non-Hisp</b>	6	1.0%	(0.1-1.9)	40	32.2%	(19.7-44.7)	123	66.8%	(54.3-79.2)
	<b>Multiracial/Non-Hisp</b>	12	4.6%	(0.9-8.3)	68	25.0%	(17.2-32.9)	210	70.3%	(62.1-78.5)
	<b>Hispanic</b>	20	4.9%	(1.6-8.1)	113	22.1%	(16.9-27.3)	325	73.1%	(67.3-78.8)
<b>Age</b>	<b>18-24</b>	5	1.8%	(0.0-3.6)	61	29.6%	(21.3-37.9)	161	68.6%	(60.2-77.1)
	<b>25-34</b>	18	3.9%	(0.8-7.1)	122	24.9%	(19.1-30.7)	316	71.2%	(64.9-77.4)
	<b>35-44</b>	20	4.4%	(1.9-6.8)	145	20.0%	(15.8-24.2)	467	75.6%	(71.0-80.2)
	<b>45-54</b>	24	2.2%	(1.0-3.5)	178	22.3%	(18.0-26.6)	601	75.5%	(71.1-79.9)
	<b>55-64</b>	15	1.4%	(0.5-2.4)	160	19.7%	(15.9-23.5)	651	78.8%	(75.0-82.7)
	<b>65+</b>	16	1.3%	(0.4-2.2)	128	12.7%	(9.9-15.6)	835	86.0%	(83.0-88.9)
<b>Education</b>	<b>Less Than H.S.</b>	25	6.8%	(3.3-10.2)	109	28.4%	(21.3-35.5)	222	64.8%	(57.3-72.3)
	<b>H.S. or G.E.D.</b>	30	4.0%	(1.5-6.5)	220	21.4%	(17.5-25.3)	802	74.6%	(70.3-78.8)
	<b>Some Post-H.S.</b>	26	1.4%	(0.6-2.1)	274	23.0%	(19.1-26.8)	979	75.7%	(71.8-79.5)
	<b>College Graduate</b>	16	0.9%	(0.4-1.4)	190	16.5%	(13.4-19.6)	1023	82.6%	(79.4-85.7)
<b>Income</b>	<b>Less than \$15,000</b>	21	12.6%	(5.5-19.8)	88	31.9%	(22.2-41.6)	154	55.5%	(44.6-66.4)
	<b>\$15,000 to 24,999</b>	22	7.5%	(2.1-13.0)	124	23.8%	(18.0-29.6)	324	68.7%	(61.7-75.6)
	<b>\$25,000 to 34,999</b>	10	1.1%	(0.3-2.0)	94	29.0%	(21.3-36.7)	285	69.9%	(62.2-77.6)
	<b>\$35,000 to 49,999</b>	12	1.5%	(0.4-2.7)	122	25.1%	(19.0-31.1)	414	73.4%	(67.3-79.4)
	<b>\$50,000 to 74,999</b>	13	1.5%	(0.3-2.7)	124	19.0%	(14.6-23.3)	546	79.5%	(75.1-84.0)
	<b>\$75,000+</b>	9	0.8%	(0.2-1.4)	148	14.6%	(11.5-17.7)	963	84.6%	(81.5-87.7)
<b>Region of Residence</b>	<b>Clark</b>	25	2.3%	(1.1-3.5)	256	20.9%	(18.1-23.6)	956	76.8%	(73.9-79.7)
	<b>Washoe</b>	38	3.4%	(2.1-4.6)	250	20.3%	(17.6-22.9)	998	76.3%	(73.5-79.2)
	<b>All Other Counties</b>	27	2.1%	(1.2-3.0)	262	20.9%	(17.9-23.9)	1008	77.0%	(74.0-80.1)
<b>Health Insurance</b>	<b>Yes</b>	62	2.4%	(1.4-3.4)	618	19.0%	(17.0-21.1)	2660	78.6%	(76.4-80.8)
	<b>No</b>	36	3.9%	(2.1-5.6)	170	29.7%	(23.7-35.7)	358	66.4%	(60.3-72.5)
<b>Weight Status</b>	<b>Normal weight</b>	39	2.2%	(1.3-3.2)	296	23.4%	(19.9-26.9)	1112	74.4%	(70.8-78.0)
	<b>Overweight</b>	24	1.8%	(0.7-2.8)	257	18.5%	(15.2-21.7)	1125	79.8%	(76.4-83.1)
	<b>Obese</b>	27	2.6%	(1.3-4.0)	209	22.7%	(18.5-26.8)	705	74.7%	(70.4-79.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	64	2.4%	(1.4-3.3)	597	20.4%	(18.1-22.6)	2447	77.3%	(74.9-79.7)
	<b>At Risk</b>	33	3.8%	(1.9-5.7)	193	24.9%	(20.1-29.6)	576	71.3%	(66.4-76.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	88	2.5%	(1.6-3.4)	699	20.4%	(18.3-22.5)	2759	77.1%	(74.9-79.3)
	<b>At Risk</b>	10	6.0%	(1.0-10.9)	75	27.3%	(19.8-34.8)	215	66.7%	(58.6-74.9)
<b>Health Status</b>	<b>Good or Better Health</b>	38	1.7%	(0.8-2.6)	552	18.2%	(16.1-20.4)	2633	80.1%	(77.8-82.3)
	<b>Fair or Poor Health</b>	59	7.5%	(4.9-10.0)	241	36.7%	(30.9-42.4)	393	55.9%	(50.1-61.7)

**Table 77: How often feel restless past 30 days**

During the past 30 days, about how often did you feel restless or fidgety?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	254	7.3%	(5.9-8.6)	1807	47.0%	(44.5-49.4)	1852	45.8%	(43.3-48.2)
<b>Gender</b>	<b>Male</b>	98	6.3%	(4.4-8.2)	751	45.9%	(42.2-49.6)	791	47.8%	(44.1-51.5)
	<b>Female</b>	156	8.3%	(6.4-10.2)	1056	48.1%	(44.9-51.2)	1061	43.6%	(40.5-46.7)
<b>Race</b>	<b>White/Non-Hisp</b>	170	6.6%	(5.1-8.0)	1332	47.9%	(45.2-50.7)	1370	45.5%	(42.7-48.2)
	<b>Black or Af.Am./Non-Hisp</b>	4	7.5%	(0.0-16.1)	36	37.5%	(25.3-49.8)	58	54.9%	(42.0-67.8)
	<b>Other Race/Non-Hisp</b>	9	3.6%	(0.3-6.9)	79	51.3%	(39.0-63.6)	78	45.1%	(33.0-57.3)
	<b>Multiracial/Non-Hisp</b>	37	17.0%	(9.4-24.6)	142	48.4%	(39.7-57.1)	111	34.6%	(26.8-42.4)
	<b>Hispanic</b>	33	6.6%	(3.6-9.6)	206	45.1%	(38.6-51.7)	223	48.3%	(41.7-54.8)
<b>Age</b>	<b>18-24</b>	19	10.5%	(4.8-16.1)	125	54.1%	(45.3-62.9)	83	35.5%	(27.1-43.9)
	<b>25-34</b>	40	8.5%	(4.9-12.1)	237	49.6%	(42.6-56.6)	179	41.9%	(35.0-48.8)
	<b>35-44</b>	47	6.7%	(4.1-9.3)	335	50.9%	(45.5-56.3)	245	42.4%	(37.0-47.8)
	<b>45-54</b>	59	8.8%	(5.4-12.2)	380	43.2%	(38.3-48.2)	363	48.0%	(42.9-53.0)
	<b>55-64</b>	47	5.4%	(3.3-7.5)	368	44.9%	(40.1-49.7)	409	49.7%	(44.9-54.5)
	<b>65+</b>	42	4.0%	(2.3-5.7)	362	39.4%	(35.1-43.7)	573	56.6%	(52.3-60.9)
<b>Education</b>	<b>Less Than H.S.</b>	40	9.1%	(5.1-13.1)	159	43.9%	(35.9-51.8)	160	47.0%	(38.9-55.0)
	<b>H.S. or G.E.D.</b>	71	8.2%	(5.4-11.0)	492	48.9%	(44.2-53.6)	488	42.9%	(38.3-47.5)
	<b>Some Post-H.S.</b>	95	10.0%	(7.0-12.9)	574	44.5%	(40.2-48.7)	603	45.6%	(41.4-49.8)
	<b>College Graduate</b>	46	2.8%	(1.8-3.8)	581	49.3%	(45.0-53.6)	597	47.9%	(43.7-52.2)
<b>Income</b>	<b>Less than \$15,000</b>	44	19.2%	(10.9-27.4)	106	42.1%	(31.3-53.0)	113	38.7%	(27.4-50.0)
	<b>\$15,000 to 24,999</b>	39	9.2%	(4.8-13.7)	204	42.9%	(35.6-50.2)	227	47.9%	(40.6-55.2)
	<b>\$25,000 to 34,999</b>	21	5.2%	(1.1-9.3)	189	49.5%	(40.8-58.1)	179	45.3%	(36.8-53.8)
	<b>\$35,000 to 49,999</b>	34	8.4%	(4.8-12.0)	274	51.6%	(45.0-58.1)	240	40.0%	(33.7-46.3)
	<b>\$50,000 to 74,999</b>	38	5.3%	(2.9-7.7)	304	43.4%	(37.9-48.9)	338	51.3%	(45.8-56.8)
	<b>\$75,000+</b>	50	5.3%	(3.1-7.5)	532	47.9%	(43.7-52.1)	533	46.9%	(42.7-51.0)
<b>Region of Residence</b>	<b>Clark</b>	81	7.1%	(5.4-8.9)	557	46.2%	(42.8-49.5)	592	46.7%	(43.3-50.1)
	<b>Washoe</b>	86	7.2%	(5.4-9.0)	594	46.8%	(43.5-50.0)	604	46.0%	(42.8-49.3)
	<b>All Other Counties</b>	79	6.1%	(4.6-7.7)	616	49.0%	(45.7-52.4)	599	44.8%	(41.5-48.2)
<b>Health Insurance</b>	<b>Yes</b>	191	6.5%	(5.2-7.8)	1526	47.0%	(44.4-49.5)	1614	46.6%	(44.0-49.1)
	<b>No</b>	63	10.6%	(6.4-14.7)	276	47.3%	(40.6-54.1)	225	42.1%	(35.4-48.8)
<b>Weight Status</b>	<b>Normal weight</b>	100	8.6%	(6.2-11.1)	641	44.6%	(40.6-48.6)	702	46.8%	(42.8-50.8)
	<b>Overweight</b>	73	5.1%	(3.3-6.9)	668	48.3%	(44.2-52.5)	661	46.5%	(42.5-50.6)
	<b>Obese</b>	73	8.9%	(5.9-11.9)	439	47.3%	(42.4-52.2)	427	43.8%	(38.9-48.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	159	5.5%	(4.2-6.9)	1408	47.1%	(44.3-49.8)	1536	47.4%	(44.7-50.1)
	<b>At Risk</b>	94	13.6%	(9.9-17.4)	390	46.5%	(41.2-51.7)	314	39.9%	(34.6-45.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	223	7.0%	(5.7-8.4)	1617	46.2%	(43.6-48.7)	1699	46.8%	(44.2-49.4)
	<b>At Risk</b>	25	9.8%	(4.2-15.4)	158	58.2%	(50.0-66.4)	116	32.0%	(24.6-39.4)
<b>Health Status</b>	<b>Good or Better Health</b>	160	5.6%	(4.3-6.9)	1449	45.9%	(43.2-48.6)	1603	48.5%	(45.8-51.2)
	<b>Fair or Poor Health</b>	93	15.1%	(10.6-19.6)	354	52.1%	(46.3-57.9)	247	32.8%	(27.3-38.2)

**Table 78: How often feel depressed past 30 days**

During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	89	2.6%	(1.8-3.5)	552	14.3%	(12.6-16.0)	3287	83.1%	(81.2-84.9)
<b>Gender</b>	<b>Male</b>	32	2.3%	(1.0-3.6)	203	12.6%	(10.2-15.1)	1409	85.0%	(82.3-87.8)
	<b>Female</b>	57	3.0%	(1.8-4.2)	349	16.0%	(13.7-18.3)	1878	81.0%	(78.5-83.6)
<b>Race</b>	<b>White/Non-Hisp</b>	44	1.2%	(0.7-1.7)	357	12.1%	(10.3-14.0)	2482	86.6%	(84.7-88.6)
	<b>Black or Af.Am./Non-Hisp</b>	3	3.6%	(0.0-7.7)	11	15.6%	(6.0-25.3)	85	80.8%	(70.6-91.0)
	<b>Other Race/Non-Hisp</b>	6	4.9%	(0.0-12.4)	29	14.4%	(6.4-22.4)	134	80.7%	(70.5-90.8)
	<b>Multiracial/Non-Hisp</b>	12	6.1%	(0.9-11.2)	46	15.6%	(10.0-21.2)	232	78.3%	(71.2-85.4)
	<b>Hispanic</b>	23	4.7%	(2.0-7.5)	104	19.4%	(14.6-24.3)	335	75.8%	(70.5-81.1)
<b>Age</b>	<b>18-24</b>	5	1.8%	(0.0-3.6)	39	17.3%	(10.6-23.9)	183	80.9%	(74.1-87.8)
	<b>25-34</b>	9	3.8%	(0.5-7.0)	81	15.3%	(10.6-20.0)	366	80.9%	(75.5-86.4)
	<b>35-44</b>	19	3.8%	(1.5-6.2)	103	13.9%	(10.3-17.5)	510	82.2%	(78.1-86.3)
	<b>45-54</b>	23	2.0%	(0.8-3.2)	125	16.3%	(12.3-20.2)	656	81.7%	(77.6-85.8)
	<b>55-64</b>	16	2.4%	(0.9-3.8)	106	11.9%	(8.9-14.8)	704	85.7%	(82.5-89.0)
	<b>65+</b>	17	1.4%	(0.4-2.3)	98	11.2%	(8.3-14.1)	868	87.5%	(84.5-90.5)
<b>Education</b>	<b>Less Than H.S.</b>	26	8.5%	(4.1-12.9)	84	22.3%	(16.1-28.5)	251	69.2%	(62.1-76.3)
	<b>H.S. or G.E.D.</b>	25	3.2%	(1.3-5.1)	168	15.4%	(12.0-18.8)	860	81.4%	(77.6-85.1)
	<b>Some Post-H.S.</b>	23	1.5%	(0.3-2.7)	178	15.6%	(12.3-18.9)	1077	82.9%	(79.4-86.4)
	<b>College Graduate</b>	13	0.6%	(0.2-0.9)	122	8.4%	(6.4-10.3)	1094	91.1%	(89.1-93.1)
<b>Income</b>	<b>Less than \$15,000</b>	26	16.8%	(8.3-25.2)	63	22.9%	(14.8-31.0)	177	60.3%	(49.8-70.8)
	<b>\$15,000 to 24,999</b>	21	4.8%	(2.0-7.7)	86	20.8%	(14.2-27.3)	364	74.4%	(67.6-81.2)
	<b>\$25,000 to 34,999</b>	8	2.2%	(0.0-5.7)	73	17.1%	(11.6-22.6)	308	80.7%	(74.4-86.9)
	<b>\$35,000 to 49,999</b>	9	2.0%	(0.0-4.8)	85	16.6%	(11.4-21.8)	453	81.4%	(75.8-87.0)
	<b>\$50,000 to 74,999</b>	8	1.2%	(0.0-2.4)	87	12.2%	(8.8-15.6)	588	86.6%	(83.0-90.1)
	<b>\$75,000+</b>	10	0.7%	(0.2-1.3)	89	7.0%	(5.1-9.0)	1021	92.3%	(90.3-94.3)
<b>Region of Residence</b>	<b>Clark</b>	26	2.4%	(1.2-3.5)	163	12.9%	(10.6-15.1)	1049	84.8%	(82.3-87.2)
	<b>Washoe</b>	30	2.2%	(1.3-3.2)	178	14.7%	(12.3-17.1)	1080	83.1%	(80.6-85.6)
	<b>All Other Counties</b>	25	2.0%	(1.1-3.0)	187	15.6%	(12.8-18.3)	1085	82.4%	(79.6-85.3)
<b>Health Insurance</b>	<b>Yes</b>	58	1.9%	(1.2-2.6)	426	12.6%	(10.9-14.3)	2858	85.5%	(83.7-87.3)
	<b>No</b>	31	5.7%	(2.4-8.9)	125	20.9%	(15.8-26.0)	411	73.4%	(67.7-79.1)
<b>Weight Status</b>	<b>Normal weight</b>	37	3.3%	(1.6-5.0)	191	12.9%	(10.4-15.3)	1219	83.8%	(80.9-86.7)
	<b>Overweight</b>	18	1.6%	(0.3-2.9)	197	13.6%	(11.0-16.3)	1195	84.8%	(81.9-87.7)
	<b>Obese</b>	28	2.6%	(1.3-3.9)	149	17.1%	(13.2-21.0)	765	80.3%	(76.3-84.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	53	2.0%	(1.1-2.9)	395	12.8%	(11.0-14.6)	2665	85.2%	(83.2-87.1)
	<b>At Risk</b>	35	5.0%	(2.5-7.4)	155	19.7%	(15.3-24.1)	612	75.3%	(70.6-80.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	76	2.3%	(1.4-3.1)	486	13.6%	(11.9-15.4)	2989	84.1%	(82.2-86.0)
	<b>At Risk</b>	12	5.9%	(1.2-10.5)	50	19.4%	(12.7-26.2)	238	74.7%	(67.1-82.3)
<b>Health Status</b>	<b>Good or Better Health</b>	34	1.4%	(0.6-2.1)	359	11.6%	(9.9-13.4)	2829	87.0%	(85.1-88.9)
	<b>Fair or Poor Health</b>	55	8.9%	(5.2-12.5)	191	26.9%	(21.8-32.0)	453	64.2%	(58.6-69.8)

**Table 79: How often feel everything was an effort past 30 days**

During the past 30 days, about how often did you feel that everything was an effort?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	311	9.2%	(7.6-10.7)	1261	32.9%	(30.6-35.2)	2328	57.9%	(55.5-60.4)
<b>Gender</b>	<b>Male</b>	135	10.2%	(7.8-12.7)	491	30.7%	(27.2-34.2)	1006	59.1%	(55.4-62.8)
	<b>Female</b>	176	8.1%	(6.2-9.9)	770	35.2%	(32.2-38.2)	1322	56.7%	(53.6-59.9)
<b>Race</b>	<b>White/Non-Hisp</b>	182	6.3%	(4.8-7.7)	917	32.8%	(30.2-35.4)	1767	60.9%	(58.2-63.6)
	<b>Black or Af.Am./Non-Hisp</b>	15	20.4%	(8.9-32.0)	33	33.8%	(22.0-45.6)	50	45.8%	(32.9-58.8)
	<b>Other Race/Non-Hisp</b>	21	7.4%	(3.3-11.6)	58	37.4%	(25.3-49.5)	85	55.2%	(43.0-67.4)
	<b>Multiracial/Non-Hisp</b>	31	17.2%	(9.7-24.7)	101	33.4%	(25.3-41.5)	158	49.4%	(40.7-58.1)
	<b>Hispanic</b>	58	12.3%	(8.1-16.5)	143	31.8%	(25.5-38.1)	256	55.9%	(49.3-62.4)
<b>Age</b>	<b>18-24</b>	24	10.3%	(5.3-15.3)	94	42.1%	(33.3-50.9)	107	47.6%	(38.7-56.5)
	<b>25-34</b>	40	13.0%	(7.9-18.1)	181	35.1%	(28.4-41.8)	231	51.9%	(44.8-58.9)
	<b>35-44</b>	51	9.3%	(5.8-12.8)	223	31.5%	(26.6-36.4)	356	59.2%	(53.9-64.5)
	<b>45-54</b>	83	10.1%	(7.0-13.2)	244	29.7%	(25.0-34.4)	471	60.2%	(55.2-65.2)
	<b>55-64</b>	53	5.9%	(3.8-8.0)	234	28.5%	(24.3-32.8)	535	65.6%	(61.1-70.0)
	<b>65+</b>	60	5.3%	(3.4-7.1)	285	32.8%	(28.6-37.0)	628	61.9%	(57.7-66.2)
<b>Education</b>	<b>Less Than H.S.</b>	52	16.6%	(10.5-22.8)	117	27.0%	(20.5-33.6)	187	56.3%	(48.5-64.2)
	<b>H.S. or G.E.D.</b>	109	11.5%	(8.4-14.5)	346	35.0%	(30.5-39.6)	588	53.5%	(48.8-58.2)
	<b>Some Post-H.S.</b>	87	7.1%	(4.6-9.7)	425	36.3%	(32.1-40.4)	757	56.6%	(52.3-60.8)
	<b>College Graduate</b>	61	5.7%	(3.6-7.8)	372	30.3%	(26.1-34.4)	792	64.0%	(59.8-68.3)
<b>Income</b>	<b>Less than \$15,000</b>	66	27.1%	(17.7-36.5)	80	25.3%	(17.0-33.7)	115	47.6%	(36.2-58.9)
	<b>\$15,000 to 24,999</b>	56	14.6%	(9.6-19.6)	158	31.6%	(24.8-38.4)	249	53.8%	(46.5-61.1)
	<b>\$25,000 to 34,999</b>	39	11.9%	(5.8-18.0)	131	36.6%	(27.8-45.4)	216	51.5%	(42.8-60.2)
	<b>\$35,000 to 49,999</b>	42	10.9%	(6.2-15.6)	176	34.5%	(28.1-40.9)	328	54.6%	(48.0-61.2)
	<b>\$50,000 to 74,999</b>	32	5.9%	(2.9-9.0)	234	34.3%	(29.0-39.6)	413	59.8%	(54.3-65.3)
	<b>\$75,000+</b>	41	3.7%	(1.8-5.6)	326	31.6%	(27.7-35.5)	750	64.7%	(60.6-68.8)
<b>Region of Residence</b>	<b>Clark</b>	89	8.5%	(6.4-10.5)	416	33.0%	(29.8-36.1)	723	58.6%	(55.3-61.9)
	<b>Washoe</b>	98	8.1%	(6.2-10.0)	406	32.1%	(29.0-35.1)	778	59.8%	(56.6-63.1)
	<b>All Other Counties</b>	102	8.4%	(6.3-10.5)	413	33.1%	(29.9-36.3)	771	58.5%	(55.1-61.8)
<b>Health Insurance</b>	<b>Yes</b>	217	7.3%	(5.8-8.8)	1062	33.1%	(30.6-35.5)	2040	59.6%	(57.1-62.2)
	<b>No</b>	92	15.8%	(11.0-20.5)	194	32.5%	(26.2-38.9)	276	51.7%	(44.9-58.4)
<b>Weight Status</b>	<b>Normal weight</b>	106	8.9%	(6.5-11.2)	449	32.7%	(28.9-36.4)	882	58.5%	(54.5-62.4)
	<b>Overweight</b>	88	8.0%	(5.4-10.6)	470	33.7%	(29.8-37.6)	842	58.2%	(54.1-62.4)
	<b>Obese</b>	106	11.7%	(8.3-15.2)	291	29.6%	(25.2-34.0)	539	58.6%	(53.8-63.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	207	7.6%	(6.1-9.2)	971	32.6%	(30.0-35.2)	1913	59.8%	(57.0-62.5)
	<b>At Risk</b>	103	14.7%	(10.6-18.8)	284	34.2%	(29.2-39.1)	409	51.1%	(45.8-56.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	270	8.3%	(6.8-9.8)	1136	32.5%	(30.1-34.9)	2120	59.2%	(56.7-61.8)
	<b>At Risk</b>	30	16.1%	(8.2-24.0)	100	39.7%	(31.4-48.1)	168	44.1%	(36.0-52.2)
<b>Health Status</b>	<b>Good or Better Health</b>	157	6.6%	(5.1-8.2)	975	31.4%	(28.9-34.0)	2070	61.9%	(59.3-64.6)
	<b>Fair or Poor Health</b>	154	21.6%	(17.0-26.2)	284	40.1%	(34.5-45.7)	253	38.3%	(32.4-44.1)

**Table 80: How often feel worthless past 30 days**

During the past 30 days, about how often did you feel worthless?		All or most of the time			Some or a little of the time			None of the time		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	95	2.5%	(1.7-3.3)	442	9.8%	(8.4-11.2)	3380	87.7%	(86.2-89.2)
<b>Gender</b>	<b>Male</b>	35	2.1%	(1.1-3.0)	155	8.3%	(6.3-10.3)	1447	89.6%	(87.4-91.8)
	<b>Female</b>	60	2.9%	(1.7-4.2)	287	11.3%	(9.5-13.1)	1933	85.8%	(83.6-87.9)
<b>Race</b>	<b>White/Non-Hisp</b>	56	1.7%	(1.1-2.3)	306	9.7%	(8.0-11.3)	2516	88.6%	(86.9-90.4)
	<b>Black or Af.Am./Non-Hisp</b>	2	2.5%	(0.0-6.1)	11	12.9%	(4.3-21.6)	85	84.5%	(75.3-93.7)
	<b>Other Race/Non-Hisp</b>	5	0.8%	(0.0-1.5)	27	16.5%	(6.6-26.4)	134	82.7%	(72.9-92.6)
	<b>Multiracial/Non-Hisp</b>	13	8.2%	(2.4-14.0)	36	9.3%	(5.4-13.3)	240	82.5%	(75.9-89.2)
	<b>Hispanic</b>	18	3.2%	(1.1-5.2)	59	8.0%	(5.3-10.8)	384	88.8%	(85.4-92.2)
<b>Age</b>	<b>18-24</b>	4	1.9%	(0.0-4.2)	28	10.4%	(5.4-15.3)	193	87.7%	(82.4-93.1)
	<b>25-34</b>	12	2.1%	(0.3-4.0)	61	10.4%	(6.6-14.2)	383	87.5%	(83.3-91.6)
	<b>35-44</b>	17	3.3%	(1.1-5.4)	76	8.2%	(5.7-10.7)	539	88.5%	(85.3-91.8)
	<b>45-54</b>	28	3.6%	(1.6-5.6)	97	11.5%	(8.0-15.1)	679	84.8%	(80.9-88.7)
	<b>55-64</b>	13	1.8%	(0.4-3.1)	101	11.2%	(8.4-14.1)	710	87.0%	(83.9-90.1)
	<b>65+</b>	21	1.8%	(0.8-2.9)	79	7.4%	(5.3-9.4)	876	90.8%	(88.5-93.2)
<b>Education</b>	<b>Less Than H.S.</b>	23	5.5%	(2.4-8.6)	71	15.5%	(10.4-20.6)	264	79.0%	(73.2-84.8)
	<b>H.S. or G.E.D.</b>	33	3.3%	(1.6-5.1)	114	8.6%	(6.2-11.0)	901	88.1%	(85.2-91.0)
	<b>Some Post-H.S.</b>	24	2.1%	(0.7-3.5)	154	11.0%	(8.4-13.7)	1099	86.9%	(83.9-89.8)
	<b>College Graduate</b>	14	0.8%	(0.3-1.3)	102	7.1%	(5.2-8.9)	1111	92.1%	(90.2-94.1)
<b>Income</b>	<b>Less than \$15,000</b>	29	16.6%	(8.2-25.1)	62	18.5%	(11.7-25.2)	175	64.9%	(54.9-74.9)
	<b>\$15,000 to 24,999</b>	22	5.0%	(2.0-8.1)	66	11.7%	(7.7-15.8)	379	83.2%	(78.3-88.1)
	<b>\$25,000 to 34,999</b>	5	0.8%	(0.0-1.8)	46	9.7%	(5.5-13.9)	339	89.6%	(85.2-93.9)
	<b>\$35,000 to 49,999</b>	11	1.0%	(0.3-1.8)	62	11.1%	(6.9-15.4)	475	87.8%	(83.6-92.1)
	<b>\$50,000 to 74,999</b>	10	1.1%	(0.1-2.2)	64	8.0%	(5.4-10.5)	608	90.9%	(88.2-93.7)
	<b>\$75,000+</b>	6	0.5%	(0.0-1.0)	80	6.4%	(4.4-8.4)	1032	93.0%	(91.0-95.1)
<b>Region of Residence</b>	<b>Clark</b>	28	2.5%	(1.4-3.5)	114	8.2%	(6.4-9.9)	1096	89.4%	(87.4-91.4)
	<b>Washoe</b>	32	2.3%	(1.3-3.3)	158	12.3%	(10.2-14.3)	1095	85.4%	(83.2-87.7)
	<b>All Other Counties</b>	30	2.6%	(1.4-3.7)	155	13.0%	(10.4-15.6)	1105	84.4%	(81.6-87.2)
<b>Health Insurance</b>	<b>Yes</b>	63	2.1%	(1.3-2.9)	352	9.0%	(7.7-10.4)	2918	88.9%	(87.4-90.4)
	<b>No</b>	31	3.9%	(1.7-6.1)	88	12.9%	(8.8-17.0)	446	83.2%	(78.6-87.7)
<b>Weight Status</b>	<b>Normal weight</b>	38	2.8%	(1.5-4.2)	158	10.4%	(8.0-12.8)	1245	86.8%	(84.1-89.4)
	<b>Overweight</b>	21	1.0%	(0.3-1.8)	144	8.7%	(6.6-10.8)	1241	90.3%	(88.0-92.5)
	<b>Obese</b>	30	3.7%	(1.9-5.6)	122	10.5%	(7.7-13.4)	790	85.8%	(82.5-89.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	63	1.9%	(1.2-2.7)	305	8.6%	(7.2-10.0)	2738	89.5%	(87.9-91.1)
	<b>At Risk</b>	31	4.6%	(2.2-7.0)	137	14.4%	(10.8-17.9)	630	81.1%	(76.9-85.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	83	2.2%	(1.5-3.0)	381	9.4%	(8.0-10.8)	3078	88.4%	(86.9-90.0)
	<b>At Risk</b>	11	5.7%	(0.8-10.6)	53	14.6%	(9.7-19.5)	235	79.7%	(73.2-86.2)
<b>Health Status</b>	<b>Good or Better Health</b>	29	0.9%	(0.4-1.4)	285	7.6%	(6.3-8.9)	2904	91.5%	(90.1-92.9)
	<b>Fair or Poor Health</b>	66	10.4%	(6.8-14.0)	155	20.4%	(15.7-25.1)	472	69.2%	(63.8-74.6)

### Table 81: Emotional problem kept you from doing work past 30 days

During the past 30 days, for about how many days did a mental health condition or emotional problem keep you from doing your work or other usual activities?		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	143	3.1%	(2.3-3.9)	122	3.0%	(2.1-3.8)	135	3.6%	(2.7-4.5)	3507	90.3%	(88.9-91.7)
<b>Gender</b>	<b>Male</b>	38	1.7%	(0.8-2.7)	43	2.7%	(1.4-4.0)	43	2.8%	(1.6-4.1)	1516	92.7%	(90.7-94.7)
	<b>Female</b>	105	4.5%	(3.2-5.8)	79	3.3%	(2.2-4.3)	92	4.4%	(3.1-5.7)	1991	87.8%	(85.8-89.9)
<b>Race</b>	<b>White/Non-Hisp</b>	107	3.7%	(2.6-4.8)	84	2.8%	(1.9-3.6)	82	2.9%	(1.9-3.8)	2597	90.7%	(89.1-92.3)
	<b>Black or Af.Am./Non-Hisp</b>	0	.	(.-)	3	1.5%	(0.0-3.4)	5	7.5%	(0.3-14.6)	91	91.0%	(83.7-98.4)
	<b>Other Race/Non-Hisp</b>	8	3.5%	(0.2-6.7)	11	8.8%	(0.0-18.2)	6	2.5%	(0.0-5.1)	140	85.2%	(75.4-95.0)
	<b>Multiracial/Non-Hisp</b>	11	2.4%	(0.3-4.5)	15	6.4%	(2.0-10.8)	22	8.5%	(3.0-13.9)	242	82.7%	(75.9-89.6)
	<b>Hispanic</b>	16	2.3%	(0.7-4.0)	9	1.5%	(0.0-3.0)	19	3.4%	(1.4-5.3)	415	92.8%	(89.9-95.7)
<b>Age</b>	<b>18-24</b>	11	4.0%	(1.2-6.9)	5	1.9%	(0.0-4.4)	7	3.1%	(0.2-5.9)	203	91.0%	(86.4-95.6)
	<b>25-34</b>	25	3.5%	(1.7-5.2)	21	4.0%	(1.3-6.8)	19	5.0%	(2.0-7.9)	391	87.5%	(83.3-91.8)
	<b>35-44</b>	34	4.2%	(2.1-6.3)	17	3.2%	(1.0-5.3)	23	3.8%	(1.7-6.0)	557	88.8%	(85.3-92.3)
	<b>45-54</b>	30	2.9%	(0.6-5.1)	29	3.0%	(1.6-4.4)	37	3.9%	(2.2-5.6)	703	90.3%	(87.2-93.3)
	<b>55-64</b>	20	2.1%	(0.8-3.4)	29	2.9%	(1.5-4.4)	27	3.1%	(1.3-4.9)	748	91.9%	(89.3-94.5)
	<b>65+</b>	23	1.8%	(0.9-2.6)	21	2.4%	(1.0-3.8)	22	2.2%	(1.0-3.4)	905	93.6%	(91.6-95.7)
<b>Education</b>	<b>Less Than H.S.</b>	14	3.0%	(0.6-5.4)	16	2.0%	(0.8-3.3)	24	5.0%	(2.2-7.8)	302	90.0%	(86.1-93.8)
	<b>H.S. or G.E.D.</b>	31	2.7%	(1.4-4.1)	36	4.2%	(2.0-6.4)	51	5.0%	(3.1-6.9)	931	88.1%	(85.0-91.2)
	<b>Some Post-H.S.</b>	55	3.9%	(2.2-5.7)	38	3.0%	(1.4-4.5)	40	3.8%	(1.9-5.7)	1137	89.3%	(86.5-92.2)
	<b>College Graduate</b>	42	2.7%	(1.5-3.8)	32	2.3%	(1.2-3.4)	19	1.4%	(0.3-2.5)	1132	93.6%	(91.7-95.5)
<b>Income</b>	<b>Less than \$15,000</b>	11	4.3%	(0.0-8.8)	19	5.5%	(0.7-10.2)	44	18.6%	(10.3-26.9)	188	71.6%	(61.9-81.4)
	<b>\$15,000 to 24,999</b>	22	3.0%	(1.5-4.4)	16	3.8%	(0.8-6.8)	23	3.7%	(1.5-5.9)	405	89.6%	(85.7-93.5)
	<b>\$25,000 to 34,999</b>	13	1.7%	(0.3-3.0)	15	3.8%	(0.6-7.0)	12	3.3%	(0.2-6.3)	348	91.3%	(86.8-95.8)
	<b>\$35,000 to 49,999</b>	18	2.5%	(0.8-4.3)	18	4.3%	(1.1-7.6)	18	4.4%	(1.7-7.0)	492	88.8%	(84.4-93.1)
	<b>\$50,000 to 74,999</b>	27	4.7%	(2.2-7.2)	16	1.9%	(0.6-3.2)	10	1.4%	(0.1-2.8)	629	92.0%	(88.9-95.0)
	<b>\$75,000+</b>	31	1.9%	(1.0-2.8)	27	2.0%	(1.1-2.9)	11	1.3%	(0.4-2.2)	1049	94.8%	(93.2-96.3)
<b>Region of Residence</b>	<b>Clark</b>	30	2.1%	(1.3-3.0)	41	3.3%	(2.1-4.6)	46	4.0%	(2.7-5.3)	1115	90.5%	(88.6-92.5)
	<b>Washoe</b>	56	5.1%	(3.5-6.7)	43	2.8%	(1.9-3.8)	41	2.6%	(1.7-3.6)	1141	89.5%	(87.4-91.5)
	<b>All Other Counties</b>	54	3.7%	(2.6-4.8)	37	2.4%	(1.5-3.2)	45	3.9%	(2.5-5.4)	1156	90.0%	(88.0-91.9)
<b>Health Insurance</b>	<b>Yes</b>	119	3.2%	(2.4-4.1)	90	2.6%	(1.8-3.4)	109	3.5%	(2.6-4.5)	3006	90.7%	(89.2-92.1)
	<b>No</b>	24	2.8%	(0.7-4.9)	32	4.5%	(2.0-7.1)	26	4.0%	(1.6-6.4)	482	88.7%	(84.7-92.7)
<b>Weight Status</b>	<b>Normal weight</b>	56	3.0%	(1.9-4.1)	46	4.2%	(2.3-6.1)	45	3.5%	(1.9-5.1)	1293	89.2%	(86.6-91.8)
	<b>Overweight</b>	47	2.7%	(1.6-3.7)	36	1.6%	(0.8-2.3)	37	2.7%	(1.3-4.1)	1286	93.1%	(91.2-94.9)
	<b>Obese</b>	36	3.4%	(1.3-5.4)	37	3.5%	(1.9-5.2)	50	5.5%	(3.4-7.6)	813	87.6%	(84.4-90.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	112	3.3%	(2.3-4.2)	85	2.4%	(1.6-3.2)	78	2.4%	(1.6-3.2)	2822	92.0%	(90.5-93.4)
	<b>At Risk</b>	31	2.6%	(1.3-3.9)	37	5.3%	(2.7-7.9)	57	8.0%	(4.9-11.2)	674	84.1%	(80.0-88.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	130	3.1%	(2.3-4.0)	102	2.8%	(1.9-3.7)	119	3.4%	(2.5-4.4)	3182	90.6%	(89.1-92.1)
	<b>At Risk</b>	11	3.6%	(0.8-6.5)	15	5.7%	(1.5-9.9)	14	6.8%	(1.7-12.0)	258	83.8%	(77.0-90.6)
<b>Health Status</b>	<b>Good or Better Health</b>	111	2.8%	(2.0-3.6)	73	2.1%	(1.3-2.8)	61	2.3%	(1.4-3.2)	2970	92.8%	(91.5-94.2)
	<b>Fair or Poor Health</b>	32	4.6%	(1.9-7.4)	49	7.6%	(4.2-11.1)	73	10.1%	(6.7-13.4)	531	77.7%	(72.7-82.7)

**Table 82: Receiving medicine or treatment from health professional for emotional problem**

Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental health condition or emotional problem?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	408	8.3%	(7.1-9.4)	3507	91.7%	(90.6-92.9)
<b>Gender</b>	<b>Male</b>	108	5.4%	(4.0-6.8)	1531	94.6%	(93.2-96.0)
	<b>Female</b>	300	11.2%	(9.4-13.1)	1976	88.8%	(86.9-90.6)
<b>Race</b>	<b>White/Non-Hisp</b>	305	9.4%	(7.9-10.9)	2570	90.6%	(89.1-92.1)
	<b>Black or Af.Am./Non-Hisp</b>	8	8.1%	(2.0-14.2)	90	91.9%	(85.8-98.0)
	<b>Other Race/Non-Hisp</b>	14	4.7%	(0.5-9.0)	155	95.3%	(91.0-99.5)
	<b>Multiracial/Non-Hisp</b>	48	12.4%	(6.9-17.8)	242	87.6%	(82.2-93.1)
	<b>Hispanic</b>	32	4.7%	(2.6-6.8)	427	95.3%	(93.2-97.4)
<b>Age</b>	<b>18-24</b>	12	4.9%	(1.5-8.3)	214	95.1%	(91.7-98.5)
	<b>25-34</b>	33	5.5%	(2.8-8.3)	422	94.5%	(91.7-97.2)
	<b>35-44</b>	76	9.3%	(6.5-12.1)	556	90.7%	(87.9-93.5)
	<b>45-54</b>	110	11.3%	(8.4-14.2)	688	88.7%	(85.8-91.6)
	<b>55-64</b>	100	10.1%	(7.3-12.9)	724	89.9%	(87.1-92.7)
	<b>65+</b>	77	7.7%	(5.6-9.9)	903	92.3%	(90.1-94.4)
<b>Education</b>	<b>Less Than H.S.</b>	34	7.3%	(3.9-10.7)	323	92.7%	(89.3-96.1)
	<b>H.S. or G.E.D.</b>	114	8.9%	(6.6-11.2)	939	91.1%	(88.8-93.4)
	<b>Some Post-H.S.</b>	132	9.3%	(7.0-11.7)	1141	90.7%	(88.3-93.0)
	<b>College Graduate</b>	126	7.1%	(5.4-8.7)	1099	92.9%	(91.3-94.6)
<b>Income</b>	<b>Less than \$15,000</b>	53	14.3%	(7.7-20.9)	211	85.7%	(79.1-92.3)
	<b>\$15,000 to 24,999</b>	50	9.5%	(6.0-13.1)	417	90.5%	(86.9-94.0)
	<b>\$25,000 to 34,999</b>	32	3.4%	(1.7-5.1)	354	96.6%	(94.9-98.3)
	<b>\$35,000 to 49,999</b>	53	7.1%	(4.2-10.0)	495	92.9%	(90.0-95.8)
	<b>\$50,000 to 74,999</b>	77	9.7%	(6.6-12.8)	606	90.3%	(87.2-93.4)
	<b>\$75,000+</b>	97	8.2%	(6.0-10.3)	1021	91.8%	(89.7-94.0)
<b>Region of Residence</b>	<b>Clark</b>	120	8.3%	(6.6-9.9)	1116	91.7%	(90.1-93.4)
	<b>Washoe</b>	146	9.3%	(7.7-11.0)	1134	90.7%	(89.0-92.3)
	<b>All Other Counties</b>	136	9.4%	(7.3-11.5)	1159	90.6%	(88.5-92.7)
<b>Health Insurance</b>	<b>Yes</b>	360	8.9%	(7.6-10.2)	2973	91.1%	(89.8-92.4)
	<b>No</b>	47	6.0%	(3.4-8.5)	517	94.0%	(91.5-96.6)
<b>Weight Status</b>	<b>Normal weight</b>	132	9.1%	(6.9-11.4)	1314	90.9%	(88.6-93.1)
	<b>Overweight</b>	139	6.5%	(5.0-8.0)	1265	93.5%	(92.0-95.0)
	<b>Obese</b>	120	9.6%	(7.2-12.1)	817	90.4%	(87.9-92.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	298	7.6%	(6.3-8.8)	2807	92.4%	(91.2-93.7)
	<b>At Risk</b>	109	11.0%	(7.9-14.0)	689	89.0%	(86.0-92.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	363	8.2%	(7.0-9.4)	3177	91.8%	(90.6-93.0)
	<b>At Risk</b>	38	10.7%	(5.9-15.4)	261	89.3%	(84.6-94.1)
<b>Health Status</b>	<b>Good or Better Health</b>	269	6.6%	(5.4-7.7)	2943	93.4%	(92.3-94.6)
	<b>Fair or Poor Health</b>	139	16.8%	(12.9-20.7)	557	83.2%	(79.3-87.1)

**Table 83: Mental health treatment can help people lead normal life**

Do you agree treatment can help people with mental illness lead normal lives?		Strongly/slightly agree			Neither agree nor disagree			Strongly/slightly disagree		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	3512	91.9%	(90.6-93.3)	66	2.0%	(1.3-2.8)	220	6.0%	(4.9-7.2)
<b>Gender</b>	<b>Male</b>	1414	89.8%	(87.6-92.0)	40	2.2%	(1.1-3.3)	131	8.0%	(6.0-10.0)
	<b>Female</b>	2098	94.1%	(92.6-95.7)	26	1.8%	(0.7-3.0)	89	4.0%	(2.9-5.1)
<b>Race</b>	<b>White/Non-Hisp</b>	2621	92.8%	(91.2-94.4)	47	2.3%	(1.3-3.4)	135	4.9%	(3.7-6.1)
	<b>Black or Af.Am./Non-Hisp</b>	84	88.9%	(81.6-96.3)	2	1.7%	(0.0-4.6)	9	9.4%	(2.6-16.2)
	<b>Other Race/Non-Hisp</b>	137	90.0%	(81.3-98.7)	2	0.6%	(0.0-1.6)	16	9.4%	(0.7-18.0)
	<b>Multiracial/Non-Hisp</b>	264	90.7%	(85.5-95.8)	5	1.9%	(0.0-3.8)	17	7.5%	(2.6-12.3)
	<b>Hispanic</b>	387	91.0%	(87.7-94.3)	8	1.6%	(0.0-3.2)	42	7.4%	(4.5-10.3)
<b>Age</b>	<b>18-24</b>	199	91.1%	(86.3-95.8)	4	2.0%	(0.0-4.7)	18	6.9%	(2.8-11.0)
	<b>25-34</b>	402	89.1%	(84.7-93.5)	10	2.5%	(0.2-4.9)	31	8.4%	(4.5-12.2)
	<b>35-44</b>	582	93.5%	(90.9-96.1)	9	2.2%	(0.3-4.2)	33	4.3%	(2.5-6.1)
	<b>45-54</b>	735	94.3%	(92.0-96.7)	7	1.4%	(0.1-2.7)	36	4.2%	(2.2-6.3)
	<b>55-64</b>	757	92.4%	(89.7-95.2)	5	0.6%	(0.0-1.3)	41	7.0%	(4.3-9.7)
	<b>65+</b>	837	90.9%	(88.3-93.5)	31	3.2%	(1.6-4.8)	61	5.9%	(3.7-8.1)
<b>Education</b>	<b>Less Than H.S.</b>	291	88.5%	(83.8-93.2)	9	2.4%	(0.0-4.9)	39	9.2%	(5.1-13.2)
	<b>H.S. or G.E.D.</b>	927	90.3%	(87.5-93.2)	16	1.9%	(0.5-3.3)	73	7.8%	(5.2-10.4)
	<b>Some Post-H.S.</b>	1146	93.3%	(91.3-95.3)	22	1.5%	(0.6-2.4)	68	5.2%	(3.4-7.0)
	<b>College Graduate</b>	1141	93.5%	(91.1-95.9)	19	2.6%	(0.9-4.4)	40	3.8%	(2.1-5.6)
<b>Income</b>	<b>Less than \$15,000</b>	219	91.1%	(86.6-95.5)	9	2.2%	(0.4-4.0)	23	6.7%	(2.7-10.8)
	<b>\$15,000 to 24,999</b>	394	86.1%	(81.1-91.1)	14	4.0%	(0.8-7.2)	44	9.9%	(5.9-14.0)
	<b>\$25,000 to 34,999</b>	342	93.4%	(90.5-96.4)	9	1.6%	(0.2-3.1)	26	4.9%	(2.4-7.5)
	<b>\$35,000 to 49,999</b>	503	92.7%	(88.5-96.9)	5	0.3%	(0.0-0.6)	26	7.0%	(2.8-11.2)
	<b>\$50,000 to 74,999</b>	628	92.6%	(89.2-95.9)	5	0.7%	(0.0-1.6)	35	6.8%	(3.5-10.0)
	<b>\$75,000+</b>	1045	95.2%	(93.5-96.9)	13	1.5%	(0.4-2.5)	37	3.3%	(1.9-4.8)
<b>Region of Residence</b>	<b>Clark</b>	1118	92.6%	(90.8-94.4)	18	1.9%	(0.9-2.9)	63	5.5%	(3.9-7.0)
	<b>Washoe</b>	1176	93.8%	(92.1-95.4)	16	1.5%	(0.5-2.4)	63	4.8%	(3.4-6.1)
	<b>All Other Counties</b>	1144	90.1%	(87.8-92.4)	27	2.3%	(1.3-3.2)	80	7.6%	(5.5-9.7)
<b>Health Insurance</b>	<b>Yes</b>	3016	92.8%	(91.4-94.1)	54	1.8%	(1.0-2.6)	167	5.4%	(4.3-6.6)
	<b>No</b>	481	88.9%	(85.0-92.9)	12	2.9%	(0.6-5.2)	51	8.1%	(4.8-11.5)
<b>Weight Status</b>	<b>Normal weight</b>	1297	90.9%	(88.4-93.4)	29	3.0%	(1.4-4.6)	80	6.1%	(4.0-8.2)
	<b>Overweight</b>	1257	92.4%	(90.4-94.4)	27	2.0%	(0.9-3.1)	76	5.6%	(3.9-7.4)
	<b>Obese</b>	842	92.5%	(90.0-95.0)	8	0.3%	(0.1-0.6)	62	7.2%	(4.7-9.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	2802	92.5%	(91.1-94.0)	52	2.0%	(1.1-2.8)	160	5.5%	(4.2-6.7)
	<b>At Risk</b>	699	89.6%	(86.4-92.9)	14	2.3%	(0.5-4.1)	60	8.0%	(5.3-10.8)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3176	91.9%	(90.4-93.3)	57	2.0%	(1.2-2.8)	200	6.1%	(4.9-7.3)
	<b>At Risk</b>	271	91.3%	(86.4-96.2)	7	2.7%	(0.0-5.6)	15	6.0%	(2.0-10.0)
<b>Health Status</b>	<b>Good or Better Health</b>	2913	92.9%	(91.5-94.3)	49	1.8%	(1.0-2.6)	162	5.2%	(4.1-6.4)
	<b>Fair or Poor Health</b>	595	87.0%	(82.8-91.2)	17	3.0%	(0.8-5.3)	58	10.0%	(6.3-13.7)

**Table 84: People are generally caring toward people with mental illness**

Do you agree people are generally caring and sympathetic to people with mental illness?		Strongly/slightly agree			Neither agree nor disagree			Strongly/slightly disagree		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	2075	57.0%	(54.6-59.5)	81	1.7%	(1.1-2.3)	1660	41.3%	(38.8-43.7)
<b>Gender</b>	<b>Male</b>	946	60.1%	(56.5-63.8)	44	2.5%	(1.5-3.6)	605	37.4%	(33.8-41.0)
	<b>Female</b>	1129	53.9%	(50.7-57.1)	37	0.9%	(0.5-1.2)	1055	45.2%	(42.1-48.4)
<b>Race</b>	<b>White/Non-Hisp</b>	1459	51.8%	(49.0-54.6)	61	1.8%	(1.1-2.6)	1288	46.3%	(43.5-49.1)
	<b>Black or Af.Am./Non-Hisp</b>	44	51.6%	(38.6-64.5)	3	3.7%	(0.0-8.5)	50	44.7%	(31.9-57.5)
	<b>Other Race/Non-Hisp</b>	92	67.3%	(56.3-78.3)	1	0.1%	(0.0-0.4)	61	32.6%	(21.5-43.6)
	<b>Multiracial/Non-Hisp</b>	160	54.6%	(45.9-63.4)	10	2.1%	(0.5-3.8)	116	43.2%	(34.5-52.0)
	<b>Hispanic</b>	315	72.2%	(66.5-78.0)	6	1.1%	(0.0-2.1)	128	26.7%	(21.0-32.4)
<b>Age</b>	<b>18-24</b>	150	69.0%	(61.0-77.0)	5	1.9%	(0.0-3.8)	71	29.1%	(21.2-37.0)
	<b>25-34</b>	256	57.9%	(51.0-64.8)	5	0.4%	(0.0-0.8)	187	41.7%	(34.8-48.6)
	<b>35-44</b>	325	56.9%	(51.5-62.3)	8	1.6%	(0.0-3.2)	289	41.5%	(36.2-46.8)
	<b>45-54</b>	394	53.6%	(48.5-58.7)	13	1.8%	(0.4-3.1)	380	44.6%	(39.6-49.7)
	<b>55-64</b>	401	48.9%	(44.1-53.8)	21	2.3%	(1.0-3.6)	383	48.8%	(43.9-53.7)
	<b>65+</b>	549	58.2%	(53.7-62.6)	29	2.7%	(1.2-4.3)	350	39.1%	(34.7-43.5)
<b>Education</b>	<b>Less Than H.S.</b>	238	70.8%	(63.4-78.2)	6	1.2%	(0.0-2.7)	105	28.0%	(20.6-35.3)
	<b>H.S. or G.E.D.</b>	589	60.5%	(56.0-65.1)	15	1.7%	(0.4-3.1)	408	37.7%	(33.3-42.2)
	<b>Some Post-H.S.</b>	646	53.9%	(49.7-58.2)	26	1.1%	(0.4-1.7)	571	45.0%	(40.7-49.3)
	<b>College Graduate</b>	599	50.9%	(46.6-55.3)	34	2.5%	(1.4-3.7)	572	46.5%	(42.2-50.8)
<b>Income</b>	<b>Less than \$15,000</b>	145	62.1%	(51.2-73.0)	6	3.1%	(0.0-7.6)	103	34.8%	(24.1-45.6)
	<b>\$15,000 to 24,999</b>	262	64.1%	(57.5-70.8)	10	1.3%	(0.0-2.7)	184	34.6%	(28.0-41.1)
	<b>\$25,000 to 34,999</b>	231	69.6%	(62.7-76.6)	8	2.3%	(0.1-4.5)	137	28.1%	(21.4-34.7)
	<b>\$35,000 to 49,999</b>	277	50.7%	(44.1-57.4)	6	0.5%	(0.0-1.2)	251	48.8%	(42.1-55.4)
	<b>\$50,000 to 74,999</b>	366	54.8%	(49.2-60.4)	22	2.7%	(1.1-4.3)	283	42.5%	(37.0-48.0)
	<b>\$75,000+</b>	561	52.3%	(48.1-56.6)	19	1.4%	(0.6-2.2)	515	46.3%	(42.0-50.5)
<b>Region of Residence</b>	<b>Clark</b>	655	56.4%	(53.1-59.8)	17	1.5%	(0.7-2.3)	532	42.0%	(38.7-45.4)
	<b>Washoe</b>	666	54.3%	(51.0-57.6)	33	2.3%	(1.3-3.3)	559	43.4%	(40.1-46.7)
	<b>All Other Counties</b>	690	58.3%	(55.0-61.6)	31	2.7%	(1.5-3.8)	535	39.1%	(35.8-42.3)
<b>Health Insurance</b>	<b>Yes</b>	1729	54.7%	(52.2-57.3)	71	1.9%	(1.2-2.5)	1446	43.4%	(40.9-46.0)
	<b>No</b>	334	65.8%	(59.5-72.0)	10	1.1%	(0.0-2.3)	208	33.1%	(26.9-39.4)
<b>Weight Status</b>	<b>Normal weight</b>	745	55.8%	(51.8-59.8)	28	1.4%	(0.7-2.1)	633	42.8%	(38.9-46.8)
	<b>Overweight</b>	780	58.7%	(54.6-62.7)	30	1.8%	(0.8-2.7)	564	39.5%	(35.5-43.5)
	<b>Obese</b>	488	55.9%	(51.0-60.8)	22	2.1%	(0.6-3.5)	405	42.0%	(37.2-46.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	1662	57.9%	(55.2-60.7)	68	1.7%	(1.1-2.3)	1296	40.3%	(37.6-43.0)
	<b>At Risk</b>	407	53.7%	(48.3-59.0)	13	1.7%	(0.2-3.1)	358	44.7%	(39.4-50.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1884	57.1%	(54.5-59.6)	73	1.8%	(1.2-2.4)	1492	41.1%	(38.6-43.7)
	<b>At Risk</b>	155	56.9%	(48.6-65.3)	8	1.5%	(0.0-3.2)	128	41.5%	(33.2-49.8)
<b>Health Status</b>	<b>Good or Better Health</b>	1725	57.2%	(54.5-59.9)	70	1.7%	(1.1-2.4)	1347	41.1%	(38.4-43.7)
	<b>Fair or Poor Health</b>	348	56.2%	(50.5-61.9)	11	1.5%	(0.2-2.8)	309	42.3%	(36.6-47.9)

**Table 85: Adults with good or better health**

Adults with good or better health		Good or better health			Fair or poor health		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'						
<b>Total</b>	<b>Total</b>	3373	82.7%	(80.9-84.4)	745	17.3%	(15.6-19.1)
<b>Gender</b>	<b>Male</b>	1435	82.9%	(80.1-85.6)	292	17.1%	(14.4-19.9)
	<b>Female</b>	1938	82.4%	(80.2-84.6)	453	17.6%	(15.4-19.8)
<b>Race</b>	<b>White/Non-Hisp</b>	2533	86.8%	(85.1-88.6)	452	13.2%	(11.4-14.9)
	<b>Black or Af.Am./Non-Hisp</b>	89	81.3%	(73.0-89.5)	24	18.7%	(10.5-27.0)
	<b>Other Race/Non-Hisp</b>	143	80.7%	(70.0-91.4)	38	19.3%	(8.6-30.0)
	<b>Multiracial/Non-Hisp</b>	232	79.6%	(73.0-86.3)	65	20.4%	(13.7-27.0)
	<b>Hispanic</b>	358	74.1%	(69.0-79.2)	156	25.9%	(20.8-31.0)
<b>Age</b>	<b>18-24</b>	204	86.5%	(80.9-92.0)	30	13.5%	(8.0-19.1)
	<b>25-34</b>	424	86.4%	(81.7-91.0)	62	13.6%	(9.0-18.3)
	<b>35-44</b>	586	85.7%	(81.8-89.6)	85	14.3%	(10.4-18.2)
	<b>45-54</b>	726	83.6%	(79.5-87.6)	125	16.4%	(12.4-20.5)
	<b>55-64</b>	678	78.7%	(74.8-82.5)	176	21.3%	(17.5-25.2)
	<b>65+</b>	755	73.9%	(70.2-77.6)	267	26.1%	(22.4-29.8)
<b>Education</b>	<b>Less Than H.S.</b>	239	62.0%	(54.8-69.1)	162	38.0%	(30.9-45.2)
	<b>H.S. or G.E.D.</b>	862	79.6%	(76.1-83.2)	243	20.4%	(16.8-23.9)
	<b>Some Post-H.S.</b>	1120	86.2%	(83.4-89.1)	206	13.8%	(10.9-16.6)
	<b>College Graduate</b>	1137	92.1%	(90.3-94.0)	126	7.9%	(6.0-9.7)
<b>Income</b>	<b>Less than \$15,000</b>	155	58.1%	(47.8-68.5)	133	41.9%	(31.5-52.2)
	<b>\$15,000 to 24,999</b>	332	68.4%	(62.1-74.7)	161	31.6%	(25.3-37.9)
	<b>\$25,000 to 34,999</b>	323	82.3%	(77.1-87.6)	89	17.7%	(12.4-22.9)
	<b>\$35,000 to 49,999</b>	468	81.2%	(76.1-86.4)	100	18.8%	(13.6-23.9)
	<b>\$50,000 to 74,999</b>	631	89.3%	(86.1-92.5)	68	10.7%	(7.5-13.9)
	<b>\$75,000+</b>	1076	93.7%	(91.6-95.8)	71	6.3%	(4.2-8.4)
<b>Region of Residence</b>	<b>Clark</b>	1065	84.1%	(81.8-86.5)	227	15.9%	(13.5-18.2)
	<b>Washoe</b>	1132	85.8%	(83.4-88.1)	200	14.2%	(11.9-16.6)
	<b>All Other Counties</b>	1085	81.4%	(78.7-84.2)	259	18.6%	(15.8-21.3)
<b>Health Insurance</b>	<b>Yes</b>	2928	86.0%	(84.4-87.6)	568	14.0%	(12.4-15.6)
	<b>No</b>	429	69.9%	(64.1-75.8)	174	30.1%	(24.2-35.9)
<b>Weight Status</b>	<b>Normal weight</b>	1285	85.6%	(82.8-88.4)	217	14.4%	(11.6-17.2)
	<b>Overweight</b>	1254	86.3%	(83.6-89.0)	221	13.7%	(11.0-16.4)
	<b>Obese</b>	708	73.7%	(69.6-77.9)	261	26.3%	(22.1-30.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	2738	84.6%	(82.7-86.5)	525	15.4%	(13.5-17.3)
	<b>At Risk</b>	628	75.8%	(71.4-80.3)	211	24.2%	(19.7-28.6)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3016	83.1%	(81.2-84.9)	655	16.9%	(15.1-18.8)
	<b>At Risk</b>	250	81.5%	(75.4-87.5)	61	18.5%	(12.5-24.6)
<b>Health Status</b>	<b>Good or Better Health</b>	3373	100.0%	(100.0-100.0)	0	.	(-.)
	<b>Fair or Poor Health</b>	0	.	(-.)	745	100.0%	(100.0-100.0)

**Table 86: Respondents aged 18-64 that have any form of health care coverage**

Respondents aged 18-64 that have any form of health care coverage		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	2482	75.7%	(73.0-78.3)	576	24.3%	(21.7-27.0)
<b>Gender</b>	<b>Male</b>	1031	74.1%	(69.9-78.2)	246	25.9%	(21.8-30.1)
	<b>Female</b>	1451	77.4%	(74.1-80.7)	330	22.6%	(19.3-25.9)
<b>Race</b>	<b>White/Non-Hisp</b>	1842	87.2%	(84.8-89.6)	269	12.8%	(10.4-15.2)
	<b>Black or Af.Am./Non-Hisp</b>	65	68.9%	(55.9-81.9)	23	31.1%	(18.1-44.1)
	<b>Other Race/Non-Hisp</b>	116	81.3%	(69.3-93.2)	24	18.7%	(6.8-30.7)
	<b>Multiracial/Non-Hisp</b>	185	80.5%	(73.1-87.9)	47	19.5%	(12.1-26.9)
	<b>Hispanic</b>	262	48.4%	(41.9-54.9)	208	51.6%	(45.1-58.1)
<b>Age</b>	<b>18-24</b>	147	60.7%	(51.9-69.5)	78	39.3%	(30.5-48.1)
	<b>25-34</b>	344	63.6%	(56.5-70.6)	140	36.4%	(29.4-43.5)
	<b>35-44</b>	557	81.3%	(77.0-85.7)	114	18.7%	(14.3-23.0)
	<b>45-54</b>	696	83.4%	(79.4-87.3)	127	16.6%	(12.7-20.6)
	<b>55-64</b>	738	87.0%	(83.7-90.3)	117	13.0%	(9.7-16.3)
<b>Education</b>	<b>Less Than H.S.</b>	140	36.8%	(29.2-44.3)	164	63.2%	(55.7-70.8)
	<b>H.S. or G.E.D.</b>	599	74.0%	(69.0-79.0)	173	26.0%	(21.0-31.0)
	<b>Some Post-H.S.</b>	836	83.0%	(78.9-87.2)	147	17.0%	(12.8-21.1)
	<b>College Graduate</b>	896	89.7%	(85.7-93.7)	89	10.3%	(6.3-14.3)
<b>Income</b>	<b>Less than \$15,000</b>	101	50.8%	(37.8-63.8)	77	49.2%	(36.2-62.2)
	<b>\$15,000 to 24,999</b>	177	52.4%	(43.7-61.1)	132	47.6%	(38.9-56.3)
	<b>\$25,000 to 34,999</b>	178	56.1%	(46.0-66.2)	98	43.9%	(33.8-54.0)
	<b>\$35,000 to 49,999</b>	339	73.6%	(66.4-80.8)	86	26.4%	(19.2-33.6)
	<b>\$50,000 to 74,999</b>	540	92.5%	(89.2-95.8)	45	7.5%	(4.2-10.8)
	<b>\$75,000+</b>	930	93.0%	(90.6-95.4)	60	7.0%	(4.6-9.4)
<b>Region of Residence</b>	<b>Clark</b>	796	77.4%	(73.9-80.9)	177	22.6%	(19.1-26.1)
	<b>Washoe</b>	865	83.4%	(80.4-86.3)	146	16.6%	(13.7-19.6)
	<b>All Other Counties</b>	757	77.3%	(73.8-80.8)	196	22.7%	(19.2-26.2)
<b>Health Insurance</b>	<b>Yes</b>	2482	100.0%	(100.0-100.0)	0	.	(.-)
	<b>No</b>	0	.	(.-)	576	100.0%	(100.0-100.0)
<b>Weight Status</b>	<b>Normal weight</b>	890	76.8%	(72.6-81.1)	194	23.2%	(18.9-27.4)
	<b>Overweight</b>	873	74.8%	(70.0-79.7)	192	25.2%	(20.3-30.0)
	<b>Obese</b>	624	76.4%	(71.3-81.5)	158	23.6%	(18.5-28.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	1996	78.3%	(75.4-81.3)	390	21.7%	(18.7-24.6)
	<b>At Risk</b>	479	66.4%	(60.5-72.2)	184	33.6%	(27.8-39.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2220	76.5%	(73.6-79.3)	493	23.5%	(20.7-26.4)
	<b>At Risk</b>	193	70.8%	(61.6-80.0)	56	29.2%	(20.0-38.4)
<b>Health Status</b>	<b>Good or Better Health</b>	2171	79.7%	(76.9-82.5)	410	20.3%	(17.5-23.1)
	<b>Fair or Poor Health</b>	308	54.0%	(47.0-61.1)	165	46.0%	(38.9-53.0)

**Table 87: Adults that report doing physical activity or exercise during the past 30 days other than their regular job**

Adults that report doing physical activity or exercise during the past 30 days other than their regular job		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3149	75.6%	(73.5-77.6)	968	24.4%	(22.4-26.5)
<b>Gender</b>	<b>Male</b>	1359	77.2%	(74.0-80.4)	371	22.8%	(19.6-26.0)
	<b>Female</b>	1790	73.9%	(71.2-76.6)	597	26.1%	(23.4-28.8)
<b>Race</b>	<b>White/Non-Hisp</b>	2369	80.4%	(78.3-82.5)	614	19.6%	(17.5-21.7)
	<b>Black or Af.Am./Non-Hisp</b>	82	76.0%	(66.7-85.2)	30	24.0%	(14.8-33.3)
	<b>Other Race/Non-Hisp</b>	130	64.7%	(53.3-76.1)	52	35.3%	(23.9-46.7)
	<b>Multiracial/Non-Hisp</b>	210	69.7%	(62.0-77.5)	87	30.3%	(22.5-38.0)
	<b>Hispanic</b>	335	66.8%	(60.8-72.7)	180	33.2%	(27.3-39.2)
<b>Age</b>	<b>18-24</b>	190	78.6%	(71.1-86.0)	44	21.4%	(14.0-28.9)
	<b>25-34</b>	396	79.4%	(73.6-85.2)	89	20.6%	(14.8-26.4)
	<b>35-44</b>	541	77.1%	(72.6-81.6)	131	22.9%	(18.4-27.4)
	<b>45-54</b>	652	73.4%	(68.9-78.0)	197	26.6%	(22.0-31.1)
	<b>55-64</b>	668	75.2%	(70.9-79.4)	188	24.8%	(20.6-29.1)
	<b>65+</b>	702	69.4%	(65.6-73.3)	319	30.6%	(26.7-34.4)
<b>Education</b>	<b>Less Than H.S.</b>	220	59.7%	(52.4-67.1)	181	40.3%	(32.9-47.6)
	<b>H.S. or G.E.D.</b>	779	69.8%	(65.6-74.1)	322	30.2%	(25.9-34.4)
	<b>Some Post-H.S.</b>	1054	79.4%	(76.0-82.8)	273	20.6%	(17.2-24.0)
	<b>College Graduate</b>	1080	84.7%	(81.8-87.6)	185	15.3%	(12.4-18.2)
<b>Income</b>	<b>Less than \$15,000</b>	154	54.2%	(43.6-64.9)	133	45.8%	(35.1-56.4)
	<b>\$15,000 to 24,999</b>	319	64.5%	(57.9-71.0)	173	35.5%	(29.0-42.1)
	<b>\$25,000 to 34,999</b>	293	72.6%	(65.4-79.8)	118	27.4%	(20.2-34.6)
	<b>\$35,000 to 49,999</b>	441	75.2%	(69.8-80.7)	127	24.8%	(19.3-30.2)
	<b>\$50,000 to 74,999</b>	567	79.0%	(74.6-83.4)	132	21.0%	(16.6-25.4)
	<b>\$75,000+</b>	1016	87.0%	(84.3-89.8)	134	13.0%	(10.2-15.7)
<b>Region of Residence</b>	<b>Clark</b>	957	74.8%	(71.9-77.7)	335	25.2%	(22.3-28.1)
	<b>Washoe</b>	1100	83.9%	(81.5-86.3)	232	16.1%	(13.7-18.5)
	<b>All Other Counties</b>	1010	75.9%	(73.1-78.7)	332	24.1%	(21.3-26.9)
<b>Health Insurance</b>	<b>Yes</b>	2738	78.5%	(76.5-80.5)	757	21.5%	(19.5-23.5)
	<b>No</b>	398	64.5%	(58.2-70.8)	205	35.5%	(29.2-41.8)
<b>Weight Status</b>	<b>Normal weight</b>	1214	79.2%	(75.9-82.5)	289	20.8%	(17.5-24.1)
	<b>Overweight</b>	1166	77.9%	(74.5-81.3)	309	22.1%	(18.7-25.5)
	<b>Obese</b>	652	67.8%	(63.3-72.3)	315	32.2%	(27.7-36.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	2579	77.3%	(75.0-79.6)	683	22.7%	(20.4-25.0)
	<b>At Risk</b>	561	69.5%	(64.9-74.2)	278	30.5%	(25.8-35.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2821	76.0%	(73.8-78.2)	850	24.0%	(21.8-26.2)
	<b>At Risk</b>	243	80.8%	(74.8-86.8)	68	19.2%	(13.2-25.2)
<b>Health Status</b>	<b>Good or Better Health</b>	2754	80.3%	(78.1-82.4)	617	19.7%	(17.6-21.9)
	<b>Fair or Poor Health</b>	391	53.5%	(47.9-59.1)	348	46.5%	(40.9-52.1)

**Table 88: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional**

Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	2772	73.0%	(71.0-74.9)	1345	27.0%	(25.1-29.0)
<b>Gender</b>	<b>Male</b>	1110	71.4%	(68.3-74.4)	617	28.6%	(25.6-31.7)
	<b>Female</b>	1662	74.6%	(72.2-77.1)	728	25.4%	(22.9-27.8)
<b>Race</b>	<b>White/Non-Hisp</b>	1971	69.6%	(67.2-72.0)	1015	30.4%	(28.0-32.8)
	<b>Black or Af.Am./Non-Hisp</b>	63	68.2%	(58.0-78.4)	49	31.8%	(21.6-42.0)
	<b>Other Race/Non-Hisp</b>	127	80.9%	(71.7-90.1)	53	19.1%	(9.9-28.3)
	<b>Multiracial/Non-Hisp</b>	182	63.6%	(55.6-71.7)	115	36.4%	(28.3-44.4)
	<b>Hispanic</b>	411	85.3%	(81.4-89.1)	103	14.7%	(10.9-18.6)
<b>Age</b>	<b>18-24</b>	221	94.0%	(89.7-98.2)	13	6.0%	(1.8-10.3)
	<b>25-34</b>	438	90.6%	(86.9-94.3)	47	9.4%	(5.7-13.1)
	<b>35-44</b>	565	80.9%	(76.4-85.4)	106	19.1%	(14.6-23.6)
	<b>45-54</b>	612	69.6%	(64.9-74.2)	238	30.4%	(25.8-35.1)
	<b>55-64</b>	497	56.4%	(51.7-61.2)	358	43.6%	(38.8-48.3)
	<b>65+</b>	439	44.1%	(39.9-48.3)	583	55.9%	(51.7-60.1)
<b>Education</b>	<b>Less Than H.S.</b>	277	76.4%	(70.3-82.5)	125	23.6%	(17.5-29.7)
	<b>H.S. or G.E.D.</b>	703	69.9%	(66.1-73.7)	397	30.1%	(26.3-33.9)
	<b>Some Post-H.S.</b>	902	73.3%	(69.8-76.7)	426	26.7%	(23.3-30.2)
	<b>College Graduate</b>	873	73.8%	(70.3-77.2)	391	26.2%	(22.8-29.7)
<b>Income</b>	<b>Less than \$15,000</b>	169	66.0%	(56.4-75.5)	119	34.0%	(24.5-43.6)
	<b>\$15,000 to 24,999</b>	299	71.1%	(65.5-76.7)	193	28.9%	(23.3-34.5)
	<b>\$25,000 to 34,999</b>	259	74.2%	(68.0-80.3)	152	25.8%	(19.7-32.0)
	<b>\$35,000 to 49,999</b>	397	74.3%	(69.2-79.4)	171	25.7%	(20.6-30.8)
	<b>\$50,000 to 74,999</b>	485	73.2%	(68.6-77.8)	213	26.8%	(22.2-31.4)
	<b>\$75,000+</b>	843	74.2%	(70.5-77.8)	308	25.8%	(22.2-29.5)
<b>Region of Residence</b>	<b>Clark</b>	862	72.3%	(69.5-75.0)	430	27.7%	(25.0-30.5)
	<b>Washoe</b>	934	75.4%	(72.8-77.9)	398	24.6%	(22.1-27.2)
	<b>All Other Counties</b>	863	70.6%	(67.8-73.3)	480	29.4%	(26.7-32.2)
<b>Health Insurance</b>	<b>Yes</b>	2289	70.3%	(68.2-72.5)	1206	29.7%	(27.5-31.8)
	<b>No</b>	467	82.7%	(78.2-87.2)	136	17.3%	(12.8-21.8)
<b>Weight Status</b>	<b>Normal weight</b>	1165	83.6%	(81.1-86.0)	335	16.4%	(14.0-18.9)
	<b>Overweight</b>	980	72.2%	(68.8-75.5)	497	27.8%	(24.5-31.2)
	<b>Obese</b>	515	58.6%	(53.9-63.2)	453	41.4%	(36.8-46.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2181	72.9%	(70.6-75.1)	1080	27.1%	(24.9-29.4)
	<b>At Risk</b>	584	73.9%	(69.7-78.1)	256	26.1%	(21.9-30.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2475	73.2%	(71.2-75.3)	1194	26.8%	(24.7-28.8)
	<b>At Risk</b>	209	72.6%	(65.6-79.6)	103	27.4%	(20.4-34.4)
<b>Health Status</b>	<b>Good or Better Health</b>	2413	76.8%	(74.8-78.9)	956	23.2%	(21.1-25.2)
	<b>Fair or Poor Health</b>	355	54.3%	(48.8-59.8)	387	45.7%	(40.2-51.2)

**Table 89: Cholesterol check within past five years**

Cholesterol check within past five years		Yes			Not in past 5 yrs			Never check		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	3102	70.6%	(68.2-73.0)	158	3.8%	(2.7-4.9)	711	25.6%	(23.3-27.9)
<b>Gender</b>	<b>Male</b>	1271	67.3%	(63.5-71.1)	66	4.1%	(2.2-6.1)	330	28.6%	(25.0-32.2)
	<b>Female</b>	1831	74.0%	(71.0-76.9)	92	3.5%	(2.5-4.5)	381	22.5%	(19.6-25.4)
<b>Race</b>	<b>White/Non-Hisp</b>	2380	79.8%	(77.5-82.2)	116	3.7%	(2.8-4.7)	378	16.4%	(14.2-18.6)
	<b>Black or Af.Am./Non-Hisp</b>	76	63.9%	(51.5-76.3)	0	.	(.-)	33	36.1%	(23.7-48.5)
	<b>Other Race/Non-Hisp</b>	122	59.2%	(47.3-71.1)	7	2.8%	(0.4-5.1)	48	38.0%	(26.0-50.0)
	<b>Multiracial/Non-Hisp</b>	216	65.9%	(56.8-75.1)	21	9.0%	(3.5-14.6)	47	25.0%	(16.2-33.8)
	<b>Hispanic</b>	287	51.4%	(45.1-57.8)	12	3.3%	(0.0-7.0)	201	45.3%	(39.0-51.6)
<b>Age</b>	<b>18-24</b>	69	30.1%	(21.8-38.3)	5	1.0%	(0.1-1.9)	138	69.0%	(60.7-77.2)
	<b>25-34</b>	243	53.8%	(46.8-60.8)	15	4.8%	(0.2-9.4)	197	41.4%	(34.5-48.2)
	<b>35-44</b>	456	70.7%	(65.9-75.6)	39	5.1%	(3.0-7.3)	155	24.1%	(19.5-28.8)
	<b>45-54</b>	675	80.8%	(76.8-84.8)	44	4.5%	(2.8-6.2)	111	14.7%	(11.0-18.5)
	<b>55-64</b>	753	87.9%	(84.4-91.5)	26	3.1%	(1.2-5.0)	60	8.9%	(5.8-12.1)
	<b>65+</b>	906	92.1%	(89.8-94.4)	29	2.8%	(1.5-4.1)	50	5.1%	(3.1-7.0)
<b>Education</b>	<b>Less Than H.S.</b>	211	46.3%	(38.7-54.0)	10	1.8%	(0.2-3.4)	158	51.9%	(44.2-59.6)
	<b>H.S. or G.E.D.</b>	789	66.1%	(61.5-70.8)	33	1.9%	(1.0-2.9)	231	31.9%	(27.3-36.6)
	<b>Some Post-H.S.</b>	1018	73.1%	(69.0-77.2)	59	4.9%	(3.3-6.5)	198	22.0%	(17.9-26.0)
	<b>College Graduate</b>	1068	83.3%	(79.5-87.1)	55	5.5%	(2.3-8.6)	118	11.2%	(8.5-13.9)
<b>Income</b>	<b>Less than \$15,000</b>	195	53.9%	(42.7-65.1)	16	2.4%	(0.8-3.9)	65	43.8%	(32.4-55.2)
	<b>\$15,000 to 24,999</b>	332	62.6%	(55.3-69.9)	14	2.0%	(0.1-3.8)	129	35.4%	(28.1-42.7)
	<b>\$25,000 to 34,999</b>	296	65.5%	(56.6-74.4)	15	6.8%	(0.0-14.4)	79	27.7%	(20.1-35.3)
	<b>\$35,000 to 49,999</b>	422	63.6%	(56.9-70.3)	16	3.0%	(0.9-5.1)	110	33.4%	(26.7-40.1)
	<b>\$50,000 to 74,999</b>	537	74.9%	(69.7-80.0)	29	4.6%	(2.5-6.6)	108	20.6%	(15.6-25.5)
	<b>\$75,000+</b>	954	81.0%	(77.5-84.5)	52	4.3%	(2.7-6.0)	128	14.7%	(11.4-18.0)
<b>Region of Residence</b>	<b>Clark</b>	997	72.5%	(69.3-75.8)	44	2.9%	(1.9-3.9)	212	24.5%	(21.3-27.8)
	<b>Washoe</b>	1010	72.0%	(68.9-75.2)	56	4.2%	(3.0-5.5)	219	23.8%	(20.7-26.8)
	<b>All Other Counties</b>	1019	70.3%	(66.9-73.8)	50	3.8%	(2.6-4.9)	222	25.9%	(22.5-29.3)
<b>Health Insurance</b>	<b>Yes</b>	2819	79.3%	(77.1-81.5)	118	3.2%	(2.4-4.0)	442	17.5%	(15.4-19.6)
	<b>No</b>	276	37.4%	(31.2-43.5)	39	6.3%	(1.9-10.6)	260	56.4%	(49.8-62.9)
<b>Weight Status</b>	<b>Normal weight</b>	1089	66.1%	(62.0-70.1)	61	4.0%	(2.6-5.4)	291	29.9%	(25.9-34.0)
	<b>Overweight</b>	1112	71.1%	(66.9-75.3)	63	4.7%	(2.2-7.2)	248	24.3%	(20.4-28.2)
	<b>Obese</b>	780	76.0%	(71.5-80.5)	31	2.7%	(1.5-4.0)	133	21.3%	(16.8-25.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	2536	73.7%	(71.0-76.4)	114	3.7%	(2.4-5.0)	500	22.5%	(20.0-25.1)
	<b>At Risk</b>	553	58.8%	(53.4-64.1)	43	4.1%	(2.3-5.9)	210	37.1%	(31.7-42.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2793	71.5%	(68.9-74.1)	143	3.8%	(2.6-5.0)	612	24.7%	(22.3-27.2)
	<b>At Risk</b>	212	58.8%	(49.9-67.7)	12	5.1%	(0.9-9.3)	74	36.1%	(27.2-45.0)
<b>Health Status</b>	<b>Good or Better Health</b>	2530	70.7%	(68.1-73.4)	137	4.1%	(2.8-5.4)	592	25.1%	(22.6-27.7)
	<b>Fair or Poor Health</b>	569	70.3%	(64.5-76.1)	20	2.1%	(0.7-3.5)	117	27.6%	(21.8-33.4)

**Table 90: Adults who have had their cholesterol checked and have been told by a doctor or other health professional that it was high**

Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional that it was high		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1916	62.9%	(60.5-65.4)	1341	37.1%	(34.6-39.5)
<b>Gender</b>	<b>Male</b>	733	60.5%	(56.6-64.3)	601	39.5%	(35.7-43.4)
	<b>Female</b>	1183	65.2%	(62.2-68.3)	740	34.8%	(31.7-37.8)
<b>Race</b>	<b>White/Non-Hisp</b>	1439	60.1%	(57.3-62.9)	1050	39.9%	(37.1-42.7)
	<b>Black or Af.Am./Non-Hisp</b>	41	61.7%	(48.5-74.9)	34	38.3%	(25.1-51.5)
	<b>Other Race/Non-Hisp</b>	85	69.0%	(57.4-80.5)	45	31.0%	(19.5-42.6)
	<b>Multiracial/Non-Hisp</b>	143	69.1%	(61.3-76.9)	97	30.9%	(23.1-38.7)
	<b>Hispanic</b>	198	71.3%	(64.3-78.2)	103	28.7%	(21.8-35.7)
<b>Age</b>	<b>18-24</b>	72	95.3%	(89.7-100.0)	3	4.7%	(0.0-10.3)
	<b>25-34</b>	212	85.6%	(79.6-91.5)	49	14.4%	(8.5-20.4)
	<b>35-44</b>	354	69.0%	(63.1-74.8)	140	31.0%	(25.2-36.9)
	<b>45-54</b>	452	61.9%	(56.8-66.9)	265	38.1%	(33.1-43.2)
	<b>55-64</b>	395	51.4%	(46.4-56.4)	382	48.6%	(43.6-53.6)
	<b>65+</b>	431	43.4%	(39.1-47.7)	502	56.6%	(52.3-60.9)
<b>Education</b>	<b>Less Than H.S.</b>	118	58.9%	(49.1-68.6)	103	41.1%	(31.4-50.9)
	<b>H.S. or G.E.D.</b>	461	59.8%	(54.8-64.8)	359	40.2%	(35.2-45.2)
	<b>Some Post-H.S.</b>	646	63.2%	(59.0-67.4)	435	36.8%	(32.6-41.0)
	<b>College Graduate</b>	679	65.5%	(61.5-69.6)	440	34.5%	(30.4-38.5)
<b>Income</b>	<b>Less than \$15,000</b>	97	53.1%	(41.3-64.9)	112	46.9%	(35.1-58.7)
	<b>\$15,000 to 24,999</b>	183	58.0%	(49.9-66.0)	164	42.0%	(34.0-50.1)
	<b>\$25,000 to 34,999</b>	181	66.1%	(57.6-74.7)	130	33.9%	(25.3-42.4)
	<b>\$35,000 to 49,999</b>	259	64.0%	(57.6-70.5)	179	36.0%	(29.5-42.4)
	<b>\$50,000 to 74,999</b>	344	62.0%	(56.3-67.7)	221	38.0%	(32.3-43.7)
	<b>\$75,000+</b>	623	63.8%	(59.6-68.1)	379	36.2%	(31.9-40.4)
<b>Region of Residence</b>	<b>Clark</b>	599	62.6%	(59.3-66.0)	442	37.4%	(34.0-40.7)
	<b>Washoe</b>	641	62.8%	(59.4-66.2)	423	37.2%	(33.8-40.6)
	<b>All Other Counties</b>	621	60.6%	(57.2-64.0)	448	39.4%	(36.0-42.8)
<b>Health Insurance</b>	<b>Yes</b>	1707	61.2%	(58.6-63.7)	1230	38.8%	(36.3-41.4)
	<b>No</b>	202	75.0%	(67.9-82.1)	110	25.0%	(17.9-32.1)
<b>Weight Status</b>	<b>Normal weight</b>	776	71.6%	(68.0-75.3)	371	28.4%	(24.7-32.0)
	<b>Overweight</b>	664	60.2%	(56.0-64.4)	513	39.8%	(35.6-44.0)
	<b>Obese</b>	400	54.9%	(49.8-60.0)	406	45.1%	(40.0-50.2)
<b>Smoking Status</b>	<b>Not At Risk</b>	1575	64.2%	(61.6-66.9)	1071	35.8%	(33.1-38.4)
	<b>At Risk</b>	333	57.1%	(51.3-62.9)	265	42.9%	(37.1-48.7)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1734	63.6%	(61.1-66.2)	1195	36.4%	(33.8-38.9)
	<b>At Risk</b>	119	53.7%	(43.7-63.7)	103	46.3%	(36.3-56.3)
<b>Health Status</b>	<b>Good or Better Health</b>	1664	66.2%	(63.6-68.8)	1002	33.8%	(31.2-36.4)
	<b>Fair or Poor Health</b>	249	46.4%	(40.4-52.5)	338	53.6%	(47.5-59.6)

**Table 91: Adults who have ever been told they have asthma**

Adults who have ever been told they have asthma		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3569	86.6%	(84.9-88.3)	541	13.4%	(11.7-15.1)
<b>Gender</b>	<b>Male</b>	1548	89.5%	(87.3-91.7)	180	10.5%	(8.3-12.7)
	<b>Female</b>	2021	83.7%	(81.1-86.2)	361	16.3%	(13.8-18.9)
<b>Race</b>	<b>White/Non-Hisp</b>	2592	86.5%	(84.5-88.4)	387	13.5%	(11.6-15.5)
	<b>Black or Af.Am./Non-Hisp</b>	97	87.5%	(79.5-95.5)	15	12.5%	(4.5-20.5)
	<b>Other Race/Non-Hisp</b>	157	81.6%	(71.0-92.1)	25	18.4%	(7.9-29.0)
	<b>Multiracial/Non-Hisp</b>	233	78.1%	(70.3-85.9)	62	21.9%	(14.1-29.7)
	<b>Hispanic</b>	468	90.8%	(87.4-94.3)	46	9.2%	(5.7-12.6)
<b>Age</b>	<b>18-24</b>	189	78.0%	(70.4-85.7)	43	22.0%	(14.3-29.6)
	<b>25-34</b>	415	87.5%	(83.2-91.8)	70	12.5%	(8.2-16.8)
	<b>35-44</b>	584	89.1%	(85.9-92.2)	86	10.9%	(7.8-14.1)
	<b>45-54</b>	730	85.3%	(81.7-88.8)	121	14.7%	(11.2-18.3)
	<b>55-64</b>	750	88.9%	(85.9-91.8)	102	11.1%	(8.2-14.1)
	<b>65+</b>	901	88.6%	(85.9-91.2)	119	11.4%	(8.8-14.1)
<b>Education</b>	<b>Less Than H.S.</b>	354	87.5%	(82.7-92.2)	47	12.5%	(7.8-17.3)
	<b>H.S. or G.E.D.</b>	949	85.9%	(82.4-89.4)	149	14.1%	(10.6-17.6)
	<b>Some Post-H.S.</b>	1149	85.9%	(82.7-89.0)	178	14.1%	(11.0-17.3)
	<b>College Graduate</b>	1098	88.1%	(85.6-90.6)	164	11.9%	(9.4-14.4)
<b>Income</b>	<b>Less than \$15,000</b>	232	79.4%	(70.8-88.0)	55	20.6%	(12.0-29.2)
	<b>\$15,000 to 24,999</b>	430	89.8%	(86.0-93.7)	61	10.2%	(6.3-14.0)
	<b>\$25,000 to 34,999</b>	347	87.2%	(82.7-91.6)	65	12.8%	(8.4-17.3)
	<b>\$35,000 to 49,999</b>	493	83.1%	(77.4-88.8)	73	16.9%	(11.2-22.6)
	<b>\$50,000 to 74,999</b>	608	88.2%	(85.0-91.4)	91	11.8%	(8.6-15.0)
	<b>\$75,000+</b>	1014	88.2%	(85.4-91.0)	134	11.8%	(9.0-14.6)
<b>Region of Residence</b>	<b>Clark</b>	1120	86.4%	(84.0-88.7)	168	13.6%	(11.3-16.0)
	<b>Washoe</b>	1154	86.5%	(84.3-88.6)	177	13.5%	(11.4-15.7)
	<b>All Other Counties</b>	1155	86.3%	(84.1-88.6)	185	13.7%	(11.4-15.9)
<b>Health Insurance</b>	<b>Yes</b>	3032	86.8%	(85.1-88.6)	457	13.2%	(11.4-14.9)
	<b>No</b>	523	86.4%	(81.9-90.8)	80	13.6%	(9.2-18.1)
<b>Weight Status</b>	<b>Normal weight</b>	1319	86.8%	(83.9-89.6)	178	13.2%	(10.4-16.1)
	<b>Overweight</b>	1284	87.4%	(84.8-90.0)	190	12.6%	(10.0-15.2)
	<b>Obese</b>	809	84.7%	(81.1-88.3)	157	15.3%	(11.7-18.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	2833	87.1%	(85.2-88.9)	422	12.9%	(11.1-14.8)
	<b>At Risk</b>	722	84.9%	(80.8-88.9)	117	15.1%	(11.1-19.2)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3177	86.6%	(84.8-88.3)	488	13.4%	(11.7-15.2)
	<b>At Risk</b>	266	86.5%	(80.7-92.4)	44	13.5%	(7.6-19.3)
<b>Health Status</b>	<b>Good or Better Health</b>	2959	87.3%	(85.5-89.2)	406	12.7%	(10.8-14.5)
	<b>Fair or Poor Health</b>	603	83.0%	(78.7-87.3)	135	17.0%	(12.7-21.3)

**Table 92: Adults who have been told they currently have asthma**

Adults who have been told they currently have asthma		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3760	93.1%	(91.9-94.2)	317	6.9%	(5.8-8.1)
<b>Gender</b>	<b>Male</b>	1634	95.7%	(94.3-97.1)	77	4.3%	(2.9-5.7)
	<b>Female</b>	2126	90.4%	(88.6-92.2)	240	9.6%	(7.8-11.4)
<b>Race</b>	<b>White/Non-Hisp</b>	2723	92.5%	(91.1-93.9)	232	7.5%	(6.1-8.9)
	<b>Black or Af.Am./Non-Hisp</b>	103	93.3%	(88.0-98.5)	9	6.7%	(1.5-12.0)
	<b>Other Race/Non-Hisp</b>	168	92.0%	(84.6-99.4)	11	8.0%	(0.6-15.4)
	<b>Multiracial/Non-Hisp</b>	252	86.9%	(80.9-92.9)	41	13.1%	(7.1-19.1)
	<b>Hispanic</b>	486	96.8%	(95.1-98.5)	24	3.2%	(1.5-4.9)
<b>Age</b>	<b>18-24</b>	207	92.3%	(87.9-96.7)	20	7.7%	(3.3-12.1)
	<b>25-34</b>	451	94.5%	(91.5-97.5)	31	5.5%	(2.5-8.5)
	<b>35-44</b>	616	94.7%	(92.6-96.7)	49	5.3%	(3.3-7.4)
	<b>45-54</b>	764	90.1%	(87.1-93.0)	84	9.9%	(7.0-12.9)
	<b>55-64</b>	780	93.4%	(91.3-95.5)	65	6.6%	(4.5-8.7)
	<b>65+</b>	942	93.0%	(90.9-95.2)	68	7.0%	(4.8-9.1)
<b>Education</b>	<b>Less Than H.S.</b>	368	93.5%	(90.3-96.8)	29	6.5%	(3.2-9.7)
	<b>H.S. or G.E.D.</b>	999	92.5%	(90.0-95.0)	93	7.5%	(5.0-10.0)
	<b>Some Post-H.S.</b>	1212	93.7%	(92.0-95.4)	104	6.3%	(4.6-8.0)
	<b>College Graduate</b>	1161	92.7%	(90.6-94.9)	90	7.3%	(5.1-9.4)
<b>Income</b>	<b>Less than \$15,000</b>	240	85.5%	(78.4-92.5)	44	14.5%	(7.5-21.6)
	<b>\$15,000 to 24,999</b>	449	94.8%	(92.5-97.1)	36	5.2%	(2.9-7.5)
	<b>\$25,000 to 34,999</b>	370	93.3%	(90.5-96.0)	40	6.7%	(4.0-9.5)
	<b>\$35,000 to 49,999</b>	524	91.7%	(87.5-95.9)	40	8.3%	(4.1-12.5)
	<b>\$50,000 to 74,999</b>	644	93.1%	(90.4-95.7)	50	6.9%	(4.3-9.6)
	<b>\$75,000+</b>	1067	94.4%	(92.6-96.1)	72	5.6%	(3.9-7.4)
<b>Region of Residence</b>	<b>Clark</b>	1180	92.7%	(91.1-94.4)	100	7.3%	(5.6-8.9)
	<b>Washoe</b>	1221	92.8%	(91.2-94.4)	101	7.2%	(5.6-8.8)
	<b>All Other Counties</b>	1212	92.2%	(90.4-93.9)	112	7.8%	(6.1-9.6)
<b>Health Insurance</b>	<b>Yes</b>	3185	92.7%	(91.5-94.0)	275	7.3%	(6.0-8.5)
	<b>No</b>	558	94.4%	(91.6-97.2)	41	5.6%	(2.8-8.4)
<b>Weight Status</b>	<b>Normal weight</b>	1375	92.4%	(90.4-94.5)	116	7.6%	(5.5-9.6)
	<b>Overweight</b>	1364	94.4%	(92.8-96.1)	92	5.6%	(3.9-7.2)
	<b>Obese</b>	860	91.4%	(88.9-94.0)	97	8.6%	(6.0-11.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2981	93.1%	(91.8-94.4)	247	6.9%	(5.6-8.2)
	<b>At Risk</b>	765	93.0%	(90.6-95.4)	68	7.0%	(4.6-9.4)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3347	92.9%	(91.7-94.1)	290	7.1%	(5.9-8.3)
	<b>At Risk</b>	284	92.5%	(87.5-97.6)	21	7.5%	(2.4-12.5)
<b>Health Status</b>	<b>Good or Better Health</b>	3117	93.6%	(92.4-94.8)	224	6.4%	(5.2-7.6)
	<b>Fair or Poor Health</b>	636	90.6%	(87.5-93.6)	93	9.4%	(6.4-12.5)

**Table 93: Computed asthma status**

Computed asthma status		Current asthma			Former asthma			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	317	6.9%	(5.8-8.1)	191	5.7%	(4.4-7.0)	3569	87.4%	(85.7-89.0)
<b>Gender</b>	<b>Male</b>	77	4.3%	(2.9-5.7)	86	5.6%	(3.8-7.3)	1548	90.1%	(88.0-92.3)
	<b>Female</b>	240	9.6%	(7.8-11.4)	105	5.9%	(4.0-7.7)	2021	84.5%	(82.1-86.9)
<b>Race</b>	<b>White/Non-Hisp</b>	232	7.5%	(6.1-8.9)	131	5.3%	(3.8-6.7)	2592	87.2%	(85.3-89.2)
	<b>Black or Af.Am./Non-Hisp</b>	9	6.7%	(1.5-12.0)	6	5.7%	(0.0-12.1)	97	87.5%	(79.5-95.5)
	<b>Other Race/Non-Hisp</b>	11	8.0%	(0.6-15.4)	11	10.1%	(1.5-18.7)	157	81.9%	(71.3-92.5)
	<b>Multiracial/Non-Hisp</b>	41	13.1%	(7.1-19.1)	19	6.9%	(2.2-11.5)	233	80.0%	(73.0-87.1)
	<b>Hispanic</b>	24	3.2%	(1.5-4.9)	18	5.4%	(2.4-8.3)	468	91.5%	(88.1-94.8)
<b>Age</b>	<b>18-24</b>	20	7.7%	(3.3-12.1)	18	11.9%	(5.4-18.4)	189	80.4%	(73.0-87.8)
	<b>25-34</b>	31	5.5%	(2.5-8.5)	36	6.8%	(3.5-10.1)	415	87.7%	(83.4-92.0)
	<b>35-44</b>	49	5.3%	(3.3-7.4)	32	5.2%	(2.7-7.6)	584	89.5%	(86.3-92.6)
	<b>45-54</b>	84	9.9%	(7.0-12.9)	34	4.4%	(2.3-6.5)	730	85.7%	(82.2-89.2)
	<b>55-64</b>	65	6.6%	(4.5-8.7)	30	4.0%	(1.8-6.2)	750	89.4%	(86.5-92.4)
	<b>65+</b>	68	7.0%	(4.8-9.1)	41	3.4%	(2.1-4.7)	901	89.7%	(87.2-92.2)
<b>Education</b>	<b>Less Than H.S.</b>	29	6.5%	(3.2-9.7)	14	5.3%	(1.7-8.9)	354	88.2%	(83.5-92.9)
	<b>H.S. or G.E.D.</b>	93	7.5%	(5.0-10.0)	50	5.9%	(3.3-8.4)	949	86.6%	(83.2-90.0)
	<b>Some Post-H.S.</b>	104	6.3%	(4.6-8.0)	63	6.8%	(4.2-9.4)	1149	86.9%	(83.9-89.8)
	<b>College Graduate</b>	90	7.3%	(5.1-9.4)	63	4.1%	(2.7-5.5)	1098	88.6%	(86.1-91.1)
<b>Income</b>	<b>Less than \$15,000</b>	44	14.5%	(7.5-21.6)	8	5.9%	(0.0-11.8)	232	79.6%	(71.0-88.2)
	<b>\$15,000 to 24,999</b>	36	5.2%	(2.9-7.5)	19	3.9%	(1.0-6.9)	430	90.9%	(87.2-94.5)
	<b>\$25,000 to 34,999</b>	40	6.7%	(4.0-9.5)	23	5.6%	(2.1-9.0)	347	87.7%	(83.3-92.1)
	<b>\$35,000 to 49,999</b>	40	8.3%	(4.1-12.5)	31	8.4%	(3.9-12.8)	493	83.3%	(77.6-89.0)
	<b>\$50,000 to 74,999</b>	50	6.9%	(4.3-9.6)	36	4.5%	(2.5-6.4)	608	88.6%	(85.4-91.8)
	<b>\$75,000+</b>	72	5.6%	(3.9-7.4)	53	5.2%	(3.1-7.2)	1014	89.2%	(86.6-91.8)
<b>Region of Residence</b>	<b>Clark</b>	100	7.3%	(5.6-8.9)	60	5.6%	(3.9-7.3)	1120	87.1%	(84.8-89.4)
	<b>Washoe</b>	101	7.2%	(5.6-8.8)	67	5.7%	(4.1-7.2)	1154	87.1%	(85.0-89.3)
	<b>All Other Counties</b>	112	7.8%	(6.1-9.6)	57	4.5%	(3.2-5.9)	1155	87.6%	(85.5-89.7)
<b>Health Insurance</b>	<b>Yes</b>	275	7.3%	(6.0-8.5)	153	5.1%	(3.9-6.4)	3032	87.6%	(85.9-89.3)
	<b>No</b>	41	5.6%	(2.8-8.4)	35	7.2%	(3.6-10.8)	523	87.2%	(82.8-91.6)
<b>Weight Status</b>	<b>Normal weight</b>	116	7.6%	(5.5-9.6)	56	4.9%	(3.0-6.9)	1319	87.5%	(84.7-90.2)
	<b>Overweight</b>	92	5.6%	(3.9-7.2)	80	6.2%	(4.1-8.2)	1284	88.3%	(85.7-90.8)
	<b>Obese</b>	97	8.6%	(6.0-11.1)	51	5.9%	(3.3-8.6)	809	85.5%	(81.9-89.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	247	6.9%	(5.6-8.2)	148	5.2%	(3.9-6.5)	2833	87.9%	(86.1-89.6)
	<b>At Risk</b>	68	7.0%	(4.6-9.4)	43	7.5%	(4.0-11.0)	722	85.5%	(81.5-89.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	290	7.1%	(5.9-8.3)	170	5.7%	(4.4-7.0)	3177	87.3%	(85.5-89.0)
	<b>At Risk</b>	21	7.5%	(2.4-12.5)	18	4.2%	(1.5-6.9)	266	88.3%	(82.7-94.0)
<b>Health Status</b>	<b>Good or Better Health</b>	224	6.4%	(5.2-7.6)	158	5.6%	(4.2-7.0)	2959	88.0%	(86.2-89.7)
	<b>Fair or Poor Health</b>	93	9.4%	(6.4-12.5)	33	6.2%	(3.0-9.4)	603	84.4%	(80.2-88.6)

**Table 94: Adults aged 65+ who have had a flu shot within the past year**

Adults aged 65+ who have had a flu shot within the past year		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	648	61.9%	(57.8-66.1)	377	38.1%	(33.9-42.2)
<b>Gender</b>	<b>Male</b>	263	60.3%	(53.8-66.7)	176	39.7%	(33.3-46.2)
	<b>Female</b>	385	63.4%	(57.9-68.8)	201	36.6%	(31.2-42.1)
<b>Race</b>	<b>White/Non-Hisp</b>	552	62.7%	(58.1-67.3)	298	37.3%	(32.7-41.9)
	<b>Black or Af.Am./Non-Hisp</b>	19	86.0%	(71.0-100.0)	4	14.0%	(0.0-29.0)
	<b>Other Race/Non-Hisp</b>	17	39.2%	(19.5-58.9)	22	60.8%	(41.1-80.5)
	<b>Multiracial/Non-Hisp</b>	32	57.5%	(41.1-74.0)	30	42.5%	(26.0-58.9)
	<b>Hispanic</b>	21	50.6%	(31.2-70.1)	20	49.4%	(29.9-68.8)
<b>Age</b>	<b>65+</b>	648	61.9%	(57.8-66.1)	377	38.1%	(33.9-42.2)
<b>Education</b>	<b>Less Than H.S.</b>	48	49.4%	(35.3-63.5)	47	50.6%	(36.5-64.7)
	<b>H.S. or G.E.D.</b>	204	62.1%	(54.5-69.6)	116	37.9%	(30.4-45.5)
	<b>Some Post-H.S.</b>	203	59.4%	(52.0-66.8)	130	40.6%	(33.2-48.0)
	<b>College Graduate</b>	188	68.3%	(60.6-76.0)	83	31.7%	(24.0-39.4)
<b>Income</b>	<b>Less than \$15,000</b>	61	55.1%	(41.9-68.4)	46	44.9%	(31.6-58.1)
	<b>\$15,000 to 24,999</b>	113	56.3%	(46.5-66.0)	70	43.7%	(34.0-53.5)
	<b>\$25,000 to 34,999</b>	82	67.1%	(56.3-78.0)	51	32.9%	(22.0-43.7)
	<b>\$35,000 to 49,999</b>	88	59.9%	(49.0-70.7)	54	40.1%	(29.3-51.0)
	<b>\$50,000 to 74,999</b>	72	55.1%	(41.9-68.4)	39	44.9%	(31.6-58.1)
	<b>\$75,000+</b>	101	68.8%	(59.1-78.5)	49	31.2%	(21.5-40.9)
<b>Region of Residence</b>	<b>Clark</b>	196	60.9%	(54.9-66.9)	118	39.1%	(33.1-45.1)
	<b>Washoe</b>	204	66.3%	(60.3-72.3)	101	33.7%	(27.7-39.7)
	<b>All Other Counties</b>	229	62.0%	(56.7-67.4)	149	38.0%	(32.6-43.3)
<b>Health Insurance</b>	<b>Yes</b>	637	62.8%	(58.6-67.1)	358	37.2%	(32.9-41.4)
	<b>No</b>	10	31.9%	(9.6-54.1)	17	68.1%	(45.9-90.4)
<b>Weight Status</b>	<b>Normal weight</b>	253	63.7%	(57.3-70.0)	151	36.3%	(30.0-42.7)
	<b>Overweight</b>	250	60.0%	(53.2-66.8)	151	40.0%	(33.2-46.8)
	<b>Obese</b>	118	62.1%	(52.0-72.3)	63	37.9%	(27.7-48.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	560	65.0%	(60.5-69.5)	285	35.0%	(30.5-39.5)
	<b>At Risk</b>	83	47.5%	(37.1-57.8)	90	52.5%	(42.2-62.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	596	62.9%	(58.5-67.3)	335	37.1%	(32.7-41.5)
	<b>At Risk</b>	34	56.3%	(40.1-72.6)	27	43.7%	(27.4-59.9)
<b>Health Status</b>	<b>Good or Better Health</b>	473	61.3%	(56.4-66.2)	282	38.7%	(33.8-43.6)
	<b>Fair or Poor Health</b>	173	63.2%	(55.2-71.3)	94	36.8%	(28.7-44.8)

**Table 95: Adults aged 65+ who have ever had a pneumonia vaccination**

Adults aged 65+ who have ever had a pneumonia vaccination		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	685	66.7%	(62.5-70.9)	306	33.3%	(29.1-37.5)
<b>Gender</b>	<b>Male</b>	263	61.4%	(54.9-68.0)	159	38.6%	(32.0-45.1)
	<b>Female</b>	422	71.2%	(65.8-76.5)	147	28.8%	(23.5-34.2)
<b>Race</b>	<b>White/Non-Hisp</b>	587	69.3%	(64.8-73.9)	237	30.7%	(26.1-35.2)
	<b>Black or Af.Am./Non-Hisp</b>	14	52.7%	(26.3-79.2)	8	47.3%	(20.8-73.7)
	<b>Other Race/Non-Hisp</b>	23	61.5%	(41.2-81.8)	14	38.5%	(18.2-58.8)
	<b>Multiracial/Non-Hisp</b>	38	66.8%	(51.6-82.0)	23	33.2%	(18.0-48.4)
	<b>Hispanic</b>	18	48.2%	(28.1-68.3)	20	51.8%	(31.7-71.9)
<b>Age</b>	<b>65+</b>	685	66.7%	(62.5-70.9)	306	33.3%	(29.1-37.5)
<b>Education</b>	<b>Less Than H.S.</b>	47	46.1%	(31.9-60.2)	45	53.9%	(39.8-68.1)
	<b>H.S. or G.E.D.</b>	227	69.1%	(61.5-76.7)	86	30.9%	(23.3-38.5)
	<b>Some Post-H.S.</b>	224	69.5%	(62.2-76.7)	93	30.5%	(23.3-37.8)
	<b>College Graduate</b>	184	67.5%	(59.6-75.3)	79	32.5%	(24.7-40.4)
<b>Income</b>	<b>Less than \$15,000</b>	66	54.8%	(41.1-68.5)	39	45.2%	(31.5-58.9)
	<b>\$15,000 to 24,999</b>	131	71.6%	(62.2-80.9)	46	28.4%	(19.1-37.8)
	<b>\$25,000 to 34,999</b>	90	74.8%	(65.1-84.6)	40	25.2%	(15.4-34.9)
	<b>\$35,000 to 49,999</b>	90	65.7%	(55.1-76.4)	46	34.3%	(23.6-44.9)
	<b>\$50,000 to 74,999</b>	75	58.6%	(45.0-72.1)	34	41.4%	(27.9-55.0)
	<b>\$75,000+</b>	95	62.6%	(51.8-73.4)	49	37.4%	(26.6-48.2)
<b>Region of Residence</b>	<b>Clark</b>	202	65.1%	(59.0-71.3)	96	34.9%	(28.7-41.0)
	<b>Washoe</b>	221	74.3%	(68.7-79.9)	76	25.7%	(20.1-31.3)
	<b>All Other Counties</b>	245	67.2%	(62.1-72.4)	124	32.8%	(27.6-37.9)
<b>Health Insurance</b>	<b>Yes</b>	673	67.7%	(63.4-71.9)	291	32.3%	(28.1-36.6)
	<b>No</b>	11	28.2%	(9.3-47.1)	14	71.8%	(52.9-90.7)
<b>Weight Status</b>	<b>Normal weight</b>	279	69.2%	(62.7-75.7)	112	30.8%	(24.3-37.3)
	<b>Overweight</b>	260	64.1%	(57.2-71.1)	128	35.9%	(28.9-42.8)
	<b>Obese</b>	117	64.8%	(54.5-75.0)	57	35.2%	(25.0-45.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	581	68.7%	(64.1-73.4)	233	31.3%	(26.6-35.9)
	<b>At Risk</b>	100	58.4%	(48.0-68.7)	70	41.6%	(31.3-52.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	625	67.2%	(62.8-71.6)	275	32.8%	(28.4-37.2)
	<b>At Risk</b>	39	66.6%	(50.7-82.4)	20	33.4%	(17.6-49.3)
<b>Health Status</b>	<b>Good or Better Health</b>	494	64.1%	(59.1-69.2)	233	35.9%	(30.8-40.9)
	<b>Fair or Poor Health</b>	190	73.7%	(66.3-81.1)	72	26.3%	(18.9-33.7)

**Table 96: Four-level smoker status**

Four-level smoker status		Everyday smoker			Someday smoker			Former smoker			Non-smoker		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'												
<b>Total</b>	<b>Total</b>	651	16.1%	(14.4-17.8)	190	5.3%	(4.2-6.5)	1250	25.4%	(23.4-27.4)	2018	53.1%	(50.7-55.5)
<b>Gender</b>	<b>Male</b>	288	16.7%	(14.2-19.3)	89	6.6%	(4.6-8.6)	591	28.9%	(25.6-32.2)	756	47.8%	(44.1-51.4)
	<b>Female</b>	363	15.5%	(13.2-17.7)	101	4.0%	(2.9-5.2)	659	21.9%	(19.6-24.2)	1262	58.6%	(55.7-61.6)
<b>Race</b>	<b>White/Non-Hisp</b>	483	17.2%	(15.1-19.3)	117	3.8%	(2.7-4.9)	977	29.4%	(27.0-31.8)	1403	49.5%	(46.8-52.2)
	<b>Black or Af.Am./Non-Hisp</b>	17	16.5%	(7.6-25.4)	8	9.5%	(1.3-17.6)	27	16.3%	(8.2-24.3)	61	57.7%	(45.9-69.6)
	<b>Other Race/Non-Hisp</b>	28	11.4%	(5.6-17.3)	6	1.3%	(0.0-2.6)	53	28.2%	(17.9-38.5)	95	59.1%	(48.0-70.1)
	<b>Multiracial/Non-Hisp</b>	71	29.6%	(21.5-37.7)	17	4.3%	(1.5-7.2)	92	23.2%	(17.0-29.4)	115	42.9%	(34.2-51.5)
	<b>Hispanic</b>	48	9.4%	(6.1-12.8)	40	9.7%	(6.0-13.4)	92	16.9%	(11.7-22.1)	332	64.0%	(57.9-70.2)
<b>Age</b>	<b>18-24</b>	35	13.5%	(7.9-19.2)	16	7.8%	(3.3-12.2)	21	8.7%	(4.0-13.3)	162	70.1%	(62.4-77.8)
	<b>25-34</b>	75	13.2%	(8.9-17.4)	31	8.0%	(4.0-12.0)	78	19.4%	(13.3-25.5)	300	59.4%	(52.6-66.3)
	<b>35-44</b>	95	15.9%	(12.0-19.8)	33	4.4%	(2.4-6.4)	123	17.7%	(13.5-21.8)	421	62.0%	(56.9-67.2)
	<b>45-54</b>	172	21.7%	(17.5-26.0)	40	5.3%	(3.1-7.4)	235	26.0%	(21.8-30.3)	400	47.0%	(42.1-51.9)
	<b>55-64</b>	129	16.9%	(13.1-20.6)	42	3.6%	(2.0-5.1)	320	37.2%	(32.5-41.8)	363	42.4%	(37.7-47.1)
	<b>65+</b>	145	14.8%	(11.8-17.9)	28	3.1%	(1.5-4.8)	473	44.4%	(40.2-48.6)	372	37.6%	(33.5-41.8)
<b>Education</b>	<b>Less Than H.S.</b>	79	16.9%	(11.9-21.9)	26	11.5%	(5.7-17.3)	95	17.0%	(11.7-22.4)	200	54.6%	(47.0-62.1)
	<b>H.S. or G.E.D.</b>	242	22.3%	(18.5-26.2)	50	4.6%	(2.9-6.3)	338	25.2%	(21.5-28.9)	473	47.9%	(43.3-52.4)
	<b>Some Post-H.S.</b>	236	18.7%	(15.4-21.9)	67	4.7%	(3.1-6.3)	422	27.5%	(24.0-31.1)	599	49.1%	(45.0-53.3)
	<b>College Graduate</b>	93	7.3%	(5.3-9.3)	46	3.8%	(2.2-5.4)	387	27.6%	(23.7-31.6)	734	61.2%	(57.0-65.4)
<b>Income</b>	<b>Less than \$15,000</b>	73	24.9%	(16.4-33.4)	14	5.6%	(1.3-9.9)	79	21.2%	(12.7-29.6)	119	48.3%	(37.6-59.1)
	<b>\$15,000 to 24,999</b>	109	20.9%	(15.5-26.4)	26	5.4%	(1.9-9.0)	144	20.6%	(15.3-25.8)	213	53.1%	(46.0-60.2)
	<b>\$25,000 to 34,999</b>	77	16.6%	(11.0-22.3)	28	8.6%	(3.7-13.6)	123	27.7%	(19.9-35.6)	182	47.0%	(38.8-55.2)
	<b>\$35,000 to 49,999</b>	98	18.1%	(13.0-23.2)	31	6.3%	(3.0-9.6)	180	27.9%	(22.3-33.6)	256	47.7%	(41.3-54.1)
	<b>\$50,000 to 74,999</b>	92	15.5%	(11.4-19.5)	29	2.9%	(1.5-4.4)	230	31.4%	(26.4-36.5)	348	50.2%	(44.7-55.6)
	<b>\$75,000+</b>	116	11.2%	(8.6-13.7)	42	3.7%	(2.2-5.3)	339	24.4%	(21.0-27.8)	650	60.7%	(56.7-64.7)
<b>Region of Residence</b>	<b>Clark</b>	217	16.6%	(14.2-19.0)	60	5.6%	(3.9-7.2)	368	24.1%	(21.5-26.8)	648	53.7%	(50.5-57.0)
	<b>Washoe</b>	171	14.5%	(12.1-17.0)	77	6.0%	(4.4-7.5)	403	25.1%	(22.5-27.7)	677	54.4%	(51.2-57.6)
	<b>All Other Counties</b>	243	17.6%	(15.2-20.1)	50	4.8%	(2.7-6.8)	445	30.2%	(27.3-33.1)	600	47.4%	(44.0-50.7)
<b>Health Insurance</b>	<b>Yes</b>	506	15.1%	(13.3-16.9)	144	4.0%	(3.0-4.9)	1112	26.7%	(24.7-28.8)	1726	54.2%	(51.7-56.7)
	<b>No</b>	144	20.2%	(15.5-24.9)	46	10.7%	(6.4-15.0)	135	20.7%	(15.0-26.4)	277	48.4%	(41.9-54.9)
<b>Weight Status</b>	<b>Normal weight</b>	305	20.7%	(17.5-23.8)	77	6.1%	(4.0-8.3)	393	20.5%	(17.6-23.4)	725	52.7%	(48.8-56.6)
	<b>Overweight</b>	204	13.9%	(11.4-16.4)	72	5.0%	(3.4-6.7)	489	28.9%	(25.2-32.6)	707	52.2%	(48.1-56.2)
	<b>Obese</b>	121	13.6%	(10.1-17.2)	37	5.4%	(2.6-8.1)	321	28.0%	(23.8-32.1)	486	53.0%	(48.2-57.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	0	.	(-.)	0	.	(-.)	1250	32.4%	(29.9-34.8)	2018	67.6%	(65.2-70.1)
	<b>At Risk</b>	651	75.1%	(70.3-79.8)	190	24.9%	(20.2-29.7)	0	.	(-.)	0	.	(-.)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	515	13.8%	(12.1-15.5)	156	4.8%	(3.6-5.9)	1117	25.7%	(23.6-27.9)	1876	55.7%	(53.2-58.2)
	<b>At Risk</b>	111	44.6%	(36.1-53.2)	21	7.6%	(3.3-11.9)	95	22.0%	(15.5-28.6)	83	25.7%	(18.6-32.8)
<b>Health Status</b>	<b>Good or Better Health</b>	476	14.7%	(12.9-16.5)	152	5.0%	(3.7-6.2)	1014	25.0%	(22.8-27.2)	1724	55.3%	(52.7-57.9)
	<b>Fair or Poor Health</b>	173	22.8%	(18.2-27.4)	38	7.3%	(3.9-10.7)	235	27.4%	(22.5-32.3)	290	42.5%	(37.0-48.1)

**Table 97: Weight Status by body mass index**

Weight Status by body mass index		Neither overweight nor obese			Overweight			Obese		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'									
<b>Total</b>	<b>Total</b>	1505	37.0%	(34.7-39.3)	1478	38.4%	(36.0-40.7)	969	24.6%	(22.5-26.7)
<b>Gender</b>	<b>Male</b>	471	29.2%	(25.8-32.6)	784	45.0%	(41.3-48.6)	445	25.8%	(22.8-28.9)
	<b>Female</b>	1034	45.4%	(42.2-48.5)	694	31.3%	(28.4-34.3)	524	23.3%	(20.6-26.0)
<b>Race</b>	<b>White/Non-Hisp</b>	1143	37.8%	(35.2-40.4)	1080	38.1%	(35.5-40.8)	665	24.1%	(21.6-26.5)
	<b>Black or Af.Am./Non-Hisp</b>	37	36.9%	(24.8-49.0)	35	32.9%	(21.9-43.9)	36	30.2%	(19.1-41.2)
	<b>Other Race/Non-Hisp</b>	89	55.5%	(43.5-67.6)	49	30.5%	(18.3-42.7)	34	14.0%	(7.1-20.8)
	<b>Multiracial/Non-Hisp</b>	103	40.8%	(32.0-49.6)	108	34.4%	(26.6-42.3)	85	24.8%	(18.0-31.5)
	<b>Hispanic</b>	127	29.0%	(23.1-34.9)	194	44.0%	(37.4-50.6)	143	27.0%	(21.5-32.5)
<b>Age</b>	<b>18-24</b>	121	55.0%	(46.2-63.7)	62	27.6%	(19.8-35.4)	40	17.4%	(10.9-24.0)
	<b>25-34</b>	204	39.6%	(33.1-46.1)	162	40.4%	(33.4-47.4)	98	20.0%	(14.7-25.3)
	<b>35-44</b>	221	31.0%	(26.2-35.9)	233	40.0%	(34.7-45.3)	183	29.0%	(24.1-33.9)
	<b>45-54</b>	291	33.8%	(29.2-38.5)	320	37.4%	(32.6-42.1)	201	28.8%	(23.9-33.7)
	<b>55-64</b>	264	28.5%	(24.4-32.7)	300	38.6%	(33.7-43.4)	266	32.9%	(28.3-37.4)
	<b>65+</b>	404	39.2%	(35.0-43.3)	401	43.0%	(38.7-47.3)	181	17.8%	(14.5-21.1)
<b>Education</b>	<b>Less Than H.S.</b>	118	29.2%	(22.3-36.1)	130	40.8%	(32.8-48.9)	120	30.0%	(23.0-36.9)
	<b>H.S. or G.E.D.</b>	398	35.9%	(31.4-40.3)	383	35.4%	(31.1-39.7)	282	28.7%	(24.4-33.0)
	<b>Some Post-H.S.</b>	489	40.8%	(36.6-45.0)	457	35.9%	(32.0-39.9)	334	23.3%	(19.8-26.8)
	<b>College Graduate</b>	495	37.7%	(33.7-41.8)	503	42.5%	(38.2-46.8)	232	19.8%	(16.5-23.0)
<b>Income</b>	<b>Less than \$15,000</b>	101	33.7%	(23.8-43.6)	86	40.2%	(28.8-51.7)	85	26.1%	(17.5-34.6)
	<b>\$15,000 to 24,999</b>	195	39.7%	(32.7-46.7)	160	38.1%	(31.1-45.2)	114	22.2%	(16.7-27.6)
	<b>\$25,000 to 34,999</b>	140	30.6%	(23.6-37.7)	153	42.8%	(34.3-51.3)	107	26.5%	(19.1-34.0)
	<b>\$35,000 to 49,999</b>	210	36.7%	(30.3-43.0)	186	32.0%	(26.2-37.7)	157	31.4%	(25.1-37.6)
	<b>\$50,000 to 74,999</b>	241	34.1%	(28.9-39.4)	256	38.0%	(32.6-43.3)	181	27.9%	(22.9-32.8)
	<b>\$75,000+</b>	426	37.9%	(33.8-41.9)	461	39.7%	(35.6-43.8)	242	22.4%	(18.9-25.9)
<b>Region of Residence</b>	<b>Clark</b>	476	37.2%	(33.9-40.4)	460	37.8%	(34.5-41.0)	318	25.1%	(22.2-27.9)
	<b>Washoe</b>	560	43.5%	(40.3-46.7)	481	38.6%	(35.4-41.8)	258	17.9%	(15.5-20.3)
	<b>All Other Counties</b>	441	33.8%	(30.4-37.2)	489	36.5%	(33.4-39.6)	367	29.7%	(26.6-32.8)
<b>Health Insurance</b>	<b>Yes</b>	1291	37.5%	(35.0-39.9)	1270	38.1%	(35.7-40.6)	801	24.4%	(22.3-26.6)
	<b>No</b>	204	35.2%	(28.9-41.4)	202	39.2%	(32.4-46.0)	165	25.7%	(19.9-31.4)
<b>Weight Status</b>	<b>Normal weight</b>	1505	100.0%	(100.0-100.0)	0	.	(-.)	0	.	(-.)
	<b>Overweight</b>	0	.	(-.)	1478	100.0%	(100.0-100.0)	0	.	(-.)
	<b>Obese</b>	0	.	(-.)	0	.	(-.)	969	100.0%	(100.0-100.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	1118	34.7%	(32.1-37.3)	1196	39.8%	(37.1-42.5)	807	25.5%	(23.2-27.8)
	<b>At Risk</b>	382	45.4%	(40.2-50.6)	276	33.2%	(28.5-37.9)	158	21.4%	(16.7-26.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1330	36.9%	(34.5-39.4)	1316	37.3%	(34.8-39.8)	893	25.8%	(23.5-28.0)
	<b>At Risk</b>	135	42.5%	(34.1-50.9)	114	44.1%	(35.5-52.7)	59	13.4%	(8.9-17.9)
<b>Health Status</b>	<b>Good or Better Health</b>	1285	38.2%	(35.6-40.8)	1254	39.9%	(37.2-42.5)	708	21.9%	(19.7-24.1)
	<b>Fair or Poor Health</b>	217	31.2%	(25.9-36.6)	221	30.8%	(25.4-36.1)	261	38.0%	(32.5-43.5)

**Table 98: Binge drinking**

Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3402	83.1%	(81.3-84.9)	627	16.9%	(15.1-18.7)
<b>Gender</b>	<b>Male</b>	1313	76.2%	(73.1-79.3)	373	23.8%	(20.7-26.9)
	<b>Female</b>	2089	90.1%	(88.4-91.8)	254	9.9%	(8.2-11.6)
<b>Race</b>	<b>White/Non-Hisp</b>	2469	82.2%	(80.0-84.4)	465	17.8%	(15.6-20.0)
	<b>Black or Af.Am./Non-Hisp</b>	93	84.9%	(76.9-92.8)	15	15.1%	(7.2-23.1)
	<b>Other Race/Non-Hisp</b>	152	81.9%	(72.6-91.1)	24	18.1%	(8.9-27.4)
	<b>Multiracial/Non-Hisp</b>	251	86.4%	(80.6-92.3)	43	13.6%	(7.7-19.4)
	<b>Hispanic</b>	418	84.4%	(79.9-88.9)	73	15.6%	(11.1-20.1)
<b>Age</b>	<b>18-24</b>	164	77.4%	(70.7-84.0)	62	22.6%	(16.0-29.3)
	<b>25-34</b>	356	78.2%	(72.9-83.5)	118	21.8%	(16.5-27.1)
	<b>35-44</b>	524	79.0%	(74.6-83.4)	134	21.0%	(16.6-25.4)
	<b>45-54</b>	672	82.6%	(78.9-86.3)	154	17.4%	(13.7-21.1)
	<b>55-64</b>	752	88.0%	(84.6-91.4)	92	12.0%	(8.6-15.4)
	<b>65+</b>	934	94.5%	(92.7-96.2)	67	5.5%	(3.8-7.3)
<b>Education</b>	<b>Less Than H.S.</b>	322	80.9%	(74.6-87.1)	63	19.1%	(12.9-25.4)
	<b>H.S. or G.E.D.</b>	889	81.4%	(77.9-84.9)	188	18.6%	(15.1-22.1)
	<b>Some Post-H.S.</b>	1106	84.7%	(81.7-87.6)	201	15.3%	(12.4-18.3)
	<b>College Graduate</b>	1075	84.0%	(80.8-87.2)	174	16.0%	(12.8-19.2)
<b>Income</b>	<b>Less than \$15,000</b>	242	82.2%	(74.8-89.7)	39	17.8%	(10.3-25.2)
	<b>\$15,000 to 24,999</b>	422	82.4%	(76.5-88.3)	61	17.6%	(11.7-23.5)
	<b>\$25,000 to 34,999</b>	349	87.8%	(83.4-92.2)	53	12.2%	(7.8-16.6)
	<b>\$35,000 to 49,999</b>	477	84.5%	(79.8-89.2)	84	15.5%	(10.8-20.2)
	<b>\$50,000 to 74,999</b>	582	83.9%	(79.9-87.9)	113	16.1%	(12.1-20.1)
	<b>\$75,000+</b>	919	80.0%	(76.6-83.5)	222	20.0%	(16.5-23.4)
<b>Region of Residence</b>	<b>Clark</b>	1103	84.4%	(81.9-86.9)	173	15.6%	(13.1-18.1)
	<b>Washoe</b>	1091	79.5%	(76.8-82.3)	224	20.5%	(17.7-23.2)
	<b>All Other Counties</b>	1111	80.3%	(77.3-83.3)	211	19.7%	(16.7-22.7)
<b>Health Insurance</b>	<b>Yes</b>	2909	83.9%	(82.1-85.8)	517	16.1%	(14.2-17.9)
	<b>No</b>	477	79.6%	(74.3-84.8)	107	20.4%	(15.2-25.7)
<b>Weight Status</b>	<b>Normal weight</b>	1246	83.9%	(81.1-86.7)	236	16.1%	(13.3-18.9)
	<b>Overweight</b>	1187	79.9%	(76.7-83.2)	261	20.1%	(16.8-23.3)
	<b>Obese</b>	830	84.6%	(80.9-88.3)	125	15.4%	(11.7-19.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2797	87.6%	(85.8-89.3)	399	12.4%	(10.7-14.2)
	<b>At Risk</b>	596	66.4%	(61.3-71.5)	223	33.6%	(28.5-38.7)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3281	88.1%	(86.4-89.7)	378	11.9%	(10.3-13.6)
	<b>At Risk</b>	81	24.5%	(17.6-31.4)	228	75.5%	(68.6-82.4)
<b>Health Status</b>	<b>Good or Better Health</b>	2751	82.9%	(80.9-84.9)	544	17.1%	(15.1-19.1)
	<b>Fair or Poor Health</b>	645	83.9%	(79.3-88.5)	82	16.1%	(11.5-20.7)

### Table 99: Heavy Alcohol Consumption

Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)		No			Yes		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	3677	92.9%	(91.7-94.0)	312	7.1%	(6.0-8.3)
<b>Gender</b>	<b>Male</b>	1518	91.4%	(89.5-93.4)	156	8.6%	(6.6-10.5)
	<b>Female</b>	2159	94.4%	(93.1-95.6)	156	5.6%	(4.4-6.9)
<b>Race</b>	<b>White/Non-Hisp</b>	2665	91.6%	(90.1-93.2)	244	8.4%	(6.8-9.9)
	<b>Black or Af.Am./Non-Hisp</b>	99	91.6%	(85.1-98.1)	7	8.4%	(1.9-14.9)
	<b>Other Race/Non-Hisp</b>	166	97.9%	(95.8-100.0)	6	2.1%	(0.0-4.2)
	<b>Multiracial/Non-Hisp</b>	268	92.7%	(88.0-97.4)	23	7.3%	(2.6-12.0)
	<b>Hispanic</b>	459	95.9%	(93.9-97.9)	27	4.1%	(2.1-6.1)
<b>Age</b>	<b>18-24</b>	204	92.2%	(88.1-96.4)	20	7.8%	(3.6-11.9)
	<b>25-34</b>	426	93.1%	(90.2-96.0)	44	6.9%	(4.0-9.8)
	<b>35-44</b>	606	92.2%	(89.1-95.3)	50	7.8%	(4.7-10.9)
	<b>45-54</b>	747	91.7%	(89.0-94.3)	71	8.3%	(5.7-11.0)
	<b>55-64</b>	763	93.1%	(90.9-95.4)	66	6.9%	(4.6-9.1)
	<b>65+</b>	931	95.1%	(93.5-96.7)	61	4.9%	(3.3-6.5)
<b>Education</b>	<b>Less Than H.S.</b>	355	94.4%	(91.7-97.2)	27	5.6%	(2.8-8.3)
	<b>H.S. or G.E.D.</b>	975	91.5%	(89.0-94.1)	95	8.5%	(5.9-11.0)
	<b>Some Post-H.S.</b>	1182	92.2%	(90.0-94.5)	106	7.8%	(5.5-10.0)
	<b>College Graduate</b>	1155	94.0%	(92.2-95.9)	83	6.0%	(4.1-7.8)
<b>Income</b>	<b>Less than \$15,000</b>	261	92.1%	(87.1-97.2)	20	7.9%	(2.8-12.9)
	<b>\$15,000 to 24,999</b>	444	89.7%	(85.0-94.4)	38	10.3%	(5.6-15.0)
	<b>\$25,000 to 34,999</b>	359	94.0%	(91.0-96.9)	33	6.0%	(3.1-9.0)
	<b>\$35,000 to 49,999</b>	519	95.6%	(93.5-97.7)	34	4.4%	(2.3-6.5)
	<b>\$50,000 to 74,999</b>	632	93.5%	(91.2-95.8)	57	6.5%	(4.2-8.8)
	<b>\$75,000+</b>	1035	92.4%	(90.2-94.6)	98	7.6%	(5.4-9.8)
<b>Region of Residence</b>	<b>Clark</b>	1167	93.3%	(91.7-95.0)	87	6.7%	(5.0-8.3)
	<b>Washoe</b>	1193	90.6%	(88.6-92.6)	116	9.4%	(7.4-11.4)
	<b>All Other Counties</b>	1206	91.0%	(88.9-93.2)	105	9.0%	(6.8-11.1)
<b>Health Insurance</b>	<b>Yes</b>	3143	93.4%	(92.2-94.5)	253	6.6%	(5.5-7.8)
	<b>No</b>	518	90.9%	(87.5-94.4)	57	9.1%	(5.6-12.5)
<b>Weight Status</b>	<b>Normal weight</b>	1330	91.7%	(89.6-93.7)	135	8.3%	(6.3-10.4)
	<b>Overweight</b>	1316	91.5%	(89.2-93.7)	114	8.5%	(6.3-10.8)
	<b>Obese</b>	893	96.1%	(94.7-97.4)	59	3.9%	(2.6-5.3)
<b>Smoking Status</b>	<b>Not At Risk</b>	2993	95.7%	(94.7-96.7)	178	4.3%	(3.3-5.3)
	<b>At Risk</b>	671	82.3%	(78.3-86.3)	132	17.7%	(13.7-21.7)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	3677	100.0%	(100.0-100.0)	0	.	(.-)
	<b>At Risk</b>	0	.	(.-)	312	100.0%	(100.0-100.0)
<b>Health Status</b>	<b>Good or Better Health</b>	3016	93.0%	(91.7-94.3)	250	7.0%	(5.7-8.3)
	<b>Fair or Poor Health</b>	655	92.3%	(89.6-94.9)	61	7.7%	(5.1-10.4)

**Table 100: Respondents diagnosed with arthritis**

Respondents that have had a doctor diagnose them as having some form of arthritis		Diagnosed with arthritis			Not diagnosed with arthritis		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	1309	25.2%	(23.3-27.0)	2711	74.8%	(73.0-76.7)
<b>Gender</b>	<b>Male</b>	460	20.5%	(17.9-23.1)	1227	79.5%	(76.9-82.1)
	<b>Female</b>	849	30.0%	(27.4-32.6)	1484	70.0%	(67.4-72.6)
<b>Race</b>	<b>White/Non-Hisp</b>	1044	30.6%	(28.2-33.0)	1881	69.4%	(67.0-71.8)
	<b>Black or Af.Am./Non-Hisp</b>	30	22.3%	(12.4-32.2)	80	77.7%	(67.8-87.6)
	<b>Other Race/Non-Hisp</b>	47	17.3%	(10.2-24.4)	127	82.7%	(75.6-89.8)
	<b>Multiracial/Non-Hisp</b>	112	33.2%	(25.4-40.9)	181	66.8%	(59.1-74.6)
	<b>Hispanic</b>	64	8.9%	(6.0-11.8)	427	91.1%	(88.2-94.0)
<b>Age</b>	<b>18-24</b>	8	2.7%	(0.6-4.9)	221	97.3%	(95.1-99.4)
	<b>25-34</b>	46	11.0%	(6.8-15.1)	428	89.0%	(84.9-93.2)
	<b>35-44</b>	112	16.2%	(12.3-20.0)	542	83.8%	(80.0-87.7)
	<b>45-54</b>	239	28.6%	(24.1-33.0)	587	71.4%	(67.0-75.9)
	<b>55-64</b>	365	40.2%	(35.5-44.8)	471	59.8%	(55.2-64.5)
	<b>65+</b>	539	54.0%	(49.7-58.2)	462	46.0%	(41.8-50.3)
<b>Education</b>	<b>Less Than H.S.</b>	90	14.8%	(10.0-19.6)	292	85.2%	(80.4-90.0)
	<b>H.S. or G.E.D.</b>	373	27.5%	(23.7-31.3)	705	72.5%	(68.7-76.3)
	<b>Some Post-H.S.</b>	448	27.9%	(24.4-31.4)	856	72.1%	(68.6-75.6)
	<b>College Graduate</b>	393	25.0%	(21.8-28.3)	851	75.0%	(71.7-78.2)
<b>Income</b>	<b>Less than \$15,000</b>	127	35.0%	(25.5-44.4)	154	65.0%	(55.6-74.5)
	<b>\$15,000 to 24,999</b>	176	25.0%	(19.8-30.2)	309	75.0%	(69.8-80.2)
	<b>\$25,000 to 34,999</b>	155	26.6%	(20.1-33.1)	246	73.4%	(66.9-79.9)
	<b>\$35,000 to 49,999</b>	186	27.4%	(22.1-32.7)	371	72.6%	(67.3-77.9)
	<b>\$50,000 to 74,999</b>	198	24.7%	(20.2-29.2)	493	75.3%	(70.8-79.8)
	<b>\$75,000+</b>	309	23.5%	(20.2-26.8)	826	76.5%	(73.2-79.8)
<b>Region of Residence</b>	<b>Clark</b>	421	25.9%	(23.3-28.6)	847	74.1%	(71.4-76.7)
	<b>Washoe</b>	410	24.6%	(22.1-27.2)	900	75.4%	(72.8-77.9)
	<b>All Other Counties</b>	461	28.4%	(25.7-31.2)	864	71.6%	(68.8-74.3)
<b>Health Insurance</b>	<b>Yes</b>	1179	28.5%	(26.4-30.6)	2236	71.5%	(69.4-73.6)
	<b>No</b>	127	12.8%	(9.2-16.3)	459	87.2%	(83.7-90.8)
<b>Weight Status</b>	<b>Normal weight</b>	426	21.1%	(18.4-23.9)	1050	78.9%	(76.1-81.6)
	<b>Overweight</b>	446	22.6%	(19.8-25.5)	1001	77.4%	(74.5-80.2)
	<b>Obese</b>	391	35.4%	(30.9-39.9)	568	64.6%	(60.1-69.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	1041	24.7%	(22.6-26.7)	2147	75.3%	(73.3-77.4)
	<b>At Risk</b>	264	27.0%	(22.5-31.4)	553	73.0%	(68.6-77.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1202	25.9%	(23.9-27.9)	2431	74.1%	(72.1-76.1)
	<b>At Risk</b>	81	19.2%	(13.3-25.0)	224	80.8%	(75.0-86.7)
<b>Health Status</b>	<b>Good or Better Health</b>	944	21.9%	(20.0-23.8)	2348	78.1%	(76.2-80.0)
	<b>Fair or Poor Health</b>	364	41.3%	(35.9-46.7)	358	58.7%	(53.3-64.1)

**Table 101: 3 level moderate physical activity category**

3 level moderate physical activity category		Meet recommendations			Insufficient activity			No moderate physical activity		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'									
<b>Total</b>	<b>Total</b>	1505	35.9%	(33.5-38.2)	1772	48.3%	(45.9-50.8)	586	15.8%	(14.0-17.6)
<b>Gender</b>	<b>Male</b>	624	35.2%	(31.7-38.8)	735	48.5%	(44.8-52.2)	275	16.2%	(13.6-18.9)
	<b>Female</b>	881	36.5%	(33.5-39.5)	1037	48.2%	(45.0-51.3)	311	15.4%	(12.9-17.8)
<b>Race</b>	<b>White/Non-Hisp</b>	1127	37.6%	(34.9-40.3)	1295	48.7%	(45.9-51.5)	389	13.7%	(11.8-15.5)
	<b>Black or Af.Am./Non-Hisp</b>	33	27.8%	(17.0-38.5)	52	56.1%	(43.7-68.4)	18	16.2%	(7.3-25.0)
	<b>Other Race/Non-Hisp</b>	60	33.4%	(22.5-44.3)	78	44.1%	(32.5-55.7)	30	22.5%	(10.7-34.3)
	<b>Multiracial/Non-Hisp</b>	130	47.6%	(38.8-56.4)	115	41.2%	(32.4-49.9)	38	11.2%	(6.7-15.8)
	<b>Hispanic</b>	144	28.8%	(23.0-34.6)	222	49.4%	(42.8-55.9)	106	21.8%	(16.6-27.1)
<b>Age</b>	<b>18-24</b>	96	37.8%	(29.4-46.2)	96	45.9%	(37.0-54.9)	29	16.3%	(9.8-22.8)
	<b>25-34</b>	199	39.1%	(32.4-45.8)	209	47.1%	(40.0-54.1)	46	13.8%	(8.5-19.2)
	<b>35-44</b>	252	34.0%	(29.0-39.1)	317	55.0%	(49.6-60.3)	70	11.0%	(7.8-14.3)
	<b>45-54</b>	320	36.2%	(31.4-41.1)	394	49.0%	(44.0-54.0)	91	14.8%	(10.9-18.6)
	<b>55-64</b>	345	40.2%	(35.4-44.9)	344	43.2%	(38.4-48.0)	116	16.6%	(12.9-20.3)
	<b>65+</b>	293	28.2%	(24.3-32.1)	412	47.0%	(42.6-51.4)	234	24.8%	(20.9-28.6)
<b>Education</b>	<b>Less Than H.S.</b>	112	32.1%	(24.4-39.9)	152	43.8%	(35.9-51.8)	98	24.1%	(17.4-30.7)
	<b>H.S. or G.E.D.</b>	368	32.5%	(28.3-36.8)	480	48.5%	(43.8-53.2)	174	19.0%	(15.0-22.9)
	<b>Some Post-H.S.</b>	521	40.7%	(36.5-44.9)	538	45.3%	(41.0-49.5)	191	14.1%	(11.3-16.8)
	<b>College Graduate</b>	500	35.7%	(31.7-39.6)	599	53.6%	(49.3-57.8)	120	10.8%	(8.1-13.4)
<b>Income</b>	<b>Less than \$15,000</b>	83	34.7%	(23.6-45.8)	101	41.1%	(30.0-52.3)	80	24.2%	(15.4-32.9)
	<b>\$15,000 to 24,999</b>	161	33.6%	(26.8-40.5)	203	47.1%	(39.7-54.4)	98	19.3%	(14.0-24.6)
	<b>\$25,000 to 34,999</b>	138	30.5%	(23.4-37.7)	182	47.1%	(38.4-55.7)	70	22.4%	(15.0-29.8)
	<b>\$35,000 to 49,999</b>	210	36.0%	(29.6-42.4)	246	47.3%	(40.7-53.8)	78	16.7%	(11.6-21.9)
	<b>\$50,000 to 74,999</b>	290	40.4%	(34.9-45.9)	305	49.1%	(43.5-54.7)	74	10.5%	(7.4-13.6)
	<b>\$75,000+</b>	470	37.4%	(33.4-41.4)	562	53.8%	(49.6-57.9)	87	8.8%	(6.4-11.2)
<b>Region of Residence</b>	<b>Clark</b>	419	33.8%	(30.6-37.0)	605	50.5%	(47.1-53.9)	199	15.7%	(13.2-18.2)
	<b>Washoe</b>	527	40.9%	(37.7-44.1)	589	47.1%	(43.8-50.4)	159	12.0%	(9.8-14.2)
	<b>All Other Counties</b>	528	41.7%	(38.3-45.0)	544	43.4%	(40.0-46.9)	186	14.9%	(12.4-17.3)
<b>Health Insurance</b>	<b>Yes</b>	1285	36.4%	(33.9-38.8)	1528	49.5%	(46.9-52.0)	463	14.2%	(12.4-15.9)
	<b>No</b>	214	34.2%	(27.9-40.5)	237	44.6%	(37.8-51.3)	117	21.2%	(15.7-26.7)
<b>Weight Status</b>	<b>Normal weight</b>	628	37.6%	(33.8-41.3)	620	48.1%	(44.1-52.1)	185	14.3%	(11.4-17.3)
	<b>Overweight</b>	530	35.1%	(31.2-39.0)	651	47.3%	(43.2-51.4)	211	17.6%	(14.4-20.8)
	<b>Obese</b>	305	34.6%	(29.8-39.4)	451	50.2%	(45.3-55.2)	155	15.2%	(11.6-18.7)
<b>Smoking Status</b>	<b>Not At Risk</b>	1195	35.4%	(32.8-38.0)	1426	50.0%	(47.2-52.7)	433	14.7%	(12.7-16.7)
	<b>At Risk</b>	303	37.5%	(32.3-42.7)	344	42.7%	(37.5-47.9)	148	19.8%	(15.5-24.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1357	35.4%	(33.0-37.9)	1610	48.4%	(45.8-51.0)	527	16.1%	(14.2-18.1)
	<b>At Risk</b>	116	39.0%	(30.8-47.2)	132	47.9%	(39.5-56.4)	48	13.1%	(7.9-18.2)
<b>Health Status</b>	<b>Good or Better Health</b>	1314	37.3%	(34.8-39.9)	1489	49.5%	(46.7-52.2)	372	13.2%	(11.3-15.1)
	<b>Fair or Poor Health</b>	190	29.0%	(23.4-34.6)	280	42.9%	(37.2-48.6)	211	28.1%	(22.8-33.4)

**Table 102: 3 level vigorous physical activity category**

3 level vigorous physical activity category		Meet recommendations			Insufficient activity			No vigorous physical activity		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>										
<b>Total</b>	<b>Total</b>	1130	28.3%	(26.1-30.5)	732	20.3%	(18.2-22.3)	2055	51.5%	(49.0-53.9)
<b>Gender</b>	<b>Male</b>	529	32.4%	(28.8-35.9)	377	24.2%	(20.9-27.4)	729	43.5%	(39.8-47.2)
	<b>Female</b>	601	24.1%	(21.5-26.6)	355	16.3%	(13.8-18.7)	1326	59.7%	(56.6-62.7)
<b>Race</b>	<b>White/Non-Hisp</b>	848	29.5%	(27.0-32.0)	531	19.4%	(17.1-21.6)	1489	51.1%	(48.4-53.9)
	<b>Black or Af.Am./Non-Hisp</b>	26	23.5%	(12.0-34.9)	15	20.6%	(8.8-32.4)	58	56.0%	(42.8-69.1)
	<b>Other Race/Non-Hisp</b>	52	31.5%	(20.7-42.4)	33	23.1%	(11.7-34.6)	80	45.3%	(33.3-57.3)
	<b>Multiracial/Non-Hisp</b>	80	26.9%	(19.3-34.6)	58	25.6%	(16.9-34.3)	149	47.5%	(38.9-56.1)
	<b>Hispanic</b>	120	25.9%	(20.0-31.9)	90	19.9%	(14.8-25.0)	262	54.1%	(47.6-60.7)
<b>Age</b>	<b>18-24</b>	95	33.9%	(25.9-41.9)	50	24.2%	(16.1-32.3)	80	41.9%	(33.1-50.7)
	<b>25-34</b>	165	33.6%	(27.0-40.3)	102	23.9%	(17.9-29.9)	195	42.5%	(35.6-49.3)
	<b>35-44</b>	223	30.2%	(25.4-35.0)	146	24.3%	(19.7-28.9)	270	45.5%	(40.1-50.9)
	<b>45-54</b>	255	28.8%	(24.3-33.3)	155	18.1%	(14.3-22.0)	391	53.1%	(48.1-58.1)
	<b>55-64</b>	208	22.9%	(19.1-26.6)	168	18.4%	(14.8-22.0)	447	58.7%	(54.1-63.3)
	<b>65+</b>	184	18.8%	(15.5-22.2)	111	11.6%	(8.7-14.5)	672	69.6%	(65.6-73.6)
<b>Education</b>	<b>Less Than H.S.</b>	68	20.8%	(14.0-27.6)	58	18.7%	(11.8-25.5)	237	60.5%	(52.4-68.6)
	<b>H.S. or G.E.D.</b>	259	24.6%	(20.6-28.6)	174	18.1%	(14.4-21.8)	615	57.4%	(52.7-62.0)
	<b>Some Post-H.S.</b>	382	28.5%	(24.9-32.1)	246	23.0%	(19.1-26.9)	647	48.5%	(44.2-52.7)
	<b>College Graduate</b>	418	34.8%	(30.6-39.1)	252	20.3%	(16.8-23.7)	551	44.9%	(40.6-49.1)
<b>Income</b>	<b>Less than \$15,000</b>	43	15.7%	(8.2-23.1)	29	18.9%	(7.8-30.0)	199	65.4%	(54.0-76.9)
	<b>\$15,000 to 24,999</b>	81	16.4%	(11.2-21.5)	65	17.8%	(11.6-24.0)	318	65.9%	(58.8-73.0)
	<b>\$25,000 to 34,999</b>	90	30.6%	(21.5-39.7)	52	11.8%	(7.1-16.4)	243	57.6%	(48.7-66.5)
	<b>\$35,000 to 49,999</b>	146	25.7%	(19.9-31.4)	103	18.0%	(12.9-23.1)	302	56.3%	(49.8-62.8)
	<b>\$50,000 to 74,999</b>	226	30.3%	(25.3-35.3)	147	21.9%	(17.4-26.5)	309	47.8%	(42.3-53.3)
	<b>\$75,000+</b>	440	37.0%	(33.0-41.0)	259	24.2%	(20.5-27.9)	422	38.7%	(34.7-42.8)
<b>Region of Residence</b>	<b>Clark</b>	321	26.0%	(23.1-28.9)	213	20.6%	(17.7-23.6)	700	53.4%	(50.0-56.8)
	<b>Washoe</b>	414	34.7%	(31.6-37.9)	256	21.3%	(18.6-23.9)	613	44.0%	(40.7-47.2)
	<b>All Other Counties</b>	372	30.1%	(26.9-33.2)	251	21.6%	(18.7-24.5)	668	48.3%	(44.9-51.7)
<b>Health Insurance</b>	<b>Yes</b>	968	29.0%	(26.7-31.3)	622	19.9%	(17.8-22.0)	1742	51.1%	(48.6-53.6)
	<b>No</b>	155	25.4%	(19.3-31.4)	107	21.4%	(15.6-27.2)	305	53.2%	(46.4-60.0)
<b>Weight Status</b>	<b>Normal weight</b>	503	32.9%	(29.2-36.5)	276	22.8%	(19.0-26.6)	659	44.3%	(40.4-48.3)
	<b>Overweight</b>	410	28.5%	(24.7-32.2)	280	20.8%	(17.5-24.1)	724	50.8%	(46.7-54.9)
	<b>Obese</b>	192	21.7%	(17.5-25.9)	160	16.3%	(12.7-19.8)	582	62.1%	(57.3-66.9)
<b>Smoking Status</b>	<b>Not At Risk</b>	942	29.7%	(27.2-32.2)	571	19.8%	(17.4-22.1)	1588	50.6%	(47.8-53.3)
	<b>At Risk</b>	183	22.9%	(18.4-27.4)	161	22.4%	(17.8-26.9)	458	54.7%	(49.4-60.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1022	28.3%	(26.0-30.6)	650	19.9%	(17.8-22.1)	1869	51.8%	(49.2-54.4)
	<b>At Risk</b>	85	31.4%	(23.4-39.3)	70	25.3%	(17.8-32.8)	145	43.3%	(35.1-51.6)
<b>Health Status</b>	<b>Good or Better Health</b>	1038	31.1%	(28.7-33.6)	662	22.1%	(19.8-24.4)	1514	46.8%	(44.1-49.5)
	<b>Fair or Poor Health</b>	91	14.4%	(9.9-18.9)	70	11.6%	(7.1-16.1)	535	74.0%	(68.3-79.7)

### Table 103: How long has it been since you last visited a dentist or dental clinic for any reason?

How long has it been since you last visited a dentist or dental clinic for any reason?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <5 yrs ago			5+ years ago/Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	2657	66.5%	(64.1-68.9)	407	11.2%	(9.7-12.7)	362	10.6%	(8.9-12.3)	450	11.7%	(9.9-13.4)
<b>Gender</b>	<b>Male</b>	1081	65.4%	(61.7-69.1)	179	10.6%	(8.4-12.8)	155	11.1%	(8.4-13.8)	207	12.9%	(10.2-15.6)
	<b>Female</b>	1576	67.7%	(64.6-70.7)	228	11.9%	(9.8-13.9)	207	10.0%	(8.0-12.1)	243	10.4%	(8.3-12.6)
<b>Race</b>	<b>White/Non-Hisp</b>	2035	70.9%	(68.4-73.5)	268	9.7%	(8.0-11.3)	246	9.8%	(8.0-11.7)	309	9.6%	(8.0-11.1)
	<b>Black or Af.Am./Non-Hisp</b>	66	67.3%	(55.0-79.5)	17	16.0%	(7.4-24.5)	6	9.4%	(0.0-19.0)	8	7.4%	(1.6-13.2)
	<b>Other Race/Non-Hisp</b>	106	66.4%	(55.0-77.9)	24	17.8%	(7.2-28.3)	19	10.1%	(3.6-16.6)	16	5.7%	(2.5-9.0)
	<b>Multiracial/Non-Hisp</b>	179	66.5%	(58.6-74.4)	38	12.7%	(7.6-17.9)	32	10.2%	(5.4-15.1)	38	10.5%	(5.3-15.7)
	<b>Hispanic</b>	256	54.2%	(47.4-60.9)	58	12.0%	(8.2-15.9)	57	13.3%	(8.2-18.5)	76	20.4%	(14.4-26.5)
<b>Age</b>	<b>18-24</b>	149	69.4%	(61.5-77.3)	24	9.4%	(4.9-13.8)	29	10.0%	(5.0-15.0)	22	11.2%	(5.5-17.0)
	<b>25-34</b>	275	57.2%	(50.0-64.5)	58	12.9%	(8.5-17.3)	58	13.6%	(7.9-19.3)	52	16.2%	(10.1-22.3)
	<b>35-44</b>	445	71.3%	(66.3-76.3)	78	12.9%	(9.3-16.5)	57	10.6%	(6.9-14.4)	43	5.2%	(3.0-7.3)
	<b>45-54</b>	561	69.7%	(64.8-74.6)	95	11.7%	(8.1-15.2)	65	8.4%	(5.5-11.3)	72	10.3%	(6.9-13.6)
	<b>55-64</b>	610	71.3%	(66.7-75.9)	68	9.1%	(6.3-11.9)	53	8.6%	(5.4-11.8)	88	11.1%	(7.9-14.3)
	<b>65+</b>	617	61.5%	(57.3-65.8)	84	9.9%	(7.2-12.6)	100	11.8%	(8.7-14.9)	173	16.8%	(13.7-19.9)
<b>Education</b>	<b>Less Than H.S.</b>	152	43.4%	(35.3-51.5)	48	16.3%	(10.2-22.4)	60	15.1%	(9.6-20.6)	87	25.2%	(17.8-32.7)
	<b>H.S. or G.E.D.</b>	638	59.5%	(54.8-64.1)	136	12.6%	(9.9-15.4)	115	13.9%	(10.4-17.4)	153	14.0%	(10.2-17.8)
	<b>Some Post-H.S.</b>	860	71.0%	(67.2-74.8)	140	11.5%	(8.8-14.3)	112	8.3%	(6.0-10.7)	146	9.2%	(7.0-11.3)
	<b>College Graduate</b>	1000	78.4%	(74.4-82.5)	83	7.4%	(5.2-9.6)	75	7.9%	(4.6-11.3)	64	6.2%	(4.1-8.3)
<b>Income</b>	<b>Less than \$15,000</b>	101	35.6%	(25.5-45.8)	37	18.7%	(9.5-27.9)	44	14.9%	(7.7-22.0)	78	30.8%	(19.6-42.1)
	<b>\$15,000 to 24,999</b>	242	49.6%	(42.2-57.0)	52	13.8%	(8.8-18.7)	70	15.3%	(10.1-20.4)	97	21.4%	(14.7-28.0)
	<b>\$25,000 to 34,999</b>	235	52.6%	(43.8-61.4)	50	12.7%	(7.9-17.5)	43	17.5%	(8.8-26.3)	58	17.2%	(10.2-24.2)
	<b>\$35,000 to 49,999</b>	375	69.7%	(63.8-75.6)	57	10.2%	(6.5-13.9)	48	8.4%	(4.8-11.9)	61	11.8%	(7.7-16.0)
	<b>\$50,000 to 74,999</b>	506	75.5%	(70.8-80.2)	72	8.8%	(6.2-11.5)	54	9.5%	(5.9-13.0)	45	6.2%	(3.6-8.8)
	<b>\$75,000+</b>	913	79.8%	(76.3-83.3)	89	9.2%	(6.7-11.6)	61	7.0%	(4.7-9.2)	44	4.1%	(2.3-6.0)
<b>Region of Residence</b>	<b>Clark</b>	847	67.6%	(64.3-70.8)	137	11.1%	(9.0-13.1)	109	10.0%	(7.9-12.1)	130	11.4%	(8.9-13.8)
	<b>Washoe</b>	933	72.7%	(69.8-75.7)	114	9.9%	(7.8-12.0)	106	8.4%	(6.5-10.2)	115	9.0%	(7.2-10.8)
	<b>All Other Counties</b>	832	63.1%	(59.8-66.4)	141	12.0%	(9.7-14.2)	133	11.9%	(9.4-14.3)	180	13.1%	(11.0-15.2)
<b>Health Insurance</b>	<b>Yes</b>	2385	72.1%	(69.8-74.4)	323	10.0%	(8.5-11.4)	274	9.3%	(7.7-11.0)	322	8.6%	(7.1-10.1)
	<b>No</b>	258	44.2%	(37.5-50.9)	82	16.2%	(11.3-21.2)	88	15.7%	(10.4-21.1)	125	23.8%	(17.9-29.8)
<b>Weight Status</b>	<b>Normal weight</b>	1049	74.0%	(70.6-77.5)	117	7.9%	(6.0-9.9)	126	9.4%	(7.0-11.7)	145	8.7%	(6.4-11.0)
	<b>Overweight</b>	956	63.5%	(59.3-67.7)	158	13.3%	(10.4-16.2)	117	10.2%	(7.0-13.4)	161	13.1%	(10.1-16.1)
	<b>Obese</b>	576	60.9%	(56.0-65.9)	122	13.3%	(10.1-16.6)	101	12.3%	(8.9-15.8)	124	13.4%	(9.7-17.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2230	70.4%	(67.7-73.0)	303	10.4%	(8.8-12.1)	248	9.1%	(7.3-11.0)	296	10.1%	(8.2-11.9)
	<b>At Risk</b>	417	52.0%	(46.7-57.4)	103	14.2%	(10.7-17.8)	113	16.0%	(11.9-20.2)	154	17.7%	(13.5-21.9)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2409	66.7%	(64.2-69.3)	363	11.1%	(9.5-12.7)	326	10.3%	(8.6-12.1)	410	11.8%	(10.0-13.7)
	<b>At Risk</b>	204	62.5%	(53.9-71.1)	31	13.3%	(7.0-19.6)	27	13.0%	(6.0-19.9)	33	11.2%	(6.1-16.4)
<b>Health Status</b>	<b>Good or Better Health</b>	2304	69.6%	(67.0-72.2)	320	10.6%	(9.0-12.1)	269	10.2%	(8.3-12.2)	295	9.6%	(7.8-11.4)
	<b>Fair or Poor Health</b>	348	51.0%	(45.1-56.9)	87	14.6%	(9.9-19.2)	93	12.5%	(9.0-16.1)	153	21.9%	(16.8-27.0)

**Table 104: How many of your permanent teeth have been removed because of tooth decay or gum disease?**

How many of your permanent teeth have been removed because of tooth decay or gum disease?		1 to 5			6+ but not all			All			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	1158	30.5%	(28.1-32.8)	496	10.6%	(9.3-11.9)	274	4.9%	(4.1-5.8)	1898	54.0%	(51.5-56.4)
<b>Gender</b>	<b>Male</b>	507	32.0%	(28.3-35.6)	201	9.7%	(7.9-11.5)	102	4.1%	(3.0-5.2)	791	54.2%	(50.5-58.0)
	<b>Female</b>	651	29.0%	(26.1-31.9)	295	11.5%	(9.7-13.4)	172	5.8%	(4.5-7.1)	1107	53.7%	(50.6-56.9)
<b>Race</b>	<b>White/Non-Hisp</b>	803	26.9%	(24.4-29.4)	373	11.7%	(10.0-13.3)	218	5.8%	(4.8-6.9)	1429	55.6%	(52.8-58.3)
	<b>Black or Af.Am./Non-Hisp</b>	38	44.5%	(30.9-58.0)	15	11.9%	(4.6-19.2)	4	3.9%	(0.0-7.7)	37	39.8%	(27.1-52.5)
	<b>Other Race/Non-Hisp</b>	56	34.5%	(22.9-46.0)	28	15.1%	(7.8-22.4)	16	3.5%	(1.3-5.7)	60	46.9%	(34.4-59.4)
	<b>Multiracial/Non-Hisp</b>	82	27.5%	(19.7-35.4)	39	12.3%	(7.1-17.5)	23	6.9%	(2.2-11.6)	138	53.2%	(44.4-62.0)
	<b>Hispanic</b>	174	38.3%	(31.7-44.9)	37	5.3%	(2.9-7.7)	12	1.9%	(0.5-3.4)	222	54.5%	(47.8-61.2)
<b>Age</b>	<b>18-24</b>	30	16.1%	(8.8-23.4)	1	0.3%	(0.0-0.8)	0	.	(-.-)	193	83.6%	(76.4-90.9)
	<b>25-34</b>	99	27.4%	(20.5-34.4)	21	5.4%	(2.3-8.5)	2	1.0%	(0.0-2.6)	322	66.2%	(59.0-73.3)
	<b>35-44</b>	170	31.5%	(26.2-36.9)	33	4.7%	(2.7-6.8)	6	0.5%	(0.0-1.0)	413	63.3%	(57.8-68.7)
	<b>45-54</b>	263	35.4%	(30.3-40.4)	95	11.5%	(8.4-14.6)	25	3.6%	(1.6-5.6)	406	49.6%	(44.5-54.7)
	<b>55-64</b>	298	39.5%	(34.6-44.3)	115	13.5%	(10.3-16.6)	67	8.3%	(5.6-11.0)	329	38.8%	(34.1-43.4)
	<b>65+</b>	298	30.2%	(26.2-34.2)	231	29.2%	(25.0-33.5)	174	17.9%	(14.6-21.2)	235	22.7%	(19.1-26.2)
<b>Education</b>	<b>Less Than H.S.</b>	136	38.5%	(30.5-46.6)	51	10.6%	(6.6-14.6)	40	5.0%	(2.6-7.4)	114	45.8%	(37.5-54.2)
	<b>H.S. or G.E.D.</b>	308	30.6%	(26.1-35.1)	169	13.3%	(10.5-16.2)	116	7.3%	(5.4-9.2)	437	48.7%	(44.0-53.5)
	<b>Some Post-H.S.</b>	375	30.6%	(26.6-34.7)	187	11.8%	(9.4-14.1)	85	5.4%	(3.7-7.2)	593	52.2%	(47.9-56.5)
	<b>College Graduate</b>	337	26.7%	(22.6-30.9)	89	7.0%	(5.0-8.9)	33	2.2%	(1.2-3.1)	751	64.1%	(59.8-68.4)
<b>Income</b>	<b>Less than \$15,000</b>	77	30.9%	(20.6-41.1)	51	12.9%	(7.3-18.5)	57	13.8%	(7.2-20.5)	69	42.4%	(30.6-54.2)
	<b>\$15,000 to 24,999</b>	161	43.6%	(35.9-51.2)	92	13.6%	(9.8-17.4)	58	7.7%	(5.1-10.4)	142	35.2%	(28.2-42.1)
	<b>\$25,000 to 34,999</b>	123	36.3%	(27.3-45.3)	66	11.9%	(7.9-15.8)	28	4.9%	(2.5-7.4)	164	46.9%	(38.3-55.5)
	<b>\$35,000 to 49,999</b>	182	30.6%	(24.5-36.7)	70	11.4%	(7.6-15.2)	43	5.7%	(3.1-8.3)	238	52.3%	(45.7-58.9)
	<b>\$50,000 to 74,999</b>	206	28.9%	(23.9-33.8)	70	10.1%	(7.0-13.2)	28	4.3%	(2.1-6.5)	369	56.7%	(51.2-62.2)
	<b>\$75,000+</b>	269	24.6%	(20.8-28.3)	75	6.8%	(4.8-8.8)	21	1.9%	(0.9-2.9)	736	66.7%	(62.7-70.7)
<b>Region of Residence</b>	<b>Clark</b>	380	31.2%	(28.0-34.4)	167	10.9%	(9.1-12.8)	78	4.7%	(3.5-5.9)	582	53.1%	(49.8-56.5)
	<b>Washoe</b>	351	25.4%	(22.6-28.2)	130	7.7%	(6.2-9.1)	72	4.4%	(3.3-5.6)	698	62.5%	(59.4-65.6)
	<b>All Other Counties</b>	392	27.9%	(25.1-30.8)	185	13.1%	(11.0-15.2)	115	6.7%	(5.4-8.1)	579	52.3%	(48.9-55.7)
<b>Health Insurance</b>	<b>Yes</b>	962	29.2%	(26.8-31.6)	422	11.4%	(9.9-12.9)	247	5.4%	(4.5-6.3)	1630	53.9%	(51.4-56.5)
	<b>No</b>	194	35.9%	(29.1-42.7)	74	7.7%	(5.1-10.2)	27	3.1%	(1.0-5.2)	254	53.3%	(46.5-60.2)
<b>Weight Status</b>	<b>Normal weight</b>	375	26.3%	(22.7-29.9)	167	9.9%	(7.8-12.1)	104	5.3%	(3.7-6.8)	766	58.5%	(54.6-62.5)
	<b>Overweight</b>	440	32.1%	(28.1-36.1)	159	10.1%	(8.0-12.3)	87	4.3%	(3.0-5.5)	690	53.5%	(49.3-57.6)
	<b>Obese</b>	299	32.2%	(27.5-37.0)	153	12.8%	(10.1-15.6)	73	5.4%	(3.6-7.2)	389	49.5%	(44.6-54.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	908	29.3%	(26.7-31.9)	341	9.2%	(7.9-10.6)	170	3.7%	(2.9-4.5)	1617	57.8%	(55.1-60.5)
	<b>At Risk</b>	246	34.8%	(29.4-40.1)	155	15.8%	(12.3-19.4)	104	9.6%	(6.8-12.3)	275	39.8%	(34.6-45.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	1071	30.6%	(28.2-33.1)	438	10.3%	(8.9-11.6)	244	4.8%	(3.9-5.7)	1710	54.3%	(51.7-56.9)
	<b>At Risk</b>	67	27.1%	(18.8-35.4)	48	16.3%	(10.3-22.2)	23	5.7%	(2.7-8.7)	155	50.9%	(42.4-59.4)
<b>Health Status</b>	<b>Good or Better Health</b>	939	29.9%	(27.3-32.5)	339	9.0%	(7.7-10.4)	171	3.7%	(2.9-4.5)	1702	57.4%	(54.7-60.1)
	<b>Fair or Poor Health</b>	217	32.9%	(27.2-38.6)	156	18.7%	(14.8-22.6)	103	11.0%	(7.9-14.2)	193	37.4%	(31.4-43.3)

### Table 105: How long has it been since you had your teeth cleaned by a dentist or hygienist?

How long has it been since you had your teeth cleaned by a dentist or hygienist?		<12 months ago			1 yr but <2 yrs ago			2 yrs but <5 yrs ago			5+ years ago/Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	2470	67.4%	(64.9-69.9)	368	10.9%	(9.3-12.5)	305	10.5%	(8.7-12.3)	403	11.3%	(9.5-13.0)
<b>Gender</b>	<b>Male</b>	999	66.7%	(62.9-70.5)	166	10.3%	(8.1-12.6)	137	10.7%	(8.0-13.5)	190	12.2%	(9.5-15.0)
	<b>Female</b>	1471	68.2%	(64.9-71.4)	202	11.5%	(9.2-13.7)	168	10.2%	(7.9-12.4)	213	10.2%	(8.0-12.4)
<b>Race</b>	<b>White/Non-Hisp</b>	1897	72.0%	(69.3-74.7)	242	8.9%	(7.3-10.5)	200	8.8%	(6.9-10.7)	288	10.3%	(8.6-12.1)
	<b>Black or Af.Am./Non-Hisp</b>	65	76.3%	(66.1-86.5)	12	13.5%	(5.2-21.7)	6	5.9%	(0.8-11.0)	7	4.3%	(0.3-8.3)
	<b>Other Race/Non-Hisp</b>	92	63.4%	(51.0-75.8)	21	17.9%	(6.6-29.3)	12	7.9%	(1.6-14.1)	20	10.8%	(4.6-17.1)
	<b>Multiracial/Non-Hisp</b>	163	62.4%	(53.7-71.2)	34	12.4%	(6.8-18.0)	34	13.8%	(7.4-20.3)	32	11.3%	(5.7-16.9)
	<b>Hispanic</b>	239	55.1%	(47.9-62.3)	57	13.2%	(8.9-17.5)	51	15.8%	(10.1-21.6)	53	15.8%	(9.7-21.9)
<b>Age</b>	<b>18-24</b>	140	66.8%	(58.3-75.4)	26	10.8%	(5.3-16.3)	33	13.7%	(7.6-19.9)	15	8.6%	(3.2-14.1)
	<b>25-34</b>	264	59.4%	(51.9-66.9)	58	13.2%	(8.7-17.7)	55	14.7%	(8.6-20.7)	51	12.7%	(6.9-18.6)
	<b>35-44</b>	415	68.9%	(63.7-74.2)	68	11.1%	(7.5-14.7)	57	10.1%	(6.5-13.7)	65	9.9%	(6.6-13.1)
	<b>45-54</b>	539	69.9%	(65.0-74.8)	77	10.2%	(7.0-13.3)	63	9.3%	(6.1-12.4)	81	10.7%	(7.2-14.1)
	<b>55-64</b>	562	72.7%	(68.0-77.4)	60	8.5%	(5.6-11.5)	43	7.8%	(4.8-10.9)	81	10.9%	(7.7-14.2)
	<b>65+</b>	550	68.0%	(63.4-72.6)	79	10.8%	(7.7-13.9)	54	6.6%	(4.1-9.1)	110	14.6%	(11.0-18.2)
<b>Education</b>	<b>Less Than H.S.</b>	129	46.0%	(36.9-55.0)	38	13.9%	(7.5-20.2)	44	15.2%	(9.2-21.2)	68	24.9%	(16.7-33.2)
	<b>H.S. or G.E.D.</b>	581	59.3%	(54.2-64.3)	104	12.8%	(9.7-16.0)	92	12.6%	(9.1-16.2)	133	15.3%	(11.1-19.5)
	<b>Some Post-H.S.</b>	792	71.2%	(67.3-75.1)	134	11.6%	(8.7-14.5)	100	8.8%	(6.2-11.4)	139	8.4%	(6.5-10.4)
	<b>College Graduate</b>	961	78.8%	(74.7-82.9)	92	7.4%	(5.3-9.5)	69	8.4%	(4.8-12.0)	63	5.3%	(3.5-7.1)
<b>Income</b>	<b>Less than \$15,000</b>	70	30.1%	(19.4-40.8)	31	23.3%	(11.7-34.9)	28	12.9%	(4.9-20.9)	64	33.7%	(20.7-46.7)
	<b>\$15,000 to 24,999</b>	194	46.0%	(38.0-54.1)	60	17.9%	(12.0-23.9)	50	15.4%	(9.4-21.4)	86	20.6%	(13.5-27.8)
	<b>\$25,000 to 34,999</b>	213	56.7%	(47.3-66.0)	38	11.0%	(6.2-15.8)	48	17.3%	(8.5-26.2)	51	15.0%	(8.2-21.8)
	<b>\$35,000 to 49,999</b>	336	68.0%	(61.4-74.5)	58	13.1%	(7.8-18.4)	36	7.0%	(3.8-10.2)	60	12.0%	(7.7-16.2)
	<b>\$50,000 to 74,999</b>	490	77.3%	(72.6-81.9)	63	8.0%	(5.3-10.6)	48	9.1%	(5.6-12.6)	42	5.7%	(3.3-8.0)
	<b>\$75,000+</b>	897	80.5%	(77.1-84.0)	82	8.5%	(6.1-10.9)	58	6.5%	(4.2-8.8)	45	4.5%	(2.6-6.3)
<b>Region of Residence</b>	<b>Clark</b>	790	67.9%	(64.5-71.3)	116	10.8%	(8.6-13.1)	94	9.7%	(7.5-11.9)	125	11.5%	(9.0-14.1)
	<b>Washoe</b>	884	73.7%	(70.6-76.7)	104	9.1%	(7.0-11.1)	94	8.7%	(6.7-10.7)	104	8.6%	(6.7-10.4)
	<b>All Other Counties</b>	751	62.2%	(58.7-65.7)	136	13.3%	(10.8-15.8)	105	10.9%	(8.4-13.3)	163	13.7%	(11.4-16.0)
<b>Health Insurance</b>	<b>Yes</b>	2235	73.1%	(70.7-75.5)	290	10.0%	(8.4-11.5)	230	8.6%	(6.9-10.2)	278	8.4%	(6.8-9.9)
	<b>No</b>	222	44.5%	(37.3-51.6)	77	14.8%	(9.8-19.9)	75	18.3%	(12.3-24.4)	121	22.3%	(16.3-28.4)
<b>Weight Status</b>	<b>Normal weight</b>	986	73.7%	(70.0-77.4)	104	8.3%	(6.1-10.4)	101	9.0%	(6.4-11.6)	125	9.0%	(6.5-11.4)
	<b>Overweight</b>	891	65.2%	(60.8-69.6)	148	12.4%	(9.5-15.3)	103	11.3%	(7.7-14.8)	139	11.1%	(8.2-14.0)
	<b>Obese</b>	524	62.5%	(57.4-67.6)	104	12.5%	(9.1-16.0)	88	10.8%	(7.7-13.9)	124	14.2%	(10.2-18.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	2109	72.2%	(69.5-74.9)	274	9.5%	(7.9-11.1)	219	9.4%	(7.4-11.4)	265	9.0%	(7.1-10.8)
	<b>At Risk</b>	350	47.8%	(42.0-53.5)	94	16.7%	(12.2-21.2)	86	14.9%	(10.6-19.2)	138	20.6%	(15.7-25.5)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	2247	68.2%	(65.6-70.8)	334	10.6%	(9.0-12.3)	277	10.3%	(8.5-12.2)	356	10.8%	(9.0-12.7)
	<b>At Risk</b>	181	58.9%	(49.6-68.1)	27	15.7%	(8.2-23.2)	23	9.7%	(3.1-16.2)	36	15.7%	(9.0-22.5)
<b>Health Status</b>	<b>Good or Better Health</b>	2170	70.3%	(67.6-73.0)	290	9.9%	(8.3-11.6)	242	10.3%	(8.3-12.3)	275	9.4%	(7.6-11.3)
	<b>Fair or Poor Health</b>	295	51.4%	(44.9-57.9)	78	16.1%	(11.1-21.2)	63	11.4%	(7.4-15.4)	126	21.1%	(15.6-26.5)

**Table 106: How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?**

How much do people risk harming themselves physically and in other ways when they smoke marijuana once or twice a week?		No risk			Slight risk			Moderate risk			Great risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	419	12.5%	(10.7-14.3)	677	20.1%	(18.0-22.1)	865	23.8%	(21.6-25.9)	1538	43.7%	(41.1-46.2)
<b>Gender</b>	<b>Male</b>	224	15.3%	(12.3-18.3)	345	24.8%	(21.4-28.1)	363	23.0%	(19.8-26.2)	513	37.0%	(33.1-40.9)
	<b>Female</b>	195	9.7%	(7.7-11.7)	332	15.3%	(13.0-17.6)	502	24.5%	(21.8-27.3)	1025	50.5%	(47.1-53.8)
<b>Race</b>	<b>White/Non-Hisp</b>	289	11.8%	(9.9-13.7)	547	23.9%	(21.3-26.5)	676	26.0%	(23.5-28.4)	1091	38.3%	(35.5-41.1)
	<b>Black or Af.Am./Non-Hisp</b>	18	28.8%	(14.8-42.7)	5	7.4%	(0.3-14.5)	15	20.4%	(8.6-32.2)	43	43.5%	(29.3-57.6)
	<b>Other Race/Non-Hisp</b>	17	11.0%	(3.8-18.3)	25	23.0%	(11.3-34.7)	24	20.9%	(8.6-33.1)	63	45.1%	(31.2-59.1)
	<b>Multiracial/Non-Hisp</b>	56	18.5%	(12.5-24.6)	57	27.1%	(18.5-35.6)	71	24.7%	(17.0-32.4)	82	29.7%	(21.0-38.4)
	<b>Hispanic</b>	35	8.3%	(3.3-13.3)	38	8.0%	(4.8-11.3)	76	18.5%	(13.2-23.8)	252	65.2%	(58.3-72.0)
<b>Age</b>	<b>18-24</b>	40	15.9%	(9.6-22.1)	43	20.5%	(13.4-27.6)	60	28.7%	(20.2-37.3)	73	34.9%	(26.1-43.7)
	<b>25-34</b>	63	14.2%	(8.4-20.0)	86	17.4%	(12.3-22.5)	111	20.0%	(15.0-24.9)	169	48.5%	(41.2-55.7)
	<b>35-44</b>	61	10.6%	(7.4-13.9)	122	20.2%	(15.7-24.7)	156	26.7%	(21.9-31.5)	247	42.5%	(36.9-48.1)
	<b>45-54</b>	118	15.6%	(11.6-19.5)	185	26.5%	(21.7-31.2)	193	24.4%	(20.0-28.7)	245	33.6%	(28.6-38.6)
	<b>55-64</b>	81	11.3%	(8.2-14.4)	159	23.8%	(19.3-28.4)	193	23.9%	(19.6-28.1)	287	41.0%	(35.9-46.1)
	<b>65+</b>	56	7.0%	(4.6-9.4)	82	11.3%	(8.1-14.6)	152	19.5%	(15.8-23.3)	517	62.1%	(57.5-66.8)
<b>Education</b>	<b>Less Than H.S.</b>	42	13.8%	(7.8-19.8)	30	14.3%	(7.9-20.7)	54	13.6%	(8.5-18.8)	172	58.3%	(49.7-66.9)
	<b>H.S. or G.E.D.</b>	121	14.4%	(11.0-17.7)	158	16.2%	(12.6-19.7)	185	19.5%	(15.6-23.3)	458	50.0%	(45.0-55.1)
	<b>Some Post-H.S.</b>	141	12.5%	(9.5-15.5)	225	21.9%	(18.1-25.8)	305	25.3%	(21.4-29.2)	472	40.3%	(35.9-44.7)
	<b>College Graduate</b>	115	10.5%	(7.0-14.0)	264	24.1%	(20.4-27.9)	318	30.0%	(26.0-34.1)	432	35.4%	(31.2-39.5)
<b>Income</b>	<b>Less than \$15,000</b>	36	14.5%	(8.4-20.6)	28	15.9%	(7.1-24.7)	37	14.7%	(7.0-22.5)	121	54.9%	(43.0-66.7)
	<b>\$15,000 to 24,999</b>	51	11.2%	(6.6-15.8)	62	12.4%	(7.9-17.0)	68	17.9%	(11.4-24.5)	218	58.4%	(50.6-66.2)
	<b>\$25,000 to 34,999</b>	46	17.2%	(7.6-26.8)	55	13.3%	(8.0-18.5)	67	14.3%	(9.6-19.0)	167	55.3%	(45.7-64.8)
	<b>\$35,000 to 49,999</b>	57	12.6%	(7.8-17.4)	78	17.7%	(12.3-23.1)	133	23.5%	(18.2-28.9)	217	46.2%	(39.2-53.2)
	<b>\$50,000 to 74,999</b>	71	12.9%	(8.9-17.0)	132	24.0%	(19.0-29.1)	171	22.1%	(17.7-26.5)	251	40.9%	(35.1-46.8)
	<b>\$75,000+</b>	119	11.7%	(8.9-14.4)	259	24.9%	(21.1-28.7)	300	30.5%	(26.6-34.4)	368	32.9%	(28.8-37.0)
<b>Region of Residence</b>	<b>Clark</b>	131	11.7%	(9.4-13.9)	218	20.3%	(17.5-23.1)	263	23.8%	(20.9-26.8)	485	44.2%	(40.6-47.7)
	<b>Washoe</b>	152	13.6%	(11.2-16.0)	252	22.4%	(19.5-25.3)	309	26.6%	(23.6-29.6)	459	37.4%	(34.1-40.7)
	<b>All Other Counties</b>	127	13.8%	(10.8-16.7)	200	17.8%	(15.2-20.5)	288	25.7%	(22.4-29.0)	538	42.7%	(39.2-46.2)
<b>Health Insurance</b>	<b>Yes</b>	330	11.0%	(9.4-12.6)	583	21.0%	(18.8-23.2)	746	24.9%	(22.6-27.1)	1311	43.1%	(40.4-45.8)
	<b>No</b>	87	18.4%	(12.3-24.4)	89	16.5%	(11.5-21.6)	112	18.7%	(13.4-24.0)	224	46.4%	(39.3-53.6)
<b>Weight Status</b>	<b>Normal weight</b>	152	11.1%	(8.7-13.4)	255	19.6%	(16.4-22.9)	325	25.3%	(21.6-29.0)	575	44.0%	(39.8-48.2)
	<b>Overweight</b>	152	12.5%	(9.2-15.8)	264	22.7%	(19.1-26.3)	301	23.9%	(20.3-27.4)	536	40.9%	(36.6-45.3)
	<b>Obese</b>	102	15.5%	(11.2-19.8)	147	18.2%	(14.1-22.3)	216	22.8%	(18.8-26.7)	367	43.6%	(38.4-48.8)
<b>Smoking Status</b>	<b>Not At Risk</b>	253	9.0%	(7.2-10.8)	507	18.7%	(16.5-20.9)	703	25.1%	(22.6-27.6)	1309	47.2%	(44.2-50.1)
	<b>At Risk</b>	164	25.7%	(20.6-30.8)	169	25.4%	(20.5-30.4)	158	18.4%	(14.5-22.4)	225	30.4%	(25.2-35.6)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	337	11.6%	(9.7-13.5)	593	19.4%	(17.3-21.5)	776	23.7%	(21.5-25.9)	1453	45.3%	(42.6-48.1)
	<b>At Risk</b>	70	23.8%	(16.9-30.6)	74	27.5%	(19.3-35.8)	70	24.0%	(17.1-30.9)	64	24.7%	(16.7-32.7)
<b>Health Status</b>	<b>Good or Better Health</b>	340	12.2%	(10.2-14.2)	582	20.8%	(18.5-23.0)	744	24.5%	(22.2-26.9)	1240	42.5%	(39.7-45.3)
	<b>Fair or Poor Health</b>	78	14.1%	(9.8-18.4)	94	16.4%	(11.6-21.3)	120	19.5%	(14.9-24.1)	296	50.0%	(43.6-56.4)

**Table 107: How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?**

How much do people risk harming themselves physically and in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?		No risk			Slight risk			Moderate risk			Great risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	151	4.7%	(3.7-5.7)	619	16.4%	(14.6-18.2)	1327	35.2%	(32.8-37.6)	1647	43.7%	(41.2-46.2)
<b>Gender</b>	<b>Male</b>	83	6.0%	(4.3-7.7)	313	18.1%	(15.4-20.8)	640	40.8%	(37.1-44.6)	527	35.1%	(31.4-38.8)
	<b>Female</b>	68	3.3%	(2.2-4.5)	306	14.6%	(12.3-17.0)	687	29.5%	(26.6-32.4)	1120	52.5%	(49.3-55.7)
<b>Race</b>	<b>White/Non-Hisp</b>	104	4.4%	(3.2-5.5)	485	18.0%	(15.8-20.2)	1030	37.7%	(35.0-40.4)	1158	39.9%	(37.2-42.6)
	<b>Black or Af.Am./Non-Hisp</b>	7	8.2%	(1.2-15.1)	16	15.9%	(7.9-23.9)	19	27.3%	(14.7-40.0)	48	48.6%	(35.0-62.1)
	<b>Other Race/Non-Hisp</b>	9	5.9%	(0.6-11.3)	29	22.9%	(11.2-34.7)	41	30.2%	(18.6-41.8)	70	40.9%	(28.7-53.2)
	<b>Multiracial/Non-Hisp</b>	12	4.7%	(1.6-7.9)	52	22.9%	(15.1-30.8)	94	28.2%	(20.6-35.8)	119	44.1%	(35.2-53.1)
	<b>Hispanic</b>	18	4.6%	(2.0-7.1)	31	7.8%	(4.4-11.2)	137	33.8%	(27.1-40.4)	245	53.9%	(47.1-60.7)
<b>Age</b>	<b>18-24</b>	10	5.3%	(1.6-9.1)	46	22.7%	(14.9-30.4)	83	37.2%	(28.4-45.9)	83	34.9%	(26.4-43.4)
	<b>25-34</b>	13	3.0%	(1.0-4.9)	85	15.9%	(11.3-20.5)	152	32.3%	(25.5-39.2)	186	48.8%	(41.6-56.0)
	<b>35-44</b>	15	3.1%	(1.2-5.0)	102	14.6%	(11.0-18.2)	219	39.9%	(34.4-45.4)	273	42.3%	(36.9-47.8)
	<b>45-54</b>	35	6.2%	(3.3-9.2)	128	16.3%	(12.7-20.0)	274	31.2%	(26.7-35.7)	344	46.2%	(41.1-51.4)
	<b>55-64</b>	34	5.6%	(3.2-8.0)	130	16.8%	(13.2-20.5)	291	37.6%	(32.9-42.4)	332	40.0%	(35.2-44.8)
	<b>65+</b>	44	5.7%	(3.5-7.8)	128	13.9%	(10.7-17.1)	308	33.8%	(29.5-38.1)	429	46.7%	(42.2-51.1)
<b>Education</b>	<b>Less Than H.S.</b>	21	6.4%	(2.7-10.1)	38	11.7%	(6.2-17.3)	95	30.3%	(22.6-38.0)	180	51.6%	(43.3-59.9)
	<b>H.S. or G.E.D.</b>	45	5.3%	(3.1-7.5)	142	14.0%	(10.8-17.1)	341	31.4%	(27.1-35.8)	471	49.3%	(44.5-54.1)
	<b>Some Post-H.S.</b>	51	4.9%	(3.1-6.6)	222	19.4%	(15.9-22.9)	441	34.2%	(30.2-38.3)	502	41.5%	(37.2-45.8)
	<b>College Graduate</b>	34	3.3%	(1.9-4.7)	217	17.7%	(14.5-20.9)	448	41.8%	(37.4-46.3)	489	37.2%	(33.1-41.3)
<b>Income</b>	<b>Less than \$15,000</b>	13	4.8%	(1.4-8.2)	38	17.2%	(9.2-25.3)	59	19.6%	(12.2-26.9)	135	58.4%	(47.9-68.9)
	<b>\$15,000 to 24,999</b>	22	6.1%	(2.6-9.6)	57	12.4%	(7.8-17.0)	143	30.9%	(23.9-37.9)	225	50.6%	(43.1-58.1)
	<b>\$25,000 to 34,999</b>	13	4.5%	(1.5-7.6)	46	9.8%	(5.8-13.8)	141	36.6%	(27.4-45.8)	165	49.0%	(40.0-58.0)
	<b>\$35,000 to 49,999</b>	23	4.1%	(2.0-6.1)	82	14.4%	(9.5-19.4)	173	29.5%	(23.8-35.3)	245	52.0%	(45.3-58.7)
	<b>\$50,000 to 74,999</b>	22	4.2%	(1.7-6.7)	111	14.9%	(11.1-18.7)	268	40.7%	(35.2-46.2)	258	40.2%	(34.6-45.8)
	<b>\$75,000+</b>	40	4.7%	(2.8-6.7)	208	20.3%	(16.8-23.8)	414	40.1%	(35.9-44.4)	420	34.8%	(30.9-38.8)
<b>Region of Residence</b>	<b>Clark</b>	65	5.3%	(3.8-6.7)	195	16.2%	(13.7-18.7)	398	34.2%	(31.0-37.4)	526	44.3%	(40.9-47.8)
	<b>Washoe</b>	38	3.0%	(1.8-4.1)	201	17.4%	(14.8-20.1)	466	38.4%	(35.2-41.7)	529	41.2%	(37.9-44.4)
	<b>All Other Counties</b>	46	4.4%	(2.6-6.2)	217	19.5%	(16.6-22.4)	442	37.6%	(34.1-41.0)	532	38.6%	(35.3-41.8)
<b>Health Insurance</b>	<b>Yes</b>	121	4.4%	(3.3-5.5)	531	16.6%	(14.7-18.5)	1158	36.9%	(34.4-39.4)	1382	42.1%	(39.5-44.7)
	<b>No</b>	29	5.8%	(3.1-8.5)	85	15.7%	(10.9-20.6)	164	28.5%	(21.9-35.0)	257	50.0%	(43.0-56.9)
<b>Weight Status</b>	<b>Normal weight</b>	51	4.1%	(2.5-5.7)	230	17.2%	(14.2-20.3)	475	33.6%	(29.8-37.5)	639	45.0%	(41.0-49.1)
	<b>Overweight</b>	61	5.5%	(3.7-7.2)	230	16.1%	(13.2-19.0)	495	39.2%	(35.0-43.4)	547	39.3%	(35.2-43.3)
	<b>Obese</b>	33	4.6%	(2.3-6.8)	146	16.2%	(12.4-19.9)	317	32.2%	(27.7-36.8)	400	47.0%	(42.0-52.1)
<b>Smoking Status</b>	<b>Not At Risk</b>	97	3.7%	(2.7-4.8)	461	14.8%	(12.9-16.7)	1065	36.2%	(33.5-39.0)	1349	45.2%	(42.4-48.0)
	<b>At Risk</b>	54	8.3%	(5.3-11.2)	156	22.2%	(17.5-26.8)	259	31.7%	(26.8-36.6)	291	37.9%	(32.6-43.3)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	118	4.3%	(3.2-5.4)	527	15.2%	(13.4-17.0)	1183	34.7%	(32.2-37.2)	1558	45.8%	(43.2-48.4)
	<b>At Risk</b>	25	7.8%	(3.6-12.1)	82	31.3%	(23.3-39.2)	118	39.3%	(30.9-47.8)	62	21.6%	(14.4-28.8)
<b>Health Status</b>	<b>Good or Better Health</b>	124	4.6%	(3.5-5.7)	532	17.0%	(15.0-19.0)	1125	36.8%	(34.1-39.4)	1302	41.6%	(38.9-44.3)
	<b>Fair or Poor Health</b>	24	4.2%	(1.7-6.7)	86	13.2%	(9.2-17.1)	201	27.8%	(22.8-32.9)	343	54.8%	(48.9-60.6)

**Table 108: During the past 30 days, on how many days did you use marijuana or hashish?**

During the past 30 days, on how many days did you use marijuana or hashish?		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>	'												
<b>Total</b>	<b>Total</b>	31	1.1%	(0.6-1.5)	24	0.6%	(0.3-0.9)	83	2.3%	(1.5-3.1)	3732	96.1%	(95.1-97.0)
<b>Gender</b>	<b>Male</b>	17	1.5%	(0.7-2.2)	13	0.6%	(0.2-1.0)	56	3.1%	(1.7-4.4)	1528	94.9%	(93.3-96.5)
	<b>Female</b>	14	0.7%	(0.2-1.1)	11	0.5%	(0.1-1.0)	27	1.5%	(0.8-2.2)	2204	97.3%	(96.3-98.2)
<b>Race</b>	<b>White/Non-Hisp</b>	18	1.0%	(0.4-1.5)	19	0.7%	(0.3-1.1)	56	2.0%	(1.2-2.9)	2762	96.3%	(95.2-97.4)
	<b>Black or Af.Am./Non-Hisp</b>	1	1.0%	(0.0-2.9)	0	.	(-)	3	8.1%	(0.0-18.0)	90	90.9%	(80.9-100.0)
	<b>Other Race/Non-Hisp</b>	2	1.3%	(0.0-3.0)	0	.	(-)	4	1.9%	(0.0-4.2)	159	96.9%	(93.9-99.8)
	<b>Multiracial/Non-Hisp</b>	4	2.4%	(0.0-5.1)	1	0.7%	(0.0-2.1)	10	2.9%	(0.4-5.3)	271	94.0%	(90.2-97.8)
	<b>Hispanic</b>	4	0.5%	(0.0-1.1)	4	0.4%	(0.0-0.8)	10	1.8%	(0.5-3.2)	430	97.3%	(95.8-98.8)
<b>Age</b>	<b>18-24</b>	8	1.8%	(0.4-3.2)	5	0.7%	(0.0-1.4)	14	4.3%	(1.6-7.1)	196	93.2%	(90.0-96.3)
	<b>25-34</b>	6	0.8%	(0.0-1.8)	7	1.1%	(0.1-2.1)	24	5.3%	(2.1-8.6)	406	92.7%	(89.2-96.3)
	<b>35-44</b>	9	1.9%	(0.5-3.4)	3	0.4%	(0.0-0.9)	10	1.7%	(0.3-3.0)	599	96.0%	(93.9-98.0)
	<b>45-54</b>	4	1.1%	(0.0-2.3)	3	0.4%	(0.0-1.1)	18	1.2%	(0.5-1.8)	766	97.3%	(95.8-98.8)
	<b>55-64</b>	4	0.7%	(0.0-1.5)	6	0.8%	(0.0-1.7)	16	1.4%	(0.5-2.3)	791	97.1%	(95.6-98.6)
	<b>65+</b>	0	.	(-)	0	.	(-)	1	0.1%	(0.0-0.2)	974	99.9%	(99.8-100.0)
<b>Education</b>	<b>Less Than H.S.</b>	4	1.6%	(0.0-3.3)	1	0.3%	(0.0-0.8)	12	5.7%	(1.0-10.4)	331	92.4%	(87.4-97.3)
	<b>H.S. or G.E.D.</b>	12	1.0%	(0.4-1.7)	8	0.6%	(0.1-1.1)	25	2.3%	(1.1-3.5)	997	96.1%	(94.7-97.6)
	<b>Some Post-H.S.</b>	10	1.0%	(0.2-1.7)	7	0.5%	(0.0-1.0)	30	2.2%	(1.2-3.2)	1213	96.3%	(95.0-97.7)
	<b>College Graduate</b>	5	1.0%	(0.1-1.9)	8	0.7%	(0.0-1.4)	16	1.0%	(0.3-1.6)	1184	97.3%	(96.1-98.6)
<b>Income</b>	<b>Less than \$15,000</b>	4	2.6%	(0.0-5.5)	4	0.9%	(0.0-2.2)	5	2.1%	(0.0-4.2)	244	94.4%	(90.6-98.2)
	<b>\$15,000 to 24,999</b>	2	0.2%	(0.0-0.5)	0	.	(-)	15	2.9%	(0.8-4.9)	442	96.9%	(94.9-99.0)
	<b>\$25,000 to 34,999</b>	1	0.2%	(0.0-0.7)	2	0.2%	(0.0-0.5)	11	4.1%	(0.0-8.4)	370	95.5%	(91.2-99.8)
	<b>\$35,000 to 49,999</b>	5	1.1%	(0.0-2.1)	5	0.8%	(0.0-1.8)	16	1.9%	(0.6-3.2)	515	96.1%	(94.2-98.0)
	<b>\$50,000 to 74,999</b>	7	1.4%	(0.2-2.5)	5	0.9%	(0.0-1.9)	10	1.4%	(0.3-2.5)	655	96.3%	(94.5-98.1)
	<b>\$75,000+</b>	6	0.9%	(0.0-1.9)	8	0.8%	(0.1-1.5)	17	1.6%	(0.6-2.5)	1074	96.7%	(95.3-98.2)
<b>Region of Residence</b>	<b>Clark</b>	13	1.1%	(0.5-1.7)	4	0.4%	(0.0-0.8)	19	1.9%	(0.8-3.0)	1183	96.6%	(95.3-97.9)
	<b>Washoe</b>	8	1.1%	(0.2-1.9)	14	1.3%	(0.6-2.0)	38	3.9%	(2.4-5.4)	1206	93.7%	(91.9-95.6)
	<b>All Other Counties</b>	10	1.4%	(0.5-2.3)	5	0.5%	(0.0-1.1)	25	2.6%	(1.4-3.9)	1245	95.4%	(93.9-97.0)
<b>Health Insurance</b>	<b>Yes</b>	22	1.0%	(0.5-1.5)	18	0.5%	(0.2-0.9)	54	1.5%	(1.0-2.1)	3202	96.9%	(96.1-97.7)
	<b>No</b>	8	1.3%	(0.2-2.5)	6	0.7%	(0.0-1.3)	28	5.3%	(2.1-8.4)	513	92.8%	(89.4-96.1)
<b>Weight Status</b>	<b>Normal weight</b>	13	1.0%	(0.4-1.6)	11	0.7%	(0.1-1.2)	40	3.1%	(1.8-4.3)	1368	95.3%	(93.8-96.7)
	<b>Overweight</b>	10	1.3%	(0.3-2.2)	8	0.5%	(0.0-1.0)	27	1.8%	(0.6-3.0)	1345	96.4%	(94.8-98.0)
	<b>Obese</b>	7	0.8%	(0.1-1.5)	5	0.6%	(0.0-1.2)	15	2.2%	(0.3-4.2)	897	96.4%	(94.3-98.5)
<b>Smoking Status</b>	<b>Not At Risk</b>	14	0.7%	(0.3-1.2)	15	0.5%	(0.2-0.9)	35	1.0%	(0.5-1.4)	3008	97.8%	(97.1-98.5)
	<b>At Risk</b>	17	2.4%	(1.0-3.8)	9	0.7%	(0.2-1.2)	48	7.4%	(4.2-10.6)	712	89.6%	(86.1-93.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	25	1.0%	(0.5-1.5)	18	0.5%	(0.2-0.8)	58	1.8%	(1.1-2.5)	3405	96.8%	(95.9-97.6)
	<b>At Risk</b>	5	2.2%	(0.0-4.5)	6	1.7%	(0.1-3.2)	23	7.5%	(3.6-11.4)	259	88.6%	(83.9-93.3)
<b>Health Status</b>	<b>Good or Better Health</b>	25	1.0%	(0.5-1.5)	23	0.6%	(0.3-1.0)	61	2.1%	(1.3-3.0)	3071	96.2%	(95.2-97.2)
	<b>Fair or Poor Health</b>	6	1.3%	(0.1-2.4)	1	0.2%	(0.0-0.6)	22	3.2%	(1.3-5.2)	654	95.3%	(93.0-97.5)

**Table 109: During the past 30 days, on how many days did you use any other illegal drug?**

During the past 30 days, on how many days did you use any other illegal drug?		1-2 days			3-7 days			8-30 days			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>													
<b>Total</b>	<b>Total</b>	13	0.4%	(0.1-0.6)	9	0.4%	(0.0-0.7)	10	0.3%	(0.1-0.6)	3843	99.0%	(98.4-99.5)
<b>Gender</b>	<b>Male</b>	5	0.3%	(0.0-0.6)	6	0.6%	(0.0-1.2)	5	0.4%	(0.0-0.8)	1604	98.8%	(97.9-99.6)
	<b>Female</b>	8	0.4%	(0.1-0.8)	3	0.1%	(0.0-0.4)	5	0.3%	(0.0-0.6)	2239	99.1%	(98.6-99.7)
<b>Race</b>	<b>White/Non-Hisp</b>	8	0.3%	(0.0-0.6)	5	0.2%	(0.0-0.4)	8	0.4%	(0.0-0.7)	2837	99.2%	(98.7-99.6)
	<b>Black or Af.Am./Non-Hisp</b>	0	.	(.-)	1	2.1%	(0.0-6.1)	0	.	(.-)	95	97.9%	(93.9-100.0)
	<b>Other Race/Non-Hisp</b>	0	.	(.-)	1	0.6%	(0.0-1.8)	0	.	(.-)	164	99.4%	(98.2-100.0)
	<b>Multiracial/Non-Hisp</b>	1	0.3%	(0.0-0.8)	2	1.6%	(0.0-4.6)	0	.	(.-)	285	98.1%	(95.0-100.0)
	<b>Hispanic</b>	4	0.7%	(0.0-1.7)	0	.	(.-)	2	0.5%	(0.0-1.4)	440	98.8%	(97.5-100.0)
<b>Age</b>	<b>18-24</b>	2	0.5%	(0.0-1.1)	3	1.0%	(0.0-2.5)	1	0.1%	(0.0-0.4)	217	98.5%	(96.7-100.0)
	<b>25-34</b>	3	0.3%	(0.0-0.6)	1	0.3%	(0.0-0.8)	1	0.1%	(0.0-0.2)	439	99.4%	(98.7-100.0)
	<b>35-44</b>	5	1.1%	(0.0-2.3)	2	0.8%	(0.0-2.0)	2	0.5%	(0.0-1.4)	613	97.6%	(95.7-99.5)
	<b>45-54</b>	0	.	(.-)	3	0.2%	(0.0-0.5)	2	0.6%	(0.0-1.5)	789	99.2%	(98.3-100.0)
	<b>55-64</b>	3	0.1%	(0.0-0.3)	0	.	(.-)	3	0.2%	(0.0-0.5)	813	99.6%	(99.3-100.0)
	<b>65+</b>	0	.	(.-)	0	.	(.-)	1	0.4%	(0.0-1.3)	972	99.6%	(98.7-100.0)
<b>Education</b>	<b>Less Than H.S.</b>	2	0.3%	(0.0-0.9)	2	0.8%	(0.0-2.3)	0	.	(.-)	343	98.9%	(97.3-100.0)
	<b>H.S. or G.E.D.</b>	3	0.1%	(0.0-0.3)	3	0.2%	(0.0-0.5)	5	1.0%	(0.1-2.0)	1032	98.6%	(97.5-99.6)
	<b>Some Post-H.S.</b>	5	0.4%	(0.0-0.8)	1	0.4%	(0.0-1.2)	2	0.1%	(0.0-0.2)	1253	99.2%	(98.2-100.0)
	<b>College Graduate</b>	3	0.6%	(0.0-1.3)	3	0.2%	(0.0-0.6)	3	0.1%	(0.0-0.2)	1208	99.1%	(98.3-99.9)
<b>Income</b>	<b>Less than \$15,000</b>	1	0.1%	(0.0-0.3)	1	0.1%	(0.0-0.4)	2	0.3%	(0.0-0.7)	254	99.5%	(99.0-100.0)
	<b>\$15,000 to 24,999</b>	1	0.1%	(0.0-0.2)	2	0.3%	(0.0-0.7)	1	0.8%	(0.0-2.4)	457	98.9%	(97.2-100.0)
	<b>\$25,000 to 34,999</b>	4	0.8%	(0.0-1.9)	0	.	(.-)	1	0.1%	(0.0-0.4)	377	99.0%	(97.9-100.0)
	<b>\$35,000 to 49,999</b>	1	0.4%	(0.0-1.2)	0	.	(.-)	3	1.0%	(0.0-2.1)	538	98.6%	(97.2-100.0)
	<b>\$50,000 to 74,999</b>	2	0.8%	(0.0-2.0)	1	0.3%	(0.0-1.0)	1	0.1%	(0.0-0.2)	674	98.8%	(97.4-100.0)
	<b>\$75,000+</b>	4	0.3%	(0.0-0.5)	1	0.0%	(0.0-0.1)	2	0.3%	(0.0-0.7)	1100	99.4%	(98.9-100.0)
<b>Region of Residence</b>	<b>Clark</b>	4	0.3%	(0.0-0.7)	4	0.5%	(0.0-1.0)	4	0.4%	(0.0-0.8)	1211	98.8%	(98.0-99.5)
	<b>Washoe</b>	5	0.4%	(0.0-0.9)	3	0.2%	(0.0-0.3)	4	0.3%	(0.0-0.6)	1255	99.1%	(98.5-99.7)
	<b>All Other Counties</b>	4	0.4%	(0.0-1.0)	2	0.2%	(0.0-0.7)	2	0.1%	(0.0-0.3)	1279	99.2%	(98.5-99.9)
<b>Health Insurance</b>	<b>Yes</b>	8	0.3%	(0.0-0.6)	4	0.1%	(0.0-0.3)	6	0.3%	(0.0-0.6)	3284	99.3%	(98.8-99.7)
	<b>No</b>	5	0.6%	(0.0-1.3)	5	1.3%	(0.0-2.8)	4	0.4%	(0.0-1.0)	540	97.7%	(95.9-99.5)
<b>Weight Status</b>	<b>Normal weight</b>	5	0.3%	(0.0-0.7)	7	0.9%	(0.0-1.8)	4	0.3%	(0.0-0.9)	1419	98.4%	(97.3-99.5)
	<b>Overweight</b>	7	0.6%	(0.0-1.2)	1	0.0%	(0.0-0.0)	2	0.2%	(0.0-0.6)	1381	99.2%	(98.5-99.9)
	<b>Obese</b>	1	0.0%	(0.0-0.1)	1	0.1%	(0.0-0.4)	3	0.5%	(0.0-1.2)	920	99.3%	(98.6-100.0)
<b>Smoking Status</b>	<b>Not At Risk</b>	5	0.2%	(0.0-0.4)	4	0.2%	(0.0-0.5)	6	0.2%	(0.0-0.5)	3061	99.4%	(99.0-99.8)
	<b>At Risk</b>	8	1.1%	(0.2-1.9)	5	0.9%	(0.0-2.1)	4	0.8%	(0.0-1.8)	770	97.3%	(95.5-99.0)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	6	0.2%	(0.0-0.4)	6	0.2%	(0.0-0.5)	7	0.2%	(0.0-0.5)	3488	99.4%	(99.0-99.8)
	<b>At Risk</b>	7	3.0%	(0.4-5.6)	3	2.3%	(0.0-5.9)	3	1.8%	(0.0-4.5)	283	92.9%	(87.9-97.9)
<b>Health Status</b>	<b>Good or Better Health</b>	11	0.4%	(0.1-0.7)	8	0.3%	(0.0-0.6)	6	0.3%	(0.0-0.5)	3159	99.1%	(98.5-99.6)
	<b>Fair or Poor Health</b>	2	0.3%	(0.0-0.7)	1	0.6%	(0.0-1.7)	4	0.7%	(0.0-1.8)	677	98.4%	(96.8-100.0)

**Table 110: During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?**

During the past 12 months, have you driven a vehicle while you were under the influence of alcohol?		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
<b>Groups</b>							
<b>Total</b>	<b>Total</b>	215	5.7%	(4.6-6.7)	3661	94.3%	(93.3-95.4)
<b>Gender</b>	<b>Male</b>	137	7.5%	(5.8-9.2)	1485	92.5%	(90.8-94.2)
	<b>Female</b>	78	3.8%	(2.5-5.1)	2176	96.2%	(94.9-97.5)
<b>Race</b>	<b>White/Non-Hisp</b>	163	6.0%	(4.8-7.3)	2697	94.0%	(92.7-95.2)
	<b>Black or Af.Am./Non-Hisp</b>	6	4.7%	(0.2-9.2)	90	95.3%	(90.8-99.8)
	<b>Other Race/Non-Hisp</b>	8	7.5%	(0.1-14.8)	156	92.5%	(85.2-99.9)
	<b>Multiracial/Non-Hisp</b>	19	8.1%	(3.1-13.1)	269	91.9%	(86.9-96.9)
	<b>Hispanic</b>	18	3.0%	(1.2-4.8)	428	97.0%	(95.2-98.8)
<b>Age</b>	<b>18-24</b>	24	10.3%	(5.4-15.2)	200	89.7%	(84.8-94.6)
	<b>25-34</b>	43	7.1%	(4.2-10.0)	401	92.9%	(90.0-95.8)
	<b>35-44</b>	38	6.2%	(3.6-8.8)	583	93.8%	(91.2-96.4)
	<b>45-54</b>	51	5.6%	(3.5-7.6)	743	94.4%	(92.4-96.5)
	<b>55-64</b>	43	4.4%	(2.6-6.2)	774	95.6%	(93.8-97.4)
	<b>65+</b>	16	1.0%	(0.3-1.7)	960	99.0%	(98.3-99.7)
<b>Education</b>	<b>Less Than H.S.</b>	11	2.2%	(0.4-4.0)	337	97.8%	(96.0-99.6)
	<b>H.S. or G.E.D.</b>	51	4.7%	(2.9-6.4)	991	95.3%	(93.6-97.1)
	<b>Some Post-H.S.</b>	77	7.7%	(5.2-10.2)	1184	92.3%	(89.8-94.8)
	<b>College Graduate</b>	76	6.1%	(4.2-8.0)	1142	93.9%	(92.0-95.8)
<b>Income</b>	<b>Less than \$15,000</b>	8	2.3%	(0.4-4.1)	251	97.7%	(95.9-99.6)
	<b>\$15,000 to 24,999</b>	20	4.5%	(1.2-7.9)	441	95.5%	(92.1-98.8)
	<b>\$25,000 to 34,999</b>	16	3.9%	(1.1-6.8)	369	96.1%	(93.2-98.9)
	<b>\$35,000 to 49,999</b>	19	3.7%	(1.4-6.0)	523	96.3%	(94.0-98.6)
	<b>\$50,000 to 74,999</b>	36	6.2%	(3.5-8.9)	639	93.8%	(91.1-96.5)
	<b>\$75,000+</b>	100	9.4%	(7.0-11.9)	1004	90.6%	(88.1-93.0)
<b>Region of Residence</b>	<b>Clark</b>	63	5.4%	(3.9-6.9)	1161	94.6%	(93.1-96.1)
	<b>Washoe</b>	79	7.2%	(5.4-9.1)	1189	92.8%	(90.9-94.6)
	<b>All Other Counties</b>	70	6.9%	(4.8-9.0)	1215	93.1%	(91.0-95.2)
<b>Health Insurance</b>	<b>Yes</b>	181	6.0%	(4.8-7.2)	3124	94.0%	(92.8-95.2)
	<b>No</b>	33	4.4%	(2.3-6.6)	520	95.6%	(93.4-97.7)
<b>Weight Status</b>	<b>Normal weight</b>	89	5.5%	(3.8-7.2)	1344	94.5%	(92.8-96.2)
	<b>Overweight</b>	88	6.8%	(4.9-8.7)	1303	93.2%	(91.3-95.1)
	<b>Obese</b>	37	4.8%	(2.6-7.0)	889	95.2%	(93.0-97.4)
<b>Smoking Status</b>	<b>Not At Risk</b>	154	5.2%	(4.0-6.4)	2923	94.8%	(93.6-96.0)
	<b>At Risk</b>	61	7.4%	(4.9-9.9)	727	92.6%	(90.1-95.1)
<b>Heavy Drinking Status</b>	<b>Not At Risk</b>	148	4.4%	(3.3-5.4)	3361	95.6%	(94.6-96.7)
	<b>At Risk</b>	64	24.8%	(17.6-32.0)	230	75.2%	(68.0-82.4)
<b>Health Status</b>	<b>Good or Better Health</b>	192	6.0%	(4.8-7.1)	2995	94.0%	(92.9-95.2)
	<b>Fair or Poor Health</b>	22	4.0%	(1.5-6.5)	660	96.0%	(93.5-98.5)